Cucumber Report

Start : Apr 05, 3:39:12.035 pm	*End : Apr 05, 3:40:09.177 pm*	*Duration : 57.142 s*
Features	Scenarios	Steps

Features	Scenarios	Steps
PASSED - 1 *FAILED - 2* *SKIPPED - 0*	*PASSED - 2* *FAILED - 3* *SKIPPED - 0*	*PASSED - 15* *FAILED - 3* *SKIPPED - 12*

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
AddAddress	16.160 s	1	0	1	0	8	3	1	4
DemoWebShop	10.439 s	2	2	0	0	6	6	0	0
Title of your feature	30.499 s	2	0	2	0	16	6	2	8

#	Feature Name	Scenario Name
1	*AddAddress*	*DemoShopAddAddress*
2	*Title of your feature*	*ChangePassword*
3		*ChangePassword*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	5	2	3	0	3	1	2	0
@tag1	1	0	1	0	1	0	1	0
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	1	1	0	0	1	1	0	0
@ValidChangePassword	1	0	1	0	1	0	1	0
@InValidChangePassword	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	AddAddress	1	0	1	0	16.160 s
2	DemoWebShop	2	2	0	0	10.439 s
3	Title of your feature	2	0	2	0	30.499 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AddAddress	DemoShopAddAddress	8	3	1	4	16.155 s
2	DemoWebShop	LoginPageValid	3	3	0	0	5.237 s
3		LoginPageInvalid	3	3	0	0	5.196 s
4	Title of your feature	ChangePassword	8	3	1	4	15.124 s
5		ChangePassword	8	3	1	4	15.371 s

AddAddress

FAILED	DURATION - 16.160 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	
/ 3:39:12.035 pm // 3:39:28.195 pm /			1		8

DemoShopAddAddress

| FAILED	DURATION - 16.155 s		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	
/ 3:39:12.040 pm // 3:39:28.195 pm /				8
AddAddress				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.232 s
2	When I provide email and password	PASSED	0.231 s
	email / password abccy@gmail.com / 123456		
3	And click log in	PASSED	0.707 s
4	When I click my email	FAILED	10.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="abccy@gmail.com"]"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2aa38714540d78204d61aa7d3b7976e0, findElement {using=xpath, value=//a[text()="abccy@gmail.com"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54812}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54812/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: 2aa38714540d78204d61aa7d3b7976e0
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	    at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18)
	    at com.definitions.StepDefinition.i_click_my_email(StepDefinition.java:82)
	    at ?.I click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/AddAddress.feature:12)
	* Not displayable characters are replaced by '?'.		

5	And click Addressess and add new	SKIPPED	0.002 s
6	Then I want to add new address	SKIPPED	0.000 s
7	And select country and state	SKIPPED	0.000 s
8	Then i click save	SKIPPED	0.000 s

DemoWebShop

| *PASSED*	*DURATION - 10.439 s*	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 3:39:28.223 pm // 3:39:38.662 pm /					

LoginPageValid

PASSED	DURATION - 5.237 s
/ 3:39:28.223 pm // 3:39:33.460 pm /	
DemoWebShop	
@ValidCredentials @tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.125 s
2	When I provide email and password	PASSED	0.178 s
	email / password — abccy@gmail.com / 123456		
3	And click log in	PASSED	0.647 s

LoginPageInvalid

PASSED	DURATION - 5.196 s
/ 3:39:33.466 pm // 3:39:38.662 pm /	
DemoWebShop	
@InvalidCredentials @tag	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.100 s
2	When I provide invalid email and invalid password	PASSED	0.134 s
	email / password — abccy@gil.com / 123		
3	And click log in	PASSED	0.710 s

Title of your feature

FAILED	DURATION - 30.499 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 16 Pass - 6 Fail - 2 Skip - 8	16
/ 3:39:38.678 pm // 3:40:09.177 pm /					

ChangePassword

FAILED	DURATION - 15.124 s		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	8
/ 3:39:38.678 pm // 3:39:53.802 pm /				
Title of your feature				
@ValidChangePassword @tag				

| #	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.132 s
2	When I provide email and password	PASSED	0.147 s
	email / password abccy@gmail.com / 123456		
3	And click log in	PASSED	0.480 s
4	Given I want to click my email	FAILED	10.026 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="abccy@gmail.com"]"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [a6a190f76ddb197582462177253957d0, findElement {using=xpath, value=//a[text()="abccy@gmail.com"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57655}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57655/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6a190f76ddb197582462177253957d0
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:30) * Not displayable characters are replaced by '?'.		
5	Then I want to click change Password	SKIPPED	0.000 s
6	When i provide oldPassword as "123456"	SKIPPED	0.002 s
7	And i provide newPassword as "789456" and confirmPassword as "789456"	SKIPPED	0.000 s
8	Then i click change Password	SKIPPED	0.000 s

ChangePassword

FAILED	DURATION - 15.371 s		Steps	
/ 3:39:53.806 pm // 3:40:09.177 pm /			Total - 8	
			Pass - 3	
Title of your feature			Fail - 1	8
			Skip - 4	
@InValidChangePassword @tag				

#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.022 s

#	Step / Hook Details	Status	Duration
2	When I provide email and password 	email	password	 	abccy@gmail.com	123456		PASSED	0.196 s
3	And click log in	PASSED	0.732 s
4	Given I want to click my email	FAILED	10.044 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="abccy@gmail.com"]"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e0bf53021911b4663f575b99ec70863, findElement {using=xpath, value=//a[text()="abccy@gmail.com"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61811}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61811/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e0bf53021911b4663f575b99ec70863
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	    at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18)
	    at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44)
	    at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:47)
	 * Not displayable characters are replaced by '?'.		

5	Then I want to click change Password	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When i provide invalid oldPassword as "123478"	SKIPPED	0.000 s
7	And i provide newPassword as "789456" and confirmPassword as "789456"	SKIPPED	0.002 s
8	Then i click change Password	SKIPPED	0.000 s