
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Divraj_26MAY2025_Demowebshop_nopCommerce Website	28.578 s	2	0	2	0	7	4	2	1

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Divraj_26MAY2025_Demowebshop_nopCommerce Website	go to the nopcommerce webpage in the footer
2		view the details about the nopcommerce page

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Verify_the_Nopcommerce_website	1	0	1	0	1	0	1	0
@Verify_the_Nopcommerce_website_about	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



- 4	#	Feature Name	T	P	F	S	Duration
-	1	Divraj_26MAY2025_Demowebshop_nopCommerce Website	2	0	2	0	28.578 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Divraj_26MAY2025_Demowebshop_no-pCommerce Website	go to the nopcommerce webpage in the footer	3	2	1	0	27.893 s
2		view the details about the nopcommerce page	4	2	1	1	28.571 s

DETAILED SECTION

Divraj_26MAY2025_Demowebshop_nopCommerce Website

FAILED	DURATION - 28.578 s	Scenarios		Steps	
		Total - 2		Total - 7	
/ 4:54:53.969 pm // 4	4:55:22.547 pm /	Pass - 0	2	Pass - 4	7
		Fail - 2		Fail - 2	🔼 ' 🚚
		Skip - 0		Skip - 1	


go to the nopcommerce webpage in the footer



#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "url"	PASSED	4.257 s
2	When I click the nopcommerce text in the footer of the tricentis	PASSED	1.378 s
3	Then the user should see the nopcommerce website successfully	FAILED	20.500 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class="homebanner-text-section"]//child::h1"} (Session info: chrome=137.0.7151.120) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5bd71d09a860f3cba7b1eb96389458e, findElement {value=//div[@class="home-banner-text-section"]//child::h1, using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.120, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff, userDataDir: C:\Users\Lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54536}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54536/devtoo, se:cdpVersion: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: d5bd71d09a860f3cba7b1eb96389458e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source)		
	at com.Actions.nopcommerceAction.nopgettext(nopcommerceAction.java:34)		
	at com.Definitions.nopcommerceStepDefinition.		
	the_user_should_see_the_nopcommerce_website_successfully(nopcommerceStepDefinition.java:28)		
	at ?.the user should see the nopcommerce website successfully(file:///C:/Users/Lenovo/git/DemoWebShop-Cucumber/src/test/resources/		
	Features/nopcommerce.feature:11)		
	* Not displayable characters are replaced by '?'.		

view the details about the nopcommerce page



#	Step / Hook Details	Status	Duration
1	Given I want to be in the demowebshop "url"	PASSED	4.208 s
2	When I click the nopcommerce text in the footer of the tricentis	PASSED	2.577 s
3	And click the about us in the footer	FAILED	20.065 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href="/en/about-us"]"} (Session info: chrome=137.0.7151.120) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.31.0', revision: '1ef9f18787*' System info: os.name:		

#	Step / Hook Details	Status	Duration
	'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1a65a9f1be03c5d38dc0d17c20a63d5, findElement {value=//a[@href="/en/about-us"], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.120, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff, userDataDir: C:\Users\Lenovo\AppData\Loc}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54535}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54535/devtoo, se:cdpVersion: 137.0.7151.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	c1a65a9f1be03c5d38dc0d17c20a63d5		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at com.Actions.nopcommerceAction.aboutus(nopcommerceAction.java:44)		
	at com.Definitions.nopcommerceStepDefinition.click_the_about_us_in_the_footer(nopcommerceStepDefinition.java:39)		
	at ?.click the about us in the footer(file:///C:/Users/Lenovo/git/DemoWebShop-Cucumber/src/test/resources/Features/nopcommerce.		
	feature:17) * Not displayable characters are replaced by '?'.		
		OVIDDED	0.000
4	Then the user should see the complete details about the nopcommerce page successfully	SKIPPED	0.000 s