

EduGenie — templates/index.html

HTML frontend

Complete source code

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>EduGenie - AI Learning Assistant</title>
  <link rel="stylesheet" href="{ { url_for('static', path='/style.css') } }">
</head>
<body>
  <main class="container">
    <header>
      <p class="eyebrow">AI LEARNING ASSISTANT</p>
      <h1>EduGenie</h1>
      <p class="subtitle">Ask, understand, summarize, quiz yourself, and build a learning path.</p>
    </header>

    <section class="card">
      <label for="task">Choose a task</label>
      <select id="task">
        <option value="qa">Q&A</option>
        <option value="explain">Explain</option>
        <option value="quiz">Generate Quiz</option>
        <option value="summarize">Summarize</option>
        <option value="learn">Recommend Learning Path</option>
      </select>

      <label for="inputText">Your question or study text</label>
      <textarea id="inputText" rows="9"
        placeholder="Example: Explain the Pythagoras theorem in simple words."></textarea>

      <div class="actions">
        <button id="submitBtn">Generate</button>
        <button id="clearBtn" class="secondary">Clear</button>
      </div>
    </section>

    <section id="status" class="status hidden"></section>
    <section id="result" class="card result hidden"></section>
  </main>

  <script>
const task = document.getElementById("task");
const input = document.getElementById("inputText");
const submit = document.getElementById("submitBtn");
const clear = document.getElementById("clearBtn");
const result = document.getElementById("result");
const statusBox = document.getElementById("status");

const endpoints = {
  qa: "/qa",
  explain: "/explain",
  quiz: "/quiz",
  summarize: "/summarize",
  learn: "/learn/recommendations"
};

function showStatus(message, error = false) {
  statusBox.textContent = message;
  statusBox.className = error ? "status error" : "status";
}

function escapeHtml(value) {
  return String(value)
    .replaceAll("&", "&amp;")
    .replaceAll("<", "&lt;")
    .replaceAll(">", "&gt;")
    .replaceAll("'", "&quot;")
    .replaceAll('"', "&#039;");
}

function renderText(text) {
  return `<div class="answer">${escapeHtml(text).replaceAll("\n", "<br>")}</div>`;
}
```

```

function renderQuiz(data) {
  let html = "<div class='quiz'>";
  data.questions.forEach((q, index) => {
    html += `
      <article class="question">
        <h3>${index + 1}. ${escapeHtml(q.question)}</h3>
        <div class="options">
          ${q.options.map((option, optionIndex) => `
            <label class="option">
              <input type="radio" name="q${index}" value="${escapeHtml(option)}">
              <span>${String.fromCharCode(65 + optionIndex)}. ${escapeHtml(option)}</span>
            </label>
          `).join("")}
        </div>
        <div class="feedback" id="feedback-${index}"></div>
        <button class="check-btn" data-index="${index}">Check Answer</button>
      </article>
    `;
  });
  html += "</div>";
  result.innerHTML = html;

  data.questions.forEach((q, index) => {
    document.querySelector(`button[data-index="${index}"]`).addEventListener("click", () => {
      const selected = document.querySelector(`input[name="q${index}"]:checked`);
      const feedback = document.getElementById(`feedback-${index}`);

      if (!selected) {
        feedback.className = "feedback error";
        feedback.textContent = "Please choose an option.";
        return;
      }

      if (selected.value === q.correct_answer) {
        feedback.className = "feedback correct";
        feedback.textContent = "Correct! " + q.explanation;
      } else {
        feedback.className = "feedback wrong";
        feedback.textContent = "Not quite. Correct answer: " + q.correct_answer + ". " + q.explanation;
      }
    });
  });
}

async function runTask() {
  const text = input.value.trim();
  if (!text) {
    showStatus("Please enter a question or study text.", true);
    return;
  }

  submit.disabled = true;
  showStatus("Generating response...");
  result.classList.add("hidden");

  try {
    const response = await fetch(endpoints[task.value], {
      method: "POST",
      headers: {"Content-Type": "application/json"},
      body: JSON.stringify({text})
    });

    const data = await response.json();

    if (!response.ok) {
      throw new Error(data.detail || "Request failed.");
    }

    if (task.value === "quiz") {
      renderQuiz(data);
    } else {
      result.innerHTML = renderText(data.result);
    }

    result.classList.remove("hidden");
    showStatus("Done.");
  } catch (error) {
    showStatus(error.message, true);
    result.classList.add("hidden");
  } finally {
    submit.disabled = false;
  }
}

```

```
submit.addEventListener("click", runTask);

clear.addEventListener("click", () => {
  input.value = "";
  result.innerHTML = "";
  result.classList.add("hidden");
  showStatus("");
  statusBox.className = "status hidden";
});

input.addEventListener("keydown", (event) => {
  if ((event.ctrlKey || event.metaKey) && event.key === "Enter") {
    runTask();
  }
});
</script>
</body>
</html>
```