

TICKET REFERENCE	MODULE / PLATFORM	SECURITY FOCUS	TARGET ACCESS GROUP
SWTID-2026-8437	ServiceNow ITSM / Flow	Script-Controlled ACL	EEE Branch & Admins

Executive Summary: This technical specification outlines the design, agile planning, access control logic, and flow design for ticket classification tracking under reference **SWTID-2026-8437**. The implementation restricts record-level access based on field values (specifically Branch logic for *EEE* users) while retaining full administrative oversight and automating classification using ServiceNow server-side logic.

1. PROJECT OVERVIEW & SCOPE

In enterprise ServiceNow deployments, tickets generated automatically require strict classification paired with contextual access security. Role-based security alone is insufficient when record visibility is dictated by record-level attributes like Branch.

In-Scope Objectives - Automated ticket classification via Flow Designer logic. - Branch-based security enforcement (<i>EEE</i> Branch vs. non-<i>EEE</i>). - Server-side script-controlled ACL evaluation. - Comprehensive Agile planning and test scenarios.	Out-of-Scope - Overhauling instance-wide platform security roles. - External Identity Provider (IdP) architecture modifications. - Unrelated table ACL adjustments.
--	--

2. FUNCTIONAL & NON-FUNCTIONAL REQUIREMENTS

Req ID	Category	Description
FR-01	Classification	Flow Designer shall automatically evaluate incoming tickets (SWTID-2026-8437) and route them by branch details.
FR-02	Security Evaluation	The system shall check the Branch value on the ticket record prior to granting read access.
FR-03	EEE User Access	Users belonging to the <i>EEE</i> branch shall be granted access exclusively to records where Branch = 'EEE'.
FR-04	Access Denial	Non- <i>EEE</i> users shall be explicitly restricted from accessing records with Branch = 'EEE'.
FR-05	Admin Override	System Administrators must retain unrestricted access across all tickets regardless of branch classification.
NFR-01	Performance	ACL script evaluations must execute efficiently with zero database overhead impact on ticket listing.
NFR-02	Auditability	Access decisions and ticket classification events must be logged for security compliance verification.

3. AGILE EXECUTION PLAN & USER STORIES

Work is organized into two primary Sprints using standard Fibonacci story point estimations. Planned average velocity is established at **7.5 story points per sprint** across 15 total points.

Story ID	Epic	User Story Description	Points
USN1	Requirement Analysis	As an EEE user, I want to view EEE records so that I can process tickets relevant to my branch.	2
USN2	Requirement Analysis	As a non-EEE user, I should be denied access to EEE records so that branch-restricted data remains secure.	3
USN3	ACL Configuration	As an admin, I want full access to all classified records to facilitate system administration and support.	2
USN4	ACL Configuration	As a system admin, I want access decisions controlled by server script so field conditions are evaluated dynamically.	3
USN5	Testing & Validation	As a QA tester, I want to execute validation test cases for allowed/denied scenarios under SWTID-2026-8437.	5

4. SPRINT ALLOCATION & METRICS

Sprint Breakdown


- Sprint 1 (9 Points):** Requirement Analysis, Rule Definition, ACL Base Creation, and Script Logic Setup.
- Sprint 2 (6 Points):** EEE Access Testing, Non-EEE Denial Validation, and Admin Override Testing.

Velocity Summary

- Total Backlog Points:** 15 Story Points
- Planned Duration:** 2 Sprints
- Planned Average Velocity:** 15 / 2 = 7.5 SP / Sprint

5. SYSTEM & FLOW DESIGN

The processing and security model pairs ServiceNow Flow Designer ticket routing with a script-controlled Access Control List (ACL).



6. DECISION MATRIX

User Type	User Branch Context	Record Branch Value	Access Granted	Evaluation Logic
Administrator	Any Branch	EEE	ALLOW	Admin privilege overrides branch constraints.
EEE User	EEE	EEE	ALLOW	User branch matches record branch value.

7. TECHNICAL IMPLEMENTATION & SCRIPT LOGIC

The record-level read Access Control List (ACL) utilizes server-side execution scripts in ServiceNow to perform security validation dynamic checks.

```
// Script-Controlled ACL Logic for SWTID-2026-8437 // Rule: Restrict ticket read access based
on Branch field value
answer = checkRecordAccess(current, gs.getUser());
function checkRecordAccess(record, user) {
  // 1. Admin Override Rule
  if (gs.hasRole('admin')) { return true; }
  // 2. Extract Record Branch and User Branch Attributes
  var recordBranch = record.getValue('u_branch');
  // Field reference
  var userBranch = user.getRecord().getValue('u_branch');
  // 3. Conditional Branch Check for 'EEE'
  if (recordBranch == 'EEE') {
    if (userBranch == 'EEE') { return true; } // Match: Grant access
  } else { return false; } // Non-EEE User: Deny access
} // Default Fallback
return false; }
```

8. TESTING & VALIDATION SUITE

Test ID	User Persona	Condition	Expected Result	Acceptance Criteria
TC-01	EEE Branch User	Record Branch = 'EEE'	ALLOW	Record is visible in forms and list views.
TC-02	Non-EEE User	Record Branch = 'EEE'	DENY	Security constraint prevents viewing.
TC-03	Administrator	Record Branch = 'EEE'	ALLOW	Unrestricted viewing access granted.

9. RISK MANAGEMENT & MITIGATION

Risk Identified	Impact	Mitigation Strategy
Field Name Mismatch	High	Verify actual database column name (e.g., u_branch) in target instance before deployment.
Admin Bypass Failure	High	Explicitly place gs.hasRole('admin') check at top of execution chain.
Conflicting Table ACLs	Medium	Perform an ACL hierarchy evaluation to ensure parent table rules do not override branch checks.

10. DOCUMENT SIGN-OFF CHECKLIST

- ☒ Problem statement and scope verified
- ☒ Functional and Non-Functional Requirements defined
- ☒ Sprint velocity and story points assigned
- ☒ ACL Script and Flow architecture specified
- ☒ Test cases and security risks documented