

ARTIFICIAL INTELLIGENCE – PERFORMANCE EVIDENCE SHEET

SWTID-2026-8437

Auto Ticket Classification using Flow Design & Script-Controlled ACL

TICKET REFERENCE

SWTID-2026-8437

MODULE / TOOL

Flow Designer / ACL

TARGET FIELD

Branch (EEE Rule)

EVALUATION DATE

October 2026

1. PROJECT METRIC STATUS

Metric ID	Evaluation Metric Name	Target Threshold	Observed Result	Status
PM-01	Auto Classification Precision	≥ 95.0 %	98.5 %	PASSED
PM-02	ACL Authorization Accuracy	100.0 %	100.0 %	PASSED
PM-03	EEE Branch Isolation Rate	100.0 %	100.0 %	PASSED
PM-04	Admin Override Integrity	100.0 %	100.0 %	PASSED

2. CORE ACCEPTANCE RESULTS

Case ID	User Persona / Role	Record Branch Field	Expected vs. Actual Action	Result Verification
TC-01	EEE User	Branch = 'EEE'	ALLOW / Read Granted	PASSED
TC-02	Non-EEE User	Branch = 'EEE'	DENY / Restricted	PASSED
TC-03	Administrator	Branch = 'EEE'	ALLOW / Admin Override	PASSED

3. FINAL METRIC

Authorization Validation Accuracy Formula:

Accuracy (%) = (Correct Authorization Decisions ÷ Total Validated Authorization Cases) × 100

AUTHORIZATION VALIDATION ACCURACY

100.0 %

4. SIGN-OFF