

DEVOPS: UI TESTING ASSIGNMENT

SELENIUM WEBDRIVER AUTOMATION

Name: Yuvika Gupta

Roll no: 2302900272

Course: CRC-Training DevOps

This project demonstrates UI testing using Selenium WebDriver. The automation script performs basic operations like opening a webpage, verifying title, performing search functionality, and capturing screenshots.


Step 1: Open Google

Description: Open Google homepage using Selenium WebDriver

Expected Result: Google homepage should load successfully

Actual Result: Successfully opened



Status: Pass



The screenshot shows the Eclipse IDE with a Java project named 'SeleniumUITest'. The 'Package Explorer' on the left shows the project structure, including 'src' and 'GoogleTest.java'. The 'GoogleTest.java' file is open in the editor, showing the following code:

```
1 import org.openqa.selenium.By;
2 import org.openqa.selenium.WebDriver;
3 import org.openqa.selenium.WebElement;
4 import org.openqa.selenium.chrome.ChromeDriver;
5
6 public class GoogleTest {
7     public static void main(String[] args) {
8
9         WebDriver driver = new ChromeDriver();
10
11         // Open Google
12         driver.get("https://www.google.com");
13
14         // Maximize window
15         driver.manage().window().maximize();
16
17         // Find search box and enter text
18         WebElement searchBox = driver.findElement(By.name("q"));
19         searchBox.sendKeys("DevOps Selenium");
20
21         // Submit search
22         searchBox.submit();
23
24         // Wait (just for demo)
25         try {
26             Thread.sleep(3000);
27         } catch (InterruptedException e) {
28             e.printStackTrace();
29         }
30
31         // Close browser
32         driver.quit();
33     }
34 }
```

The 'Console' at the bottom shows the output: '<terminated> GoogleTest [Java Application] C:\Users\Yuvika\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.7.v20250502-0916\jre\bin\javaw.exe (22-Mar-2025 10:00:00 AM)'.



About this page

Our systems have detected unusual traffic from your computer network. This page checks to see if it's really you sending the requests, and not a robot. [Why did this happen?](#)

IP address: 2401:4900:1c5b:7a5:1429:665a:4cfe:bdab
Time: 2026-03-22T15:31:59Z
URL: https://www.google.com/search?q=DevOps+Selenium&sca_esv=004fba0788d59c70&source=hp&ei=bAvAabKJOKasseMP5oudkQw&flsig=AFdpzrgAAAAaAcAZfBJP5pT1D6hFy3qVGlq4DJEyvgPv&s=bgvAaaE8ENCcseMPpLqPwAc


Step 2: Verify Page Title

Description: Verify that page title contains "Google"


Expected Result: Title should contain "Google"

Actual Result: Title verified successfully

Status: Pass



Step 3: Open cmd



The screenshot shows the Eclipse IDE interface. The main editor window displays a Java file named `GoogleTest.java` with the following content:


```
Page Title: https://www.google.com/search?q=DevOps+Selenium&scasv=2bacc169d0ccb326&source=hp&ei=TBTAabPZMs+QseMPutWa4Q8&f1sig=Al
Title Test Passed
```

The terminal window at the bottom shows the following output:

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Yuvika>
```

Step 4: Run all commands in bash



The screenshot shows the Eclipse IDE interface. The main editor window displays a Java file named `GoogleTest.java` with the following content:

```
Page Title: https://www.google.com/search?q=DevOps+Selenium&scasv=2bacc169d0ccb326&source=hp&ei=TBTAabPZMs+QseMPutWa4Q8&f1sig=Al
Title Test Passed
```

The terminal window at the bottom shows the following output:

```
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika$ bash
yuvi@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika$ sudo su
[sudo] password for yuvi:
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika#
```

Step 5: Change your directory to where your java file is saved (GoogleTest.java)

```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help

root@DESKTOP-UEKEDBF:/m x + v
mydir:
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini
typescript
website.txt
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika# cd eclipse-workspace
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace# ls
ABESITDASH CRC CrowdFundingSite SeleniumUITest apache-tomcat-10.1.41
ABESITEVENTDASH CRCtraining Hello Servers apache-tomcat-10.1.41.zip
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace# cd
.metadata/ CRC/ Hello/ apache-tomcat-10.1.41/
ABESITDASH/ CRCtraining/ SeleniumUITest/ apache-tomcat-10.1.41.zip
ABESITEVENTDASH/ CrowdFundingSite/ Servers/
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace# cd
.metadata/ CRC/ Hello/ apache-tomcat-10.1.41/
ABESITDASH/ CRCtraining/ SeleniumUITest/ apache-tomcat-10.1.41.zip
ABESITEVENTDASH/ CrowdFundingSite/ Servers/
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace# cd Se
SeleniumUITest/ Servers/
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace# cd SeleniumUITest
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# delete
delete: command not found
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# ls
bin src
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# cd src
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/src# ls
GoogleTest.java
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/src# cd ..
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
Title Test Passed
```

Step 6: Initialize Git

```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help


root@DESKTOP-UEKEDBF:/m x + v
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/src# ls
GoogleTest.java
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/src# cd ..
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/.git/
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
On branch master

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  .classpath
  .project
  .settings/
  bin/
  src/

nothing added to commit but untracked files present (use "git add" to track)
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
Title Test Passed
```


Step 7: Add Files and Commit




```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help

root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint: git branch -m <name>
Initialized empty Git repository in /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/.git/
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
On branch master
Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .classpath
        .project
        .settings/
        bin/
        src/

nothing added to commit but untracked files present (use "git add" to track)
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
[master (root-commit) bb6863e] Initial commit
 6 files changed, 79 insertions(+)
 create mode 100644 .classpath
 create mode 100644 .project
 create mode 100644 .settings/org.eclipse.core.resources.prefs
 create mode 100644 .settings/org.eclipse.jdt.core.prefs
 create mode 100644 bin/GoogleTest.class
 create mode 100644 src/GoogleTest.java
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```


Step 8: Set Branch Name



```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help

root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git branch -M main
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```

Step 9: Connect to GitHub Repository



```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help


root@DESKTOP-UEKEDBF: /m X + v
hint: git branch -m <name>
Initialized empty Git repository in /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest/.git/
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
On branch master

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .classpath
        .project
        .settings/
        bin/
        src/

nothing added to commit but untracked files present (use "git add" to track)
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
[master (root-commit) bb6863e] Initial commit
 6 files changed, 79 insertions(+)
 create mode 100644 .classpath
 create mode 100644 .project
 create mode 100644 .settings/org.eclipse.core.resources.prefs
 create mode 100644 .settings/org.eclipse.jdt.core.prefs
 create mode 100644 bin/GoogleTest.class
 create mode 100644 src/GoogleTest.java
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git branch -M main
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git remote add origin https://github.com/yuvikag/CSE-6THSem-Devops.git
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```

Step 10: Push Code to GitHub




```
eclipse-workspace - SeleniumUITest/src/GoogleTest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help

root@DESKTOP-UEKEDBF: /m X + v
        bin/
        src/

nothing added to commit but untracked files present (use "git add" to track)
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
[master (root-commit) bb6863e] Initial commit
 6 files changed, 79 insertions(+)
 create mode 100644 .classpath
 create mode 100644 .project
 create mode 100644 .settings/org.eclipse.core.resources.prefs
 create mode 100644 .settings/org.eclipse.jdt.core.prefs
 create mode 100644 bin/GoogleTest.class
 create mode 100644 src/GoogleTest.java
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git branch -M main
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git remote add origin https://github.com/yuvikag/CSE-6THSem-Devops.git
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git push -u origin main
Username for 'https://github.com': yuvikag
Password for 'https://yuvikag@github.com':
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (11/11), 2.88 KiB | 77.00 KiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/yuvikag/CSE-6THSem-Devops.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
root@DESKTOP-UEKEDBF: /mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```


- Initiate Git



The screenshot shows the Eclipse IDE interface with a terminal window open. The terminal displays the following commands and output:

```
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Initial commit"
[master (root-commit) bb6863e] Initial commit
6 files changed, 79 insertions(+)
create mode 100644 .classpath
create mode 100644 .project
create mode 100644 .settings/org.eclipse.core.resources.prefs
create mode 100644 .settings/org.eclipse.jdt.core.prefs
create mode 100644 bin/GoogleTest.class
create mode 100644 src/GoogleTest.java
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git branch -M main
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git remote add origin https://github.com/yuvikag/CSE-6THSem-Devops.git
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git push -u origin main
Username for 'https://github.com': yuvikag
Password for 'https://yuvikag@github.com':
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (11/11), 2.88 KiB | 77.00 KiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/yuvikag/CSE-6THSem-Devops.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```

- Commit files (again)



The screenshot shows the Eclipse IDE interface with a terminal window open. The terminal displays the following commands and output:

```
[master (root-commit) bb6863e] Initial commit
6 files changed, 79 insertions(+)
create mode 100644 .classpath
create mode 100644 .project
create mode 100644 .settings/org.eclipse.core.resources.prefs
create mode 100644 .settings/org.eclipse.jdt.core.prefs
create mode 100644 bin/GoogleTest.class
create mode 100644 src/GoogleTest.java
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git branch -M main
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git remote add origin https://github.com/yuvikag/CSE-6THSem-Devops.git
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git push -u origin main
Username for 'https://github.com': yuvikag
Password for 'https://yuvikag@github.com':
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (11/11), 2.88 KiB | 77.00 KiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/yuvikag/CSE-6THSem-Devops.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git add .
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest# git commit -m "Added screenshots and report"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
root@DESKTOP-UEKEDBF:/mnt/c/Users/Yuvika/eclipse-workspace/SeleniumUITest#
```

- . No new changes in project
- . Everything is already committed
- . GitHub repo is already updated