

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Password Strength Checker</title>
```

```
<style>
body {
  margin: 0;
  font-family: Arial, sans-serif;
  background: linear-gradient(135deg, #0f2027, #203a43, #2c5364);
  color: #fff;
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
}
```

```
.container {
  background: #111;
  padding: 20px;
  width: 100%;
  max-width: 400px;
  border-radius: 12px;
  box-shadow: 0 10px 30px rgba(0,0,0,0.5);
}
```

```
h2 {
  text-align: center;
  margin-bottom: 20px;
}
```

```
.input-box {
  position: relative;
}
```

```
input {
  width: 100%;
  padding: 12px;
  font-size: 16px;
```

```
border-radius: 8px;  
border: none;  
outline: none;  
}
```

```
.toggle {  
  position: absolute;  
  right: 10px;  
  top: 50%;  
  transform: translateY(-50%);  
  cursor: pointer;  
  font-size: 14px;  
  color: #00e5ff;  
}
```

```
.strength-bar {  
  height: 8px;  
  background: #333;  
  border-radius: 5px;  
  margin: 15px 0;  
  overflow: hidden;  
}
```

```
.strength-bar div {  
  height: 100%;  
  width: 0%;  
  transition: width 0.3s ease;  
}
```

```
.rules {  
  font-size: 14px;  
  margin-top: 10px;  
}
```

```
.rules p {  
  margin: 5px 0;  
}
```

```
.result {  
  text-align: center;  
  font-weight: bold;
```

```

    margin-top: 10px;
}

.tip {
    font-size: 13px;
    text-align: center;
    margin-top: 10px;
    opacity: 0.8;
}
</style>
</head>

<body>

<div class="container">
    <h2>Password Strength 

```

```
const commonPasswords = ["123456", "password", "123456789", "qwerty"];
```

```
function togglePassword() {  
  const input = document.getElementById("password");  
  input.type = input.type === "password" ? "text" : "password";  
}
```

```
function checkPassword() {  
  const pwd = document.getElementById("password").value;  
  let score = 0;
```

```
  setRule("len8", pwd.length >= 8);  
  setRule("len12", pwd.length >= 12);  
  setRule("upper", /[A-Z]/.test(pwd));  
  setRule("lower", /[a-z]/.test(pwd));  
  setRule("number", /[0-9]/.test(pwd));  
  setRule("special", /^[^A-Za-z0-9]/.test(pwd));
```

```
  if (pwd.length >= 8) score++;  
  if (pwd.length >= 12) score++;  
  if (/[A-Z]/.test(pwd)) score++;  
  if (/[a-z]/.test(pwd)) score++;  
  if (/[0-9]/.test(pwd)) score++;  
  if (/^[^A-Za-z0-9]/.test(pwd)) score++;
```

```
  const bar = document.getElementById("bar");  
  bar.style.width = (score / 6) * 100 + "%";
```

```
  let result = document.getElementById("result");  
  let crack = document.getElementById("crack");
```

```
  if (commonPasswords.includes(pwd)) {  
    result.textContent = "Very Weak ❌ (Common Password)";  
    bar.style.background = "red";  
    crack.textContent = "Can be cracked instantly.";  
    return;  
  }
```

```
  if (score <= 2) {  
    result.textContent = "Weak ❌";  
    bar.style.background = "red";
```

```
    crack.textContent = "Crack time: seconds to minutes";
} else if (score <= 4) {
    result.textContent = "Medium ⚠️ ";
    bar.style.background = "orange";
    crack.textContent = "Crack time: hours to days";
} else {
    result.textContent = "Strong ✅ ";
    bar.style.background = "lime";
    crack.textContent = "Crack time: years (with current tech)";
}
}

function setRule(id, condition) {
    const el = document.getElementById(id);
    el.textContent = condition ? "✔️ " + el.textContent.slice(2) : "❌ " + el.textContent.slice(2);
}
</script>

</body>
</html>
```