



LABPRO CHEM

2024-2026

# LABPRO CHEM

HOUSE OF LABORATORY  
CHEMICALS



labprochem1712@gmail.com



# About Us.



## Introduction

Dear value reader

Welcome to LABPRO CHEM 2024-2026

We have introduced this pricelist to provide the various requirement of the user under one single roof.

**Mission Statement:** It is always our priority to provide high quality products along with superior service to our clients. It is our determined efforts which have helped us to establish our brand "LABPRO" around the world. LABPRO CHEM is the only company in Asia who is capable to dispatch the multi hazardous shipment in one single lot. We are capable to dispatch material within 1 week for any size order and quantity



LABORATORY CHEMICALS .

ANALYTICAL REAGENT .

RARE CHEMICALS & RESEARCH CHEMICALS .

HPLC SPECTROSCOPY & GC GRADE SOLVENT .

BIO -CHEMICALS .

MICROSCOPICAL STAINS & INDICATORS .

PRECIOUS METALIC SALTS .

SOLUTIONS .

labprochem1712@gmail.com

# LABPRO CHEM



📞 +91 9167157018

✉ labprochem1712@gmail.com



## TERMS OF SALE

### TERMS OF SALE (INDIAN MARKET) PRICES

Prices mentioned in the Price List are ruling at the time of printing of the Price List and subject to change without prior notice. Goods shall be invoiced at the prices ruling on the date of dispatch.

### TAXES AND DUTIES

The prices are inclusive of central excise duty/ Edu. cess wherever applicable sale tax. octrol duty, other duties and levies will be charged extra as applicable at the time of supply. For exemption of sales tax. excise duty octroi exemption certificate should be sent along with order.

### PAYMENTS

Payments are to be made by cheques or NEFT drawn on LABPRO CHEM payable at Mumbai.in the event of payment through bank the customer has to retire the documents immediately on presentation of the documents by the bank. The interest @21% will be charged on all the payments received after due dates.

### BULK REQUIREMENTS

Requirement/ Enquiries for bulk packing and large quantities for any items will be considered.

### STANDARD PACKING FOR SOLVENTS AND ACIDS

The standard packing for solvents is 4x2.5litres 12x1 litre & 12x500 ml & for mineral acids 4x2.5litres & 16x500ml

### INSURANCE

Goods are packed with utmost care and forwarded at customer's risk. No responsibility is taken for breakages or loss in transit. Goods can be insured at the customer's request 1% of the invoice value. Charges for insurance will be made on the invoices itself.

### MINIMUM ORDER

All order invoiced over Rs.10000/- net shall be dispatched F.O.R Destination by transport. Goods can be dispatched by post, couriers or by passenger train on customer's request, freight will be borne by customer. Order less than Rs.5000/- Net will be not executed. Road permits wherever applicable should accompanied with purchase order.

### FORCE MAJEUR

Notwithstanding whatever contained herein. In the event due to reasons beyond our control such as riots, strikes, civil commotion, shortage of raw materials, act of God, government restrictions, etc. we are prevented

from making supplies, we or our authorized stockiest will not be liable for any penalization for delay or non-supply of the items.

#### **GOODS RETURN**

Cancelation of order received after dispatching the materials will not be considered. Rejection complain should be made within 60days of our invoice date and after our approval you can return the goods as per our instruction since we have to face Excise difficulties and also pay heavy octroi etc.

#### **SPECIAL NOTE**

All product are sold for LABORATORY USE ONLY. we assume no responsibility if they are use as DRUGS, FOOD ADDITIVES OR HOUSEHOLD CHEMICALS.

For potassium cyanide poison license is required where ever applicable

**(SUBJECT TO MUMBAI JURISDICTION)**

## QUALITY DESIGNATION

### ANALYTICAL REAGENT (AR)

These reagents are of high purity and are useful for analytical and research purpose. The guarantee certificate gives the minimum assay and maximum limits of trace impurities. This is also marketed by other International companies as Analar, P.A.- (Proanalysis), AR-Analytical Reagent Puriss

### SYNTHESIS

General purpose reagent used in many potential applications in chemical laboratories. Careful control ensures that a consistently high defined quality is maintained throughout.

### LABORATORY REAGENT(LR)

These are used in many chemical laboratories and are sub categorized as pure, extra pure, purified organic and inorganic, commercial products.

### EXTRA PURE PURIFIED, PURE

Products suitable for qualitative and semi-quantitative work. Most of our "extra pure" products comply with "Pharma Copoeia" grades of all countries and preferentially used in the Pharmaceutical industries.

### MICROSCOPY (M.S.):

Highly purified reagent for use in biochemical research and analysis. They are free from inhibitors such as traces of heavy metals and tested with a view for biochemical work.

### HPLC GRADE

Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for bimolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.

### SPECTROSCOPY GRADE

These are solvents of high optical purity for UV/Visible/IR/fluorescence/NMR and Mass spectroscopy. The guarantee certificate includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.

### ION PAIR CHROMATOGRAPHY

Highly pure additives for ion pair chromatography are suitable for detection in the low UV range. Reagents of this special quality inspected by means of a filter test, a cyclovoltogram and gradient test at 205 nm

### DIAGNOSTIC REAGENT

Various hospitals, clinical and pathological laboratories uses specially produced these reagents for diagnostic purpose.

### BIOLOGICAL STAINS

These chemicals are ready to use solutions for microbiology, histology, hematology and cytology, stringent testing on all batches is performed to ensure all specification are satisfied.

## MICROBIOLOGY

A broad range of culture media bases, additives, stains and indicators for use in detection, growth and identification of microorganisms.

## PESTICIDE RESIDUE TRACE ANALYSIS SOLVENTS:

The range of high purity solvents are specifically designed for the analysis of pesticide residues in the food industry and in the environmental control, for example in drinking water. These solvents are carefully controlled by gas chromatography. The analysis is made over a sample 500 fold concentrated. Then the sample is injected in the gas chromatography using the ECD detector.

## BIOCHEMICALS

These highly purified reagents are used in biochemical research and analysis. They are free from inhibitors such as trace of heavy metals and tested with a view of biochemical works. Our range includes alkaloids, amino acids, buffers, carbohydrate, enzymes, enzyme substrates, nucleotides and derivatives etc.

## SINGLE ELEMENTS STANDARD SOLUTIONS FOR AAS, ICP:

We have introduced ready for use Single Element Standard Solutions for trace metal analysis in AAS & ICP and AAS standard solutions supply by us have following features:

Each element solutions are traceable to NIST

Manufactured from the high purity D.I. Water, metal free acids and high purity metal and metal salt. Manufactured in intensively controlled clean-room, for prevention of cross-contaminations.

High quality, economic prices beyond the other manufacturers.

## LABEL SPECIFICATION



- : Molecular Weight and Formula
- : Product Purity
- : Product Name
- : Catalogue No.
- : CAS Number
- : Mfg. & Exp. Date
- : Storage
- : Transport Regulations and Risk Phrases
- : Batch No.
- : Net Content
- : Hazardous Symbol
- : Specifications
- : Company Contact Address
- : Company Contact Information

## HAZARDOUS SYMBOL

Compared to the current EU system the most noticeable change are the pictograms (formerly: hazard symbols).

While the most of the GHS pictograms have an equivalent in the old system, the pictograms GHS 04, GHS 07 and GHS 08 are quite new. The GHS System is built on 16 physical, 10 health and 3 environmental hazard classes and comprises the following communication elements:

|  |  |  |
|--|--|--|
| <b>EXPLODING BOMB</b><br>Unstable explosives<br>explosive of division 1.1, 1.2, 1.3, 1.4,<br>Self-reactive substances and mixtures.<br>Types A, B<br>organic peroxide, types A,B   | <br><b>Flame</b><br>Flammable gases, category 1<br>Flammable aerosols, categories 1, 2<br>Flammable liquids, categories 1, 2, 3<br>Flammable solids, categories 1, 2<br>Self-reactive substances and mixtures, Types D C,D,C,F<br>Pyrophoric liquids, category 1<br>Pyrophoric solids, category 1<br>Self-heating substances and mixtures, categories 1, 2<br>Substances and mixtures, with in contact with water, emit flammable gases, categories 1, 2, 3<br>organic peroxides, type B, C, D, E, F | <br><b>FLAME OVER CIRCLE</b><br>Oxidizing, category 1<br>Oxidizing liquids, categories 1, 2, 3                                 |
| <b>GAS CYLINDER</b><br>Gases under pressure<br>-compressed gases<br>-liquefied gases<br>-refrigerated liquified gases<br>-dissolved gases  | <br><b>CORROSION</b><br>Corrosive to metals, category 1<br>Skin corrosion categories 1A, 1B, 1C<br>Serious eye damage, category 1   | <br><b>SKULL AND CROSSBONES</b><br>Acute toxicity (oral, dermal, inhalation)<br>Categories 1, 2, 3                            |
| <b>EXCLAMATION MARK</b><br>Acute toxicity (oral, dermal, inhalation)<br>category 4<br>Skin irritation, category 2<br>Eye irritation, category 2<br>Skin sensitization category 1<br>Specific target organ toxicity-single exposure, category 3 | <br><b>HEALTH HAZARD</b><br>Respiratory sensitization, category 1<br>Germ cell mutagenicity, categories 1A, 1B, 2<br>Carcinogenicity, categories 1A, 1B, 2<br>Reproductive toxicity, categories 1A, 1B, 2<br>Specific target organ toxicity-single exposure, categories 1, 2<br>Specific target organ toxicity-repeated exposure categories 1, 2<br>Aspiration hazard, category 1  | <br><b>ENVIRONMENT</b><br>Hazardous to the aquatic environment<br>-Acute hazard, category<br>Chronic hazard, categories 1, 2 |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0001  | <b>ABSCISIC ACID 98% Extra Pure</b>                                | 21293-29-8 | 21     | 25 mg  | 29189900 | 18  | 1426       |
|         | (ABA, Domin, Abscissin II) (Abscission-accelerating Plant hormone) |            | 72     | 100 mg |          |     | 4767       |
|         | $C_{15}H_{20}O_4$ M.W. 264.32                                      |            | 615    | 1 gm   |          |     | 40918      |
| LA0002  | <b>ACACIA Extra Pure (confirming to IP)</b>                        | 9000-01-5  | 9      | 500 gm | 13012000 | 5   | 575        |
|         | (gum acacia powder)  |            | 75     | 5 Kg   |          |     | 4999       |
| LA0003  | <b>ACACIA AR (enzyme free)</b>                                     | 9000-01-5  | 14     | 500 gm | 13012000 | 5   | 907        |
| LA0004  | <b>ACENAPHTHENE 97% For Synthesis</b>                              | 83-32-9    | 8      | 100 gm | 29029090 | 18  | 521        |
|         | (1,8-EthylenenaphthALene) $C_{12}H_{10}$ M.W. 154.21               |            | 29     | 500 gm |          |     | 1936       |
|         | <b>UN 3077 9/PG III</b>  |            |        |        |          |     |            |
| LA0005  | <b>ACENAPHTHYLENE</b>  | 208-96-8   | 86     | 5 gm   | 29029090 | 18  | 5688       |
|         | $C_{12}H_8$ M.W. 152.19  |            | 406    | 25 gm  |          |     | 27008      |
| LA0006  | <b>ACES BUFFER 99% For Molecular Biology</b>                       | 7365-82-4  | 9      | 5 gm   | 29241900 | 18  | 618        |
|         | [N-(2-Acetamido)-2-aminoethane sulphonic acid]                     |            | 31     | 25 gm  |          |     | 2044       |
|         | $C_4H_{10}N_2O_4S$ M.W. 182.20                                     |            | 103    | 100 gm |          |     | 6833       |
| LA0007  | <b>ACETALDEHYDE Solution 20-30% (EthanAL)</b>                      | 75-07-0    | 10     | 500 ml | 29121200 | 18  | 644        |
|         | $C_2H_4O$ M.W. 44.05, Liquid, d. 0.785                             |            | 47     | 2.5 Lt |          |     | 3130       |
|         | <b>UN 1089 3 /PG I</b>   |            |        |        |          |     |            |
| LA0008  | <b>ACETALDEHYDE DIETHYL ACETAL 97%</b>                             | 105-57-7   | 27     | 25 ml  | 29110090 | 18  | 1797       |
|         | (1,1-Diethoxyethane) $C_6H_{14}O_2$ M.W. 118.17 , Liquid, d. 0.831 |            | 90     | 100 ml |          |     | 5960       |
|         | <b>UN 1088 3/PG II</b>   |            |        |        |          |     |            |
| LA0009  | <b>ACETAMIDE 98% For Synthesis (Amide C<sub>2</sub>)</b>           | 60-35-5    | 8      | 250 gm | 29241900 | 18  | 558        |
|         | $C_2H_5NO$ M.W. 59.07  |            | 15     | 500 gm |          |     | 993        |
| LA0010  | <b>ACETAMIDE 99% AR (Amide C<sub>2</sub>)</b>                      | 60-35-5    | 23     | 500 gm | 29241900 | 18  | 1507       |
|         | $C_2H_5NO$ M.W. 59.07  |            |        |        |          |     |            |
| LA0011  | <b>ACETAMIDE 99% For Molecular Biology (Amide C<sub>2</sub>)</b>   | 60-35-5    | 48     | 100 gm | 29241900 | 18  | 3162       |
|         | $C_2H_5NO$ M.W. 59.07  |            |        |        |          |     |            |
| LA0012  | <b>ACETAMIDINIUM CHLORIDE 98%</b>                                  | 124-42-5   | 143    | 100 gm | 29252990 | 18  | 9524       |
|         | (acetamidium hydrochloride) $C_2H_6N_2 \cdot HCl$ M.W. 94.54       |            | 343    | 250 gm |          |     | 22794      |
| LA00113 | <b>4-ACETAMIDOBENZENE SULFONYL CHLORIDE 97.5%</b>                  | 121-60-8   | 43     | 25 gm  | 29242970 | 18  | 2845       |
|         | $C_8H_8ClNO_3S$ M.W. 233.67  |            | 160    | 100 gm |          |     | 10667      |
|         | <b>UN 3261 8/PG II</b>   |            |        |        |          |     |            |
| LA0014  | <b>4-ACETAMIDO TEMPO 98%, free radicAL</b>                         | 14691-89-5 | 343    | 5 gm   | 29333990 | 18  | 23986      |
|         | $C_{11}H_{21}N_2O_2$ M.W. 213.30                                   |            | 1542   | 25 gm  |          |     | 107939     |
|         | ACETAMINOPHEN Extra Pure See Paracetamol Cat No. LA3406            |            |        |        |          |     |            |
| LA0015  | <b>ACETANILIDE 98.5% For Synthesis</b>                             | 103-84-4   | 19     | 500 gm | 29242990 | 18  | 1244       |
|         | (N-Phenylcetamide) $C_8H_9NO$ M.W. 135.16                          |            | 166    | 5 Kg   |          |     | 11049      |
| LA0016  | <b>ACETANILIDE 99% AR</b>  | 103-84-4   | 25     | 500 gm | 29242990 | 18  | 1691       |
|         | (N-Phenylcetamide) $C_8H_9NO$ M.W. 135.16                          |            |        |        |          |     |            |
| LA0017  | <b>ACETATE BUFFER SOLUTION pH 4.6</b> Liquid, d. 1.00              |            | 3      | 500 ml | 38220090 | 12  | 221        |
| LA0018  | <b>ACETIC ACID 90% SOLUTION AR</b>                                 | 64-19-7    | 8      | 1 Lt   | 38220090 | 12  | 564        |
|         | $CH_3COOH$ M.W. 60.05 , Liquid d. 1.01                             |            |        |        |          |     |            |
|         | <b>UN 2789 (8)3/PG II</b>  |            |        |        |          |     |            |
| LA0018A | <b>ACETIC ACID 60% Extra Pure</b>                                  | 64-19-7    | 6      | 1 Lt   | 38220090 | 12  | 394        |
|         | $CH_3COOH$ M.W. 60.05  |            |        |        |          |     |            |
|         | <b>UN 2790 8/PG II</b>   |            |        |        |          |     |            |

| AT No.  | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA0018B | ACETIC ACID 30% Extra Pure  | 64-19-7   | 5      | 1 Lt   | 38220090 | 12  | 338        |
|         | CH <sub>3</sub> COOH M.W. 60.05   |           |        |        |          |     |            |
|         | <u>UN 2790 8/PG II</u>  |           |        |        |          |     |            |
| LA0018C | ACETIC ACID 25% SOLUTION AR   | 64-19-7   | 6      | 1 Lt   | 38220090 | 12  | 431        |
|         | CH <sub>3</sub> COOH M.W. 60.05   |           |        |        |          |     |            |
|         | <u>UN 2790 8/PG II</u>  |           |        |        |          |     |            |
| LA0019  | ACETIC ACID GLACIAL99.5% For Synthesis  | 64-19-7   | 7      | 500 ml | 29152100 | 18  | 444        |
|         | CH <sub>3</sub> COOH M.W. 60.05 , Liquid d. 1.05                              |           | 24     | 2.5 Lt |          |     | 1574       |
|         | <u>UN 2789 (8)3/PG II</u>   |           | 46     | 5 Lt   |          |     | 3034       |
|         |   |           | 217    | 25 Lt  |          |     | 14413      |
| LA0020  | ACETIC ACID GLACIAL99.7% AR   | 64-19-7   | 8      | 500 ml | 29152100 | 18  | 506        |
|         | CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 , Liquid d. 1.05                 |           | 28     | 2.5 Lt |          |     | 1875       |
|         | <u>UN 2789 (8)3/PG II</u>   |           |        |        |          |     |            |
| LA0021  | ACETIC ACID GLACIAL99.7% AR (ALdehyde free)                                   | 64-19-7   | 8      | 500 ml | 29152100 | 18  | 542        |
|         | (for cholesterol estimation) CH <sub>3</sub> COOH M.W. 60.05 , Liquid d. 1.05 |           | 32     | 2.5 Lt |          |     | 2139       |
|         | <u>UN 2789 (8)3/PG II</u>   |           |        |        |          |     |            |
| LA0022  | ACETIC ACID GLACIAL99.8% For HPLC and Spectroscopy                            | 64-19-7   | 16     | 1 Lt   | 29152100 | 18  | 1093       |
|         | CH <sub>3</sub> COOH M.W. 60.05 , Liquid d. 1.05                              |           | 34     | 2.5 Lt |          |     | 2268       |
|         | <u>UN 2789 (8)3/PG II</u>   |           |        |        |          |     |            |
| LA0023  | ACETIC ACID GLACIAL99.7% For Molecular Biology                                | 64-19-7   | 67     | 500 ml | 29152100 | 18  | 4424       |
|         | CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 , Liquid d. 1.05                 |           |        |        |          |     |            |
|         | <u>UN 2789 (8)3 /PG II</u>  |           |        |        |          |     |            |
| LA0024  | ACETIC ACID 0.1M (0.1N) Standardized Solution                                 |           | 3      | 500 ml | 38220090 | 12  | 184        |
| LA0025  | ACETIC ACID 1 Mol/L (1N) Standardized Solution                                |           | 3      | 500 ml | 38220090 | 12  | 186        |
| LA0026  | ACETIC ACID 2M (2N) Standardized Solution                                     |           | 5      | 500 ml | 38220090 | 12  | 301        |
| LA0027  | ACETIC ACID HYDRAZIDE 96% For Synthesis                                       | 1068-57-1 | 96     | 25 gm  | 29280090 | 18  | 6390       |
|         | (acetic hydrazide) C <sub>2</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 74.08  |           | 291    | 100 gm |          |     | 19375      |
|         | <u>UN 2811 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA0028  | ACETOACETANILIDE 98% For Synthesis  | 102-01-2  | 15     | 500 gm | 29242920 | 18  | 965        |
|         | C <sub>10</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 177.20                   |           |        |        |          |     |            |
| LA0029  | ACETOBROMO- $\alpha$ -D-GLUCOSE 95%   | 572-09-8  | 425    | 5 gm   | 29329900 | 18  | 28270      |
|         | C <sub>14</sub> H <sub>19</sub> BrO <sub>9</sub> M.W. 411.20                  |           | 829    | 10 gm  |          |     | 55129      |
| LA0030  | ACETO CARMINE solution (for microscopicAL staining)                           |           | 16     | 100 ml | 38220090 | 12  | 1038       |
|         | (carmine aceto solution) Liquid d. 0.88                                       |           | 36     | 250 ml |          |     | 2373       |
| LA0031  | ACETO CARMINE solution AR   |           | 17     | 100 ml | 38220090 | 12  | 1132       |
|         | (carmine aceto solution) Liquid d. 0.88                                       |           |        |        |          |     |            |
| LA0032  | ACETOHYDROXAMIC ACID 98%  | 546-88-3  | 29     | 1 gm   | 29280090 | 18  | 1920       |
|         | C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07                      |           | 142    | 5 gm   |          |     | 9411       |
| LA0033  | 1-ACETONAPHTHONE 95%  | 941-98-0  | 21     | 100 ml | 29143990 | 18  | 1363       |
|         | (1-Acetyl naphthAlene) (Methyl-1-naphthyl ketone)                             |           | 49     | 250 ml |          |     | 3268       |
|         | C <sub>12</sub> H <sub>10</sub> O M.W. 170.21, Liquid d. 1.12                 |           |        |        |          |     |            |
| LA0034  | ACETONE 99% For Synthesis   | 67-64-1   | 7      | 500 ml | 29141100 | 18  | 443        |
|         | (CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                 |           | 26     | 2.5 Lt |          |     | 1743       |
|         | <u>UN 1090 3/PG II</u>  |           | 47     | 5 Lt   |          |     | 3102       |
|         |   |           | 219    | 25 Lt  |          |     | 14571      |

| CAT No. | PRODUCT NAME   | CAS No.  | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|----------|--------|--------|----------|-----|------------|
| LA0035  | <b>ACETONE 99.5% AR</b><br>(CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791   | 67-64-1  | 8      | 500 ml | 29141100 | 18  | 505        |
|         | <u>UN 1090 3/PG II</u>   |          | 14     | 1 Lt   |          |     | 962        |
| LA0036  | <b>ACETONE 99.8% For HPLC and Spectroscopy</b><br>(CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                            | 67-64-1  | 15     | 1 Lt   | 29141100 | 18  | 1010       |
|         | <u>UN 1090 3/PG II</u>   |          | 31     | 2.5 Lt |          |     | 2048       |
| LA0037  | <b>ACETONE 99.8% For Molecular Biology</b><br>(CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791                                | 67-64-1  | 14     | 500 ml | 29141100 | 18  | 900        |
|         | <u>UN 1090 3/PG II</u>   |          | 56     | 2.5 Lt |          |     | 3740       |
| LA0038  | <b>ACETONE 99.90% GC</b><br>(CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791  | 67-64-1  | 9      | 250 ml | 29141100 | 18  | 618        |
|         | <u>UN 1090 3/PG II</u>   |          | 27     | 1 Lt   |          |     | 1805       |
| LA0039  | <b>ACETONE 99.50% Electronic</b><br>(CH <sub>3</sub> ) <sub>2</sub> CO M.W. 58.08 Liquid d. 0.791  | 67-64-1  | 9      | 500 ml | 29141100 | 18  | 620        |
|         | <u>UN 1090 3/PG II</u>   |          | 32     | 2.5 Lt |          |     | 2149       |
| LA0040  | <b>ACETONE ALCOHOL (decolourizer 50% solution)</b><br>Liquid d. 1.082  | 116-09-6 | 5      | 500 ml | 29144000 | 18  | 337        |
| LA0041  | <b>ACETONE CYANOHYDRIN 98.5% For Synthesis</b><br>(2-Hydroxyisobutyronitrile) C <sub>4</sub> H <sub>7</sub> NO M.W. 85.10, Liquid d. 0.932 | 75-86-5  | 318    | 100 ml | 29269000 | 18  | 21137      |
|         | <u>UN 1541 6.1/PG I</u>  |          |        |        |          |     |            |
| LA0042  | <b>1,3-ACETONEDICARBOXYLIC ACID 95%</b><br>(3-ketoglutamic acid) C <sub>5</sub> H <sub>6</sub> O <sub>5</sub> M.W. 146.10                  | 542-05-2 | 161    | 25 gm  | 29183000 | 18  | 10680      |
|         |  |          | 305    | 50 gm  |          |     | 20280      |
| LA0043  | <b>ACETONE OXIME 99% (acetoxime)</b><br>C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09  | 127-06-0 | 29     | 10 gm  | 29280090 | 18  | 1928       |
|         | <u>UN 1325 4.1/PG III</u>  |          | 123    | 50 gm  |          |     | 8187       |
| LA0044  | <b>ACETONITRILE 99% For Synthesis</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786  | 75-05-8  | 12     | 500 ml | 29269000 | 18  | 790        |
|         | <u>UN 1648 3/PG II</u>   |          | 51     | 2.5 Lt |          |     | 3413       |
| LA0045  | <b>ACETONITRILE 99.5% AR</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786   | 75-05-8  | 13     | 500 ml | 29269000 | 18  | 872        |
|         | <u>UN 1648 3/PG II</u>   |          | 58     | 2.5 Lt |          |     | 3826       |
| LA0046  | <b>ACETONITRILE 99.9% For HPLC and Spectroscopy</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786                                      | 75-05-8  | 15     | 500 ml | 29269000 | 18  | 1011       |
|         | <u>UN 1648 3/PG II</u>   |          | 27     | 1 Lt   |          |     | 1811       |
|         |  |          | 63     | 2.5 Lt |          |     | 4194       |
|         |  |          | 86     | 4 Lt   |          |     | 5690       |
| LA0047  | <b>ACETONITRILE 99.9% HPLC Gradient</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786  | 75-05-8  | 31     | 1 Lt   | 29269000 | 18  | 2031       |
|         | <u>UN 1648 3/PG II</u>   |          | 65     | 2.5 Lt |          |     | 4324       |
| LA0048  | <b>ACETONITRILE 99.7% PREPARATIVE HPLC</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786   | 75-05-8  | 32     | 1 Lt   | 29269000 | 18  | 2148       |
|         | <u>UN 1648 3/PG II</u>   |          | 67     | 2.5 Lt |          |     | 4440       |
| LA0049  | <b>ACETONITRILE 99.9% LCMS</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786   | 75-05-8  | 135    | 1 Lt   | 29269000 | 18  | 8990       |
|         | <u>UN 1648 3/PG II</u>   |          | 318    | 2.5 Lt |          |     | 21132      |
| LA0050  | <b>ACETONITRILE 99.5% For DNA Synthesis</b><br>CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786  | 75-05-8  | 42     | 1 Lt   | 29269000 | 18  | 2825       |
|         | <u>UN 1648 3/PG II</u>   |          | 75     | 2.5 Lt |          |     | 5004       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA0051  | ACETONITRILE 99.50% SPECIALLY DRIED   | 75-05-8   | 14     | 500 ml | 29269000 | 18  | 902        |
|         | CH <sub>3</sub> CN M.W. 41.05, Liquid d. 0.786  |           | 67     | 2.5 Lt |          |     | 4425       |
|         | <u>UN 1648 3/PG II</u>  |           |        |        |          |     |            |
| LA0052  | ACETO ORCEIN solution   |           | 11     | 100 ml | 32030090 | 18  | 722        |
|         | (orcein aceto solution) (connective tissue stain) Liquid d. 1.03                                  |           |        |        |          |     |            |
| LA0053  | ACETOPHENONE 99% For Synthesis  | 98-86-2   | 14     | 500 ml | 29143910 | 18  | 962        |
|         | C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid d. 1.03                                       |           | 61     | 2.5 Lt |          |     | 4041       |
|         | <u>UN 3334 9/PG III</u>   |           |        |        |          |     |            |
| LA0054  | ACETOPHENONE 99.5% AR   | 98-86-2   | 16     | 500 ml | 29143910 | 18  | 1078       |
|         | C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid d. 1.03                                       |           |        |        |          |     |            |
|         | <u>UN 3334 9/PG III</u>   |           |        |        |          |     |            |
| LA0055  | 2-ACETOXYACETOPHENONE 97.5%   | 7250-94-4 | 165    | 5 gm   | 29420090 | 18  | 10952      |
|         | (2-acetylphenyl acetate) C <sub>10</sub> H <sub>10</sub> O <sub>3</sub> M.W. 178.18               |           | 741    | 25 gm  |          |     | 49292      |
|         | <u>UN 3082 9/PG III</u>   |           |        |        |          |     |            |
| LA0056  | ACETYL ACETONE 98% For Synthesis  | 123-54-6  | 14     | 250 ml | 29141990 | 18  | 957        |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d 0.973                         |           | 27     | 500 ml |          |     | 1814       |
|         | <u>UN 2310 3(6.1)/PG III</u>  |           | 120    | 2.5 Lt |          |     | 7959       |
| LA0057  | ACETYL ACETONE 99.5% AR   | 123-54-6  | 16     | 250 ml | 29141990 | 18  | 1075       |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d 0.973                         |           | 31     | 500 ml |          |     | 2045       |
|         | <u>UN 2310 3(6.1)/PG III</u>  |           |        |        |          |     |            |
| LA0058  | ACETYL BROMIDE 98% For Synthesis  | 506-96-7  | 104    | 250 ml | 29159090 | 18  | 6914       |
|         | CH <sub>3</sub> COBr M.W. 122.95, Liquid, d. 1.65   |           | 202    | 500 ml |          |     | 13413      |
|         | <u>UN 1716 8/PG II</u>  |           |        |        |          |     |            |
| LA0059  | ACETYL BROMIDE 99% AR   | 506-96-7  | 108    | 250 ml | 29159090 | 18  | 7212       |
|         | CH <sub>3</sub> COBr M.W. 122.95, Liquid, d. 1.65   |           | 206    | 500 ml |          |     | 13678      |
|         | <u>UN 1716 8/PG II</u>  |           |        |        |          |     |            |
| LA0060  | a-ACETYL- <i>y</i> -BUTYROALCTONE 98%   | 517-23-7  | 59     | 100 gm | 29322090 | 18  | 3921       |
|         | (2-acetylbutyroALctone) C <sub>6</sub> H <sub>8</sub> O <sub>3</sub> M.W. 128.13, Liquid, d. 1.19 |           | 178    | 500 gm |          |     | 11834      |
| LA0061  | n-ACETYL CAPROALCTAM 98%  | 1888-91-1 | 91     | 25 ml  | 29339900 | 18  | 6055       |
|         | C <sub>8</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 155.19, Liquid, d. 1.094                      |           | 333    | 100 ml |          |     | 22143      |
| LA0062  | ACETYL CHLORIDE 98-102% For Synthesis   | 75-36-5   | 12     | 500 ml | 29159010 | 18  | 791        |
|         | CH <sub>3</sub> COCl M.W. 78.50 , Liquid, d. 1.10   |           | 53     | 2.5 Lt |          |     | 3528       |
|         | <u>UN 1717 3 (8)/PG II</u>  |           |        |        |          |     |            |
| LA0063  | ACETYL CHLORIDE 99% AR  | 75-36-5   | 17     | 500 ml | 29159010 | 18  | 1124       |
|         | CH <sub>3</sub> COCl M.W. 78.50 , Liquid, d. 1.10   |           |        |        |          |     |            |
|         | <u>UN 1717 3 (8)/PG II</u>  |           |        |        |          |     |            |
| LA0064  | O-ACETYL CHOLINE BROMIDE 99% (store in refrigerator)  | 66-23-9   | 82     | 5 gm   | 29239000 | 18  | 5480       |
|         | C <sub>7</sub> H <sub>16</sub> BrNO <sub>2</sub> M.W. 226.11                                      |           | 370    | 25 gm  |          |     | 24634      |
| LA0064  | ACETYL CHOLINE CHLORIDE 99% AR (store in refrigerator)  | 60-31-1   | 28     | 5 gm   | 29239000 | 18  | 1846       |
|         | C <sub>7</sub> H <sub>16</sub> ClNO <sub>2</sub> M.W. 181.66                                      |           | 133    | 25 gm  |          |     | 8870       |
| LA0065  | ACETYL CHOLINE IODIDE 99% AR (store in refrigerator)  | 2260-50-6 | 32     | 5 gm   | 29239000 | 18  | 2157       |
|         | C <sub>7</sub> H <sub>16</sub> INO <sub>2</sub> M.W. 273.11                                       |           | 146    | 25 gm  |          |     | 9717       |
| LA0066  | N-ACETYL-L-CYSTEINE 99% For Biochemistry  | 616-91-1  | 8      | 10 gm  | 29309040 | 18  | 541        |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> S M.W. 163.19                                       |           | 61     | 100 gm |          |     | 4087       |
| LA0067  | ACETYLENEDICARBOXYLIC ACID 98.5%  | 142-45-0  | 264    | 5 gm   | 29171990 | 18  | 17563      |
|         | C <sub>4</sub> H <sub>2</sub> O <sub>4</sub> M.W. 114.06  |           | 1188   | 25 gm  |          |     | 79032      |
|         | <u>UN 2811 6.1/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0068  | ACETYLENE TETRABROMIDE 98%   | 79-27-6    | 190    | 250 ml | 29033990 | 18  | 12664      |
|         | (1,1,2,2-tetrabromo ethane) $C_2H_2Br_4$ M.W. 345.67, Liquid, d. 2.967 |            | 377    | 500 ml |          |     | 25068      |
|         | <u>UN 2504 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0069  | 2-ACETYLFLUORENE 98% For Synthesis                                     | 781-73-7   | 140    | 5 gm   | 29143990 | 18  | 9326       |
|         | $C_{15}H_{12}O$ M.W. 208.26  |            |        |        |          |     |            |
| LA0070  | 2-ACETYLFURAN 99% [1-(2-Furanyl)ethanone]                              | 1192-62-7  | 144    | 25 gm  | 29321990 | 18  | 9601       |
|         | (2-Furyl methyl ketone) $C_6H_6O_2$ M.W. 110.11                        |            | 549    | 100 gm |          |     | 36484      |
|         | <u>UN 2811 6.1/PG II</u>   |            |        |        |          |     |            |
| LA0071  | N-ACETYL-L-GLUTAMIC ACID 99%   | 1188-37-0  | 158    | 25 gm  | 29241900 | 18  | 10493      |
|         | $C_7H_{11}NO_5$ M.W. 189.17  |            | 592    | 100 gm |          |     | 39347      |
| LA0072  | N-ACETYL-L-GLUTAMINE 98%   | 2490-97-3  | 225    | 25 gm  | 29379020 | 18  | 14986      |
|         | $C_7H_{11}N_2O_4$ M.W. 188.18  |            | 839    | 100 gm |          |     | 55811      |
| LA0073  | N-ACETYLGLYCINE 99%  | 543-24-8   | 38     | 100 gm | 29241900 | 18  | 2529       |
|         | $C_4H_7NO_3$ M.W. 117.1  |            | 127    | 500 gm |          |     | 8458       |
| LA0074  | N-ACETYL-DL-METHIONINE 99% Extra Pure                                  | 1115-47-5  | 34     | 25 gm  | 29309099 | 18  | 2247       |
|         | $C_7H_{13}NSO_3$ M.W. 191.25   |            | 128    | 100 gm |          |     | 8529       |
| LA0075  | 2-ACETYL-5-METHYLTHIOPHENE 97.5%                                       | 13679-74-8 | 284    | 5 gm   | 29349900 | 18  | 18905      |
|         | $C_7H_8OS$ M.W. 140.2, Liquid, d. 1.106                                |            | 1279   | 25 gm  |          |     | 85072      |
|         | <u>UN 3335 9 /PG III</u>   |            |        |        |          |     |            |
| LA0076  | 1-ACETYL NAPHTHALENE 97.5% For Synthesis                               | 941-98-0   | 22     | 100 ml | 29143990 | 18  | 1465       |
|         | $C_{12}H_{10}O$ M.W. 170.21, Liquid, d. 1.12                           |            | 52     | 250 ml |          |     | 3427       |
| LA0077  | 2-ACETYL NAPHTHALENE 98.5%   | 93-08-3    |        | 50 gm  | 29143990 | 18  |            |
|         | $C_{12}H_{10}O$ M.W. 170.21  |            |        |        |          |     |            |
| LA0078  | 1-ACETYL-2-PHENYLHYDRAZINE 98%   | 114-83-0   | 192    | 25 gm  | 29280090 | 18  | 12778      |
|         | $C_8H_{10}N_2O$ M.W. 150.18  |            | 704    | 100 gm |          |     | 46785      |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0091  | 1-ACETYL-4-PIPERIDONE 94%  | 32161-06-1 | 221    | 10 ml  | 29333961 | 18  | 14696      |
|         | $C_7H_{11}NO_2$ M.W. 141.17, Liquid, d. 1.146                          |            | 497    | 50 ml  |          |     | 33051      |
| LA0092  | 1-ACETYLPIPERAZINE 99%   | 13889-98-0 | 27     | 5 gm   | 29335990 | 18  | 1828       |
|         | $C_6H_{12}N_2O$ M.W. 128.17  |            | 96     | 25 gm  |          |     | 6389       |
| LA0093  | 4-ACETYL PYRIDINE 96.5%  | 1122-54-9  | 195    | 25 gm  | 29333990 | 18  | 12979      |
|         | $C_7H_7NO$ M.W. 121.14   |            | 732    | 100 gm |          |     | 48673      |
| LA0094  | 2-ACETYL PYRROL 98%  | 1072-83-9  | 219    | 5 gm   | 29181500 | 18  | 14588      |
|         | $C_6H_7NO$ M.W. 109.13   |            | 987    | 25 gm  |          |     | 65651      |
| LA0095  | 5-ACETYL SALICYLIC ACID 98%  | 40187-51-7 | 315    | 25 gm  | 29420090 | 18  | 20964      |
|         | $C_9H_8NO_3$ M.W. 179.17   |            | 1183   | 100 gm |          |     | 78638      |
| LA0096  | ACETYL SALICYLIC ACID 99% For Synthesis (Aspirin)                      | 50-78-2    | 32     | 500 gm | 29182310 | 18  | 2157       |
|         | $C_9H_8O_4$ M.W. 180.15  |            |        |        |          |     |            |
| LA0097  | ACETYL SALICYLIC ACID 99.5% AR (Aspirin)                               | 50-78-2    | 37     | 500 gm | 29182310 | 18  | 2455       |
|         | $C_9H_8O_4$ M.W. 180.15  |            |        |        |          |     |            |
| LA0098  | 2-ACETYLTHIOPHENE 98% For Synthesis                                    | 88-15-3    | 86     | 100 ml | 29349900 | 18  | 5693       |
|         | (Methyl-2-Thienyl ketone) $C_6H_6OS$ M.W. 126.18, Liquid, d. 1.168     |            | 272    | 500 ml |          |     | 18120      |
|         | <u>UN 2810 6.1 /PG II</u>  |            |        |        |          |     |            |
| LA0099  | ACETYLTHIOUREA 98%   | 591-08-2   | 144    | 25 gm  | 29309098 | 18  | 9571       |
|         | $C_3H_6N_2OS$ M.W. 118.16  |            |        |        |          |     |            |
|         | <u>UN 2811 6.1 /PG II</u>  |            |        |        |          |     |            |
| LA0100  | N-ACETYL-DL-TRYPTOPHANE 99% For Biochemistry                           | 87-32-1    | 56     | 25 gm  | 29339900 | 18  | 3713       |
|         | (AC-DL-Trp-OH) $C_{13}H_{14}N_2O_3$ M.W. 246.27                        |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0101  | ACRIDINE ORANGE (M.S.) (C.I. No.46005)   | 494-38-2   | 74     | 10 gm  | 32041391 | 18  | 4934       |
|         | Dye Content: Min. 75% C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> M.W. 265.35                             |            | 161    | 25 gm  |          |     | 10704      |
| LA0102  | ACRIDINE YELLOW G  | 135-49-9   | 171    | 25 gm  | 32129090 | 18  | 11344      |
|         | C <sub>15</sub> H <sub>16</sub> CIN <sub>3</sub> M.W. 273.76   |            |        |        |          |     |            |
| LA0103  | ACRIFALVIN, NEUTRAL For Molecular Biology (C.I. No.46000)  | 8048-52-0  | 25     | 25 gm  | 29339900 | 18  | 1689       |
|         | C <sub>14</sub> H <sub>14</sub> ClN <sub>3</sub> M.W. 259.74   |            | 95     | 100 gm |          |     | 6331       |
|         | <u>UN 3077 9 /PG III</u>   |            | 285    | 500 gm |          |     | 18952      |
| LA0104  | ACRYALMIDE 98% For Synthesis   | 79-06-1    | 14     | 500 gm | 29241900 | 18  | 941        |
|         | C <sub>3</sub> H <sub>5</sub> NO M.W. 71.08  |            | 127    | 5 kg   |          |     | 8465       |
|         | <u>UN 2074 6.1 /PG III</u>   |            |        |        |          |     |            |
| LA0105  | ACRYALMIDE 99.9% For Molecular Biology   | 79-06-1    | 5      | 25 gm  | 29241900 | 18  | 338        |
|         | C <sub>3</sub> H <sub>5</sub> NO M.W. 71.08  |            | 17     | 100 gm |          |     | 1127       |
|         | <u>UN 2074 6.1 /PG III</u>   |            | 68     | 500 gm |          |     | 4536       |
| LA0106  | ACRYALMIDE 99% AR  | 79-06-1    | 16     | 100 gm | 29241900 | 18  | 1073       |
|         | C <sub>3</sub> H <sub>5</sub> NO M.W. 71.08  |            | 63     | 500 gm |          |     | 4163       |
|         | <u>UN 2074 6.1 /PG III</u>   |            |        |        |          |     |            |
| LA0107  | ACRYALMIDE 98.5% For Electrophoresis   | 79-06-1    | 4      | 25 gm  | 29241900 | 18  | 255        |
|         | C <sub>3</sub> H <sub>5</sub> NO M.W. 71.08  |            | 10     | 100 gm |          |     | 677        |
|         | <u>UN 2074 6.1 /PG III</u>   |            | 27     | 500 gm |          |     | 1807       |
| LA0108  | ACRYALMIDE SOLUTION IN WATER 40% Molecular Biology   |            | 40     | 250 ml | 29241900 | 18  | 2686       |
|         |  |            | 77     | 500 ml |          |     | 5092       |
| LA0109  | 2-ACRYALMIDO-2-METHYLPROPANE SULPHONIC ACID 98% (AMPS)   | 15214-89-8 | 88     | 50 gm  | 29241900 | 18  | 5824       |
|         | C <sub>7</sub> H <sub>13</sub> NO <sub>4</sub> S M.W. 207.25   |            | 166    | 250 gm |          |     | 11068      |
| LA0110  | ACRYLIC ACID 99% For Synthesis   | 79-10-7    | 14     | 500 ml | 29161100 | 18  | 902        |
|         | C <sub>3</sub> H <sub>4</sub> O <sub>2</sub> M.W. 72.06, Liquid d. 1.05                                      |            | 51     | 2.5 Lt |          |     | 3399       |
|         | <u>UN 2218 8(3) /PG II</u>   |            |        |        |          |     |            |
| LA0111  | ACRYLONITRILE 99% For Synthesis  | 107-13-1   | 12     | 500 ml | 29261000 | 18  | 825        |
|         | (vinyl cyanide) CH <sub>2</sub> CH.CN M.W. 53.06, Liquid d. 0.81   |            | 56     | 2.5 Lt |          |     | 3744       |
|         | <u>UN 1093 3(6.1) /PG I</u>  |            |        |        |          |     |            |
| LA0112  | ACRYLONITRILE AR   | 107-13-1   | 26     | 500 ml | 29261000 | 18  | 1750       |
|         | (vinyl cyanide) CH <sub>2</sub> CH.CN M.W. 53.06, Liquid d. 0.81   |            | 112    | 2.5 Lt |          |     | 7462       |
|         | <u>UN 1093 3(6.1) /PG I</u>  |            |        |        |          |     |            |
| LA0113  | ACTIDIONE 94% AR   | 66-81-9    | 53     | 1 gm   | 29419011 | 18  | 3519       |
|         | (cycloheximide) C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub> M.W. 281.35                                  |            | 242    | 5 gm   |          |     | 16106      |
|         | <u>UN 2811 6.1 /PG II</u>  |            |        |        |          |     |            |
| LA0115  | ACTIVATED CHARCOAL   | 7440-44-0  | 7      | 500 gm | 38021000 | 18  | 444        |
|         | (decolorizing powder) (charcoAL activated powder)  |            | 51     | 5 Kg   |          |     | 3410       |
|         | C A.W. 12.01   |            | 238    | 25 Kg  |          |     | 15848      |
| LA0116  | ACTIVATED CHARCOAL STRONG  | 7440-44-0  | 17     | 500 gm | 38021000 | 18  | 1132       |
|         | (decolourising powder, acid washed) C A.W. 12.01   |            | 135    | 5 Kg   |          |     | 9011       |
| LA0117  | ACTIVATED CHARCOAL AR  | 7440-44-0  | 7      | 100 gm | 38021000 | 18  | 450        |
|         | (phosphorous free powder) C A.W. 12.01   |            | 16     | 250 gm |          |     | 1078       |
| LA0118  | ACTIVATED CHARCOAL (granular) (2.5 – 5.0 mm)   | 7440-44-0  | 7      | 500 gm | 38021000 | 18  | 475        |
|         | C A.W. 12.01   |            | 60     | 5 Kg   |          |     | 3977       |
| LA0119  | ADA BUFFER 98%   | 26239-55-4 | 26     | 25 gm  | 29241900 | 18  | 1720       |
|         | [N-(2-acetamido) iminodiacetic acid] C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> O <sub>5</sub> M.W.190.16 |            | 94     | 100 gm |          |     | 6271       |

| CAT NO. | PRODUCT NAME  | CAS NO.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0120  | ADENINE 99% For Biochemistry<br>C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> M.W. 135.13<br><u>UN 2811 6.1/PG III</u>   | 73-24-5    | 7      | 5 gm   | 29335990 | 18  | 458        |
|         |   |            | 21     | 25 gm  |          |     | 1417       |
| LA0121  | ADENINE SULPHATE 99% AR<br>(adenine hemisulphate) (C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> ) <sub>2</sub> .1/2H <sub>2</sub> SO <sub>4</sub> M.W. 184.17<br><u>UN 2811 6.1 /PG III</u>     | 321-30-2   | 11     | 10 gm  | 29335990 | 18  | 724        |
|         |   |            | 24     | 25 gm  |          |     | 1625       |
| LA0122  | ADENOSINE 99% For Biochemistry<br>C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.25<br><u>UN 2811 6.1 /PG III</u>   | 58-61-7    | 8      | 5 gm   | 29349900 | 18  | 543        |
|         |   |            | 32     | 25 gm  |          |     | 2119       |
| LA0123  | ADENOSINE-5-DIPHOSPHORIC ACID DISODIUM SALT 90%<br>For Molecular Biology (A.D.P.)<br>C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>10</sub> P <sub>2</sub> M.W. 471.16  | 16178-48-6 | 48     | 1 gm   | 29349900 | 18  | 3180       |
|         |   |            | 221    | 5 gm   |          |     | 14673      |
| LA0124  | ADENOSINE-5-MONOPHOSPHORIC ACID SODIUM SALT 95%<br>For Biochemistry (A.M.P.)<br>C <sub>10</sub> H <sub>12</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>7</sub> P M.W. 391.19                     | 4578-31-8  | 10     | 1 gm   | 29349900 | 18  | 652        |
|         |   |            | 31     | 5 gm   |          |     | 2090       |
| LA0125  | ADENOSINE-5-TRIPHOSPHORIC ACID DISODIUM SALT 98%<br>For Molecular Biology (A.T.P.)<br>C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>13</sub> P <sub>3</sub> M.W. 551.15 | 987-65-5   | 19     | 1 gm   | 29349900 | 18  | 1236       |
|         |   |            | 84     | 5 gm   |          |     | 5580       |
| LA0126  | ADIPIC ACID 99% Extra Pure<br>C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14   | 124-04-9   | 12     | 500 gm | 29171200 | 18  | 827        |
|         |   |            | 112    | 5 Kg   |          |     | 7440       |
| LA0127  | ADIPIC ACID 99.5% AR<br>C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14   | 124-04-9   | 17     | 500 gm | 29171200 | 18  | 1127       |
|         |   |            |        |        |          |     |            |
| LA0128  | ADONITOL 99% For Biochemistry<br>(adonite, ribitol) C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15   | 488-81-3   | 32     | 5 gm   | 29054900 | 18  | 2154       |
|         |   |            | 154    | 25 gm  |          |     | 10227      |
| LA0130  | L-ADRENALINE 97% AR<br>(epinephrine) C <sub>9</sub> H <sub>13</sub> NO <sub>3</sub> M.W. 183.21<br><u>UN 2811 6.1/PG II</u>   | 51-43-4    | 96     | 1 gm   | 29379090 | 18  | 6363       |
|         |   |            | 463    | 5 gm   |          |     | 30807      |
| LA0131  | ADRENALINE BITARTRATE 98% AR<br>(adrenALine hydrogen tartrate) C <sub>13</sub> H <sub>19</sub> NO <sub>9</sub> M.W. 333.29<br><u>UN 2811 6.1/PG I</u>   | 51-42-3    | 41     | 1 gm   | 29379090 | 18  | 2719       |
|         |   |            | 171    | 5 gm   |          |     | 11395      |
| LA0132  | AEROSIL 200 Extra Pure<br>SiO <sub>2</sub> M.W. 60.08   | 7631-86-9  | 17     | 250 gm | 25059000 | 5   | 1125       |
|         |   |            | 32     | 500 gm |          |     | 2141       |
| LA0133  | AESCULIN 98% (Esculin)<br>C <sub>15</sub> H <sub>16</sub> O <sub>9</sub> .1.5H <sub>2</sub> O M.W. 367.31   | 66778-17-4 | 59     | 5 gm   | 29389090 | 18  | 3909       |
|         |   |            | 288    | 25 gm  |          |     | 19130      |
| LA0134  | AGAR AGAR POWDER (Food Grade)<br>(C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>   | 9002-18-0  | 36     | 250 gm | 13023100 | 18  | 2407       |
|         |   |            | 71     | 500 gm |          |     | 4701       |
| LA0135  | AGAR AGAR POWDER For Bacteriology<br>(C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>   | 9002-18-0  | 17     | 100 gm | 13023100 | 18  | 1133       |
|         |   |            | 72     | 500 gm |          |     | 4771       |
|         |   |            | 682    | 5 Kg   |          |     | 45322      |
| LA0136  | AGAR AGAR POWDER For Microbiology<br>(C <sub>12</sub> H <sub>18</sub> O <sub>9</sub> ) <sub>n</sub>   | 9002-18-0  | 46     | 250 gm | 13023100 | 18  | 3074       |
|         |   |            | 91     | 500 gm |          |     | 6040       |
| LA0137  | AGAROSE (H) (high EEO) For Microbiology<br>(Nuclease and Protease free)   | 9012-36-6  | 20     | 10 gm  | 13021915 | 18  | 1333       |
|         |   |            | 171    | 100 gm |          |     | 11390      |
| LA0138  | AGAROSE (L) (low EEO) For Microbiology<br>(Nuclease and Protease free)  | 9012-36-6  | 19     | 10 gm  | 13021915 | 18  | 1233       |
|         |   |            | 138    | 100 gm |          |     | 9192       |
| LA0149  | AGAROSE (M) (medium EEO) For Microbiology<br>(Nuclease and Protease free)   | 9012-36-6  | 20     | 10 gm  | 13021915 | 18  | 1304       |
|         |   |            | 161    | 100 gm |          |     | 10722      |
| LA0150  | AGAROSE TYPE A Molecular Biology  | 9012-36-6  | 21     | 10 gm  | 39139090 | 18  | 1420       |
|         |   |            | 46     | 25 gm  |          |     | 3029       |
|         |   |            | 176    | 100 gm |          |     | 11683      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0151  | AGAROSE TYPE B Molecular Biology   | 9012-36-6  | 21     | 10 gm  | 39139090 | 18  | 1424       |
|         |  |            | 46     | 25 gm  |          |     | 3033       |
|         |  |            | 176    | 100 gm |          |     | 11687      |
| LA0152  | AJOWAN OIL Extra Pure Liquid, d. 0.910 to 0.930  | 8001-99-8  | 63     | 500 ml | 33019090 | 18  | 4222       |
| LA0153  | B-ALANINE 99% For Biochemistry<br>(B-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09   | 107-95-9   | 4      | 25 gm  | 29224990 | 18  | 290        |
|         |  |            | 14     | 100 gm |          |     | 929        |
| LA0154  | D-ALANINE 99% For Biochemistry<br>(D-2-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09   | 338-69-2   | 3      | 1 gm   | 29224990 | 18  | 223        |
|         |  |            | 14     | 5 gm   |          |     | 954        |
|         |  |            | 66     | 25 gm  |          |     | 4421       |
| LA0155  | DL-ALANINE 99% For Biochemistry<br>(DL-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09   | 302-72-7   | 3      | 25 gm  | 29224990 | 18  | 216        |
|         |  |            | 10     | 100 gm |          |     | 662        |
| LA0156  | L-ALANINE 98% For Biochemistry<br>(2-aminopropionic acid) C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 89.09   | 56-41-7    | 4      | 25 gm  | 29224990 | 18  | 276        |
|         |  |            | 11     | 100 gm |          |     | 711        |
| LA0157  | ALAR (B-9) 99% AR<br>(succinic acid-2,2-dimethyl hydrazide) C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 160.17                                     | 1596-84-5  | 7      | 1 gm   | 38089340 | 18  | 472        |
|         |  |            | 31     | 5 gm   |          |     | 2069       |
| LA0158  | LABENDAZOLE 98%<br>C <sub>12</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub> S M.W. 265.33   | 54965-21-8 | 97     | 25 gm  | 29332950 | 18  | 6436       |
|         |  |            | 363    | 100 gm |          |     | 24141      |
| LA0159  | LABERT STAIN 'A' solution  |            | 2      | 125 ml | 38220090 | 12  | 146        |
|         |  |            | 7      | 500 ml |          |     | 478        |
| LA0160  | LABERT STAIN 'B' solution  |            | 2      | 125 ml | 38220090 | 12  | 149        |
|         |  |            | 7      | 500 ml |          |     | 481        |
| LA0162  | LABUMIN BOVINE FRACTION V 98% For Molecular Biology<br>(Nuclease and Protease free)  | 9048-46-8  | 19     | 5 gm   | 35029000 | 18  | 1235       |
|         |  |            | 31     | 10 gm  |          |     | 2045       |
|         |  |            | 255    | 100 gm |          |     | 16969      |
| LA0163  | LABUMIN EGG (powder)   | 9006-59-1  | 29     | 250 gm | 35021100 | 18  | 1899       |
|         |  |            | 49     | 500 gm |          |     | 3234       |
| LA0164  | ALCIAN BLUE 8 GX (C.I.No.74240)<br>For Molecular Biology   | 75881-23-1 | 31     | 5 gm   | 32041979 | 18  | 2050       |
|         |  |            | 60     | 10 gm  |          |     | 3966       |
|         |  |            | 128    | 25 gm  |          |     | 8517       |
| LA0165  | ALCIAN BLUE Solution<br>(For Microscopy clear, permanent stain for mucin)  |            | 13     | 100 ml | 32041990 | 18  | 857        |
|         |  |            | 29     | 250 ml |          |     | 1930       |
| LA0166  | ALGINIC ACID<br>(C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> ) <sub>n</sub> M.W. 48000 - 186000   | 9005-32-7  | 34     | 500 gm | 39131010 | 18  | 2273       |
| LA0167  | ALIQUAT 336 88% Extra Pure<br>C <sub>25</sub> H <sub>54</sub> NCl M.W. 404.17  | 63393-96-4 | 62     | 250 ml | 29239000 | 18  | 4098       |
|         |  |            | 240    | 1 Lt   |          |     | 15955      |
| LA0168  | ALIZARIN AR (pH indicator) (C.I.No.58000)<br>Dye Content: Min. 97% C <sub>14</sub> H <sub>8</sub> O <sub>4</sub> M.W. 240.22   | 72-48-0    | 9      | 25 gm  | 32129090 | 18  | 612        |
|         |  |            | 34     | 100 gm |          |     | 2278       |
|         |  |            |        |        |          |     |            |
| LA0169  | ALIZARIN COMPLEXONE 88%<br>(3-aminomethyl ALizarin-N,N1-diacetic acid) C <sub>19</sub> H <sub>15</sub> NO <sub>8</sub> .2H <sub>2</sub> O M.W. 421.36                    | 3952-78-1  | 16     | 1 gm   | 29147990 | 18  | 1082       |
|         |  |            | 65     | 5 gm   |          |     | 4322       |
| LA0170  | ALIZARIN CYANINE GREEN (C.I. No.61570)<br>Dye Content: Min. 75% C <sub>28</sub> H <sub>20</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 622.59 | 4403-90-1  | 12     | 25 gm  | 32129090 | 18  | 789        |
|         |  |            | 44     | 100 gm |          |     | 2956       |
|         |  |            |        |        |          |     |            |
| LA0171  | ALIZARIN RED S (pH indicator) (C.I. No.58005)<br>(sodium ALizarin sulphonate)  | 130-22-3   | 11     | 25 gm  | 32041213 | 18  | 734        |
|         |  |            | 40     | 100 gm |          |     | 2662       |
|         |  |            |        |        |          |     |            |
|         | Dye Content : Min. 70% C <sub>14</sub> H <sub>7</sub> NaO <sub>5</sub> S M.W. 342.3  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)          |
|---------|--|------------|--------|--------|----------|-----|---------------------|
| LA0164  | ALIZARIN RED S AR (pH indicator) (C.I. No.58005)<br>(sodium ALizarin sulphonate)<br>Dye Content: Min. 70% C <sub>14</sub> H <sub>7</sub> NaO <sub>5</sub> S M.W. 342.3 | 130-22-3   | 13     | 25 gm  | 32041213 | 18  | 850<br>2812         |
| LA0165  | ALIZARINE RED S 1% (w/v) AQUEOUS INDICATOR SOLUTION  |            | 3      | 100 ml | 38220090 | 12  | 226<br>512          |
| LA0166  | ALIZARIN YELLOW GG (C.I. No.14025)<br>Dye Content: Min. 50% C <sub>13</sub> H <sub>8</sub> N <sub>3</sub> NaO <sub>5</sub> M.W. 309.21                                 | 584-42-9   | 35     | 5 gm   | 32041200 | 18  | 2304<br>4368        |
| LA0167  | ALKALI BLUE 6B (indicator) (C.I. No.42750)<br>Dye Content 50% C <sub>37</sub> H <sub>30</sub> N <sub>3</sub> NaO <sub>5</sub> S M.W. 635.71                            | 1324-76-1  | 15     | 5 gm   | 32129090 | 18  | 973<br>4394         |
| LA0168  | ALKALI BLUE 6B indicator solution<br>Liquid, d. 0.800  |            | 3      | 125 ml | 38220090 | 12  | 222<br>725          |
| LA0169  | ALKALINE COPPER TARTRATE<br>(folin & wu's ALkALine copper solution)  |            | 5      | 500 ml | 38220090 | 12  | 315                 |
| LA0170  | ALALNTINO 98%<br>(fine p wder) C <sub>4</sub> H <sub>8</sub> N <sub>4</sub> O <sub>3</sub> M.W. 158.12   | 97-59-6    | 7      | 100 gm | 29332100 | 18  | 454<br>2040<br>3866 |
| LA0171  | ALLOXAN 98% (hydrate)<br>C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> O <sub>4</sub> .H <sub>2</sub> O M.W. 160.09   | 2244-11-3  | 12     | 25 gm  | 29333990 | 18  | 823                 |
| LA0172  | ALLURA RED<br>C <sub>18</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 496.42   | 25956-17-6 | 20     | 100 gm | 32050000 | 18  | 1315<br>5648        |
| LA0173  | ALLYL ALCOHOL 99% For Synthesis<br>C <sub>3</sub> H <sub>6</sub> O M.W. 58.08, Liquid, d. 0.854<br><u>UN 1098 6.1(3)/ PG I</u>   | 107-18-6   | 13     | 500 ml | 29052900 | 18  | 872<br>3928         |
| LA0174  | ALLYALMINE 99% For Synthesis<br>(2-Propen-1-ylAlmine, 3-Amino-1-propene)<br>C <sub>3</sub> H <sub>7</sub> N M.W. 57.10, Liquid, d. 0.761<br><u>UN 2334 6.1/ PG I</u>   | 107-11-9   | 152    | 250 ml | 29211990 | 18  | 10119<br>33275      |
| LA0175  | N-ALLYALNILINE 95%<br>C <sub>9</sub> H <sub>11</sub> N M.W. 133.19, Liquid, d. 0.982   | 589-09-3   | 73     | 25 ml  | 29214290 | 18  | 4824                |
| LA0176  | ALLYL BROMIDE 98% For Synthesis<br>(3-bromo-1-propene) C <sub>3</sub> H <sub>5</sub> Br M.W. 120.98, Liquid, d. 1.398<br><u>UN 1099 3 (6.1)/PG I</u>                   | 106-95-6   | 25     | 250 ml | 29033990 | 18  | 1645<br>7403        |
| LA0177  | ALLYL CHLORIDE 98% For Synthesis<br>(3-chloro-1-propene) C <sub>3</sub> H <sub>5</sub> Cl M.W. 76.52, Liquid, d. 0.939<br><u>UN 1100 3 (6.1)/PG I</u>                  | 107-05-1   | 181    | 500 ml | 29032900 | 18  | 12033               |
| LA0178  | ALLYL IODIDE 98% For Synthesis<br>C <sub>3</sub> H <sub>5</sub> I M. W. 167.98, Liquid, d. 1.837<br><u>UN 1723 3 (8)/PG II</u>   | 556-56-9   | 684    | 25 ml  | 29033930 | 18  | 45470<br>29157      |
| LA0179  | 2-ALLYLPHENOL 99%<br>C <sub>9</sub> H <sub>10</sub> O M.W. 134.18, Liquid, d. 1.02<br><u>UN 2923 8 (6.1)/PG III</u>  | 1745-81-9  | 103    | 100 gm | 29071990 | 18  | 6861                |
| LA0180  | N-ALLYLTHIOUREA 98%<br>(thiosinamine) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> S M.W. 116.18<br><u>UN 2811 6.1/PG III</u>  | 109-57-9   | 223    | 25 gm  | 29309098 | 18  | 14842<br>4424       |
| LA0181  | ALMOND OIL Extra Pure (bitter) Liquid, d. 0.910-0.915  | 8007-69-0  | 67     | 500 ml | 15159099 | 5   | 4425                |
| LA0182  | ALMOND OIL Extra Pure (sweet) Liquid, d. 0.910-0.915   | 8007-69-0  | 67     | 500 ml | 15159099 | 5   | 5376                |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0183  | ALUMINIUM AAS STANDARD SOLUTION   |            | 32     | 125 ml | 38220090 | 12  | 2136       |
|         | 1000mg/L in Nitric Acid Liquid, d. 1.02   |            | 51     | 500 ml |          | 12  | 3402       |
| LA0184  | ALUMINIUM ICP STANDARD SOLUTION   |            | 78     | 125 ml | 38220090 | 12  | 5170       |
|         | 1000mg/L in Nitric Acid Liquid, d. 1.02   |            |        |        |          |     |            |
| LA0185  | ALUMINIUM ICP STANDARD SOLUTION   |            | 133    | 125 ml | 38220090 | 12  | 8819       |
|         | 10000mg/L in Nitric Acid Liquid, d. 1.02  |            |        |        |          |     |            |
| LA0186  | ALUMINIUM (Metal) FOIL (thin) 99%   | 7429-90-5  | 6      | 100 gm | 76072090 | 18  | 429        |
|         | AL M.W 26.98  |            | 17     | 500 gm |          |     | 1138       |
| LA0187  | ALUMINIUM (Metal) FOIL 99.9% AR (thin)  | 7429-90-5  | 30     | 250 gm | 76072090 | 18  | 1971       |
|         | AL M.W 26.98  |            |        | 500 gm |          |     | 3820       |
| LA0188  | ALUMINIUM (Metal) POWDER 99.7%  | 7429-90-5  | 57     | 100 gm | 76061190 | 18  | 264        |
|         | AL M.W 26.98  |            | 4      | 500 gm |          |     | 996        |
|         | <u>UN 1396 4.3/PG II</u>  |            |        |        |          |     |            |
| LA0189  | ALUMINIUM ACETATE (Practical)   | 142-03-0   | 15     | 500 gm | 29152990 | 18  | 962        |
|         | C <sub>4</sub> H <sub>7</sub> ALO <sub>5</sub> M. W. 162.08   |            |        |        |          |     |            |
| LA0190  | ALUMINIUM ACETYL ACETONATE 98% For Synthesis  | 13963-57-0 | 14     | 100 gm | 29420000 | 18  | 13173      |
|         | (Aluminium 2,4-pentanedionate) C <sub>15</sub> H <sub>21</sub> ALO <sub>6</sub> M.W. 324.31                   |            | 198    | 500 gm |          |     | 59275      |
|         | <u>UN 3467 6.1/PG II</u>  |            |        |        |          |     |            |
| LA0191  | ALUMINIUM AMMONIUM SULPHATE 99% (dodecahydrate)   | 7784-26-1  | 891    | 500 gm | 28333010 | 18  | 304        |
|         | (ammonium Aluminium sulphate) ALNH <sub>4</sub> O <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 453.33 |            | 5      | 5 Kg   |          |     | 2734       |
| LA0192  | ALUMINIUM AMMONIUM SULPHATE 99.5% AR (dodecahydrate)  | 7784-26-1  | 41     | 500 gm | 28333010 | 18  | 432        |
|         | (ammonium Aluminium sulphate)   |            | 6      | 5 Kg   |          |     | 3854       |
|         | ALNH <sub>4</sub> O <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 453.33                               |            |        |        |          |     |            |
| LA0193  | ALUMINIUM BORATE  | 11121-16-7 | 58     | 500 gm | 76061200 | 18  | 1393       |
|         | 2LA <sub>2</sub> O <sub>3</sub> .B <sub>2</sub> O <sub>3</sub> M.W. 273.54                                    |            |        |        |          |     |            |
| LA0194  | ALUMINIUM BROMIDE 98%   | 7727-15-3  | 21     | 500 gm | 28275990 | 18  | 1088       |
|         | LaBr <sub>3</sub> M.W. 266.69   |            |        |        |          |     |            |
|         | <u>UN 1725 8/PG II</u>  |            |        |        |          |     |            |
| LA0195  | ALUMINIUM CARBONATE   | 1339-92-0  | 16     | 500 gm | 28369990 | 18  | 245        |
|         | LA <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> M.W. 233.99   |            |        |        |          |     |            |
| LA0196  | ALUMINIUM CHLORIDE 98% (anhydrous)  | 7446-70-0  | 4      | 250 gm | 28273200 | 18  | 428        |
|         | AlCl <sub>3</sub> M.W. 133.34   |            | 6      | 500 gm |          |     | 794        |
|         | <u>UN 1726 8/PG II</u>  |            |        |        |          |     |            |
| LA0197  | ALUMINIUM CHLORIDE 98% (hexahydrate)  | 7784-13-6  | 12     | 500 gm | 28273200 | 18  | 1343       |
|         | AlCl <sub>3</sub> .6H <sub>2</sub> O M.W. 241.45  |            |        |        |          |     |            |
|         | <u>UN 1759 8/PG II</u>  |            |        |        |          |     |            |
| LA0198  | ALUMINIUM CHLORIDE 99% AR (hexahydrate)   | 7784-13-6  | 20     | 500 gm | 28273200 | 18  | 478        |
|         | AlCl <sub>3</sub> .6H <sub>2</sub> O M.W. 241.45  |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA0199  | ALUMINIUM CHLORIDE 0.16M SOLUTION   |            | 7      | 1 Lt   | 38220090 | 12  | 3170       |
| LA0200  | ALUMINIUM CITRATE   | 31142-56-0 | 48     | 500 gm | 29181590 | 18  | 663        |
|         | C <sub>6</sub> H <sub>5</sub> ALO <sub>7</sub> M.W. 216.08  |            |        |        |          |     |            |
| LA0201  | ALUMINIUM FLUORIDE 97% (3-hydrate)  | 15098-87-0 | 10     | 500 gm | 28261200 | 18  | 2033       |
|         | ALF <sub>3</sub> .3H <sub>2</sub> O M.W. 138.02   |            |        |        |          |     |            |
| LA0202  | ALUMINIUM FLUORIDE 97.5% AR (3-hydrate)   | 15098-87-0 | 31     | 500 gm | 28261200 | 18  | 2114       |
|         | ALF <sub>3</sub> .3H <sub>2</sub> O M.W. 138.02   |            |        |        |          |     |            |
| LA0203  | ALUMINIUM FORMATE   | 7360-53-4  | 32     | 500 gm | 76082000 | 18  |            |
|         | C <sub>3</sub> H <sub>3</sub> ALO <sub>6</sub> M.W 162.03   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD         | UNIT                    | HS CODE  | GST | PRICE(INR)           |
|---------|--|------------|----------------|-------------------------|----------|-----|----------------------|
| LA0204  | ALUMINIUM HYDROXIDE GEL<br>(light powder) (confirming to IP)<br>AL(OH) <sub>3</sub> M.W. 78.00   | 21645-51-2 | 8<br>73<br>338 | 500 gm<br>5 Kg<br>25 Kg | 28183000 | 18  | 553<br>4863<br>22500 |
| LA0205  | ALUMINIUM IODIDE 95%<br>ALI <sub>3</sub> M.W. 407.70<br><u>UN 3260 8/PG II</u>   | 7784-23-8  | 290<br>686     | 100 gm<br>250 gm        | 28276090 | 18  | 19253<br>45588       |
| LA0206  | ALUMINIUM ISOPROPoxide 98%<br>(ALuminium isopropylate) C <sub>9</sub> H <sub>21</sub> ALO <sub>3</sub> M.W. 204.24<br><u>UN 3181 4.1/PG II</u>           | 555-31-7   | 19             | 500 gm                  | 29051990 | 18  | 1278                 |
| LA0207  | ALUMINIUM NITRATE 98% (nonahydrate)<br>AL(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O M.W. 375.13<br><u>UN 1438 5.1/PG III</u>                     | 7784-27-2  | 6              | 500 gm                  | 28342990 | 18  | 412                  |
| LA0208  | ALUMINIUM NITRATE 98.5% AR (nonahydrate)<br>AL(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O M.W. 375.13<br><u>UN 1438 5.1/PG III</u>                | 7784-27-2  | 30             | 500 gm                  | 28342990 | 18  | 1976                 |
| LA0209  | ALUMINIUM OXALATE 98%<br>C <sub>6</sub> LA <sub>2</sub> O <sub>12</sub> M.W. 318.02  | 814-87-9   | 26             | 500 gm                  | 29171110 | 18  | 1738                 |
| LA0210  | ALUMINIUM OXIDE 98% (practical) (cALcined white)<br>LA <sub>2</sub> O <sub>3</sub> M.W. 101.96   | 1344-28-1  | 6              | 500 gm                  | 28182010 | 18  | 416                  |
| LA0211  | ALUMINIUM OXIDE (active) ACIDIC<br>(for column chromatography, pH 3.5 to 4.5) AL <sub>2</sub> O <sub>3</sub> M.W. 101.96                                 | 1344-28-1  | 9<br>81        | 500 gm<br>5 Kg          | 28182010 | 18  | 599<br>5377          |
| LA0212  | ALUMINIUM OXIDE (active) BASIC<br>(for column chromatography, pH 8.5 to 9.5) AL <sub>2</sub> O <sub>3</sub> M.W. 101.96                                  | 1344-28-1  | 9<br>74        | 500 gm<br>5 Kg          | 28182010 | 18  | 580<br>4912          |
| LA0213  | ALUMINIUM OXIDE (active) NEUTRAL<br>(for column chromatography, pH 6.5 to 7.5) AL <sub>2</sub> O <sub>3</sub> M.W. 101.96                                | 1344-28-1  | 9<br>76        | 500 gm<br>5 Kg          | 28182010 | 18  | 594<br>5041          |
| LA0214  | ALUMINIUM OXIDE G (NEUTRAL)<br>(for TLC, contents 10% CaSO <sub>4</sub> ) LA <sub>2</sub> O <sub>3</sub> M.W. 101.96                                     | 1344-28-1  | 11             | 500 gm                  | 28182010 | 18  | 733                  |
| LA0215  | ALUMINIUM PHOSPHATE 98%<br>ALO <sub>4</sub> P M.W. 121.95<br><u>UN 3260 8/PG II</u>  | 7784-30-7  | 12             | 500 gm                  | 28352990 | 18  | 791                  |
| LA0216  | ALUMINIUM POTASSIUM SULPHATE 99.5% (dodecahydrate)<br>(ALum potash) (ALum potassium)<br>ALK <sub>8</sub> S <sub>2</sub> ·12H <sub>2</sub> O M.W. 474.38  | 7784-24-9  | 5<br>39        | 500 gm<br>5 Kg          | 28333030 | 18  | 314<br>2606          |
| LA0217  | ALUMINIUM POTASSIUM SULPHATE 99% AR (dodecahydrate)<br>(ALum potash) (ALum potassium)<br>ALK <sub>8</sub> S <sub>2</sub> ·12H <sub>2</sub> O M.W. 474.38 | 7784-24-9  | 6<br>48        | 500 gm<br>5 Kg          | 28333030 | 18  | 372<br>3213          |
| LA0218  | ALUMINIUM SILICATE (powder) (hydrate)<br>LA <sub>2</sub> O <sub>5</sub> Si M.W. 162.05   | 12141-46-7 | 13             | 500 gm                  | 28399090 | 18  | 888                  |
| LA0219  | ALUMINIUM SILICOFLUORIDE<br>(Aluminium fluosilica e) LA <sub>2</sub> F <sub>18</sub> Si <sub>3</sub> M.W. 480.19<br><u>UN 2855 6.1/PG III</u>            | 17099-70-6 | 15             | 500 gm                  | 28261200 | 18  | 1004                 |
| LA0220  | ALUMINIUM SODIUM PHOSPHATE<br>ALNa <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 285.89  | 7785-88-8  | 18             | 500 gm                  | 28352990 | 18  | 1165                 |
| LA0221  | ALUMINIUM STEARATE<br>[CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COO] <sub>3</sub> AL M.W. 877.35   | 637-12-7   | 6              | 500 gm                  | 28157090 | 18  | 380                  |

| CAT No. | PRODUCT NAME   | CAS No.             | \$ USD          | UNIT                      | HS CODE  | GST | PRICE(INR)          |
|---------|--|---------------------|-----------------|---------------------------|----------|-----|---------------------|
| LA0222  | ALUMINIUM SULPHATE<br>(iron free) (practical) (18-hydrate)<br>LA <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42<br><u>UN 3260 8/PG III</u> | 7784-31-8           | 3<br>28         | 500 gm<br>5 Kg            | 28332210 | 18  | 221<br>1875         |
| LA0223  | ALUMINIUM SULPHATE<br>(18-hydrate) LA <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42<br><u>UN 3260 8/PG III</u>                            | 7784-31-8           | 4<br>32         | 500 gm<br>5 Kg            | 28332210 | 18  | 246<br>2151         |
| LA0224  | ALUMINIUM SULPHATE 98% AR (18-hydrate)<br>LA <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O M.W. 666.42<br><u>UN 3260 8/PG III</u>                     | 7784-31-8           | 4<br>39         | 500 gm<br>5 Kg            | 28332210 | 18  | 295<br>2575         |
| LA0225  | ALUMINIUM SULPHIDE 98%<br>LA <sub>2</sub> S <sub>3</sub> M.W. 150.16<br><u>UN 3335 9/PG III</u>  | 1302-81-4           | 21<br>82        | 100 gm<br>500 gm          | 28309010 | 18  | 1392<br>5451        |
| LA0226  | ALUMINIUM SULPHITE<br>LA <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 294.15  |                     | 27<br>105       | 100 gm<br>500 gm          | 28332210 | 18  | 1771<br>6970        |
| LA0227  | ALUMINIUM TARTRATE<br>C <sub>12</sub> H <sub>12</sub> LA <sub>2</sub> O <sub>18</sub> M.W. 498.18  | 815-78-1            | 72              | 500 gm                    | 76042990 | 18  | 4817                |
| LA0228  | ALUMINON AR (aurin tricarboxylic acid triammonium salt)<br>C <sub>22</sub> H <sub>14</sub> O <sub>9</sub> .3NH <sub>3</sub> M.W. 473.44                                  | 569-58-4            | 29<br>109       | 25 gm<br>100 gm           | 29181990 | 18  | 1933<br>7281        |
| LA0229  | ALUMINON REAGENT solution  | 569-58-4            | 17              | 500 ml                    | 38220090 | 12  | 1127                |
| LA0230  | AMARANTH<br>(C.I. No.16185) (azorubin s)<br>C <sub>20</sub> H <sub>11</sub> N <sub>2</sub> Na <sub>3</sub> O <sub>10</sub> S <sub>3</sub> M.W. 604.48                    | 915-67-3            | 3<br>10<br>46   | 25 gm<br>100 gm<br>500 gm | 32041984 | 18  | 204<br>674<br>3091  |
| LA0231  | AMARANTH indicator solution<br>(azorubin S solution) Liquid, d. 1.03-1.09  |                     | 2<br>10         | 125 ml<br>500 ml          | 38220090 | 12  | 163<br>655          |
| LA0232  | AMBERLITE IR 120 (strong acid)<br>20-50 mesh Na+form (cationic resin)  | 63182-08-1          | 25              | 500 gm                    | 39140090 | 18  | 1659                |
| LA0233  | AMBERLITE IRA 400 (strong base)<br>20-50 mesh (Cl form)  | 60177-39-1          | 27              | 500 gm                    | 39140090 | 18  | 1762                |
| LA0234  | AMIDO BLACK 10B For Molecular Biology<br>(C.I. No.20470) (naphthALene black 12B)   | 1064-48-8           | 7<br>22         | 25 gm<br>100 gm           | 32049000 | 18  | 452<br>1469         |
| LA0235  | Dye Content Min. 80% C <sub>22</sub> H <sub>14</sub> N <sub>6</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>2</sub> M.W. 616.49<br>AMIDOL 97%                              |                     | 41              | 5 gm                      | 29222990 | 18  | 2758                |
| LA0236  | (2,4-Diaminophenol dihydrochloride) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O.2HCl M.W. 197.06<br><u>UN 2811 6.1/PG III</u>   | 137-09-7            | 188             | 25 gm                     |          |     | 12530               |
| LA0237  | AMIKACIN SULPHATE<br>C <sub>22</sub> H <sub>43</sub> N <sub>5</sub> O <sub>13</sub> .2H <sub>2</sub> SO <sub>4</sub> M.W. 781.76   | 39831-55-5          | 72<br>289       | 1 gm<br>5 gm              | 29419090 | 18  | 4813<br>19247       |
| LA0238  | p-AMINO ACETANILIDE 99%<br>C <sub>8</sub> H <sub>11</sub> N <sub>2</sub> O M.W.150.18<br>(glycine) C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07              | 122-80-5            | 11<br>51        | 100 gm<br>500 gm          | 29242990 | 18  | 757<br>3392         |
| LA0239  | AMINO ACETIC ACID 98.5%<br>(glycine) C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07  | 56-40-6             | 11<br>20        | 250 gm<br>500 gm          | 29224910 | 18  | 713<br>1330         |
| LA0240  | AMINO ACETIC ACID 99% AR<br>(glycine) C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07<br>m-AMINOACETOPHENONE 97%  | 56-40-6             | 6<br>24         | 100 gm<br>500 gm          | 29224910 | 18  | 374<br>1584         |
| LA0241  | (3-aminoacetophenone) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.17<br>o-AMINOACETOPHENONE 98%<br>(2-aminoacetophenone) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.17      | 99-03-6<br>551-93-9 | 13<br>47<br>102 | 25gm<br>100 gm<br>25 gm   | 29223900 | 18  | 833<br>3103<br>6753 |
|         |  |                     | 375             | 100 gm                    |          |     | 24914               |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0241  | p-AMINOACETOPHENONE 99%   | 99-92-3    | 17     | 25 gm  | 29223900 | 18  | 1134       |
|         | (4-aminoacetophenone) C <sub>8</sub> H <sub>9</sub> NO M.W. 135.17                          |            | 65     | 100 gm |          |     | 4316       |
| LA0242  | AMINO ACID KIT OF 24 ITEMS  |            | 87     | SET    | 38220090 | 12  | 5799       |
| LA0243  | p-AMINO ANTIPYRINE 98%  | 83-07-8    | 22     | 25 gm  | 29331100 | 18  | 1469       |
|         | (4-aminophenazole) (ampyprone) C <sub>11</sub> H <sub>13</sub> N <sub>3</sub> O M.W. 203.24 |            | 83     | 100 gm |          |     | 5517       |
| LA0244  | p-AMINO ANTIPYRINE 98.5% AR   | 83-07-8    | 23     | 25 gm  | 29331100 | 18  | 1529       |
|         | (4-aminophenazole) (ampyprone) C <sub>11</sub> H <sub>13</sub> N <sub>3</sub> O M.W. 203.24 |            | 84     | 100 gm |          |     | 5577       |
| LA0245  | p-AMINO AZOBENZENE 98%  | 60-09-3    | 5      | 25 gm  | 29270010 | 18  | 334        |
|         | (4-phenylazoaniline) C <sub>12</sub> H <sub>11</sub> N <sub>3</sub> M.W. 197.24             |            | 15     | 100 gm |          |     | 1019       |
|         | <u>UN 3077 9/PG III</u>   |            | 62     | 500 gm |          |     | 4098       |
| LA0246  | 4-AMINOBENZAMIDE 99%  | 2835-68-9  | 229    | 25 gm  | 29242970 | 18  | 15260      |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O M.W. 136.15                                  |            |        |        |          |     |            |
| LA0247  | 2-AMINOBENZIMIDAZOLE 96.5%  | 934-32-7   | 171    | 5 gm   | 29339980 | 18  | 11385      |
|         | C <sub>7</sub> H <sub>7</sub> N <sub>3</sub> M.W. 133.15                                    |            | 507    | 25 gm  |          |     | 33731      |
| LA0248  | m-AMINO BENZOIC ACID 98%  | 99-05-8    | 17     | 100 gm | 29224990 | 18  | 1128       |
|         | (3-amino benzoic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14            |            | 41     | 250 gm |          |     | 2703       |
| LA0249  | p-AMINO BENZOIC ACID 99%  | 150-13-0   | 12     | 100 gm | 29222190 | 18  | 823        |
|         | (4-amino benzoic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14            |            | 46     | 500 gm |          |     | 3036       |
| LA0250  | 2-AMINOBENZONITRILE 98%   | 1885-29-6  | 51     | 10 gm  | 29269070 | 18  | 3413       |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> M.W. 118.14                                    |            | 118    | 25 gm  |          |     | 7860       |
| LA0251  | 2-AMINO BENZOPHENONE 98%  | 2835-77-0  | 94     | 10 gm  | 29223900 | 18  | 6254       |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.23  |            | 221    | 25 gm  |          |     | 14691      |
| LA0252  | 4-AMINOBENZOPHENONE 98%   | 1137-41-3  | 284    | 10 gm  | 29223900 | 18  | 18911      |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.23  |            | 595    | 25 gm  |          |     | 39546      |
| LA0253  | 2-AMINOBENZOTHIAZOLE 98%  | 136-95-8   | 79     | 25 gm  | 29342000 | 18  | 5234       |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> S M.W. 150.20                                  |            | 219    | 100 gm |          |     | 14583      |
| LA0254  | 6-AMINOBENZOTHIAZOLE 97%  | 533-30-2   | 699    | 1 gm   | 29342000 | 18  | 46493      |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> S M.W. 150.20                                  |            | 3146   | 5 gm   |          |     | 209218     |
| LA0255  | 4-AMINO-1-BENZYLPIPERIDINE 98%  | 50541-93-0 | 110    | 10 gm  | 29333961 | 18  | 7290       |
|         | C <sub>12</sub> H <sub>15</sub> N <sub>2</sub> M.W. 190.28, Liquid, d. 0.933                |            | 180    | 25 gm  |          |     | 11999      |
| LA0256  | 3-AMINO-5-BROMOPYRIDINE 97%   | 13535-01-8 | 132    | 1 gm   | 29333990 | 18  | 8751       |
|         | C <sub>5</sub> H <sub>5</sub> BrN <sub>2</sub> M.W. 173.01                                  |            | 497    | 5 gm   |          |     | 33047      |
| LA0257  | 2-AMINO-6-BROMOPYRIDINE 98%   | 19798-81-3 | 56     | 1 gm   | 29333990 | 18  | 3715       |
|         | C <sub>5</sub> H <sub>5</sub> BrN <sub>2</sub> M.W. 173.01                                  |            | 231    | 5 gm   |          |     | 15334      |
| LA0258  | S (+)-2-AMINO-1-BUTANOL 97%   | 5856-62-2  | 83     | 1 gm   | 29221990 | 18  | 5508       |
|         | (D-2-Aminobutanol) C <sub>4</sub> H <sub>7</sub> NO M.W. 89.14                              |            | 294    | 5 gm   |          |     | 19532      |
|         | <u>UN 2735 8/PG III</u>   |            |        |        |          |     |            |
| LA0259  | DL-2-AMINO BUTYRIC ACID 99%   | 2835-81-6  | 90     | 25 gm  | 29224990 | 18  | 6013       |
|         | (DL-a-aminobutyric acid) C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 103.12          |            | 285    | 100 gm |          |     | 18964      |
| LA0260  | p-AMINO BUTYRIC ACID 99% AR   | 56-12-2    | 7      | 25 gm  | 29224990 | 18  | 440        |
|         | C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 103.12                                   |            | 24     | 100 gm |          |     | 1592       |
| LA0261  | 6-AMINO CAPROIC ACID 99% For Biochemistry   | 60-32-2    | 82     | 100 gm | 29224990 | 18  | 5459       |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.17                                  |            | 328    | 500 gm |          |     | 21841      |
| LA0262  | 2-AMINO-4-CHLOROPHENOL 96%  | 95-85-2    | 244    | 100 gm | 29222990 | 18  | 16246      |
|         | C <sub>6</sub> H <sub>6</sub> CINO M.W. 143.57  |            | 643    | 500 gm |          |     | 42775      |
|         | <u>UN 2673 6.1/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0263  | p-AMINO DIPHENYLALMINE 98% (crystAlline)  | 101-54-2   | 94     | 100 gm | 29215110 | 18  | 6251       |
|         | (N-phenyl-p-phenylenediamine) C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> M.W. 184.24              |            | 370    | 500 gm |          |     | 24617      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA0264  | [3-(2-AMINOETHYLAMINO)PROPYL] TRIMETHOXYSIALNE 90%  | 1760-24-3  | 293    | 100 gm | 29319010 | 18  | 19500      |
|         | C <sub>8</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> Si M.W. 222.36, Liquid, d. 1.028         |            |        |        |          |     |            |
| LA0265  | N-(2-AMINOETHYL) ETHANOALMINE 99% For Synthesis   | 111-41-1   | 17     | 500 ml | 29221990 | 18  | 1124       |
|         | [2-(2-aminoethyl amino) ethanol] [N-(2-hydroxyethyl) ethylenediamine]                                 |            | 71     | 2.5 Lt |          |     | 4727       |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 104.15, Liquid, d. 1.03                          |            |        |        |          |     |            |
|         | <u>UN 2735 8/PG II</u>  |            |        |        |          |     |            |
| LA0266  | AMINOQUANIDINE BICARBONATE 97% For Synthesis  | 2582-30-1  | 6      | 100 gm | 29280090 | 18  | 397        |
|         | CH <sub>6</sub> N <sub>4</sub> H <sub>2</sub> CO <sub>3</sub> M.W. 136.11                             |            | 21     | 500 gm |          |     | 1413       |
|         | <u>UN 3077 9 /PG III</u>  |            |        |        |          |     |            |
| LA0267  | p-AMINOHIPPURIC ACID 98%  | 61-78-9    | 293    | 10 gm  | 29242990 | 18  | 19495      |
|         | [N-(4-aminobenzoyl) glycine] C <sub>9</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 194.19 |            | 684    | 25 gm  |          |     | 45488      |
| LA0268  | 2-AMINO-3-HYDROXYPYRIDINE 97.5%   | 16867-03-1 | 79     | 25 gm  | 29333961 | 18  | 5225       |
|         | C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 110.11  |            | 263    | 100 gm |          |     | 17504      |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA0269  | 2-AMINO-2-METHYL-1,3-PROPANEDIOL 99% AR   | 115-69-5   | 64     | 25 gm  | 29224990 | 18  | 4269       |
|         | (BiologicAL Buffer)   |            | 233    | 100 gm |          |     | 15522      |
|         | C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14  |            |        |        |          |     |            |
|         | <u>UN 3259 8/PG III</u>   |            |        |        |          |     |            |
| LA0270  | 2-AMINO-2-METHYL-1-PROPANOL 95% Extra Pure (AMP)  | 124-68-5   | 46     | 500 ml | 29225090 | 18  | 3212       |
|         | Suitable For Clinical Work  |            | 213    | 2.5 Lt |          |     | 14191      |
|         | C <sub>4</sub> H <sub>11</sub> NO M.W. 89.14, Liquid, d. 0.934  |            |        |        |          |     |            |
| LA0271  | 2-AMINO-4-METHYL PYRIDINE 98% For Synthesis   | 695-34-1   | 38     | 100 gm | 29333990 | 18  | 2496       |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14  |            | 154    | 500 gm |          |     | 10250      |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
| LA0272  | 2-AMINO-5-METHYL PYRIDINE 98%   | 1603-41-4  | 68     | 25 gm  | 29333990 | 18  | 4505       |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14  |            | 246    | 100 gm |          |     | 16374      |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
| LA0273  | 2-AMINO-6-METHYL PYRIDINE 98%   | 1824-81-3  | 85     | 100 gm | 29333990 | 18  | 5682       |
|         | (2-Amino-6-picoline) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14                         |            | 330    | 500 gm |          |     | 21928      |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA0274  | 2-AMINO-4-METHYL THIAZOLE 98%   | 1603-91-4  | 169    | 10 gm  | 29341000 | 18  | 11213      |
|         | C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> S M.W. 114.17  |            | 405    | 25 gm  |          |     | 26912      |
| LA0275  | 4-AMINOMORPHOLINE 97%   | 4319-49-7  | 152    | 10 gm  | 29349900 | 18  | 10133      |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 102.14, Liquid, d. 1.059                         |            | 366    | 25 gm  |          |     | 24327      |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA0276  | 2-AMINONAPHTHALENE-1-SULPHONIC ACID 98% For Synthesis   | 81-16-3    | 99     | 25 gm  | 29222130 | 18  | 6567       |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>3</sub> S M.W. 223.25  |            |        |        |          |     |            |
| LA0278  | 1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID 98%   | 116-63-2   | 8      | 25 gm  | 29222190 | 18  | 538        |
|         | (4-amino-3-hydroxynaphthALeNE-1-sulphonic acid)   |            | 25     | 100 gm |          |     | 1691       |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>4</sub> S M.W. 239.25  |            | 117    | 500 gm |          |     | 7780       |
| LA0279  | 1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID 98% AR  | 116-63-2   | 9      | 25 gm  | 29222190 | 18  | 587        |
|         | (4-amino-3-hydroxynaphthALeNE-1-sulphonic acid)   |            | 28     | 100 gm |          |     | 1876       |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>4</sub> S M.W. 239.25  |            | 120    | 500 gm |          |     | 7988       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA0280  | 2-AMINONICOTINIC ACID 97%<br>C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12  | 5345-47-1 | 108    | 5 gm   | 29333990 | 18  | 7203       |
| LA0281  | 4-AMINO-3-NITROTOLUENE 97.5%<br>(4-Methyl-2-nitroaniline) C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 152.15             | 89-62-3   | 41     | 100 gm | 29214390 | 18  | 2714       |
|         | <u>UN 2660 6.1/PG III</u>   |           | 167    | 500 gm |          |     | 11128      |
| LA0282  | m-AMINO PHENOL 98%<br>(3-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13   | 591-27-5  | 27     | 100 gm | 29222912 | 18  | 1805       |
|         |   |           | 120    | 500 gm |          |     | 7962       |
|         | <u>UN 2512 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA0283  | o-AMINO PHENOL 99%<br>(2-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13   | 95-55-6   | 12     | 100 gm | 29222990 | 18  | 827        |
|         |   |           | 42     | 500 gm |          |     | 2822       |
|         | <u>UN 2512 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA0284  | p-AMINO PHENOL 99%<br>(4-amino phenol) C <sub>6</sub> H <sub>7</sub> NO M.W. 109.13   | 123-30-8  | 7      | 100 gm | 29222913 | 18  | 498        |
|         |   |           | 35     | 500 gm |          |     | 2358       |
|         | <u>UN 2512 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA0285  | AMINOPHYLLINE 98%<br>C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> ·0.5C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> M.W. 210.21 | 317-34-0  | 83     | 100 gm | 29395900 | 18  | 5551       |
| LA0286  | 4-(4-AMINOPHENYL) MORPHOLINE 98%<br>C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O M.W. 178.23  | 2524-67-6 | 493    | 10 gm  | 29349900 | 18  | 32800      |
| LA0287  | 3-AMINO-1-PROPANOL 99% For Synthesis<br>(3-Aminopropyl Alcohol) C <sub>3</sub> H <sub>9</sub> NO M.W. 75.11, Liquid, d. 0.983                 | 156-87-6  | 51     | 100 ml | 29221990 | 18  | 3367       |
|         |   |           | 170    | 500 ml |          |     | 11336      |
|         | <u>UN 2735 8/PG II</u>  |           |        |        |          |     |            |
| LA0288  | (3-AMINOPROPYL) TRIETHOXYSIALNE 98% For Synthesis<br>C <sub>9</sub> H <sub>23</sub> NO <sub>3</sub> Si M.W. 221.37, Liquid, d. 0.946          | 919-30-2  | 51     | 25 gm  | 29319090 | 18  | 3369       |
|         |   |           | 138    | 100 gm |          |     | 9161       |
|         | <u>UN 2735 8/PG II</u>  |           |        |        |          |     |            |
| LA0289  | 2-AMINOPYRAZINE 97%<br>C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> M.W. 95.1   | 5049-61-6 | 84     | 5 gm   | 29339979 | 18  | 5605       |
| LA0290  | 3-AMINO-2-PYRAZINECARBOXYLIC ACID 97%<br>C <sub>5</sub> H <sub>5</sub> N <sub>3</sub> O <sub>2</sub> M.W. 139.11                              | 5424-01-1 | 47     | 1 gm   | 29339900 | 18  | 3145       |
| LA0291  | m-AMINOPYRIDINE 98% For Synthesis<br>(3-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                | 462-08-8  | 40     | 25 gm  | 29333100 | 18  | 2647       |
|         |   |           | 137    | 100 gm |          |     | 9078       |
|         | <u>UN 2671 6.1 /PG II</u>   |           |        |        |          |     |            |
| LA0292  | o-AMINOPYRIDINE 98% For Synthesis<br>(2-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                | 504-29-0  | 10     | 100 gm | 29333919 | 18  | 666        |
|         |   |           | 23     | 250 gm |          |     | 1533       |
|         | <u>UN 2671 6.1 /PG II</u>   |           |        |        |          |     |            |
| LA0293  | p-AMINOPYRIDINE 98% For Synthesis<br>(4-aminopyridine) C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> M.W. 94.11                                | 504-24-5  | 34     | 25 gm  | 29333990 | 18  | 2230       |
|         |   |           | 126    | 100 gm |          |     | 8364       |
|         | <u>UN 2671 6.1 /PG II</u>   |           |        |        |          |     |            |
| LA0294  | 2-AMINOPYRIMIDINE 97% For Synthesis<br>(o-aminopyrimidine) C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> M.W. 95.10                            | 109-12-6  | 64     | 25 gm  | 29335995 | 18  | 4250       |
| LA0295  | AMINO PYRINE 98%<br>(4-dimethyl-amino antipyrine) C <sub>13</sub> H <sub>17</sub> N <sub>3</sub> O M.W. 231.29                                | 58-15-1   | 56     | 25 gm  | 29331100 | 18  | 3706       |
|         |   |           | 192    | 100 gm |          |     | 12759      |
|         | <u>UN 2811 6.1/PG III</u>   |           |        |        |          |     |            |
| LA0296  | 3-AMINOSALICYLIC ACID 97%<br>(m-aminosALicylic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14                                | 570-23-0  | 74     | 100 mg | 29225090 | 18  | 4929       |
| LA0297  | 4-AMINOSALICYLIC ACID 99%<br>(p-aminosALicylic acid) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14                                | 65-49-6   | 50     | 25 gm  | 29225090 | 18  | 3312       |
|         |   |           | 170    | 100 gm |          |     | 11293      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|---|------------|--------|--------|----------|-----|----------------|
| LA0298  | 5-AMINOSALICYLIC ACID 99%<br>(mesAlamine) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14         | 89-57-6    | 42     | 25 gm  | 29225090 | 18  | 2801<br>10099  |
| LA0299  | 3-AMINO-1H-TETRAZOLE monohydrate 96.5%<br>CH <sub>3</sub> N <sub>5</sub> .H <sub>2</sub> O M.W. 103.08      | 15454-54-3 | 56     | 25 gm  | 29339900 | 18  | 3738<br>11378  |
| LA0200  | 5-AMINO-1H-TETRAZOLE 97%<br>CH <sub>3</sub> N <sub>5</sub> M.W. 85.07                                       | 5378-49-4  | 133    | 25 gm  | 29339900 | 18  | 8848<br>33622  |
| LA0301  | 2-AMINOTHIAZOLE 97%<br>C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> S M.W. 100.14                           | 96-50-4    | 41     | 25 gm  | 29341000 | 18  | 2752<br>10254  |
| LA0302  | 2-AMINO THIOPHENOL 99%<br>(o-aminothiophenol) C <sub>6</sub> H <sub>7</sub> NS M.W. 125.19, Liquid, d. 1.17 | 137-07-5   | 231    | 100 ml | 29309099 | 18  | 15362<br>65307 |
|         | <u>UN 1760 8/PG II</u>  |            |        |        |          |     |                |
| LA0303  | 3-AMINO 1,2,4-TRIAZOLE 95%<br>(amitrole) C <sub>2</sub> H <sub>4</sub> N <sub>4</sub> M.W. 84.08            | 61-82-5    | 159    | 100 gm | 29339900 | 18  | 10566<br>44904 |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |                |
| LA0304  | 2-AMINOURACIL 97.5%<br>C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O <sub>2</sub> M.W. 127.1               | 932-52-5   | 346    | 5 gm   | 29335990 | 18  | 23029          |
| LA0305  | AMMONIA BUFFER SOLUTION<br>(for hardness of water determination) Liquid, d. 0.960                           |            | 4      | 500 ml | 38220090 | 12  | 241<br>1930    |
| LA0306  | AMMONIA SOLUTION 0.04%<br>NH <sub>4</sub> OH M.W. 35.05, Liquid, d. 0.90                                    | 1336-21-6  | 1      | 500 ml | 38220090 | 12  | 85             |
|         | <u>UN 2672 8/PG III</u>   |            |        |        |          |     |                |
| LA0307  | AMMONIA SOLUTION 32%<br>(ammonium hydroxide 32%) NH <sub>4</sub> OH M.W. 35.05, Liquid, d. 0.90             | 1336-21-6  | 4      | 500 ml | 28142000 | 18  | 291<br>793     |
|         | <u>UN 2672 8 /PG III</u>  |            |        |        |          |     |                |
| LA0308  | AMMONIA SOLUTION 25%<br>(ammonium hydroxide 25%) NH <sub>4</sub> OH M.W. 35.05, Liquid, d. 0.90             | 1336-21-6  | 4      | 500 ml | 28142000 | 18  | 281<br>682     |
|         | <u>UN 2672 8/PG III</u>   |            |        |        |          |     |                |
| LA0309  | AMMONIA SOLUTION 25% AR<br>NH <sub>4</sub> OH M.W. 35.05, Liquid, d. 0.90                                   | 1336-21-6  | 5      | 500 ml | 28142000 | 18  | 333<br>733     |
|         | <u>UN 2672 8/PG III</u>   |            |        |        |          |     |                |
| LA0310  | AMMONIA 0.1M (0.1N) STANDARDIZED SOLUTION   |            | 9      | 1 Lt   | 38220090 | 12  | 620            |
| LA0311  | AMMONIUM ACETATE 96%<br>CH <sub>3</sub> .COONH <sub>4</sub> M.W. 77.08                                      | 631-61-8   | 7      | 500 gm | 29152990 | 18  | 485<br>4396    |
|         |   |            |        |        |          |     |                |
| LA0312  | AMMONIUM ACETATE 98% AR<br>CH <sub>3</sub> .COONH <sub>4</sub> M.W. 77.08                                   | 631-61-8   | 9      | 500 gm | 29152990 | 18  | 566<br>5105    |
|         |   |            |        |        |          |     |                |
| LA0313  | AMMONIUM ACETATE 98% For Molecular Biology<br>CH <sub>3</sub> .COONH <sub>4</sub> M.W. 77.08                | 631-61-8   | 5      | 100 gm | 29152990 | 18  | 341<br>902     |
| LA0314  | AMMONIUM ACETATE 99% For HPLC<br>CH <sub>3</sub> .COONH <sub>4</sub> M.W. 77.08                             | 631-61-8   | 11     | 500 gm | 29152990 | 18  | 709            |
| LA0315  | AMMONIUM ACETATE 6.7% w/v SOLUTION  |            | 4      | 1 Lt   | 38220090 | 12  | 255            |
| LA0316  | AMMONIUM ACETATE 5M ULTRAPURE SOLUTION<br>Molecular biology   |            | 29     | 250 ml | 38220090 | 12  | 1897<br>3836   |
| LA0317  | AMMONIUM ADIPATE 99%<br>C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> M.W. 180.14            | 3385-41-9  | 11     | 500 gm | 29171990 | 18  | 714            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0318  | AMMONIUM BENZOATE 98%<br>C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> M.W.139.16   | 1863-63-4  | 20     | 500 gm | 29163190 | 18  | 1307       |
| LA0319  | AMMONIUM BICARBONATE 98%<br>(ammonium hydrogen carbonate) NH <sub>4</sub> HCO <sub>3</sub> M.W. 79.06   | 1066-33-7  | 3      | 500 gm | 28369990 | 18  | 226        |
| LA0320  | AMMONIUM BICARBONATE 99% AR<br>(ammonium hydrogen carbonate) NH <sub>4</sub> HCO <sub>3</sub> M.W. 79.06  | 1066-33-7  | 6      | 500 gm | 28369990 | 18  | 366        |
| LA0321  | AMMONIUM BICHROMATE 99%<br>(ammonium dichromate) (NH <sub>4</sub> ) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 252.06   | 7789-09-5  | 17     | 500 gm | 28415090 | 18  | 1098       |
|         | <u>UN 1439 5.1/PG II</u>  |            | 149    | 5 Kg   |          |     | 9877       |
| LA0322  | AMMONIUM BICHROMATE 99.5% AR<br>(ammonium dichromate) (NH <sub>4</sub> ) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 252.06  | 7789-09-5  | 19     | 500 gm | 28415090 | 18  | 1237       |
|         | <u>UN 1439 5.1/PG II</u>  |            |        |        |          |     |            |
| LA0323  | AMMONIUM BIFLUORIDE 98%<br>(ammonium hydrogen difluoride) NH <sub>4</sub> HF <sub>2</sub> M.W. 57.04  | 1341-49-7  | 12     | 500 gm | 28261910 | 18  | 793        |
|         | <u>UN 1727 8/PG II</u>  |            |        |        |          |     |            |
| LA0324  | AMMONIUM BISMUTH CITRATE<br>(bismuth ammonium citrate) C <sub>24</sub> H <sub>20</sub> Bi <sub>4</sub> O <sub>28</sub> .6NH <sub>3</sub> .10H <sub>2</sub> O M.W. 1875                          | 31886-41-6 | 22     | 100 gm | 29181590 | 18  | 1455       |
| LA0325  | AMMONIUM BORATE 99% (penta)<br>(ammonium pentaborate) (NH <sub>4</sub> )B <sub>5</sub> O <sub>8</sub> .4H <sub>2</sub> O M.W. 272.14  | 12007-89-5 | 15     | 500 gm | 28402090 | 18  | 1025       |
| LA0326  | AMMONIUM BORATE 99.5% AR (penta)<br>(ammonium pentaborate) (NH <sub>4</sub> )B <sub>5</sub> O <sub>8</sub> .4H <sub>2</sub> O M.W. 272.14   | 12007-89-5 | 19     | 500 gm | 28402090 | 18  | 1232       |
| LA0327  | AMMONIUM BROMIDE 99%<br>NH <sub>4</sub> Br M.W. 97.94   | 12124-97-9 | 21     | 500 gm | 28275990 | 18  | 1393       |
| LA0328  | AMMONIUM BROMIDE AR 99.5%<br>NH <sub>4</sub> Br M.W. 97.94  | 12124-97-9 | 23     | 500 gm | 28275990 | 18  | 1544       |
| LA0329  | AMMONIUM CARBONATE Extra Pure<br>CH <sub>3</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09   | 506-87-6   | 7      | 500 gm | 28369990 | 18  | 451        |
| LA0330  | AMMONIUM CARBONATE AR<br>CH <sub>3</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09   | 506-87-6   | 8      | 500 gm | 28369990 | 18  | 545        |
| LA0331  | AMMONIUM CARBONATE For HPLC<br>CH <sub>3</sub> N <sub>2</sub> O <sub>3</sub> M.W. 96.09   | 506-87-6   | 10     | 500 gm | 28369990 | 18  | 662        |
| LA0332  | AMMONIUM CERIC NITRATE 98% Extra Pure<br>(ceric ammonium nitrate) (ammonium cerium (IV) nitrate)<br>(NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub> M.W. 548.22               | 16774-21-3 | 20     | 100 gm | 28461090 | 18  | 1347       |
|         | <u>UN 3085 5.1(8) /PG II</u>  |            | 91     | 500 gm |          |     | 6069       |
| LA0333  | AMMONIUM CERIC NITRATE 99% AR<br>(ceric ammonium nitrate) (ammonium cerium (IV) nitrate)<br>(NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub> M.W. 548.22                       | 16774-21-3 | 26     | 100 gm | 28461090 | 18  | 1703       |
|         | <u>UN 3085 5.1(8)/PG II</u>   |            | 115    | 500 gm |          |     | 7667       |
| LA0334  | AMMONIUM CERIC NITRATE 0.05 N solution<br>Volumetric Solution (N/20) Liquid, d. 1.1   |            | 5      | 500 ml | 38220090 | 12  | 360        |
| LA0335  | AMMONIUM CERIC SULPHATE 98%<br>(ceric ammonium sulphate) (ammonium cerium (IV) sulphate)<br>(NH <sub>4</sub> ) <sub>4</sub> Ce(SO <sub>4</sub> ) <sub>4</sub> .2H <sub>2</sub> O M.W. 632.55    | 10378-47-9 | 24     | 100 gm | 28461090 | 18  | 1581       |
| LA0336  | AMMONIUM CERIC SULPHATE 99% AR<br>(ceric ammonium sulphate) (ammonium cerium (IV) sulphate)<br>(NH <sub>4</sub> ) <sub>4</sub> Ce(SO <sub>4</sub> ) <sub>4</sub> .2H <sub>2</sub> O M.W. 632.55 | 10378-47-9 | 29     | 100 gm | 28461090 | 18  | 1926       |
|         |   |            | 120    | 500 gm |          |     | 7970       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0337  | AMMONIUM CHLORIDE 99%  | 12125-02-9 | 4      | 500 gm | 28271000 | 18  | 276        |
|         | NH <sub>4</sub> Cl M.W. 53.49  |            | 18     | 2.5 Kg |          |     | 1167       |
|         |  |            | 316    | 50 Kg  |          |     | 20992      |
| LA0338  | AMMONIUM CHLORIDE 99.8% AR   | 12125-02-9 | 6      | 500 gm | 28271000 | 18  | 428        |
|         | NH <sub>4</sub> Cl M.W. 53.49  |            | 27     | 2.5 Kg |          |     | 1819       |
| LA0339  | AMMONIUM CHLORIDE 99.5% For Molecular Biology  | 12125-02-9 | 12     | 500 gm | 28271000 | 18  | 794        |
|         | NH <sub>4</sub> Cl M.W. 53.49  |            |        |        |          |     |            |
| LA0340  | AMMONIUM CHLOROPLATINATE 99%   | 13820-41-2 | 171    | 1 gm   | 28439000 | 18  | 11398      |
|         | (NH <sub>4</sub> ) <sub>2</sub> PtCl <sub>6</sub> M.W. 372.97  |            | 826    | 5 gm   |          |     | 54958      |
|         | <u>UN 3288 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0341  | AMMONIUM CHROMATE 98%  | 7788-98-9  | 30     | 500 gm | 28415090 | 18  | 1996       |
|         | (NH <sub>4</sub> ) <sub>2</sub> CrO <sub>4</sub> M.W. 152.07   |            |        |        |          |     |            |
|         | <u>UN 3085 5.1(8)/PG II</u>  |            |        |        |          |     |            |
| LA0342  | AMMONIUM CITRATE 10% w/w SOLUTION  |            | 5      | 500 ml | 38220090 | 12  | 333        |
|         |  |            | 33     | 5 Lt   |          |     | 2227       |
| LA0343  | di-AMMONIUM CITRATE 98%  | 3012-65-5  | 19     | 500 gm | 29181590 | 18  | 1236       |
|         | (di-ammonium hydrogen citrate) (NH <sub>4</sub> ) <sub>2</sub> HC <sub>6</sub> H <sub>5</sub> O <sub>7</sub> M.W. 226.19 |            |        |        |          |     |            |
| LA0344  | tri-AMMONIUM CITRATE 97-103%   | 3458-72-8  | 24     | 500 gm | 29181590 | 18  | 1590       |
|         | C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> M.W. 243.22   |            |        |        |          |     |            |
| LA0345  | tri-AMMONIUM CITRATE 98.5-101% AR  | 3458-72-8  | 26     | 500 gm | 29181590 | 18  | 1739       |
|         | C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> M.W. 243.22   |            |        |        |          |     |            |
| LA0346  | AMMONIUM DIETHYL DITHiocarbamate 98% AR  | 21124-33-4 | 424    | 10 gm  | 29302000 | 18  | 28177      |
|         | C <sub>5</sub> H <sub>14</sub> N <sub>2</sub> S <sub>2</sub> M.W. 166.31   |            | 855    | 25 gm  |          |     | 56873      |
| LA0347  | AMMONIUM FERRIC CITRATE (brown)  | 1185-57-5  | 9      | 500 gm | 29181550 | 18  | 626        |
|         | (ferric ammonium citrate) C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> . xFe <sub>3</sub> <sup>+</sup> .yNH <sub>3</sub> |            |        |        |          |     |            |
| LA0348  | AMMONIUM FERRIC SULPHATE 98-101% (dodecahydrate)   | 7783-83-7  | 6      | 500 gm | 28332990 | 18  | 389        |
|         | (ferric ALum) (ammonium iron (III) sulphate)   |            | 49     | 5 Kg   |          |     | 3262       |
|         | NH <sub>4</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> .12H <sub>2</sub> O M.W. 482.19  |            |        |        |          |     |            |
| LA0349  | AMMONIUM FERRIC SULPHATE 98-101% AR (dodecahydrate)  | 7783-83-7  | 7      | 500 gm | 28332990 | 18  | 483        |
|         | (ferric ALum) (ammonium iron (III) sulphate)   |            | 65     | 5 Kg   |          |     | 4337       |
|         | NH <sub>4</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> .12H <sub>2</sub> O M.W. 482.19  |            |        |        |          |     |            |
| LA0350  | AMMONIUM FERROUS SULPHATE 98.5% (hexahydrate)  | 7783-85-9  | 5      | 500 gm | 28429090 | 18  | 302        |
|         | (diammonium iron (II) sulphate)  |            | 36     | 5 Kg   |          |     | 2389       |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> FeSO <sub>4</sub> .6H <sub>2</sub> O M.W. 392.14                         |            | 165    | 25 Kg  |          |     | 10997      |
| LA0351  | AMMONIUM FERROUS SULPHATE 99% AR (hexahydrate)   | 7783-85-9  | 6      | 500 gm | 28429090 | 18  | 409        |
|         | (diammonium iron (II) sulphate)  |            | 48     | 5 Kg   |          |     | 3180       |
|         | (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> FeSO <sub>4</sub> .6H <sub>2</sub> O M.W. 392.14                         |            | 222    | 25 Kg  |          |     | 14775      |
| LA0352  | AMMONIUM FLUORIDE 97%  | 12125-01-8 | 14     | 500 gm | 28261990 | 18  | 937        |
|         | NH <sub>4</sub> F M.W. 37.04   |            |        |        |          |     |            |
|         | <u>UN 2505 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0353  | AMMONIUM FLUORIDE 97% AR   | 12125-01-8 | 26     | 250 gm | 28261990 | 18  | 1702       |
|         | NH <sub>4</sub> F M.W. 37.04   |            |        |        |          |     |            |
|         | <u>UN 2505 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0354  | AMMONIUM FORMATE 97%   | 540-69-2   | 9      | 500 gm | 29151290 | 18  | 598        |
|         | CH <sub>5</sub> NO <sub>2</sub> M.W.63.06  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0355  | AMMONIUM FORMATE 98% AR<br>CH <sub>3</sub> NO <sub>2</sub> M.W.63.06  | 540-69-2   | 10     | 500 gm | 29151290 | 18  | 678        |
| LA0356  | AMMONIUM IODIDE 98% Practical<br>NH <sub>4</sub> I M.W. 144.94  | 12027-06-4 | 51     | 100 gm | 28276090 | 18  | 3404       |
|         |   |            | 123    | 250 gm |          |     | 8170       |
|         |   |            | 233    | 500 gm |          |     | 15525      |
| LA0357  | AMMONIUM IODIDE 99% Extra Pure<br>NH <sub>4</sub> I M.W. 144.94   | 12027-06-4 | 58     | 100 gm | 28276090 | 18  | 3841       |
|         |   |            | 269    | 500 gm |          |     | 17865      |
| LA0358  | AMMONIUM IODIDE 99.5% AR<br>NH <sub>4</sub> I M.W. 144.94   | 12027-06-4 | 41     | 50 gm  | 28276090 | 18  | 2727       |
|         |   |            | 78     | 100 gm |          |     | 5179       |
| LA0359  | AMMONIUM IRON (II) SULPHATE 0.1M<br>(0.1N) Standardized Solution, Liquid d. 1.05  |            | 8      | 500 ml | 38220090 | 12  | 529        |
| LA0360  | AMMONIUM METAVANADATE 98%<br>(ammonium monovanadate) NH <sub>4</sub> VO <sub>3</sub> M.W.116.98   | 7803-55-6  | 23     | 100 gm | 28419000 | 18  | 1533       |
|         |   |            | 107    | 500 gm |          |     | 7132       |
|         | <u>UN 2859 6.1/PG II</u>  |            |        |        |          |     |            |
| LA0361  | AMMONIUM METAVANADATE 99% AR<br>(ammonium monovanadate) NH <sub>4</sub> VO <sub>3</sub> M.W.116.98  | 7803-55-6  | 25     | 100 gm | 28419000 | 18  | 1695       |
|         |   |            | 117    | 500 gm |          |     | 7796       |
|         | <u>UN 2859 6.1/PG II</u>  |            |        |        |          |     |            |
| LA0362  | AMMONIUM MOLYBDATE 98% (tetrahydrate)<br>(ammonium heptamolybdate)  | 12054-85-2 | 24     | 100 gm | 28417090 | 18  | 1629       |
|         |   |            | 108    | 500 gm |          |     | 7160       |
|         |   |            |        | 5 Kg   |          |     | 64435      |
| LA0363  | AMMONIUM MOLYBDATE 99% AR (tetrahydrate)<br>(ammonium heptamolybdate)   | 12054-85-2 | 30     | 100 gm | 28417090 | 18  | 2008       |
|         |   |            | 119    | 500 gm |          |     | 7927       |
|         |   |            |        |        |          |     |            |
| LA0364  | AMMONIUM MOLYBDATE REAGENT solution   |            | 11     | 500 ml | 38220090 | 12  | 746        |
| LA0365  | AMMONIUM NICKEL SULPHATE 98.5%<br>(nickel ammonium sulphate) (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> .NiSO <sub>4</sub> .6H <sub>2</sub> O M.W. 394.97  | 7785-20-8  | 27     | 500 gm | 28429090 | 18  | 1807       |
|         |   |            |        |        |          |     |            |
| LA0366  | AMMONIUM NICKEL SULPHATE AR 99%<br>(nickel ammonium sulphate) (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> .NiSO <sub>4</sub> .6H <sub>2</sub> O M.W. 394.97 | 7785-20-8  | 33     | 500 gm | 28429090 | 18  | 2218       |
|         |   |            |        |        |          |     |            |
| LA0367  | AMMONIUM-4-NITRO BENZOATE (dihydrate)   | 19416-70-7 | 125    | 25 gm  | 29239000 | 18  | 8318       |
|         |   |            | 452    | 100 gm |          |     | 30083      |
| LA0368  | AMMONIUM OXALATE 99-101% ACS (monohydrate)<br>(COONH <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 142.11  | 6009-70-7  | 3      | 100 gm | 29171190 | 18  | 216        |
|         |   |            | 9      | 500 gm |          |     | 628        |
| LA0369  | AMMONIUM OXALATE 99%<br>(COONH <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 142.11  | 6009-70-7  | 7      | 500 gm | 29171190 | 18  | 492        |
|         |   |            | 64     | 5 Kg   |          |     | 4267       |
| LA0370  | AMMONIUM OXALATE 99.5% AR<br>(COONH <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 142.11   | 6009-70-7  | 9      | 500 gm | 29171190 | 18  | 575        |
|         |   |            | 73     | 5 Kg   |          |     | 4885       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0371  | <b>AMMONIUM PERCHLORATE 99.8% AR</b>   | 7790-98-9  | 101    | 100 gm | 28299010 | 18  | 6733       |
|         | NH <sub>4</sub> ClO <sub>4</sub> M.W. 117.49   |            | 406    | 500 gm |          |     | 27026      |
|         | <b>UN 1442 5.1/PG II</b>   |            |        |        |          |     |            |
| LA0372  | <b>AMMONIUM PERSULPHATE 98%</b>  | 7727-54-0  | 7      | 500 gm | 28334000 | 18  | 488        |
|         | (ammonium peroxy disulphate) (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20 |            | 64     | 5 Kg   |          |     | 4285       |
|         | <b>UN 1442 5.1/PG II</b>   |            |        |        |          |     |            |
| LA0373  | <b>AMMONIUM PERSULPHATE 98.5% AR</b>   | 7727-54-0  | 8      | 500 gm | 28334000 | 18  | 537        |
|         | (ammonium peroxy disulphate) (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20 |            | 68     | 5 Kg   |          |     | 4551       |
|         | <b>UN 1442 5.1/PG II</b>   |            |        |        |          |     |            |
| LA0374  | <b>AMMONIUM PERSULPHATE 98.5% For Molecular Biology</b>  | 7727-54-0  | 3      | 25 gm  | 28334000 | 18  | 198        |
|         | (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 228.20                              |            | 7      | 100 gm |          |     | 438        |
|         | <b>UN 1442 5.1/PG II</b>   |            | 28     | 500 gm |          |     | 1864       |
| LA0375  | <b>AMMONIUM PHOSPHATE dibasic 97.0-102% (anhydrous)</b>  | 7783-28-0  | 12     | 500 gm | 31053000 | 18  | 782        |
|         | (di-ammonium hydrogen orthophosphate)  |            | 101    | 5 Kg   |          |     | 6722       |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06   |            |        |        |          |     |            |
| LA0376  | <b>AMMONIUM PHOSPHATE dibasic 98.0-102% AR (anhydrous)</b>   | 7783-28-0  | 13     | 500 gm | 31053000 | 18  | 853        |
|         | (di-ammonium hydrogen orthophosphate)  |            | 114    | 5 Kg   |          |     | 7569       |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06   |            |        |        |          |     |            |
| LA0377  | <b>AMMONIUM PHOSPHATE dibasic 98% For Molecular Biology</b>  | 7783-28-0  | 17     | 500 gm | 31053000 | 18  | 1118       |
|         | (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub> M.W. 132.06   |            |        |        |          |     |            |
| LA0378  | <b>AMMONIUM PHOSPHATE monobasic 98-101%</b>  | 7722-76-1  | 12     | 500 gm | 31054000 | 18  | 777        |
|         | (ammonium dihydrogen orthophosphate)   |            | 103    | 5 Kg   |          |     | 6821       |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03   |            |        |        |          |     |            |
| LA0379  | <b>AMMONIUM PHOSPHATE monobasic 99% AR</b>   | 7722-76-1  | 14     | 500 gm | 31054000 | 18  | 905        |
|         | (ammonium dihydrogen orthophosphate)   |            | 120    | 5 Kg   |          |     | 7963       |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03   |            |        |        |          |     |            |
| LA0380  | <b>AMMONIUM PHOSPHATE monobasic 99% For Molecular Biology</b>  | 7722-76-1  | 17     | 500 gm | 31054000 | 18  | 1135       |
|         | NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> M.W. 115.03   |            |        |        |          |     |            |
| LA0381  | <b>AMMONIUM POLYPHOSPHATE (NH<sub>4</sub>PO<sub>3</sub>)<sub>n</sub></b>                               | 68333-79-9 | 51     | 500 gm | 31059090 | 18  | 3416       |
| LA0382  | <b>AMMONIUM PURPURATE</b>  | 3051-09-0  | 7      | 5 gm   | 29335990 | 18  | 443        |
|         | (C.I. No.56085) (murexide)   |            | 24     | 25 gm  |          |     | 1572       |
|         | C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub> M.W. 284.19                                |            | 89     | 100 gm |          |     | 5895       |
| LA0383  | <b>AMMONIUM PURPURATE AR</b>   | 3051-09-0  | 7      | 5 gm   | 29335990 | 18  | 469        |
|         | (C.I. No.56085) (murexide)   |            | 27     | 25 gm  |          |     | 1794       |
|         | C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub> M.W. 284.19                                |            | 91     | 100 gm |          |     | 6024       |
| LA0383  | <b>AMMONIUM PURPURATE solution</b>   |            | 3      | 125 ml | 29335400 | 18  | 222        |
|         |  |            | 10     | 500 ml |          |     | 668        |
| LA0384  | <b>AMMONIUM REINECKATE 95%</b>   | 13573-16-5 | 39     | 25 gm  | 28429090 | 18  | 2607       |
|         | C <sub>4</sub> H <sub>10</sub> CrN <sub>7</sub> S <sub>4</sub> .H <sub>2</sub> O M.W. 354.44           |            | 147    | 100 gm |          |     | 9791       |
| LA0385  | <b>AMMONIUM REINECKATE 96% AR</b>  | 13573-16-5 | 36     | 10 gm  | 28429090 | 18  | 2370       |
|         | C <sub>4</sub> H <sub>10</sub> CrN <sub>7</sub> S <sub>4</sub> .H <sub>2</sub> O M.W. 354.44           |            | 70     | 25 gm  |          |     | 4664       |
| LA0386  | <b>AMMONIUM SODIUM PHOSPHATE 99% (dibasic, tetrahydrate)</b>   | 7783-13-3  | 84     | 500 gm | 28352990 | 18  | 5611       |
|         | NaNH <sub>4</sub> HPO <sub>4</sub> .4H <sub>2</sub> O M.W. 209.07                                      |            |        |        |          |     |            |
| LA0387  | <b>AMMONIUM SULPHAMATE 98%</b>   | 7773-06-0  | 9      | 500 gm | 28429090 | 18  | 619        |
|         | (microcosmic salt) (ammonium amido sulphonate)   |            | 82     | 5 Kg   |          |     | 5454       |
|         | NH <sub>4</sub> SO <sub>3</sub> NH <sub>2</sub> M.W. 114.12  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD    | UNIT             | HS CODE  | GST | PRICE(INR)    |
|---------|--|------------|-----------|------------------|----------|-----|---------------|
| LA0388  | AMMONIUM SULPHAMATE 98.5% AR<br>(ammonium amido sulphonate)  | 7773-06-0  | 4<br>15   | 100 gm<br>500 gm | 28429090 | 18  | 268<br>1010   |
|         | NH <sub>4</sub> SO <sub>3</sub> NH <sub>2</sub> M.W. 114.12  |            |           |                  |          |     |               |
| LA0389  | AMMONIUM SULPHATE 98.5%<br>(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14   | 7783-20-2  | 4<br>23   | 500 gm<br>5 Kg   | 31022100 | 18  | 258<br>1560   |
| LA0390  | AMMONIUM SULPHATE 99.5% AR<br>(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14  | 7783-20-2  | 5<br>32   | 500 gm<br>5 Kg   | 31022100 | 18  | 307<br>2144   |
| LA0391  | AMMONIUM SULPHATE 99% For Molecular Biology<br>(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> M.W. 132.14   | 7783-20-2  | 13<br>25  | 250 gm<br>500 gm | 31022100 | 18  | 868<br>1645   |
| LA0392  | AMMONIUM SULPHATE 0.5M (1N) Standardized Solution<br>Liquid, d. 1.04   |            | 8         | 500 ml           | 38220090 | 12  | 506           |
| LA0393  | AMMONIUM SULPHIDE YELLOW 20% (solution)<br>(NH <sub>4</sub> ) <sub>2</sub> S M.W. 68.14 Liquid, d.0.99-1.01  | 12135-76-1 | 5<br>21   | 500 ml<br>2.5 Lt | 38220090 | 12  | 359<br>1386   |
|         | <u>UN 2683 8(3,6,1) /PG II</u>   |            |           |                  |          |     |               |
| LA0394  | AMMONIUM (+) TARTRATE 98%<br>C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 184.15  | 3164-29-2  | 30        | 500 gm           | 29181390 | 18  | 1991          |
| LA0395  | AMMONIUM (+) TARTRATE 99% AR<br>C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 184.15   | 3164-29-2  | 34        | 500 gm           | 29181390 | 18  | 2233          |
| LA0396  | AMMONIUM TETRAMETHYLENE DITHiocarbamate 99% AR<br>(pyrrolidine-1-dithiocarboxylic acid ammonium salt)  | 5108-96-3  | 43<br>103 | 10 gm<br>25 gm   | 29309099 | 18  | 2838<br>6830  |
| LA0397  | AMMONIUM THIOCYANATE 98%<br>NH <sub>4</sub> SCN M.W. 76.12   | 1762-95-4  | 9<br>84   | 500 gm<br>5 Kg   | 28429090 | 18  | 618<br>5556   |
| LA0398  | AMMONIUM THIOCYANATE 99% AR<br>NH <sub>4</sub> SCN M.W. 76.12  | 1762-95-4  | 12<br>106 | 500 gm<br>5 Kg   | 28429090 | 18  | 780<br>7017   |
| LA0399  | AMMONIUM THIOCYANATE 0.1MOL (0.1N) solution<br>Liquid, d. 1.00   |            | 8         | 500 ml           | 38220090 | 12  | 520           |
| LA0400  | AMMONIUM THIOCYANATE 1M (1N)<br>Standardized Solution  |            | 8         | 500 ml           | 38220090 | 12  | 521           |
| LA0401  | AMMONIUM THIOSULPHATE 98%<br>(NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 148.20   | 7783-18-8  | 21<br>170 | 500 gm<br>5 Kg   | 28323090 | 18  | 1400<br>11319 |
| LA0402  | AMOXYCILLIN<br>C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub> S M.W. 365.40   | 26787-78-0 | 36<br>156 | 5 gm<br>25 gm    | 29411030 | 18  | 2418<br>10399 |
| LA0403  | AMPICILLIN 96.5-101% (trihydrate)<br>C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>4</sub> S·3H <sub>2</sub> O M.W. 403.45                     | 7177-48-2  | 34<br>135 | 5 gm<br>25 gm    | 29411090 | 18  | 2272<br>8988  |
| LA0404  | AMPICILLIN SODIUM SALT 91.0% For Molecular Biology<br>C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>4</sub> S M.W. 371.39 (Store at 2 - 8°C) | 69-52-3    | 68<br>290 | 5 gm<br>25 gm    | 29419000 | 18  | 4532<br>19261 |
| LA0405  | iso-AMYL ACETATE 98% For Synthesis<br>C <sub>7</sub> H <sub>14</sub> O <sub>2</sub> M.W. 130.18, Liquid, d. 0.876                                      | 123-92-2   | 10<br>39  | 500 ml<br>2.5 Lt | 29153990 | 18  | 646<br>2620   |
|         | <u>UN 1104 3/PG III</u>  |            |           |                  |          |     |               |
| LA0406  | iso-AMYL ALCOHOL (for milk testing)<br>C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.808-0.814   | 30899-19-5 | 8<br>31   | 500 ml<br>2.5 Lt | 29051990 | 18  | 512<br>2042   |
|         | <u>UN 1105 3/PG III</u>  |            |           |                  |          |     |               |
| LA0407  | iso-AMYL ALCOHOL 98% For Synthesis<br>C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809  | 123-51-3   | 8<br>30   | 500 ml<br>2.5 Lt | 29051990 | 18  | 528<br>1988   |
|         | <u>UN 1105 3/PG III</u>  |            |           |                  |          |     |               |

| CAT No.<br>PRICE(INR) | PRODUCT NAME  | CAS No.   | \$ USD | UNIT     | HS CODE  | GST      |
|-----------------------|---|-----------|--------|----------|----------|----------|
| LA0408                | iso-AMYL ALCOHOL 99% AR<br>C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809                                | 123-51-3  | 9      | 500 ml   | 29051990 | 18 610   |
|                       | <u>UN 1105 3/PG III</u>   |           | 35     | 2.5 Lt   |          | 2332     |
| LA0409                | iso-AMYL ALCOHOL 98.5% For Molecular Biology<br>C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.809           | 123-51-3  | 9      | 100 ml   | 29051990 | 18 578   |
|                       | <u>UN 1105 3/PG III</u>   |           | 36     | 500 ml   |          | 2404     |
| LA0410                | n-AMYL ALCOHOL 99%<br>(n-pentanol) (pentan-1-ol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.811          | 71-41-0   | 26     | 500 ml   | 29054290 | 18 1698  |
|                       | <u>UN 1105 3/PG III</u>   |           | 77     | 2.5 Lt   |          | 5108     |
| LA0411                | n-AMYL ALCOHOL 99% AR<br>(n-pentanol) (pentan-1-ol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.811       | 71-41-0   | 27     | 500 ml   | 29054290 | 18 1803  |
|                       | <u>UN 1105 3/PG III</u>   |           | 80     | 2.5 Lt   |          | 5350     |
| LA0412                | tert-AMYL ALCOHOL 99%<br>(2-methyl-2-butanol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.806             | 75-85-4   | 5      | 100 ml   | 29051990 | 18 313   |
|                       | <u>UN 1105 3/PG III</u>   |           | 20     | 500 ml   |          | 1305     |
| LA0413                | tert-AMYL ALCOHOL 99.5% AR & HPLC<br>(2-methyl-2-butanol) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.806 | 75-85-4   | 29     | 500 ml   | 29051990 | 18 1923  |
|                       | <u>UN 1105 3/PG III</u>   |           | 55     | 1 Lt     |          | 3658     |
| LA0414                | AMYALMINE 98.50% For Synthesis<br>CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> NH <sub>2</sub> M.W. 87.16            | 110-58-7  | 72     | 100 ml   | 29211990 | 18 4789  |
|                       | <u>UN 1106 3(8)/PG II</u>   |           | 271    | 500 ml   |          | 18014    |
| LA0415                | AMYL BENZOATE<br>C <sub>12</sub> H <sub>16</sub> O <sub>2</sub> M.W. 192.25   | 2049-96-9 | 63     | 500 gm   | 29163100 | 18 4222  |
|                       | <u>UN 3077 9/PG III</u>   |           |        |          |          |          |
| LA0416                | AMYL CINNAMATE<br>C <sub>14</sub> H <sub>18</sub> O <sub>2</sub> M.W. 218.29  | 3487-99-8 | 82     | 500 gm   | 29161290 | 18 5477  |
| LA0417                | AMYL-m-CRESOL 98%<br>(5-methyl-2-pentylphenol) (2-Amyl-5-methylphenol)<br>C <sub>12</sub> H <sub>18</sub> O M.W. 178.27 | 1300-94-3 | 633    | 1 gm     | 29071990 | 18 42095 |
|                       |   |           | 1278   | 5 gm     |          | 84982    |
| LA0418                | AMYLOPECTINE<br>9037-22-3   | 198       | 1 gm   | 39139090 | 18 13163 |          |
|                       |   | 423       | 5 gm   |          | 28099    |          |
| LA0419                | AMYLOSE (from potato starch)<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>                           | 9005-82-7 | 383    | 1 gm     | 39139090 | 18 25467 |
|                       |   | 1628      | 5 gm   |          | 108278   |          |
| LA0420                | AMYL SALICYLATE<br>C <sub>12</sub> H <sub>16</sub> O <sub>3</sub> M.W. 208.25   | 2050-08-0 | 51     | 500 gm   | 29182390 | 18 3399  |
|                       | <u>UN 3082 9/ PG III</u>  |           |        |          |          |          |
| LA0421                | ANALGIN 95 -100%<br>C <sub>13</sub> H <sub>16</sub> N <sub>3</sub> NaO <sub>4</sub> S·xH <sub>2</sub> O M.W. 351.35     | 5907-38-0 | 265    | 25 gm    | 29331990 | 18 17605 |
| LA0422                | ANDRADE'S REAGENT solution<br>C <sub>10</sub> H <sub>12</sub> O M.W. 148.21, Liquid, d. 0.987-0.989                     |           | 914    | 100 gm   |          | 60812    |
|                       |   |           | 5      | 125 ml   | 38220090 | 12 325   |
|                       |   |           | 15     | 500 ml   |          | 976      |
| LA0423                | ANETHOL 99% For Synthesis<br>C <sub>10</sub> H <sub>12</sub> O M.W. 148.21, Liquid, d. 0.987-0.989                      | 104-46-1  | 46     | 500 ml   | 29093090 | 18 3029  |
| LA0424                | ANILINE 99% For Synthesis<br>C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> M.W. 93.13, Liquid, d. 1.022                 | 62-53-3   | 13     | 500 ml   | 29214110 | 18 853   |
|                       | <u>UN 1547 6.1 /PG II</u>   |           | 54     | 2.5 Lt   |          | 3613     |
|                       |   |           | 103    | 5 Lt     |          | 6864     |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA0425  | <b>ANILINE 99% AR</b>  | <b>62-53-3</b>    | 14     | 500 ml | 29214110 | 18  | 960        |
|         | C <sub>6</sub> H <sub>5</sub> .NH <sub>2</sub> M.W. 93.13, Liquid, d. 1.022                              |                   | 59     | 2.5 Lt |          |     | 3937       |
|         | <b>UN 1547 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA0426  | <b>ANILINE BLUE (C.I. No.42775)</b>  | <b>28631-66-5</b> | 13     | 25 gm  | 32041251 | 18  | 848        |
|         | (spirit soluble) (china blue)  |                   | 39     | 100 gm |          |     | 2605       |
|         | C <sub>32</sub> H <sub>25</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 737.73 |                   | 164    | 500 gm |          |     | 10928      |
| LA0427  | <b>ANILINE BLUE (water soluble)</b>  | <b>28983-56-4</b> | 11     | 25 gm  | 32041251 | 18  | 726        |
|         | (C.I. No.42780) (china blue) (cotton blue)   |                   | 36     | 100 gm |          |     | 2381       |
|         | C <sub>32</sub> H <sub>25</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 737.73 |                   | 159    | 500 gm |          |     | 10590      |
| LA0428  | <b>ANILINE BLUE stain solution</b>   |                   | 2      | 125 ml | 32041990 | 18  | 138        |
|         | (china blue solution) (cotton blue solution)   |                   | 6      | 500 ml |          |     | 412        |
| LA0429  | <b>ANILINE HYDROCHLORIDE 97% For Synthesis</b>   | <b>142-04-1</b>   | 12     | 250 gm | 29211990 | 18  | 825        |
|         | C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> ·HCl M.W. 129.60   |                   | 23     | 500 gm |          |     | 1532       |
|         | <b>UN 1548 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA0430  | <b>ANILINE SULPHATE 98%</b>  | <b>542-16-5</b>   | 14     | 250 gm | 29214190 | 18  | 929        |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub> M.W. 284.33               |                   | 26     | 500 gm |          |     | 1705       |
|         | <b>UN 2811 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA0431  | <b>m-ANISALDEHYDE 97%</b>  | <b>591-31-3</b>   | 169    | 100 ml | 29124990 | 18  | 11271      |
|         | (3-MethoxybenzALdehyde) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15, Liquid, d. 1.12        |                   |        |        |          |     |            |
| LA0432  | <b>o-ANISALDEHYDE 98%</b>  | <b>135-02-4</b>   | 151    | 100 gm | 29124990 | 18  | 10019      |
|         | (2-MethoxybenzALdehyde) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15, Liquid, d. 1.12        |                   | 701    | 500 gm |          |     | 46602      |
| LA0433  | <b>p-ANISALDEHYDE 98%</b>  | <b>123-11-5</b>   | 7      | 100 ml | 29124990 | 18  | 446        |
|         | (4-methoxy benzALdehyde) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15, Liquid, d. 1.12       |                   | 28     | 500 ml |          |     | 1860       |
| LA0434  | <b>ANISEED OIL Extra Pure (anise oil)</b> Liquid, d. 0.98  | <b>8007-70-3</b>  | 56     | 500 ml | 33012990 | 18  | 3743       |
| LA0435  | <b>m-ANISIC ACID 99%</b>   | <b>586-38-9</b>   | 34     | 25 gm  | 29189900 | 18  | 2262       |
|         | (3-methoxybenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                          |                   | 117    | 100 gm |          |     | 7803       |
| LA0436  | <b>o-ANISIC ACID 98%</b>   | <b>579-75-9</b>   | 10     | 25 gm  | 29189900 | 18  | 634        |
|         | (2-methoxybenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                          |                   | 34     | 100 gm |          |     | 2265       |
| LA0437  | <b>p-ANISIC ACID 99%</b>   | <b>100-09-4</b>   | 12     | 100 gm | 29189900 | 18  | 785        |
|         | (4-methoxybenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15                          |                   | 42     | 500 gm |          |     | 2792       |
| LA0438  | <b>m-ANISIDINE 97% (3-methoxyaniline) (3-aminoanisole)</b>   | <b>536-90-3</b>   | 52     | 100 ml | 29221990 | 18  | 3467       |
|         | C <sub>7</sub> H <sub>9</sub> NO M.W. 123.16 Liquid, d. 1.096-1.101                                      |                   | 208    | 500 ml |          |     | 13864      |
|         | <b>UN 2431 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA0439  | <b>o-ANISIDINE 98% (2-methoxyaniline) (2-aminoanisole)</b>   | <b>90-04-0</b>    | 29     | 500 ml | 29222990 | 18  | 1908       |
|         | C <sub>7</sub> H <sub>9</sub> NO M.W. 123.16 Liquid, d. 1.092  |                   |        |        |          |     |            |
|         | <b>UN 2431 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA0440  | <b>p-ANISIDINE 99% (4-methoxyaniline) (4-aminoanisole)</b>   | <b>104-94-9</b>   | 21     | 500 gm | 29222990 | 18  | 1430       |
|         | C <sub>7</sub> H <sub>9</sub> NO M.W. 123.16   |                   |        |        |          |     |            |
|         | <b>UN 2811 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA0441  | <b>ANISOLE 99% (methoxybenzene)</b>  | <b>100-66-3</b>   | 16     | 500 ml | 29093090 | 18  | 1032       |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 0.995  |                   | 70     | 2.5 Lt |          |     | 4658       |
|         | <b>UN 2222 3/PG III</b>  |                   |        |        |          |     |            |
| LA0442  | <b>ANISOLE AR 99.7% (methoxybenzene)</b>   | <b>100-66-3</b>   | 21     | 500 ml | 29093090 | 18  | 1398       |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 0.995  |                   |        |        |          |     |            |
|         | <b>UN 2222 3/PG III</b>  |                   |        |        |          |     |            |
| LA0443  | <b>ANITHOLE OIL Extra Pure</b> Liquid, d. 0.983-0.989  | <b>104-46-1</b>   | 64     | 500 ml | 33012590 | 18  | 4228       |
| LA0444  | <b>ANTHRACENE 96% (purified)</b>   | <b>120-12-7</b>   | 27     | 100 gm | 29029090 | 18  | 1823       |
|         | C <sub>14</sub> H <sub>10</sub> M.W. 178.22  |                   | 116    | 500 gm |          |     | 7730       |
|         | <b>UN 3077 9/PG III</b>  |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0445  | ANTHRACENE 99% (scintillation grade)   | 120-12-7   | 12     | 25 gm  | 29029090 | 18  | 777        |
|         | C <sub>14</sub> H <sub>10</sub> M.W. 178.22  |            | 43     | 100 gm |          |     | 2842       |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA0446  | ANTHRALIN 96% Extra Pure   | 1143-38-0  | 27     | 1 gm   | 29145000 | 18  | 1806       |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W. 226.23                               |            | 102    | 5 gm   |          |     | 6812       |
| LA0447  | ANTHRAQUINONE 97% For Synthesis  | 84-65-1    | 18     | 500 gm | 29146990 | 18  | 1192       |
|         | (9,10-Anthraquinone) C <sub>14</sub> H <sub>8</sub> O <sub>2</sub> M.W. 208.22           |            | 158    | 5 Kg   |          |     | 10507      |
| LA0448  | ANTHRAQUINONE-2,6-DISULFONIC ACID DISODIUM SALT 90%                                      | 853-68-9   | 632    | 5 gm   | 29146990 | 18  | 42041      |
|         | C <sub>14</sub> H <sub>6</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 412.31 |            | 1184   | 10 gm  |          |     | 78739      |
| LA0449  | ANTHRAQUINONE-2-SULPHONIC ACID SODIUM SALT 98% AR  | 131-08-8   | 16     | 25 gm  | 29146490 | 18  | 1095       |
|         | (silver salt) C <sub>14</sub> H <sub>7</sub> NaO <sub>5</sub> M.W. 310.26                |            | 62     | 100 gm |          |     | 4106       |
| LA0450  | ANTHRONE 97% For Synthesis   | 90-44-8    | 11     | 25 gm  | 29143920 | 18  | 711        |
|         | C <sub>14</sub> H <sub>10</sub> O M.W. 194.23  |            | 38     | 100 gm |          |     | 2558       |
| LA0451  | ANTHRONE 98% AR  | 90-44-8    | 6      | 10 gm  | 29143920 | 18  | 393        |
|         | C <sub>14</sub> H <sub>10</sub> O M.W. 194.23  |            | 12     | 25 gm  |          |     | 793        |
|         |  |            | 46     | 100 gm |          |     | 3063       |
| LA0452  | ANTIMONY AAS STANDARD SOLUTION   |            | 12     | 125 ml | 38220090 | 12  | 773        |
|         | 1000mg/L in Nitric Acid  |            | 35     | 500 ml |          |     | 2359       |
| LA0453  | ANTIMONY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                   |            | 78     | 125 ml | 38220090 | 12  | 5177       |
| LA0454  | ANTIMONY (Metal) LUMPS 99.5%   | 7440-36-0  | 11     | 100 gm | 81101000 | 18  | 732        |
|         | Sb A.W. 121.75   |            | 42     | 500 gm |          |     | 2820       |
| LA0455  | ANTIMONY (Metal) POWDER 99%  | 7440-36-0  | 14     | 100 gm | 81101000 | 18  | 962        |
|         | Sb A.W. 121.75   |            | 63     | 500 gm |          |     | 4201       |
| LA0456  | ANTIMONY (III) ACETATE 97%   | 6923-52-0  | 65     | 500 gm | 29152990 | 18  | 4316       |
|         | (CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Sb M.W. 298.89                           |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA0457  | ANTIMONY BROMIDE 99%   | 7789-61-9  | 67     | 100 gm | 28275990 | 18  | 4431       |
|         | SbBr <sub>3</sub> M.W. 361.47  |            | 250    | 500 gm |          |     | 16619      |
| LA0458  | ANTIMONY (III) CHLORIDE 98.5%  | 10025-91-9 | 13     | 100 gm | 28273990 | 18  | 854        |
|         | (antimony trichloride) SbCl <sub>3</sub> M.W. 228.11                                     |            | 58     | 500 gm |          |     | 3854       |
|         | <u>UN 1733 8/PG II</u>   |            |        |        |          |     |            |
| LA0459  | ANTIMONY (III) CHLORIDE 99% AR   | 10025-91-9 | 16     | 100 gm | 28273990 | 18  | 1096       |
|         | (antimony trichloride) SbCl <sub>3</sub> M.W. 228.11                                     |            | 64     | 500 gm |          |     | 4245       |
|         | <u>UN 1733 8/PG II</u>   |            |        |        |          |     |            |
| LA0460  | ANTIMONY (III) FLUORIDE 99.8%  | 7783-56-4  | 316    | 250 gm | 28261990 | 18  | 21026      |
|         | SbF <sub>3</sub> M.W. 178.76   |            | 580    | 500 gm |          |     | 38561      |
|         | <u>UN 1549 6.1/ PG III</u>   |            |        |        |          |     |            |
| LA0461  | ANTIMONY IODIDE 98%  | 7790-44-5  | 219    | 10 gm  | 28276090 | 18  | 14542      |
|         | SbI <sub>3</sub> M.W. 502.47   |            | 1301   | 100 gm |          |     | 86511      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA0462  | ANTIMONY NITRATE 98%   | 20328-96-5 | 68     | 100 gm | 26171000 | 18  | 4547       |
|         | N <sub>3</sub> O <sub>9</sub> Sb M.W. 307.77   |            | 262    | 500 gm |          |     | 17430      |
| LA0463  | ANTIMONY OXALATE 98%   | 16455-98-4 | 134    | 500 gm | 26171000 | 18  | 8927       |
|         | C <sub>6</sub> O <sub>12</sub> Sb <sub>2</sub> M.W. 507.57                               |            |        |        |          |     |            |
| LA0464  | ANTIMONY (III) OXIDE 98%   | 1309-64-4  | 37     | 500 gm | 28258000 | 18  | 2442       |
|         | (antimony trioxide) Sb <sub>2</sub> O <sub>3</sub> M.W. 291.50                           |            |        |        |          |     |            |
| LA0465  | ANTIMONY (III) OXIDE 99% AR  | 1309-64-4  | 12     | 100 gm | 28258000 | 18  | 779        |
|         | (antimony trioxide) Sb <sub>2</sub> O <sub>3</sub> M.W. 291.50                           |            | 42     | 500 gm |          |     | 2809       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0466  | <b>ANTIMONY PENTOXIDE 99.5%</b><br>(antimony (V) oxide) Sb <sub>2</sub> O <sub>5</sub> M.W. 323.52   | 1314-60-9  | 51     | 250 gm | 28258000 | 18  | 3380       |
| LA0467  | <b>ANTIMONY PHOSPHATE 98%</b><br>SbPO <sub>4</sub> M.W. 216.73   | 12036-46-3 | 99     | 500 gm | 28353900 | 18  | 6584       |
| LA0468  | <b>ANTIMONY POTASSIUM TARTRATE 98.5% (trihydrate)</b><br>(potassium antimony (III) oxide tartrate)<br>C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> ·3H <sub>2</sub> O M.W. 667.87    | 28300-74-5 | 39     | 500 gm | 29181390 | 18  | 2618       |
|         | <b>UN 1551 6.1/PG III</b>  |            | 341    | 5 Kg   |          |     | 22650      |
| LA0467  | <b>ANTIMONY POTASSIUM TARTRATE 99.5% AR (trihydrate)</b><br>(potassium antimony (III) oxide tartrate)<br>C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> ·3H <sub>2</sub> O M.W. 667.87 | 28300-74-5 | 10     | 100 gm | 29181390 | 18  | 694        |
|         | <b>UN 1551 6.1/PG III</b>  |            | 42     | 500 gm |          |     | 2805       |
| LA0468  | <b>ANTIMONY SULPHATE 95%</b><br>Sb <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> M.W. 531.71  | 7446-32-4  | 38     | 100 gm | 28332990 | 18  | 2533       |
|         | <b>UN 3077 9/PG III</b>  |            | 137    | 500 gm |          |     | 9101       |
| LA0469  | <b>ANTIMONY SULPHIDE BLACK 95%</b><br>(antimony tri sulphide) Sb <sub>2</sub> S <sub>3</sub> M.W. 339.69   | 1345-04-6  | 50     | 500 gm | 28332990 | 18  | 3345       |
|         | <b>UN 1549 6.1/PG III</b>  |            |        |        |          |     |            |
| LA0470  | <b>ANTIMONY SULPHIDE GOLDEN</b><br>[antimony Pentasulphide (golden)] Sb <sub>2</sub> S <sub>5</sub> M.W. 403.82  | 1315-04-4  | 60     | 500 gm | 28309010 | 18  | 3973       |
|         | <b>UN 3178 4.1/PG II</b>   |            |        |        |          |     |            |
| LA0471  | <b>ANTIPYRIN 99%</b><br>(phenazone) C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 188.23   | 60-80-0    | 20     | 100 gm | 29331100 | 18  | 1352       |
| LA0472  | <b>D (-) ARABINOSE 99% AR</b><br>C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13   | 10323-20-3 | 9      | 5 gm   | 29400000 | 18  | 566        |
|         |  |            | 32     | 25 gm  |          |     | 2153       |
|         |  |            | 122    | 100 gm |          |     | 8127       |
| LA0473  | <b>L (+) ARABINOSE 99%</b><br>C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13  | 5328-37-0  | 17     | 25 gm  | 29400000 | 18  | 1118       |
| LA0474  | <b>D (+) - ARABITOL 99%</b><br>C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15   | 488-82-4   | 95     | 5 gm   | 29054900 | 18  | 6308       |
| LA0475  | <b>L (+) - ARABITOL 98%</b><br>C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15   | 7643-75-6  | 160    | 5 gm   | 29054900 | 18  | 10652      |
| LA0476  | <b>ARACHIS OIL Extra Pure</b> Liquid, d. 0.91  | 8002-03-7  | 15     | 500 ml | 15089099 | 5   | 1020       |
| LA0477  | <b>L-ARGININE 98% For Biochemistry</b><br>C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> M.W. 174.20   | 74-79-3    | 4      | 25 gm  | 29224990 | 18  | 235        |
|         |  |            | 13     | 100 gm |          |     | 851        |
|         |  |            | 52     | 500 gm |          |     | 3464       |
| LA0478  | <b>L-ARGININE MONOHYDROCHLORIDE 99% For Biochemistry</b><br>C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> .HCl M.W. 210.66  | 1119-34-2  | 4      | 25 gm  | 29224990 | 18  | 284        |
|         |  |            | 13     | 100 gm |          |     | 890        |
|         |  |            | 55     | 500 gm |          |     | 3639       |
| LA0479  | <b>p-ARSANILIC ACID 98%</b><br>(p-Aminobenzeneearsonic acid) C <sub>6</sub> H <sub>8</sub> AsNO <sub>3</sub> M.W. 217.05   | 98-50-0    | 169    | 100 gm | 29310020 | 18  | 11221      |
|         | <b>UN 3465 6.1/PG III</b>  |            | 658    | 500 gm |          |     | 36474      |
| LA0480  | <b>ARSENATO I AR (reagent for thorium)</b><br>(neothorine) C <sub>16</sub> H <sub>10</sub> AsN <sub>2</sub> Na <sub>3</sub> O <sub>11</sub> S <sub>2</sub> M.W. 614.27   | 520-10-5   | 19     | 1 gm   | 29319090 | 18  | 1248       |
|         | <b>UN 3465 6.1/PG II</b>   |            | 92     | 5 gm   |          |     | 6140       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0481  | ARSENATO III AR (reagent for thorium)<br><br><chem>C22H16As2N4Na2O14S2.4H2O</chem> M.W. 892.40 | 1668-00-4  | 119    | 5 gm   | 29319090 | 18  | 7896       |
| LA0482  | ARSENIC AAS STANDARD SOLUTION<br><br>1000mg/L in Nitric Acid                                   |            | 15     | 125 ml | 38220090 | 12  | 1013       |
| LA0483  | ARSENIC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid  |            | 80     | 125 ml | 38220090 | 12  | 5313       |
| LA0484  | ARSENIC (Metal) POWDER 99.9%<br><br>As M.W. 74.92  | 7440-38-2  | 306    | 25 gm  | 28048000 | 18  | 20317      |
|         | <u>UN 1558 6.1/PG II</u>   |            | 1069   | 100 gm |          |     | 71106      |
| LA0485  | ARSENIC (III) OXIDE 99%<br><br>(arsenic trioxide) <chem>As2O3</chem> M.W. 197.84               | 1327-53-3  | 9      | 500 gm | 28112920 | 18  | 598        |
|         | <u>UN 1561 6.1 /PG II</u>  |            |        |        |          |     |            |
| LA0486  | ARSENIC (III) OXIDE 99.5% AR<br><br>(arsenic trioxide) <chem>As2O3</chem> M.W. 197.84          | 1327-53-3  | 17     | 500 gm | 28112920 | 18  | 1134       |
|         | <u>UN 1561 6.1 /PG II</u>  |            |        |        |          |     |            |
| LA0487  | ARSENIC PENTOXIDE 99%<br><br><chem>As2O5</chem> M.W. 229.84                                    | 1303-28-2  | 161    | 100 gm | 28112910 | 18  | 10688      |
| LA0488  | ARSENIC SULPHATE 95%<br><br><chem>As2S2</chem> M.W. 213.97                                     | 1303-32-8  | 215    | 500 gm | 28139010 | 18  | 14328      |
|         | <u>UN 1557 6.1/PG II</u>   |            |        |        |          |     |            |
| LA0489  | ASBESTOS (for gooch crucibles)   | 1332-21-4  | 15     | 100 gm | 68114010 | 18  | 991        |
|         |  |            | 61     | 500 gm |          |     | 4037       |
| LA0490  | ASBESTOS powder Practical  |            | 11     | 500 gm | 68114010 | 18  | 754        |
| LA0491  | L-ASCORBIC ACID 99% (Vitamin C)<br><br><chem>C6H8O6</chem> M.W. 176.13                         | 50-81-7    | 10     | 100 gm | 29362700 | 18  | 676        |
| LA0492  | L-ASCORBIC ACID 99.7% AR For Biochemistry<br><br>(Vitamin C) <chem>C6H8O6</chem> M.W. 176.13   | 50-81-7    | 12     | 100 gm | 29362700 | 18  | 792        |
| LA0493  | L-ASCORBYL PALMITATE 98% For Synthesis<br><br><chem>C22H38O7</chem> M.W. 414.53                | 137-66-6   | 133    | 100 gm | 29362700 | 18  | 8877       |
| LA0494  | L-ASPARGINE 99% For Biochemistry (monohydrate)<br><br><chem>C4H8N2O3.H2O</chem> M.W. 150.13    | 5794-13-8  | 6      | 25 gm  | 29224990 | 18  | 420        |
|         |  |            | 19     | 100 gm |          |     | 1287       |
|         |  |            | 72     | 500 gm |          |     | 4812       |
| LA0495  | ASPARTAME 98%<br><br>(N-L-a-aspartyl-L-phenylalanine methylester)                              | 22839-47-0 | 31     | 5 gm   | 29400000 | 18  | 2043       |
|         | <chem>C14H18N2O5</chem> M.W. 294.30  |            | 92     | 25 gm  |          |     | 6126       |
| LA0496  | DL-ASPARTIC ACID 99% For Chromatography<br><br><chem>C4H7NO4</chem> M.W. 133.10                | 617-45-8   | 3      | 25 gm  | 29224990 | 18  | 210        |
|         |  |            | 10     | 100 gm |          |     | 644        |
|         |  |            | 40     | 500 gm |          |     | 2651       |
| LA0497  | L-ASPARTIC ACID 98% For Biochemistry<br><br><chem>C4H7NO4</chem> M.W. 133.10                   | 56-84-8    | 3      | 25 gm  | 29224990 | 18  | 167        |
|         |  |            | 7      | 100 gm |          |     | 443        |
|         |  |            | 28     | 500 gm |          |     | 1857       |
| LA0498  | ATENOLOL 98% Extra Pure<br><br>For Lab Use <chem>C14H22N2O3</chem> M.W. 266.34                 | 29122-68-7 | 100    | 25 gm  | 29242990 | 18  | 6636       |
|         |  |            | 315    | 100 gm |          |     | 20944      |
| LA0499  | ATROPINE SULPHATE 98% AR<br><br><chem>C34H48N2O10S.H2O</chem> M.W. 694.85                      | 5908-99-6  | 26     | 5 gm   | 29396900 | 18  | 1702       |
|         | <u>UN 1544 6.1 /PG II</u>  |            | 120    | 25 gm  |          |     | 7962       |
|         |  |            | 425    | 100 gm |          |     | 28255      |

| CAT No.    | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST    |
|------------|--|------------|--------|--------|----------|--------|
| PRICE(INR) |  |            |        |        |          |        |
| LA0500     | AURAMINE (M.S.) (C.I. No.41000)  | 2465-27-2  | 4      | 25 gm  | 32041321 | 18     |
|            | Dye Content : Min. 85% C <sub>17</sub> H <sub>22</sub> N <sub>3</sub> Cl M.W. 303.84                                 |            | 9      | 100 gm |          | 246    |
|            | <u>UN 3077 9/PG III</u>  |            |        |        |          | 589    |
| LA0501     | AURIC CHLORIDE (Au 25%)  | 16903-35-8 | 94     | 1 gm   | 28433000 | 18     |
|            | (gold chloride) HAuCl <sub>4</sub> .xH <sub>2</sub> O M.W. 303.84  |            | 842    | 10 gm  |          | 6223   |
|            | <u>UN 3260 8/PG III</u>  |            |        |        |          | 56007  |
| LA0502     | AURIC CHLORIDE (Au 49%)  | 16903-35-8 | 187    | 1 gm   | 28433000 | 18     |
|            | (gold chloride) HAuCl <sub>4</sub> .xH <sub>2</sub> O M.W. 303.84  |            | 1684   | 10 gm  |          | 12450  |
|            | <u>UN 3260 8/PG III</u>  |            |        |        |          | 112007 |
| LA0503     | AURIN (C.I. No.43800)  | 603-45-2   | 14     | 25 gm  | 32129020 | 18     |
|            | (p-rosolic acid) Dye Content : Min. 85% C <sub>19</sub> H <sub>14</sub> O <sub>3</sub> M.W. 290.32                   |            | 50     | 100 gm |          | 904    |
| LA0504     | AVICEL-101 (pH 101)  | 99331-82-5 | 20     | 250 gm | 39129090 | 18     |
|            |  |            | 39     | 500 gm |          | 1351   |
| LA0505     | AVICEL-102 (pH 102)  | 99331-82-5 | 21     | 250 gm | 39129090 | 18     |
|            |  |            | 39     | 500 gm |          | 1364   |
|            |  |            |        |        |          | 2597   |
| LA0506     | 7-AZAINDOLE 98% For Synthesis  | 271-63-6   | 30     | 1 gm   | 29339900 | 18     |
|            | (1H-Pyrrolo(2,3-b)pyridine)  |            | 84     | 5 gm   |          | 1971   |
|            | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> M.W. 118.14   |            | 335    | 25 gm  |          | 5576   |
| LA0507     | AZEALIC ACID 98%   | 123-99-9   | 19     | 25 gm  | 29171300 | 18     |
|            | (nonanedioic acid) C <sub>9</sub> H <sub>16</sub> O <sub>4</sub> M.W. 188.22   |            | 44     | 100 gm |          | 1235   |
| LA0508     | AZITHROMYCIN 95% Extra Pure  | 83905-01-5 | 33     | 5 gm   | 29419090 | 18     |
|            | C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>12</sub> M.W. 748.98   |            | 133    | 25 gm  |          | 2217   |
| LA0509     | AZETIDINE-3-CARBOXYLIC ACID 97%  | 36476-78-5 | 152    | 25 mg  | 29333990 | 18     |
|            | C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 101.10  |            | 590    | 100 mg |          | 10131  |
| LA0510     | AZOBENZENE 97%   | 103-33-3   | 281    | 25 gm  | 29270090 | 18     |
|            | C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> M.W. 182.22   |            | 887    | 100 gm |          | 18684  |
|            | <u>UN 3077 9/PG III</u>  |            |        |        |          | 58985  |
| LA0511     | AZOCARMINE G For Histology (C.I. No.50085)   | 25641-18-3 | 22     | 5 gm   | 32049000 | 18     |
|            | C <sub>28</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>6</sub> S <sub>2</sub> M.W. 579.59                           |            | 85     | 25 gm  |          | 1461   |
| LA0512     | a,a'-AZOISOBUTYRONITRILE 98% For Synthesis   | 78-67-1    | 18     | 100 gm | 29270090 | 18     |
|            | (AIBN, 2,2'-Azobis (2-Methylpropionitrile)   |            | 70     | 500 gm |          | 1202   |
|            | C <sub>8</sub> H <sub>12</sub> N <sub>4</sub> M.W. 164.21  |            |        |        |          | 4657   |
|            | <u>UN 1294 3/PG II</u>   |            |        |        |          |        |
| LA0513     | AZOMETHINE-H MONOSODIUM SALT hydrate 90%   | 5378-49-4  | 12     | 1 gm   | 29252990 | 18     |
|            | C <sub>17</sub> H <sub>12</sub> NNaO <sub>8</sub> S <sub>2</sub> .xH <sub>2</sub> O M.W. 445.40 (on anhydrous basis) |            | 53     | 5 gm   |          | 770    |
| LA0514     | AZURE A (M.S.) (C.I. No.52005)   | 531-53-3   | 4      | 5 gm   | 32049000 | 18     |
|            | C <sub>14</sub> H <sub>14</sub> ClN <sub>3</sub> S M.W. 291.80   |            | 12     | 25 gm  |          | 260    |
| LA0515     | AZURE B (M.S.) (C.I. No.52010) (azur I)  | 531-55-5   | 6      | 5 gm   | 32049000 | 18     |
|            | C <sub>15</sub> H <sub>16</sub> ClN <sub>3</sub> S M.W. 305.83   |            | 14     | 25 gm  |          | 423    |
| LA0516     | AZURE II (M.S.)  | 37247-10-2 | 6      | 10 gm  | 32049000 | 18     |
|            | C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> S·C <sub>15</sub> H <sub>16</sub> N <sub>3</sub> S·2Cl M.W. 625.68    |            | 12     | 25 gm  |          | 391    |
|            |  |            | 47     | 100 gm |          | 826    |
|            |  |            |        |        |          | 3118   |
| LA0517     | AZURE C (N-methylthionine)   | 531-57-7   | 47     | 25 gm  | 32049000 | 18     |
|            | Dye Content : Min. 40% C <sub>13</sub> H <sub>12</sub> ClN <sub>3</sub> S M.W. 277.77                                |            | 176    | 100 gm |          | 3119   |
| LA0518     | AZURE II EOSINE (M.S.)   | 53092-85-6 | 10     | 25 gm  | 32129090 | 18     |
|            |  |            |        |        |          | 11681  |
|            |  |            |        |        |          | 682    |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0519  | BALSAM CANADA (synthetic)                                 | 8007-47-4  | 37     | 500 gm | 13012000 | 5   | 2450       |
| LA0520  | BALSAM CANADA (colourless)                                | 8007-00-9  | 85     | 500 gm | 13012000 | 5   | 5678       |
| LA0521  | BALSAM PERU (peru bALsam) (resinoids)                     |            | 32     | 100 gm | 33013091 | 18  | 2122       |
|         | Liquid, d. 1.161  |            | 129    | 500 gm |          |     | 8577       |
| LA0522  | BALSAM TOLU   | 9000-64-0  | 62     | 250 gm | 33013091 | 18  | 4132       |
|         |   |            | 115    | 500 gm |          |     | 7667       |
| LA0523  | BARBITURIC ACID 98% For Synthesis                         | 67-52-7    | 5      | 25 gm  | 29335200 | 18  | 303        |
|         | <chem>C4H4N2O3</chem> M.W. 128.09                         |            | 14     | 100 gm |          |     | 908        |
|         |   |            | 49     | 500 gm |          |     | 3259       |
| LA0524  | BARBITURIC ACID 99% AR                                    | 67-52-7    | 5      | 25 gm  | 29335200 | 18  | 364        |
|         | <chem>C4H4N2O3</chem> M.W. 128.09                         |            | 16     | 100 gm |          |     | 1084       |
|         |   |            | 60     | 500 gm |          |     | 3969       |
| LA0525  | BARFOED'S REAGENT   |            | 13     | 500 ml | 38220090 | 12  | 859        |
|         |   |            | 113    | 5 Lt   |          |     | 7506       |
| LA0526  | BARIUM AAS STANDARD SOLUTION                              |            | 21     | 125 ml | 38220090 | 12  | 1374       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.013                 |            | 47     | 500 ml |          |     | 3130       |
| LA0527  | BARIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid      |            | 76     | 125 ml | 38220090 | 12  | 5081       |
|         | Liquid, d. 1.013  |            |        |        |          |     |            |
| LA0528  | BARIUM ACETATE 99%  | 543-80-6   | 14     | 500 gm | 29152990 | 18  | 910        |
|         | <chem>C4H6BaO4</chem> M.W. 255.42                         |            |        |        |          |     |            |
| LA0529  | BARIUM ACETATE 99% AR                                     | 543-80-6   | 26     | 500 gm | 29152990 | 18  | 1698       |
|         | <chem>C4H6BaO4</chem> M.W. 255.42                         |            |        |        |          |     |            |
| LA0530  | BARIUM BORATE 97% (monohydrate)                           | 26124-86-7 | 20     | 500 gm | 29209099 | 18  | 1323       |
|         | (barium metaborate) <chem>Ba(BO2)2.H2O</chem> M.W. 240.96 |            | 169    | 5 Kg   |          |     | 11242      |
| LA0531  | BARIUM BROMIDE 98%  | 7791-28-8  | 26     | 500 gm | 28275990 | 18  | 1702       |
|         | <chem>BaBr2.2H2O</chem> M.W. 333.17                       |            | 230    | 5 Kg   |          |     | 15315      |
| LA0532  | BARIUM BROMIDE 98.5% AR                                   | 7791-28-8  | 34     | 500 gm | 28275990 | 18  | 2263       |
|         | <chem>BaBr2.2H2O</chem> M.W. 333.17                       |            |        |        |          |     |            |
| LA0533  | BARIUM CARBONATE 98.5%                                    | 513-77-9   | 7      | 500 gm | 28366000 | 18  | 451        |
|         | <chem>BaCO3</chem> M.W. 197.35                            |            | 63     | 5 Kg   |          |     | 4169       |
| LA0534  | BARIUM CARBONATE 99% AR                                   | 513-77-9   | 16     | 500 gm | 28366000 | 18  | 1081       |
|         | <chem>BaCO3</chem> M.W. 197.35                            |            |        |        |          |     |            |
| LA0525  | BARIUM CARBONATE 98% Practical Grade                      | 513-77-9   | 6      | 500 gm | 28366000 | 18  | 398        |
|         | <chem>BaCO3</chem> M.W. 197.35                            |            |        |        |          |     |            |
| LA0526  | BARIUM CHLORANIALTE 98.5% AR (trihydrate)                 | 32458-20-1 | 51     | 25 gm  | 29147000 | 18  | 3410       |
|         | (chloranilic acid barium salt)                            |            | 193    | 100 gm |          |     | 12804      |
|         | <chem>C6BaCl2O4.3H2O</chem> M.W. 398.36                   |            |        |        |          |     |            |
| LA0527  | BARIUM CHLORIDE Practical 98.5% (dihydrate)               | 10326-27-9 | 5      | 500 gm | 28273990 | 18  | 300        |
|         | <chem>BaCl2.2H2O</chem> M.W. 244.28                       |            | 41     | 5 Kg   |          |     | 2695       |
|         | <u>UN 1564 6.1/PG III</u>                                 |            |        |        |          |     |            |
| LA0528  | BARIUM CHLORIDE Purified 99% (dihydrate)                  | 10326-27-9 | 5      | 500 gm | 28273990 | 18  | 336        |
|         | <chem>BaCl2.2H2O</chem> M.W. 244.28                       |            | 46     | 5 Kg   |          |     | 3039       |
|         | <u>UN 1564 6.1/PG III</u>                                 |            |        |        |          |     |            |
| LA0529  | BARIUM CHLORIDE 99.0 - 100.5% AR (dihydrate)              | 10326-27-9 | 6      | 500 gm | 28273990 | 18  | 372        |
|         | <chem>BaCl2.2H2O</chem> M.W. 244.28                       |            | 47     | 5 Kg   |          |     | 3133       |
|         | <u>UN 1564 6.1/PG III</u>                                 |            |        |        |          |     |            |
| LA0530  | BARIUM CHLORIDE 0.05M (0.1N) Standardized Solution        |            | 7      | 500 ml | 38220090 | 12  | 444        |
|         | Liquid, d. 1.000  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0531  | <b>BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M)</b>  |            | 12     | 500 ml | 38220090 | 12  | 776        |
|         | aqueous solution  |            |        |        |          |     |            |
| LA0532  | <b>BARIUM PERCHLORATE 0.005 MOL/Liter (0.005M)</b>  |            | 17     | 500 ml | 38220090 | 12  | 1119       |
|         | Alcoholic solution  |            |        |        |          |     |            |
| LA0533  | <b>BARIUM PEROXIDE 97% For Synthesis</b>  | 1304-29-6  | 13     | 500 gm | 28164000 | 18  | 847        |
|         | BaO <sub>2</sub> M.W. 169.34  |            |        |        |          |     |            |
|         | <b>UN 1449 5.1 (6.1)/PG II</b>  |            |        |        |          |     |            |
| LA0534  | <b>BARIUM PHOSPHATE 97% (dibasic)</b>   | 10048-98-3 | 16     | 500 gm | 28332700 | 18  | 1076       |
|         | BaHPO <sub>4</sub> M.W. 233.31  |            |        |        |          |     |            |
| LA0535  | <b>BARIUM STEARATE For Synthesis</b>  | 6865-35-6  | 6      | 500 gm | 29157090 | 18  | 428        |
|         | C <sub>36</sub> H <sub>70</sub> BaO <sub>4</sub> M.W. 704.27  |            | 56     | 5 Kg   |          |     | 3746       |
| LA0536  | <b>BARIUM SULPHATE 97% (precipitated)</b>   | 7727-43-7  | 4      | 500 gm | 28332700 | 18  | 327        |
|         | BaSO <sub>4</sub> M.W. 233.39   |            | 43     | 5 Kg   |          |     | 2837       |
|         |   |            | 199    | 25 Kg  |          |     | 13223      |
| LA0537  | <b>BARIUM SULPHATE 98% AR</b>   | 7727-43-7  | 10     | 500 gm | 28332700 | 18  | 651        |
|         | BaSO <sub>4</sub> M.W. 233.39   |            |        |        |          |     |            |
| LA0538  | <b>BARIUM SULPHIDE 98% Practical</b>  | 21109-95-5 | 25     | 500 gm | 28309010 | 18  | 1678       |
|         | BaS M.W 169.39  |            |        |        |          |     |            |
|         | <b>UN 2813 4.3/PG II</b>  |            |        |        |          |     |            |
| LA0539  | <b>BARIUM SULPHITE 98% Practical</b>  | 7787-39-5  | 21     | 500 gm | 28332700 | 18  | 1395       |
|         | BaSO <sub>3</sub> M.W. 217.39   |            |        |        |          |     |            |
| LA0540  | <b>BARIUM TARTRATE 98%</b>  | 5908-81-6  | 55     | 500 gm | 29181300 | 18  | 3687       |
|         | C <sub>4</sub> H <sub>4</sub> BaO <sub>6</sub> M.W 285.40   |            |        |        |          |     |            |
| LA0542  | <b>BARIUM THIOSULPHATE 98%</b>  | 35112-53-9 | 71     | 500 gm | 28323000 | 18  | 4714       |
|         | BaS <sub>2</sub> O <sub>3</sub> M.W 249.46  |            |        |        |          |     |            |
|         | <b>UN 1564 6.1/PG II</b>  |            |        |        |          |     |            |
| LA0543  | <b>BARRITT'S REAGENT 'A'</b>  |            | 13     | 500 ml | 38220090 | 12  | 896        |
| LA0544  | <b>BARRITT'S REAGENT 'B'</b>  |            | 10     | 500 ml | 38220090 | 12  | 635        |
| LA0545  | <b>BASIC FUCHSIN (M.S.) (C.I. No.42510)</b>   | 632-99-5   | 4      | 25 gm  | 32041399 | 18  | 283        |
|         | (magenta basic) (fuchsin basic)   |            | 12     | 100 gm |          |     | 797        |
|         | Dye Content : Min. 88% C <sub>20</sub> H <sub>20</sub> ClN <sub>3</sub> M.W. 337.85   |            | 51     | 500 gm |          |     | 3398       |
| LA0546  | <b>BASIC FUCHSIN 0.1 w/v solution</b>   |            | 3      | 125 ml | 32041300 | 18  | 196        |
|         | (aqueous staining solution) Liquid, d. 0.985  |            | 8      | 500 ml |          |     | 540        |
| LA0547  | <b>BASIL OIL Extra Pure</b> , Liquid, d. 0.961  | 8015-73-4  | 57     | 500 ml | 33012590 | 18  | 3790       |
| LA0548  | <b>BATHOCUPROINE 99% AR</b>   | 4733-39-5  | 43     | 100 mg | 29335200 | 18  | 2879       |
|         | (2,9-dimethyl-4, 7-diphenyl-1, 10-phenanthroline)   |            | 390    | 1 gm   |          |     | 25907      |
|         | C <sub>26</sub> H <sub>20</sub> N <sub>2</sub> M.W. 360.45  |            |        |        |          |     |            |
| LA0549  | <b>BATHOCUPROINE DISULPHONIC ACID DISODIUM SALT 98.5% AR</b>  | 52698-84-7 | 38     | 100 mg | 29339900 | 18  | 2538       |
|         | C <sub>26</sub> H <sub>18</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 564.55                                    |            | 171    | 500 mg |          |     | 11387      |
| LA0550  | <b>BATHOPHENANTHROLINE 99% AR</b>   | 1662-01-7  | 33     | 100 mg | 29339900 | 18  | 2211       |
|         | (4,7-diphenyl-1,10-phenanthroline) C <sub>24</sub> H <sub>16</sub> N <sub>2</sub> M.W. 332.41   |            | 162    | 1 gm   |          |     | 10763      |
| LA0551  | <b>BATHOPHENANTHROLINE DISULPHONIC ACID DISODIUM SALT 99% AR</b>  | 53744-42-6 | 84     | 250 mg | 29339900 | 18  | 5565       |
|         | (water soluble) C <sub>24</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> .3H <sub>2</sub> O M.W. 590.54 |            |        |        |          |     |            |
| LA0552  | <b>BAY OIL Extra Pure</b>   | 8006-78-8  | 62     | 250 ml | 33012990 | 18  | 4142       |
|         | Liquid, d. 0.96   |            |        | 500 ml |          | 18  | 7700       |
|         | <b>UN 1993 3/PG III</b>   |            | 116    |        |          |     |            |
| LA0553  | <b>BEAM'S REAGENT solution</b>  |            | 30     | 500 ml | 38220090 | 12  | 1967       |
| LA0554  | <b>BEEF EXTRACT PASTE For Bacteriology (Lab lemco paste)</b>  |            | 30     | 500 gm | 35040000 | 18  | 2002       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0555  | BARIUM CHLORIDE 10% w/v SOLUTION   |            | 3      | 500 ml | 38220090 | 12  | 218        |
|         |  |            | 6      | 1 Lt   |          |     | 390        |
| LA0556  | BARIUM CHROMATE 98%  | 10294-40-3 | 23     | 500 gm | 28415090 | 18  | 1531       |
|         | BaCrO <sub>4</sub> M.W. 253.32   |            |        |        |          |     |            |
|         | <u>UN 1479 5.1/PG II</u>   |            |        |        |          |     |            |
| LA0557  | BARIUM CHROMATE 99% AR   | 10294-40-3 | 8      | 100 gm | 28415090 | 18  | 506        |
|         | BaCrO <sub>4</sub> M.W. 253.32   |            | 28     | 500 gm |          |     | 1875       |
|         | <u>UN 1479 5.1/PG II</u>   |            |        |        |          |     |            |
| LA0558  | BARIUM CITRATE 98%   | 512-25-4   | 47     | 500 gm | 28332700 | 18  | 3153       |
|         | C <sub>12</sub> H <sub>10</sub> Ba <sub>3</sub> O <sub>14</sub> M.W. 790.18                |            |        |        |          |     |            |
| LA0559  | BARIUM DIPHENYALMINE SULPHONATE 95% AR   | 6211-24-1  | 6      | 5 gm   | 29214490 | 18  | 418        |
|         | (diphenyALmine-4-sulphonic acid barium salt)   |            | 18     | 25 gm  |          |     | 1195       |
|         | C <sub>24</sub> H <sub>20</sub> BaN <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 633.90 |            | 67     | 100 gm |          |     | 4479       |
|         | <u>UN 1564 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0560  | BARIUM FLUORIDE 98.5%  | 7787-32-8  | 21     | 500 gm | 28261990 | 18  | 1392       |
|         | BaF <sub>2</sub> M.W. 175.32   |            |        |        |          |     |            |
|         | <u>UN 1564 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0561  | BARIUM FLUORIDE 99% AR   | 7787-32-8  | 68     | 500 gm | 28261990 | 18  | 4539       |
|         | BaF <sub>2</sub> M.W. 175.32   |            |        |        |          |     |            |
|         | <u>UN 1564 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0562  | BARIUM HYDROXIDE 97% (octahydrate)   | 12230-71-6 | 6      | 500 gm | 28164000 | 18  | 426        |
|         | Ba(OH) <sub>2</sub> .8H <sub>2</sub> O M.W. 315.48   |            | 56     | 5 Kg   |          |     | 3744       |
|         | <u>UN 3262 8/PG II</u>   |            | 257    | 25 Kg  |          |     | 17094      |
| LA0563  | BARIUM HYDROXIDE 98% AR (octahydrate)  | 12230-71-6 | 13     | 250 gm | 28164000 | 18  | 896        |
|         | Ba(OH) <sub>2</sub> .8H <sub>2</sub> O M.W. 315.48   |            | 25     | 500 gm |          |     | 1695       |
|         | <u>UN 3262 8/PG II</u>   |            |        |        |          |     |            |
| LA0564  | BARIUM IODIDE 99%  | 13718-50-8 | 100    | 100 gm | 28276050 | 18  | 6679       |
|         | BaI <sub>2</sub> M.W. 391.14   |            | 231    | 250 gm |          |     | 15366      |
|         | <u>UN 1564 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0565  | BARIUM NITRATE 98%   | 10022-31-8 | 7      | 500 gm | 28342930 | 18  | 446        |
|         | Ba(NO <sub>3</sub> ) <sub>2</sub> M.W. 261.34  |            | 60     | 5 Kg   |          |     | 3969       |
|         | <u>UN 1446 5.1 (6.1)/PG II</u>   |            | 267    | 25 Kg  |          |     | 17765      |
| LA0566  | BARIUM NITRATE 99% AR  | 10022-31-8 | 8      | 500 gm | 28342930 | 18  | 518        |
|         | Ba(NO <sub>3</sub> ) <sub>2</sub> M.W. 261.34  |            |        |        |          |     |            |
|         | <u>UN 1446 5.1 (6.1)/PG II</u>   |            |        |        |          |     |            |
| LA0567  | BARIUM OXALATE 97%   | 516-02-9   | 23     | 500 gm | 29171190 | 18  | 1511       |
|         | BaC <sub>2</sub> O <sub>4</sub> M.W. 225.35  |            |        |        |          |     |            |
|         | <u>UN 1564 6.1/PG II</u>   |            |        |        |          |     |            |
| LA0568  | BARIUM OXIDE 99.9% (anhydrous)   | 1304-28-5  | 261    | 25 gm  | 28164000 | 18  | 17357      |
|         | BaO M.W. 153.33  |            | 760    | 100 gm |          |     | 50544      |
|         | <u>UN 1884 6.1/PG III</u>  |            |        |        |          |     |            |
| LA0569  | BARIUM PERCHLORATE 97% (anhydrous)   | 13465-95-7 | 87     | 250 gm | 28291990 | 18  | 5812       |
|         | Ba(ClO <sub>4</sub> ) <sub>2</sub> M.W. 336.23   |            |        |        |          |     |            |
|         | <u>UN 1447 5.1 (6.1)/PG II</u>   |            |        |        |          |     |            |
| LA0570  | BARIUM PERCHLORATE 99% (trihydrate)  | 10294-39-0 | 154    | 250 gm | 28299010 | 18  | 10248      |
|         | Ba(ClO <sub>4</sub> ) <sub>2</sub> .3H <sub>2</sub> O M.W. 290.29                          |            |        |        |          |     |            |
|         | <u>UN 1447 5.1 (6.1)/PG II</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0571  | BEEF EXTRACT POWDER For Bacteriology (Lab lemco powder)                           |            | 20     | 500 gm | 35040000 | 18  | 1330       |
| LA0572  | BEES WAX WHITE FOR HISTOLOGY  | 8012-89-3  | 16     | 500 gm | 15219010 | 18  | 1047       |
|         |   |            | 142    | 5 Kg   |          |     | 9415       |
| LA0573  | BEES WAX YELLOW FOR HISTOLOGY   | 8012-89-3  | 15     | 500 gm | 15219010 | 18  | 1004       |
|         |   |            | 134    | 5 Kg   |          |     | 8917       |
| LA0574  | BEHENIC ACID 98.5%  | 112-85-6   | 66     | 100 gm | 29159090 | 18  | 4393       |
|         | C <sub>22</sub> H <sub>44</sub> O <sub>2</sub> M.W. 340.58                        |            |        |        |          |     |            |
| LA0575  | BENEDICT'S REAGENT (quALitative)  | 63126-89-6 | 4      | 500 ml | 38220090 | 12  | 244        |
|         | Liquid, d. 1.19   |            | 20     | 5 Lt   |          |     | 1351       |
|         | <u>UN 3082 9/PG III</u>   |            |        |        |          |     |            |
| LA0576  | BENEDICT'S REAGENT (quantitative)   | 63126-89-6 | 6      | 500 ml | 38220090 | 12  | 371        |
|         | Liquid, d. 1.11-1.23  |            | 45     | 5 Lt   |          |     | 2972       |
|         | <u>UN 3082 9/PG III</u>   |            |        |        |          |     |            |
| LA0577  | BENEDICT'S URIC ACID REAGENT  |            | 7      | 100 ml | 38220090 | 12  | 443        |
|         | (uric acid reagent benedict's)  |            | 27     | 500 ml |          |     | 1777       |
| LA0578  | BENTONITE POWDER Practical  | 1302-78-9  | 4      | 500 gm | 25081090 | 5   | 263        |
|         | LA <sub>2</sub> O <sub>3-4</sub> (SiO <sub>2</sub> ).H <sub>2</sub> O M.W. 360.31 |            | 30     | 5 Kg   |          |     | 1986       |
| LA0579  | BENTONITE POWDER Purified   | 1302-78-9  | 5      | 500 gm | 25081090 | 5   | 334        |
|         | LA <sub>2</sub> O <sub>3-4</sub> (SiO <sub>2</sub> ).H <sub>2</sub> O M.W. 360.31 |            | 40     | 5 Kg   |          |     | 2672       |
| LA0580  | BENZALDEHYDE 99% For Synthesis  | 100-52-7   | 12     | 500 ml | 29122100 | 18  | 770        |
|         | C <sub>6</sub> H <sub>5</sub> .CHO M.W. 106.12, Liquid, d. 1.044                  |            | 46     | 2.5 Lt |          |     | 3073       |
|         | <u>UN 1990 9/PG III</u>   |            |        |        |          |     |            |
| LA0581  | BENZALDEHYDE 99% AR   | 100-52-7   | 13     | 500 ml | 29122100 | 18  | 851        |
|         | C <sub>6</sub> H <sub>5</sub> .CHO M.W. 106.12, Liquid, d. 1.044                  |            | 51     | 2.5 Lt |          |     | 3407       |
|         | <u>UN 1990 9/PG III</u>   |            |        |        |          |     |            |
| LA0582  | BENZAL KONIUM CHLORIDE 50% aqueous solution                                       | 63449-41-2 | 8      | 500 ml | 34021200 | 18  | 546        |
|         | Liquid, d. 0.989  |            | 16     | 1 Lt   |          |     | 1050       |
|         | <u>UN 3265 8/PG II</u>  |            | 67     | 5 Lt   |          |     | 4459       |
| LA0583  | BENZAMIDE 98% For Synthesis   | 55-21-0    | 24     | 500 gm | 29242990 | 18  | 1588       |
|         | C <sub>7</sub> H <sub>7</sub> NO M.W. 121.14                                      |            |        |        |          |     |            |
| LA0584  | BENZANILIDE 98% For Synthesis   | 93-98-1    | 14     | 100 gm | 29242990 | 18  | 928        |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.23                                    |            | 48     | 500 gm |          |     | 3175       |
| LA0585  | BENZENE 99% For Synthesis (crystAllizable)  | 71-43-2    | 7      | 500 ml | 29022000 | 18  | 474        |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | 26     | 2.5 Lt |          |     | 1706       |
|         | <u>UN 1114 3/PG II</u>  |            | 46     | 5 Lt   |          |     | 3065       |
|         |   |            | 196    | 25 Lt  |          |     | 13029      |
| LA0586  | BENZENE 99.5% AR (crystAllizable)   | 71-43-2    | 8      | 500 ml | 29022000 | 18  | 548        |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | 31     | 2.5 Lt |          |     | 2088       |
|         | <u>UN 1114 3/PG II</u>  |            |        |        |          |     |            |
| LA0587  | BENZENE HPLC & SPECTROSCOPY   | 71-43-2    | 11     | 500 ml | 29022000 | 18  | 733        |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | 21     | 1 Lt   |          |     | 1396       |
|         | <u>UN 1114 3/PG II</u>  |            | 48     | 2.5 Lt |          |     | 3209       |
| LA0588  | BENZENE GC  |            | 15     | 250 ml | 29022000 | 18  | 998        |
|         | C <sub>6</sub> H <sub>6</sub> M.W. 78.11, Liquid, d. 0.874                        |            | 40     | 1 Lt   |          |     | 2675       |
|         | <u>UN 1114 3/PG II</u>  |            |        |        |          |     |            |
| LA0589  | BENZENE SULPHONIC ACID 90% For Synthesis  | 98-11-3    | 13     | 100 gm | 29041010 | 18  | 853        |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> S M.W 158.18                         |            | 51     | 500 gm |          |     | 3362       |
|         | <u>UN 2583 8/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0590  | BENZENE SULPHONIC ACID SODIUM SALT 97%   | 515-42-4   | 55     | 100 gm | 29041090 | 18  | 3683       |
|         | C <sub>6</sub> H <sub>5</sub> SO <sub>3</sub> Na M.W. 180.16                         |            | 222    | 500 gm |          |     | 14754      |
| LA0591  | BENZENE SULPHONYL CHLORIDE 99%   | 98-09-9    | 14     | 250 ml | 29049990 | 18  | 961        |
|         | C <sub>6</sub> H <sub>5</sub> SO <sub>2</sub> Cl M.W. 176.62, Liquid, d. 1.384       |            | 29     | 500 ml |          |     | 1931       |
|         | <u>UN 2225 8/PG III</u>  |            |        |        |          |     |            |
| LA0592  | BENZHYDROL 98% For Synthesis (diphenyl carbinol)                                     | 91-01-0    | 15     | 100 gm | 29062990 | 18  | 1009       |
|         | C <sub>13</sub> H <sub>12</sub> O M.W. 184.24  |            | 48     | 500 gm |          |     | 3176       |
| LA0593  | 1-BENZHYDRYLZETIDINE CARBOXYLIC ACID 97%   | 36476-87-6 | 644    | 5 gm   | 29339900 | 18  | 42803      |
|         | C <sub>17</sub> H <sub>17</sub> NO <sub>2</sub> M.W. 267.32                          |            | 1189   | 10 gm  |          |     | 79046      |
| LA0594  | 1-BENZHYDRYL-3-AZETIDINOL 98%  | 18621-17-5 | 159    | 100 mg | 29335990 | 18  | 10544      |
|         | C <sub>16</sub> H <sub>17</sub> NO M.W. 239.32                                       |            | 657    | 500 mg |          |     | 43697      |
| LA0595  | BENZIDINE HYDROCHLORIDE 99% AR   | 531-85-1   | 60     | 25 gm  | 29215920 | 18  | 4003       |
|         | For Lab Use C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> ·2HCl M.W 257.16          |            | 160    | 100 gm |          |     | 10651      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA0596  | BENZIDINE REAGENT solution   |            | 14     | 125 ml | 38220090 | 12  | 962        |
|         |  |            | 43     | 500 ml |          |     | 2890       |
| LA0597  | BENZIL 99% For Synthesis   | 134-81-6   | 8      | 100 gm | 29143990 | 18  | 508        |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>2</sub> M.W. 210.23                           |            | 16     | 250 gm |          |     | 1045       |
|         |  |            | 29     | 500 gm |          |     | 1959       |
| LA0598  | BENZIMIDAZOLE 98% For Synthesis  | 51-17-2    | 5      | 25 gm  | 29339900 | 18  | 330        |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> M.W. 118.13                             |            | 14     | 100 gm |          |     | 902        |
| LA0599  | BENZOCAINE 99% Extra Pure  | 94-09-7    | 15     | 25 gm  | 29224990 | 18  | 1005       |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W 165.19                            |            | 45     | 100 gm |          |     | 3013       |
|         |  |            | 166    | 500 gm |          |     | 11017      |
| LA0600  | BENZOIC ACID 99% For Synthesis   | 65-85-0    | 7      | 500 gm | 29163110 | 18  | 496        |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12                             |            | 63     | 5 Kg   |          |     | 4202       |
|         |  |            | 284    | 25 Kg  |          |     | 18909      |
| LA0601  | BENZOIC ACID 99.9% AR  | 65-85-0    | 12     | 500 gm | 29163110 | 18  | 796        |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12                             |            | 100    | 5 Kg   |          |     | 6679       |
| LA0602  | BENZOIC ANHYDRIDE 95% For Synthesis  | 93-97-0    | 33     | 100 gm | 29163990 | 18  | 2224       |
|         | (C <sub>6</sub> H <sub>5</sub> CO) <sub>2</sub> O M.W. 226.23                        |            | 118    | 500 gm |          |     | 7822       |
| LA0603  | BENZOIN 98% For Synthesis  | 119-53-9   | 7      | 100 gm | 29143990 | 18  | 483        |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.25                           |            | 12     | 250 gm |          |     | 826        |
|         |  |            | 24     | 500 gm |          |     | 1568       |
| LA0604  | a-BENZOIN OXIME 98% AR   | 441-38-3   | 9      | 25 gm  | 29280090 | 18  | 565        |
|         | (cupron) C <sub>14</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 227.27                 |            | 29     | 100 gm |          |     | 1957       |
|         |  |            | 124    | 500 gm |          |     | 8229       |
| LA0605  | BENZONITRILE 99% For Synthesis   | 100-47-0   | 37     | 500 ml | 29269000 | 18  | 2439       |
|         | (phenyl cyanide) C <sub>7</sub> H <sub>5</sub> N M.W. 103.12, Liquid, d. 1.004-1.005 |            | 149    | 2.5 Lt |          |     | 9908       |
|         | <u>UN 2224 6.1/PG II</u>   |            |        |        |          |     |            |
| LA0606  | BENZOPHENONE 99%   | 119-61-9   | 15     | 500 gm | 29143930 | 18  | 1017       |
|         | (Diphenyl Ketone) C <sub>13</sub> H <sub>10</sub> O M.W. 182.22                      |            | 137    | 5 Kg   |          |     | 9112       |
| LA0607  | BENZOPHENONE OXIME 97%   | 574-66-3   | 315    | 100 mg | 29280080 | 18  | 20969      |
|         | C <sub>13</sub> H <sub>11</sub> NO M.W. 197.24                                       |            | 741    | 250 mg |          |     | 49277      |
| LA0608  | p-BENZOQUINONE 99% For Synthesis   | 106-51-4   | 28     | 100 gm | 29146990 | 18  | 1842       |
|         | C <sub>6</sub> H <sub>4</sub> O <sub>2</sub> M.W. 108.10                             |            | 62     | 250 gm |          |     | 4146       |
|         | <u>UN 2587 6.1/PG II</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0609  | <b>p-BENZOQUINONE DIOXIME</b> Pure 98%                                      | 105-11-3   | 25     | 5 gm   | 29280090 | 18  | 1640       |
|         | C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12     |            | 86     | 25 gm  |          |     | 5745       |
|         |   |            | 222    | 100 gm |          |     | 14741      |
| LA0610  | <b>BENZOTHIAZOLE</b> 97%  | 95-16-9    | 332    | 250 ml | 29342000 | 18  | 22095      |
|         | C <sub>7</sub> H <sub>5</sub> NS M.W. 135.19, Liquid, d. 1.238              |            |        |        |          |     |            |
|         | <u><b>UN 2810 6.1/PG III</b></u>  |            |        |        |          |     |            |
| LA0611  | <b>BENZOTHIOPHENE</b> 98%   | 95-15-8    | 130    | 5 gm   | 29349900 | 18  | 8656       |
|         | C <sub>8</sub> H <sub>6</sub> S M.W. 134.2, Liquid, d. 1.149                |            |        |        |          |     |            |
|         | <u><b>UN 3077 9/PG III</b></u>  |            |        |        |          |     |            |
| LA0612  | <b>1,2,3-BENZOTRIAZOLE</b> 99% For Synthesis                                | 95-14-7    | 10     | 100 gm | 29339900 | 18  | 666        |
|         | (1H-benzotriazole) C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> M.W. 119.13 |            | 22     | 250 gm |          |     | 1454       |
|         | <u><b>UN 3077 9/PG III</b></u>  |            |        |        |          |     |            |
| LA0613  | <b>BENZO TRICHLORIDE</b> 98%  | 98-07-7    | 34     | 500 ml | 29039930 | 18  | 2264       |
|         | C <sub>7</sub> H <sub>5</sub> Cl <sub>3</sub> M.W. 195.48, Liquid, d. 1.38  |            |        |        |          |     |            |
|         | <u><b>UN 2226 8/PG II</b></u>   |            |        |        |          |     |            |
| LA0614  | <b>BENZOAZOLE</b> 98%   | 273-53-0   | 108    | 25 gm  | 29349990 | 18  | 7178       |
|         | C <sub>7</sub> H <sub>5</sub> NO M.W 119.12 , Liquid, d. 1.175              |            | 332    | 100 gm |          |     | 22103      |
| LA0615  | <b>BENZOYL ACETONE</b> 99%  | 93-91-4    | 93     | 10 gm  | 29143990 | 18  | 6201       |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>2</sub> M.W 162.19                   |            | 364    | 50 gm  |          |     | 24192      |
| LA0616  | <b>a-N-BENZOYL-L-ARGININE ETHYL ESTER HYDROCHLORIDE</b> 99% (BAEE)          | 2645-08-1  | 102    | 1 gm   | 29252990 | 18  | 6751       |
|         | C <sub>15</sub> H <sub>23</sub> ClN <sub>4</sub> O <sub>3</sub> M.W. 342.83 |            | 366    | 5 gm   |          |     | 24309      |
| LA0617  | <b>2-BENZOYLBENZOIC ACID</b> 98%  | 85-52-9    | 503    | 250 gm | 29181190 | 18  | 33430      |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W. 226.23                  |            |        |        |          |     |            |
| LA0618  | <b>BENZOYL CHLORIDE</b> 98%   | 98-88-4    | 14     | 500 ml | 29163200 | 18  | 906        |
|         | C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57, Liquid, d. 1.21             |            | 56     | 2.5 Lt |          |     | 3746       |
|         | <u><b>UN 1736 8/PG II</b></u>   |            |        |        |          |     |            |
| LA0619  | <b>BENZOYL CHLORIDE</b> 99% AR  | 98-88-4    | 17     | 500 ml | 29163200 | 18  | 1159       |
|         | C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57, Liquid, d. 1.21             |            | 71     | 2.5 Lt |          |     | 4695       |
|         | <u><b>UN 1736 8/PG II</b></u>   |            |        |        |          |     |            |
| LA0620  | <b>BENZOYL PEROXIDE</b> 75% (moistened with 25% water)                      | 94-36-0    | 17     | 500 gm | 29163200 | 18  | 1105       |
|         | C <sub>14</sub> H <sub>10</sub> O <sub>4</sub> M.W. 242.23                  |            |        |        |          |     |            |
|         | <u><b>UN 3104 5.2/PG II</b></u>   |            |        |        |          |     |            |
| LA0621  | <b>BENZYL ACETATE</b> 99% For Synthesis                                     | 140-11-4   | 15     | 500 ml | 29163200 | 18  | 1004       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W 150.17, Liquid, d. 1.054  |            |        |        |          |     |            |
| LA0622  | <b>n-BENZYL ACRYLAMIDE</b> 96%  | 13304-62-6 | 211    | 1 gm   | 29241990 | 18  | 14058      |
|         | C <sub>10</sub> H <sub>11</sub> NO M.W. 161.21                              |            |        |        |          |     |            |
| LA06223 | <b>6-BENZYALDENINE</b> 98%  | 1214-39-7  | 2      | 1 gm   | 29335990 | 18  | 163        |
|         | (6-BAP)(6-BenzylALminopurine)   |            | 11     | 5 gm   |          |     | 734        |
|         | C <sub>12</sub> H <sub>11</sub> N <sub>5</sub> M.W. 225.25                  |            | 37     | 25 gm  |          |     | 2468       |
|         |   |            | 115    | 100 gm |          |     | 7667       |
| LA06224 | <b>BENZYL ALCOHOL</b> 98.5% For Synthesis                                   | 100-51-6   | 12     | 500 ml | 29062100 | 18  | 794        |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045               |            | 23     | 1 Lt   |          |     | 1514       |
|         | <u><b>UN 3334 9/PG III</b></u>  |            | 48     | 2.5 Lt |          |     | 3180       |
| LA0625  | <b>BENZYL ALCOHOL</b> 99% AR  | 100-51-6   | 14     | 500 ml | 29062100 | 18  | 902        |
|         | C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045               |            | 52     | 2.5 Lt |          |     | 3445       |
|         | <u><b>UN 3334 9/PG III</b></u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0626  | <b>BENZYL ALCOHOL 99.50% GC</b><br>C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045                               | 100-51-6   | 68     | 1 Lt   | 29062100 | 18  | 4495       |
|         | <b>UN 3334 9/PG III</b>  |            |        |        |          |     |            |
| LA0626  | <b>BENZYL ALCOHOL 99.90% GC-HS</b><br>C <sub>7</sub> H <sub>8</sub> O M.W. 108.14, Liquid, d. 1.045                            | 100-51-6   | 71     | 1 Lt   | 29062100 | 18  | 4724       |
|         | <b>UN 3334 9/PG III</b>  |            |        |        |          |     |            |
| LA0627  | <b>BENZYALMINE For Synthesis</b><br>C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 0.981                              | 100-46-9   | 20     | 500 ml | 29214990 | 18  | 1305       |
|         | <b>UN 2735 8/PG II</b>   |            | 82     | 2.5 Lt |          |     | 5456       |
| LA0628  | <b>BENZYL BENZOATE 98%</b><br>C <sub>11</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.25, Liquid, d. 1.112-1.118               | 120-51-4   | 12     | 500 ml | 29163120 | 18  | 817        |
|         | <b>UN 3082 9/PG III</b>  |            | 53     | 2.5 Lt |          |     | 3532       |
| LA0629  | <b>BENZYL BROMIDE 98%</b><br>C <sub>7</sub> H <sub>7</sub> Br M.W. 171.03, Liquid, d. 1.44                                     | 100-39-0   | 65     | 250 ml | 29039990 | 18  | 4342       |
|         | <b>UN 1737 6.1 (8)/PG II</b>   |            | 120    | 500 ml |          |     | 7958       |
| LA0630  | <b>BENZYL BROMOACETATE 99.5%</b><br>C <sub>9</sub> H <sub>9</sub> BrO <sub>2</sub> M.W. 229.07                                 | 5437-45-6  | 202    | 50 gm  | 29181190 | 18  | 13431      |
|         | <b>UN 3082 9/PG III</b>  |            |        |        |          |     |            |
| LA0631  | <b>N-BENZYL-tert-BUTYALMINE 97%</b><br>(N-tert-butylbenzyALmine) Liquid, d. 0.881-0.899  | 3378-72-1  | 416    | 100 ml | 29214900 | 18  | 27683      |
|         | C <sub>11</sub> H <sub>17</sub> N M.W. 163.26  |            | 987    | 250 ml |          |     | 65646      |
| LA0632  | <b>BENZYL BUTYRATE 98%</b><br>C <sub>11</sub> H <sub>12</sub> O <sub>2</sub> M.W. 178.23, Liquid, d. 1.01                      | 103-37-7   | 61     | 500 gm | 29156010 | 18  | 4087       |
| LA0633  | <b>BENZYL BUTYL PHTHALATE 98%</b><br>C <sub>19</sub> H <sub>20</sub> O <sub>4</sub> M.W. 312.36                                | 85-68-7    | 30     | 500 ml | 29173400 | 18  | 1967       |
|         | <b>UN 3082 9/PG III</b>  |            | 133    | 2.5 Lt |          |     | 8854       |
| LA0634  | <b>BENZYL CHLORIDE 98.5%</b><br>C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl M.W.126.59, Liquid, d. 1.10                   | 100-44-7   | 8      | 500 ml | 29039940 | 18  | 500        |
|         | <b>UN 1738 6.1 (8)/PG II</b>   |            | 30     | 2.5 Lt |          |     | 2028       |
| LA0635  | <b>BENZYL CYANIDE 99% For Synthesis</b><br>(phenyALcetonitrile, a-tolunitrile) C <sub>8</sub> H <sub>7</sub> N M.W. 117.15     | 140-29-4   | 16     | 500 ml | 29269000 | 18  | 1095       |
|         | Liquid, d. 1.015-1.020 (End Use Certificate required)  |            | 74     | 2. Lt  |          |     | 4893       |
|         | <b>UN 2470 6.1/PG III</b>  |            |        |        |          |     |            |
| LA0636  | <b>BENZYLDIMETHYL HEXADECYALMMONIUM CHLORIDE 98%</b><br>(Cetylkonium chloride) C <sub>25</sub> H <sub>46</sub> ClN M.W. 396.09 | 122-18-9   | 68     | 25 gm  | 29239000 | 18  | 4541       |
|         | <b>UN 3261 8/PG III</b>  |            | 204    | 100 gm |          |     | 13548      |
| LA0637  | <b>BENZYLHYDRAZINE DIHYDROCHLORIDE 97%</b><br>C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> ·2HCl M.W 195.09                   | 20570-96-1 | 144    | 5 gm   | 29420090 | 18  | 9559       |
|         | <b>UN 2811 6.1/PG III</b>  |            | 385    | 25 gm  |          |     | 25622      |
| LA0638  | <b>BENZYL ISO BUTYRATE 97%</b><br>C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W 178.23, Liquid, d. 1.003                  | 103-28-6   | 73     | 500 gm | 29156010 | 18  | 4853       |
|         | <b>UN 3272 3/PG III</b>  |            |        |        |          |     |            |
| LA0639  | <b>N-BENZYL METHYL ALMINE 97%</b><br>C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.939                             | 103-67-3   | 61     | 500 ml | 29214990 | 18  | 4068       |
|         | <b>UN 2735 8/PG II</b>   |            |        |        |          |     |            |
| LA0640  | <b>BENZYL METHYL ETHER 98%</b><br>C <sub>8</sub> H <sub>10</sub> O M.W 122.16, Liquid, d. 0.987                                | 538-86-3   | 334    | 25 ml  | 29093090 | 18  | 22195      |
|         | <b>UN 3271 3/PG III</b>  |            | 1168   | 100 ml |          |     | 77658      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0641  | 4-(BENZOXY) ANILINE HYDROCHLORIDE 98%   | 51388-20-6 | 148    | 25 gm  | 29420090 | 18  | 9874       |
|         | C <sub>13</sub> H <sub>14</sub> ClNO M.W 235.71   |            |        |        |          |     |            |
| LA0642  | 4-(BENZOXY) BENZALDEHYDE 96.5%  | 4397-53-9  | 139    | 100 gm | 29420090 | 18  | 9261       |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W. 212.24                                      |            |        |        |          |     |            |
| LA0643  | 4-(BENZOXY) PHENOL 98%  | 103-16-2   | 98     | 25 gm  | 29223900 | 18  | 6526       |
|         | (monobenzone) (hydroquinone monobenzyl ether)   |            | 203    | 100 gm |          |     | 13481      |
|         | C <sub>13</sub> H <sub>12</sub> O <sub>2</sub> M.W. 200.23                                      |            |        |        |          |     |            |
| LA0644  | BENZYL PHENYL ACETATE 98%   | 102-16-9   | 61     | 500 gm | 29163950 | 18  | 4088       |
|         | C <sub>15</sub> H <sub>14</sub> O <sub>2</sub> M.W 226.27, Liquid, d. 1.097                     |            |        |        |          |     |            |
|         | <u>UN 3082 9/PG III</u>   |            |        |        |          |     |            |
| LA0645  | 1-BENZYLPIPERAZINE 97%  | 2759-28-6  | 255    | 100 gm | 29181190 | 18  | 16948      |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26                                      |            | 974    | 500 gm |          |     | 64739      |
| LA0646  | BENZYL PROPIONATE 98%   | 122-63-4   | 74     | 500 gm | 29155000 | 18  | 4890       |
|         | C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W 164.20, Liquid, d. 1.03                      |            |        |        |          |     |            |
| LA0647  | 4-BENZYL PYRIDINE 98% For Synthesis   | 2116-65-6  | 284    | 100 ml | 29333990 | 18  | 18902      |
|         | (p-benzylpyridine) C <sub>12</sub> H <sub>11</sub> N M.W 169.22, Liquid, d. 1.06                |            |        |        |          |     |            |
| LA0648  | BENZYL SALICYLATE 98%   | 118-58-1   | 140    | 500 gm | 29182390 | 18  | 9293       |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>3</sub> M.W 228.24, Liquid, d. 1.176                     |            |        |        |          |     |            |
| LA0649  | BENZYL THIOCYANATE 95%  | 3012-37-1  | 50     | 5 gm   | 29309099 | 18  | 3333       |
|         | C <sub>8</sub> H <sub>7</sub> NS M.W. 149.21  |            | 158    | 25 gm  |          |     | 10516      |
|         | <u>UN 1759 8/PG II</u>  |            |        |        |          |     |            |
| LA0650  | S-BENZYLTHIURONIUM CHLORIDE 98% For Synthesis   | 538-28-3   | 3      | 25 gm  | 29309099 | 18  | 200        |
|         | C <sub>8</sub> H <sub>11</sub> ClN <sub>2</sub> S M.W. 202.71                                   |            | 11     | 100 gm |          |     | 725        |
|         | <u>UN 2811 6.1/PG II</u>  |            | 46     | 500 gm |          |     | 3029       |
| LA0651  | BENZYLTRIBUTYALMMONIUM BROMIDE 98% For Synthesis  | 25316-59-0 | 193    | 100 gm | 29239000 | 18  | 12846      |
|         | C <sub>19</sub> H <sub>34</sub> BrN M.W. 356.38   |            |        |        |          |     |            |
| LA0652  | BENZYLTRIBUTYL AMMONIUM CHLORIDE 98% For synthesis  | 23616-79-7 | 11     | 100 gm | 29239000 | 18  | 740        |
|         | C <sub>19</sub> H <sub>34</sub> ClN M.W. 311.94   |            | 51     | 500 gm |          |     | 3398       |
|         | <u>UN 3263 8/PG II</u>  |            |        |        |          |     |            |
| LA0653  | BENZYL TRIETHYL AMMONIUM CHLORIDE 98%   | 56-37-1    | 24     | 500 gm | 29239000 | 18  | 1575       |
|         | C <sub>13</sub> H <sub>22</sub> ClN M.W. 227.78   |            |        |        |          |     |            |
| LA0654  | BENZYL TRIMETHYL AMMONIUM CHLORIDE 97%  | 56-93-9    | 57     | 500 gm | 29239000 | 18  | 3800       |
|         | C <sub>10</sub> H <sub>16</sub> ClN M.W. 185.70   |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA0655  | BENZYL TRIMETHYL AMMONIUM HYDROXIDE   | 100-85-6   | 34     | 100 ml | 29239000 | 18  | 2262       |
|         | METHANOLIC SOLUTION 40%   |            |        |        |          |     |            |
|         | C <sub>10</sub> H <sub>17</sub> NO M.W. 167.25, Liquid, d. 0.93                                 |            | 135    | 500 ml |          |     | 8955       |
|         | <u>UN 3286 3 (6.1, 8)/PG II</u>   |            |        |        |          |     |            |
| LA0656  | BERGAMOT OIL  | 8007-75-8  | 76     | 500 ml | 33012990 | 18  | 5057       |
|         | Liquid, d. 0.877  |            |        |        |          |     |            |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA0657  | BERLIN BLUE For Microscopy  | 12240-15-2 | 228    | 10 gm  | 32129090 | 18  | 15181      |
|         | C <sub>6</sub> Fe <sub>2</sub> KN <sub>6</sub> ·xH <sub>2</sub> O M.W. 306.89 (anhydrous basis) |            | 537    | 25 gm  |          |     | 35680      |
| LA0658  | BERYLLIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid   |            | 24     | 125 ml | 38220090 | 12  | 1606       |
|         | <u>UN 3264 8/PG III</u>   |            | 46     | 500 ml |          |     | 3056       |
| LA0659  | BERYLLIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid   |            | 117    | 125 ml | 38220090 | 12  | 7811       |

| CAT No. | PRODUCT NAME  | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------------|--------|--------|----------|-----|------------|
| LA0660  | <b>BERYLLIUM (Metal) POWDER 99% AR</b>  | <b>7440-41-7</b>  | 340    | 1 gm   | 81121900 | 18  | 22610      |
|         | Be M.W. 9.01  |                   | 1372   | 5 gm   |          |     | 91262      |
|         | <u>UN 1567 6.1 (4.1)/PG II</u>  |                   |        |        |          |     |            |
| LA0661  | <b>BERYLLIUM CARBONATE 98% AR</b>   | <b>13106-47-3</b> | 321    | 1 gm   | 74072990 | 18  | 21358      |
|         | BeCO <sub>3</sub> M.W. 639.02   |                   | 1124   | 5 gm   |          |     | 74756      |
|         | <u>UN 1566 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA0662  | <b>BERYLLIUM NITRATE 99.99% AR</b>  | <b>13597-99-4</b> | 778    | 5 gm   | 74072990 | 18  | 51718      |
|         | Be(NO <sub>3</sub> ) <sub>2</sub> M.W 133.02  |                   |        |        |          |     |            |
|         | <u>UN 2464 5.1, 6.1/PG II</u>   |                   |        |        |          |     |            |
| LA0663  | <b>BERYLLIUM OXIDE powder 99.98%</b>  | <b>1304-56-9</b>  | 391    | 1 gm   | 74072910 | 18  | 26024      |
|         | BeO M.W 25.01   |                   | 1644   | 5 gm   |          |     | 109302     |
|         | <u>UN 1566 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA0664  | <b>BERYLLIUM SULPHATE 98% AR</b>  | <b>13510-49-1</b> | 139    | 5 gm   | 28332990 | 18  | 9212       |
|         | BeSO <sub>4</sub> M.W. 105.075  |                   | 607    | 25 gm  |          |     | 40347      |
| LA0665  | <b>BES BUFFER 99% For Biochemistry</b>  | <b>10191-18-1</b> | 25     | 25 gm  | 29221990 | 18  | 1634       |
|         | (N,N-Bis (2-Hydroxyethyl) 2-Aminoethane Sulfonic Acid)  |                   | 85     | 100 gm |          |     | 5625       |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>5</sub> S M.W. 213.25  |                   |        |        |          |     |            |
| LA0666  | <b>BETA CAROTENE 20% Extra Pure</b>   | <b>7235-40-7</b>  | 126    | 100 gm | 32041990 | 18  | 8362       |
|         | (provitamin A) (carotene beta 20%)  |                   | 246    | 250 gm |          |     | 16354      |
| LA0667  | <b>BETA CAROTENE 30% Extra Pure</b>   | <b>7235-40-7</b>  | 157    | 100 gm | 32041990 | 18  | 10427      |
|         | (provitamin A) (carotene beta 30%)  |                   | 369    | 250 gm |          |     | 24565      |
| LA0668  | <b>BETA CAROTENE powder 97%</b>   | <b>7235-40-7</b>  | 78     | 1 gm   | 32041990 | 18  | 5163       |
|         | (b-b-carotene, provitamin-A) C <sub>40</sub> H <sub>56</sub> M.W 536.87   |                   | 330    | 5 gm   |          |     | 21923      |
| LA0669  | <b>BETA CYCLODEXTRIN 97%</b>  | <b>7585-39-9</b>  | 12     | 100 gm | 29400000 | 18  | 789        |
|         | (b-cyclodextrin) C <sub>42</sub> H <sub>70</sub> O <sub>35</sub> M.W 1134.98  |                   | 47     | 500 gm |          |     | 3150       |
| LA0670  | <b>BETAINE HYDROCHLORIDE 99%</b>  | <b>590-46-5</b>   | 130    | 100 gm | 29239000 | 18  | 8623       |
|         | C <sub>5</sub> H <sub>12</sub> NO <sub>2</sub> Cl M.W. 153.61   |                   |        |        |          |     |            |
| LA0671  | <b>BETAMETHASONE 98% Extra Pure</b>   | <b>378-44-9</b>   | 239    | 1 gm   | 29372200 | 18  | 15920      |
|         | C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W 392.46  |                   | 679    | 5 gm   |          |     | 45139      |
| LA0672  | <b>BETAMETHASONE DIPROPIONATE 97% Extra Pure</b>  | <b>5593-20-4</b>  | 302    | 1 gm   | 29372200 | 18  | 20072      |
|         | C <sub>28</sub> H <sub>37</sub> FO <sub>7</sub> M.W 504.59  |                   | 845    | 5 gm   |          |     | 56212      |
| LA0673  | <b>BETAMETHASONE VALERATE 98%</b>   | <b>2152-44-5</b>  | 150    | 100 mg | 29372200 | 18  | 9997       |
|         | (bederm) For Lab Use C <sub>27</sub> H <sub>37</sub> FO <sub>6</sub> M.W 476.58   |                   | 354    | 250 mg |          |     | 23508      |
| LA0674  | <b>BIAL'S ORCINOL REAGENT (Sumner)</b>  |                   | 6      | 100 ml | 38220090 | 12  | 378        |
|         | For Detection Of Pentoses And Glucoronic Acid, Liquid, d. 1.1885  |                   | 21     | 500 ml |          |     | 1406       |
| LA0675  | <b>BICARBONATE INDICATOR solution</b>   |                   | 29     | 500 ml | 38220090 | 12  | 1897       |
| LA0676  | <b>BICINE 99% For Molecular Biology</b>   | <b>150-25-4</b>   | 22     | 25 gm  | 29224990 | 18  | 1431       |
|         | [N,N-Bis (2-hydroxy ethyl) glycine] C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> M.W. 163.17                                  |                   | 71     | 100 gm |          |     | 4749       |
| LA0677  | <b>BIEBRICH SCARLET (W.S.) (C.I. No.26905)</b>  | <b>4196-99-0</b>  | 13     | 25 gm  | 32049000 | 18  | 885        |
|         | Dye Content : Min. 70% C <sub>22</sub> H <sub>14</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>2</sub> S <sub>2</sub> M.W. 556.49 |                   | 49     | 100 gm |          |     | 3270       |
| LA0678  | <b>BILE SALT For Bacteriology</b>   | <b>11006-55-6</b> | 24     | 100 gm | 38210000 | 18  | 1618       |
|         | (sodium tauroglycocholAlte)   |                   | 114    | 500 gm |          |     | 7548       |
| LA0679  | <b>BILE SALT REAGENT solution</b>   |                   | 9      | 125 ml | 38220090 | 12  | 595        |
|         |   |                   | 27     | 500 ml |          |     | 1782       |
| LA0680  | <b>BILIRUBIN 95% AR</b>   | <b>635-65-4</b>   | 17     | 100 mg | 29339900 | 18  | 1133       |
|         | C <sub>33</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub> M.W. 584.68   |                   | 124    | 1 gm   |          |     | 8259       |
| LA0681  | <b>D-BIOTIN 98% For Biochemistry</b>  | <b>58-85-5</b>    | 2      | 100 mg | 29362950 | 18  | 109        |
|         | (Vitamin'H')  |                   | 13     | 1 gm   |          |     | 874        |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S M.W. 244.31   |                   | 128    | 10 gm  |          |     | 8491       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD         | UNIT                    | HS CODE  | GST | PRICE(INR)          |
|---------|--|------------|----------------|-------------------------|----------|-----|---------------------|
| LA0682  | BIPHENYL 99% For Synthesis<br>(diphenyl) C <sub>12</sub> H <sub>10</sub> M.W. 154.21   | 92-52-4    | 7<br>20        | 100 gm<br>500 gm        | 29029030 | 18  | 489<br>1312         |
|         | <u>UN 3077 9/PG III</u>  |            |                |                         |          |     |                     |
| LA0683  | BIPYRIDYL REAGENT SOLUTION   |            | 11             | 100 ml                  | 38220090 | 12  | 709                 |
|         |  |            |                |                         |          |     |                     |
| LA0684  | 4,4'-BIPYRIDINE 98%<br>(4,4'-Bipyridyl) C <sub>10</sub> H <sub>8</sub> N <sub>2</sub> M.W. 156.18  | 553-26-4   | 63             | 5 gm                    | 29181190 | 18  | 4199                |
|         | <u>UN 2811 6.1/PG III</u>  |            |                |                         |          |     |                     |
| LA0685  | 2, 2-BIPYRIDYL 99.5% AR<br>(2, 2-dipyridyl) C <sub>10</sub> H <sub>8</sub> N <sub>2</sub> M.W. 156.19  | 366-18-7   | 12<br>49       | 5 gm<br>25 gm           | 29333990 | 18  | 791<br>3266         |
|         | <u>UN 2811 6.1/PG III</u>  |            |                |                         |          |     |                     |
| LA0686  | 2, 2-BIQUINOLINE 98% AR<br>(2, 2-biquinolyl) (2, 2-diquinolyl) C <sub>18</sub> H <sub>12</sub> N <sub>2</sub> M.W. 256.31                                | 119-91-5   | 22<br>85       | 1 gm<br>5 gm            | 29334990 | 18  | 1477<br>5685        |
| LA0687  | BISACODYL 98%<br>For Lab Use (bicol, ALxadin) C <sub>22</sub> H <sub>19</sub> NO <sub>4</sub> M.W 361.39   | 603-50-9   | 280            | 5 gm                    | 29333990 | 18  | 18592               |
| LA0688  | BIS-(2-BENZOTHIAZOLYL)-DISULFIDE 98%<br>[2,2'-Dithiobis (benzothiazole)] C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> S <sub>4</sub> M.W. 332.49        | 120-78-5   | 609            | 100 gm                  | 29342000 | 18  | 40528               |
|         | <u>UN 3077 9/PG III</u>  |            | 1463           | 250 gm                  |          |     | 97267               |
| LA0689  | BIS (BENZONITRILE) DICHLORO PALALDIUM (II) 26.5% (Pd)<br>For synthesis (C <sub>6</sub> H <sub>5</sub> CN) <sub>2</sub> PdCl <sub>2</sub> M.W. 383.57     | 14220-64-5 | 217            | 1 gm                    | 28439019 | 18  | 14459               |
|         | C <sub>4</sub> H <sub>8</sub> Cl <sub>2</sub> N.HCl M.W. 178.49  |            | 2089           | 10 gm                   |          |     | 138902              |
| LA0690  | BIS-(2-CHLOROETHYL) AMINE HYDROCHLORIDE 98%<br>C <sub>4</sub> H <sub>8</sub> Cl <sub>2</sub> N.HCl M.W. 178.49   | 821-48-7   | 34             | 100 gm                  | 29420090 | 18  | 2274                |
| LA0691  | BIS-(2-CHLOROETHYL) ETHER 98.5%<br>(2-chloroethyl ether) (ClCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> O M.W. 143.01, Liquid, d. 1.22                | 111-44-4   | 79             | 100 gm                  | 29091900 | 18  | 5240                |
| LA0692  | BIS-CYCLOHEXANONE OXALYL DIHYDRAZIDE 95% AR<br>C <sub>14</sub> H <sub>22</sub> N <sub>4</sub> O <sub>2</sub> M.W. 278.36                                 | 370-81-0   | 58             | 10 gm                   | 29280090 | 18  | 3886                |
| LA0693  | N,N-BIS[2-HYDROXYETHYL]-2-AMINOETHANESULPHONIC ACID SODIUM SALT 99% (BES, sodium salt)<br>C <sub>6</sub> H <sub>14</sub> NNaO <sub>5</sub> S M.W. 235.23 | 66992-27-6 | 81             | 5 gm                    | 29221990 | 18  | 5394                |
| LA0694  | 2,2 -BIS (HYDROXYMETHYL) PROPIONIC ACID 98%<br>C <sub>5</sub> H <sub>10</sub> O <sub>4</sub> M.W. 134.13   | 4767-03-7  | 109            | 25 gm                   | 29181990 | 18  | 7278                |
| LA0695  | BISMARCK BROWN R (M.S.) (C.I. No.21010)<br>(basic brown 4)<br>C <sub>21</sub> H <sub>24</sub> N <sub>8</sub> .2HCl M.W 461.39                            | 5421-66-9  | 4<br>10        | 25 gm<br>100 gm         | 32041392 | 18  | 246<br>657          |
| LA0696  | BISMARCK BROWN Y (G) For Microscopy (C.I. No. 21000)<br>C <sub>18</sub> H <sub>18</sub> N <sub>8</sub> .2HCl M.W. 419.32                                 | 10114-58-6 | 7<br>23<br>135 | 25 gm<br>100 gm<br>1 Kg | 32129020 | 18  | 444<br>1551<br>8951 |
| LA0697  | 1,2-BIS (2-HYDROXYPHENYLIMINO) ETHANE 95% AR<br>[glyoxAL bis (2-hydroxyanil)] C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 240.26  | 1149-16-2  | 123            | 25 gm                   | 29252990 | 18  | 8155                |
| LA0698  | BISMUTH AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d.1.013  |            | 15<br>62       | 125 ml<br>500 mL        | 38220090 | 12  | 1031<br>4121        |
| LA0699  | BISMUTH ICP STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d.1.013  |            | 83             | 125 mL                  | 38220090 | 12  | 5490                |
| LA0700  | BISMUTH (Metal) GRANULAR 99.5% AR<br>Bi M.W. 208.98  | 7440-69-9  | 16<br>67       | 100 gm<br>500 gm        | 81060010 | 18  | 1079<br>4456        |
| LA0701  | BISMUTH (Metal) POWDER 99.9% AR<br>Bi M.W. 208.98  | 7440-69-9  | 26<br>105      | 100 gm<br>500 gm        | 81060010 | 18  | 1743<br>6978        |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA0702  | <b>BISMUTH ACETATE 99.9%</b>   | <b>22306-37-2</b> | 34     | 100 gm | 29152990 | 18  | 2271       |
|         | (CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Bi M.W 386.11                            |                   | 131    | 500 gm |          |     | 8713       |
| LA0703  | <b>BISMUTH BORATE</b>  | <b>37233-77-5</b> | 49     | 100 gm | 28259090 | 18  | 3242       |
|         | BiBO <sub>3</sub> M.W. 267.79  |                   | 199    | 500 gm |          |     | 13230      |
| LA0704  | <b>BISMUTH BROMIDE 98%</b>   | <b>7787-58-8</b>  | 30     | 100 gm | 28275990 | 18  | 2024       |
|         | BiBr <sub>3</sub> M.W 448.69   |                   | 135    | 500 gm |          |     | 9002       |
|         | <b><u>UN 3260 8/PG II</u></b>  |                   |        |        |          |     |            |
| LA0705  | <b>BISMUTH CARBONATE (basic)</b>   | <b>5892-10-4</b>  | 16     | 100 gm | 28369990 | 18  | 1093       |
|         | (BiO) <sub>2</sub> CO <sub>3</sub> M.W 509.97  |                   | 76     | 500 gm |          |     | 5061       |
| LA0706  | <b>BISMUTH CHLORIDE (TRI) 97%</b>  | <b>7787-60-2</b>  | 30     | 100 gm | 28273990 | 18  | 2019       |
|         | (bismuth trichloride) BiCl <sub>3</sub> M.W. 315.34                                      |                   | 120    | 500 gm |          |     | 7959       |
| LA0707  | <b>BISMUTH CHROMATE</b>  | <b>37235-82-8</b> | 58     | 100 gm | 28259090 | 18  | 3868       |
|         | (BiO) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 765.94                            |                   | 248    | 500 gm |          |     |            |
| LA0708  | <b>BISMUTH CITRATE 98%</b>   | <b>813-93-4</b>   | 20     | 100 gm | 29181530 | 18  | 1328       |
|         | C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> Bi M.W. 398.8                               |                   | 66     | 500 gm |          |     | 4396       |
| LA0709  | <b>BISMUTH FLUORIDE 99.9%</b>  | <b>7787-61-3</b>  | 58     | 100 gm | 28261910 | 18  | 3861       |
|         | BiF <sub>3</sub> M.W 265.98  |                   | 232    | 500 gm |          |     |            |
|         | <b><u>UN 3260 8/PG II</u></b>  |                   |        |        |          |     |            |
| LA0710  | <b>BISMUTH HYDROXIDE 95%</b>   | <b>17194-00-2</b> | 56     | 100 gm | 28259000 | 18  | 3704       |
|         | Ba(OH) <sub>2</sub> M.W. 171.34  |                   | 214    | 500 gm |          |     |            |
|         | <b><u>UN 3262 8/PG II</u></b>  |                   |        |        |          |     |            |
| LA0711  | <b>BISMUTH IODIDE 99%</b>  | <b>7787-64-6</b>  | 152    | 25 gm  | 28276090 | 18  | 10125      |
|         | (bismuth triiodide) BiI <sub>3</sub> M.W 589.69  |                   | 457    | 100 gm |          |     |            |
|         | <b><u>UN 3260 8/PG III</u></b>   |                   |        |        |          |     |            |
| LA0712  | <b>BISMUTH NITRATE 98% (pentahydrate)</b>  | <b>10035-06-0</b> | 13     | 100 gm | 28342990 | 18  | 883        |
|         | (bismuth (III) nitrate) Bi(NO <sub>3</sub> ) <sub>3</sub> .5H <sub>2</sub> O M.W. 485.07 |                   | 57     | 500 gm |          |     | 3802       |
|         | <b><u>UN 1477 5.1/PG II</u></b>  |                   |        |        |          |     |            |
| LA0713  | <b>BISMUTH NITRATE 98% AR (pentahydrate)</b>   | <b>10035-06-0</b> | 15     | 100 gm | 28342990 | 18  | 1010       |
|         | (bismuth (III) nitrate) Bi(NO <sub>3</sub> ) <sub>3</sub> .5H <sub>2</sub> O M.W. 485.07 |                   | 65     | 500 gm |          |     | 4317       |
|         | <b><u>UN 1477 5.1/PG II</u></b>  |                   |        |        |          |     |            |
| LA0714  | <b>BISMUTH OXALATE</b>   | <b>6591-55-5</b>  | 39     | 100 gm | 29171120 | 18  | 2575       |
|         | Bi <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> MW. 682.02                 |                   | 138    | 500 gm |          |     | 9187       |
|         | <b><u>UN 2811 6.1(b)/PG III</u></b>  |                   |        |        |          |     |            |
| LA0715  | <b>BISMUTH OXIDE 99%</b>   | <b>1304-76-3</b>  | 16     | 100 gm | 28259090 | 18  | 1073       |
|         | (bismuth (III) oxide) Bi <sub>2</sub> O <sub>3</sub> M.W. 465.96                         |                   | 75     | 500 gm |          |     | 4995       |
| LA0716  | <b>BISMUTH OXYCARBONATE</b>  | <b>5892-10-4</b>  | 17     | 100 gm | 28369990 | 18  | 1098       |
|         | (bismuth subcarbonate) (BiO) <sub>2</sub> CO <sub>3</sub> M.W 509.97                     |                   | 77     | 500 gm |          |     | 5101       |
| LA0717  | <b>BISMUTH OXYCHLORIDE 98%</b>   | <b>7787-59-9</b>  | 19     | 100 gm | 28273990 | 18  | 1248       |
|         | [bismuth chloride(oxy)] BiClO M.W. 260.43  |                   | 80     | 500 gm |          |     | 5342       |
| LA0718  | <b>BISMUTH PHOSPHATE 99.9%</b>   | <b>10049-01-1</b> | 31     | 100 gm | 28352990 | 18  | 2037       |
|         | BiO <sub>4</sub> P M.W 303.95  |                   | 86     | 500 gm |          |     | 5687       |
| LA0719  | <b>BISMUTH SALICYLATE 99.9%</b>  | <b>14882-18-9</b> | 51     | 100 gm | 29182190 | 18  | 3396       |
|         | (bismuth (III) subsalicylate) C <sub>7</sub> H <sub>5</sub> BiO <sub>4</sub> M.W 362.09  |                   | 168    | 500 gm |          |     | 11150      |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA0720  | <b>BISMUTH SUBGALALTE</b> hydrate 98%<br>(bismuth gALALte basic) $C_7H_5BiO_6 \cdot xH_2O$ M.W. 394.09 (anhyd. basis)           | 99-26-3     | 21     | 100 gm | 29182990 | 18  | 1427       |
|         |   |             | 102    | 500 gm |          |     | 6787       |
| LA0721  | <b>BISMUTH SUBIODIDE</b> 56%<br>(Bismuth Iodide Oxide) $BiI_3$ M.W. 351.88  | 7787-63-5   | 250    | 25 gm  | 28276090 | 18  | 16626      |
|         |   |             | 750    | 100 gm |          |     | 49881      |
| LA0722  | <b>BISMUTH SUBNITRATE</b> 71%<br>(bismuth oxynitrate) $Bi_5O(OH)_9(NO_3)_4$ M.W. 1461.99  | 1304-85-4   | 18     | 100 gm | 28342990 | 18  | 1204       |
|         |   |             | 78     | 500 gm |          |     | 5206       |
| LA0723  | <b>BISMUTH SUCCINATE</b><br>$C_{12}H_{12}Bi_2O_{12}$ M.W. 766.18  | 139-16-2    | 62     | 25 gm  | 29171990 | 18  | 4091       |
|         |   |             | 202    | 100 gm |          |     | 13417      |
| LA0724  | <b>BISMUTH SULPHATE</b> 90%<br>(bismuth (III) sulphate) $Bi_2O_{12}S_3$ M.W. 706.13   | 7787-68-0   | 16     | 100 gm | 28332990 | 18  | 1073       |
|         |   |             | 68     | 500 gm |          |     | 4516       |
| LA0725  | <b>BISMUTH SULPHIDE</b> 99%<br>$Bi_2S_3$ M.W. 514.16  | 1345-07-9   | 34     | 25 gm  | 28309010 | 18  | 2272       |
|         |   |             | 120    | 100 gm |          |     | 7951       |
| LA0726  | <b>BISMUTH TARTRATE</b><br>$C_{12}H_{12}Bi_2O_{18}$ M.W. 862.17   | 6591-56-6   | 42     | 100 gm | 29181590 | 18  | 2810       |
|         |   |             | 99     | 250 gm |          |     | 6607       |
| LA0727  | <b>BISPHENOL-A</b> 97%<br>[2,2-di-(4-hydroxyphenyl) propane] $C_{15}H_{16}O_2$ M.W. 228.29                                      | 80-05-7     | 11     | 500 gm | 29071190 | 18  | 726        |
|         | <u><b>UN 3077 9/PG III</b></u>  |             |        |        |          |     |            |
| LA0728  | <b>BISPYRAZOLONE</b> 99% AR (for determination of cyanide)<br>$C_{20}H_{18}N_4O_2$ M.W. 346.39                                  | 7477-67-0   | 129    | 5 gm   | 29331990 | 18  | 8571       |
|         |   |             | 501    | 25 gm  |          |     | 33310      |
| LA0729  | <b>N,O-BIS-(TRIMETHYLSILYL) TRIFLUORO ACETAMIDE</b> 98% (BSTFA)<br>$C_8H_{18}F_3NOSi_2$ M.W. 257.41, Liquid d. 0.971            | 25561-30-2  | 59     | 25 ml  | 29319090 | 18  | 3923       |
|         | <u><b>UN 2924 3(8)/PG III</b></u>   |             |        |        |          |     |            |
| LA0730  | <b>BIS-TRIS</b> 98% For Molecular Biology<br>(2,2-Bis (hydroxymethyl)-2,2,'2" nitrilotriethanol)<br>$C_8H_{19}NO_5$ M.W. 209.24 | 6976-37-0   | 36     | 25 gm  | 29221990 | 18  | 2409       |
|         |   |             | 129    | 100 gm |          |     | 8566       |
| LA0731  | <b>BIURET</b> 97% For Molecular Biology<br>$C_2H_5N_3O_2$ M.W. 103.08   | 108-19-0    | 68     | 100 gm | 29241900 | 18  | 4532       |
| LA0732  | <b>BIURET REAGENT</b> solution<br>(Store at 2-8°C)  |             | 3      | 125 ml | 38220090 | 12  | 178        |
|         |   |             | 8      | 500 ml |          |     | 532        |
| LA0733  | <b>BLEACHING POWDER</b><br>(cALcium hypochlorite) (chlorinated lime) $CaCl_2O_2$ M.W. 142.99                                    | 7778-54-3   | 3      | 500 gm | 28289011 | 18  | 226        |
|         |   |             | 27     | 5 Kg   |          |     | 1812       |
|         | <u><b>UN 1748 5.1/PG II</b></u>   |             |        | 112    | 25 Kg    |     | 7468       |
| LA0734  | <b>BLUE TETRAZOLIUM</b> 95% AR<br>(blue tetrazolium chloride) $C_{40}H_{32}N_8O_2Cl_2$ M.W. 727.66                              | 1871-22-3   | 27     | 1 gm   | 29339900 | 18  | 1815       |
|         |   |             | 120    | 5 gm   |          |     | 7972       |
| LA0735  | <b>BOC ANHYDRIDE</b> 98% For Synthesis<br>(di-tert-butyl pyrocarbonate), $C_{10}H_{18}O_5$ M.W.218.25 Liquid, d. 0.95           | 24424-99-5  | 6      | 25 ml  | 29209099 | 18  | 404        |
|         |   |             | 12     | 100 ml |          |     | 792        |
|         | <u><b>UN 2929 6.1 (3)/PG II</b></u>   |             |        | 55     | 500 ml   |     | 3689       |
| LA0736  | <b>1-BOC-3-AZETIDINE CARBOXYLIC ACID</b> 97%<br>$C_9H_{15}NO_4$ M.W 201.22  | 142253-55-2 | 497    | 100 mg | 29319090 | 18  | 33068      |
|         |   |             | 1183   | 250 mg |          |     | 78670      |
| LA0737  | <b>1-BOC-3-AZETIDINOL</b> 97%<br>$C_8H_{15}NO_3$ M.W 173.21   | 141699-55-0 | 381    | 1 gm   | 29291090 | 18  | 25341      |
|         |   |             | 1000   | 5 gm   |          |     | 66497      |
| LA0738  | <b>1-BOC-4-(2-HYDROXYETHYL) PIPERAZINE</b> 97%<br>$C_{11}H_{22}N_2O_3$ M.W 230.30   | 77279-24-4  | 461    | 5 gm   | 29335990 | 18  | 30645      |
|         | <u><b>UN 2811 6.1/PG III</b></u>  |             |        |        |          |     |            |
| LA0739  | <b>BOC-L-PHENYL ALANINE</b> 99% For Synthesis<br>(N-(tert-butoxycarbonyl)L-phenyl(Alanine)                                      | 13734-34-4  | 77     | 25 gm  | 29242990 | 18  | 5111       |
|         |   |             | 216    | 100 gm |          |     | 14335      |
|         | $C_{14}H_{19}NO_4$ M.W. 265.30  |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0740  | 4-BOC-PIPERAZINONE 98%  | 76003-29-7 | 267    | 1 gm   | 29335990 | 18  | 17733      |
|         | C <sub>9</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> M.W 200.23                               |            | 933    | 5 gm   |          |     | 62068      |
| LA0741  | BORANE-TETRAHYDROFURAN COMPLEX SOLUTION (1 M in THF)  | 14044-65-6 | 121    | 100 ml | 29319090 | 18  | 8079       |
|         | BH <sub>3</sub> OC <sub>4</sub> H <sub>8</sub> M.W 85.94, Liquid, d . 0.880                           |            |        |        |          |     |            |
|         | <u>UN 3399 4.3 (3)/PG I</u>   |            |        |        |          |     |            |
| LA0742  | BORAX 99% (decahydrate)   | 1303-96-4  | 5      | 500 gm | 28401900 | 18  | 329        |
|         | (di-sodium tetraborate)   |            | 36     | 5 Kg   |          |     | 2382       |
|         | Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> .10H <sub>2</sub> O M.W. 381.37                         |            | 326    | 50 Kg  |          |     | 21650      |
| LA0743  | BORAX 99.5% AR (decahydrate)  | 1303-96-4  | 7      | 500 gm | 28401900 | 18  | 481        |
|         | (di-sodium tetraborate) Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> .10H <sub>2</sub> O M.W. 381.37 |            | 65     | 5 Kg   |          |     | 4313       |
| LA0743  | BORAX CARMINE (GRENACHER) powder  |            | 30     | 25 gm  | 32030090 | 18  | 2011       |
| LA0744  | BORAX CARMINE (GRENACHER), Alcoholic staining solution  |            | 4      | 125 ml | 38220090 | 12  | 279        |
|         | Liquid, d. 0.967  |            | 13     | 500 ml |          |     | 839        |
| LA0745  | BORAX CARMINE (GRENACHER), aqueous staining solution  |            | 4      | 125 ml | 38220090 | 12  | 247        |
|         | Liquid, d. 0.967  |            | 11     | 500 ml |          |     | 751        |
| LA0746  | BORIC ACID 99.5% (fine powder)  | 10043-35-3 | 8      | 500 gm | 28100020 | 18  | 501        |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83   |            | 66     | 5 Kg   |          |     | 4379       |
|         |   |            | 592    | 50 Kg  |          |     | 39400      |
| LA0747  | BORIC ACID 99.5% AR (powder)  | 10043-35-3 | 9      | 500 gm | 28100020 | 18  | 608        |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83   |            | 67     | 5 Kg   |          |     | 4439       |
| LA0748  | BORIC ACID 99.8% For Molecular Biology  | 10043-35-3 | 17     | 500 gm | 28100020 | 18  | 1134       |
|         | H <sub>3</sub> BO <sub>3</sub> M.W. 61.83   |            | 33     | 1 Kg   |          |     | 2161       |
| LA0749  | BORIC ACID 99.5% (crystals)   | 10043-35-3 | 8      | 500 gm | 28100020 | 18  | 532        |
|         | (orthoboric acid) H <sub>3</sub> BO <sub>3</sub> M.W. 61.83   |            | 72     | 5 Kg   |          |     | 4798       |
| LA0750  | BORIC ACID 4% w/v AQUEOUS SOLUTION WITH BROMOCRESOL   |            | 2      | 100 ml | 38220090 | 12  | 147        |
|         | GREEN -METHYL RED INDICATOR   |            | 8      | 500 ml |          |     | 514        |
| LA0751  | meta-BORIC ACID 98.5%   | 13460-50-9 | 29     | 50 gm  | 28100010 | 18  | 1906       |
|         | HBO <sub>2</sub> M.W. 43.82   |            | 97     | 250 gm |          |     | 6479       |
| LA0752  | BORON AAS STANDARD SOLUTION, 1000mg/L in water  |            | 34     | 125 ml | 38220090 | 12  | 2273       |
|         | Liquid, d. 1.000  |            | 55     | 500 ml |          |     | 3677       |
| LA0753  | BORON ICP STANDARD SOLUTION 1000mg/L in water   |            |        | 125 ml | 38220090 | 12  |            |
|         | Liquid, d. 1.000  |            | 84     |        |          |     | 5581       |
| LA0754  | BORON CARBIDE powder 90 mesh  | 12069-32-8 |        | 100 gm | 28499010 | 18  |            |
|         | Cb <sub>4</sub> M.W 55.25   |            | 55     |        |          |     | 3644       |
| LA0755  | BORON CARBIDE powder 150 mesh   | 12069-32-8 |        | 100 gm | 28499010 | 18  |            |
|         | Cb <sub>4</sub> M.W 55.25   |            | 77     |        |          |     | 5094       |
| LA0756  | BORON CARBIDE powder 220 mesh   | 12069-32-8 |        | 100 gm | 28499010 | 18  |            |
|         | Cb <sub>4</sub> M.W 55.25   |            | 108    |        |          |     | 7170       |
| LA0757  | BORON NITRIDE 99% (LAB)   | 10043-11-5 | 85     | 50 gm  | 28500020 | 18  | 5678       |
|         | BN M.W. 24.82   |            | 683    | 500 gm |          |     | 45420      |
| LA0758  | BORON POWDER 99% (amorphous)  | 7440-42-8  | 341    | 25 gm  | 28045010 | 18  | 22644      |
|         | B M.W. 10.81  |            | 1283   | 100 gm |          |     | 85345      |
| LA0759  | BORON TRIBROMIDE 99% For Synthesis  | 10294-33-4 | 267    | 100 gm | 28129000 | 18  | 17744      |
|         | Bbr <sub>3</sub> M.W. 250.54, Liquid, d. 2.60   |            |        |        |          |     |            |
|         | <u>UN 2692 8/PG I</u>   |            |        |        |          |     |            |
| LA0760  | BORON TRIBROMIDE 1M IN DICHLOROMETHANE  |            | 168    | 100 ml | 38220090 | 12  | 11156      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GS | PRICE(INR)    |
|---------|--|------------|--------|--------|----------|----|---------------|
| LA0761  | BORON TRIFLUORIDE DIETHYL ETHER 50%<br>(boron trifluoro ide ethyl ether complex)<br><chem>C6H10BF3O</chem> M.W 141.93, Liquid, d. 1.15 | 109-63-7   | 39     | 500 ml | 29420090 | 18 | 2595<br>11239 |
|         | <u>UN 2604 8 (3)/PG I</u>  |            | 169    | 2.5 Lt |          |    |               |
| LA0762  | BORON TRIFLUORIDE METHANOL COMPLEX 11-14% in methanol<br><chem>C2H8BF3O2</chem> M.W. 131.89 ,Liquid, d. 1.222                          | 2802-68-8  | 280    | 500 ml | 29420090 | 18 | 18638         |
|         | <u>UN 3286 3 (6.1, 8)/PG II</u>  |            |        |        |          |    |               |
| LA0763  | di-BORON TRIOXIDE 98% (anhydrous)<br>(boric anhydride) <chem>B2O3</chem> M.W. 69.62  | 1303-86-2  | 53     | 250 gm | 28100010 | 18 | 3524<br>6819  |
| LA0764  | di-BORON TRIOXIDE 99% AR (anhydrous)<br>(boric anhydride) <chem>B2O3</chem> M.W. 69.62   | 1303-86-2  | 59     | 250 gm | 28100010 | 18 | 3948<br>15235 |
| LA0765  | BOUIN'S FLUID<br>(histopathology fixative), Liquid, d. 0.984   |            | 3      | 125 ml | 38220090 | 12 | 177<br>531    |
| LA0766  | BRADY'S REAGENT solution<br>Liquid, d. 1.06  |            | 4      | 125 ml | 38220090 | 12 | 236<br>716    |
| LA0767  | BRASS POWDER<br><u>UN 3077 9/ PG III</u>   | 63338-02-3 | 50     | 100 gm | 74061000 | 18 | 3316<br>13932 |
| LA0768  | BREED'S STAIN  |            | 10     | 100 ml | 38220090 | 12 | 640           |
| LA0769  | BRIJ-35'3 (main component)<br>(polyoxyethylene ALuryl ether)   | 9002-92-0  | 22     | 500 gm | 34021300 | 18 | 1474          |
| LA0780  | BRIJ-35'3 (30% solution),<br>(polyoxyethylene ALuryl ether), Liquid, d. 1.06   | 9002-92-0  | 19     | 500 ml | 34021300 | 18 | 1293          |
| LA0781  | BRILLIANT BLUE FCF (C.I.No.42090)<br>(erioGAlucine A)  | 3844-45-9  | 5      | 5 gm   | 32129090 | 18 | 336<br>1466   |
|         | <chem>C37H34Na2N2O9S3</chem> M.W 792.85  |            | 22     | 25 gm  |          |    | 5537          |
| LA0782  | BRILLIANT BLUE G 250 For Molecular Biology<br>(coomasie brilliant blue G 250)  | 6104-58-1  | 12     | 5 gm   | 32041259 | 18 | 773<br>2826   |
|         | <chem>C47H48N3NaO7S2</chem> M.W. 854.02  |            | 42     | 25 gm  |          |    | 10785         |
| LA0783  | BRILLIANT BLUE R For Molecular Biology (C.I.No.42660)<br>(coomasie Brilliant Blue R 250)   | 6104-59-2  | 9      | 5 gm   | 32041259 | 18 | 595<br>2272   |
|         | <chem>C45H44N3NaO7S2</chem> M.W. 825.97  |            | 34     | 25 gm  |          |    | 8635          |
| LA0784  | BRILLIANT CRESYL BLUE (M.S.) (C.I. No.51010)<br>(cresyl blue) <chem>C17H20N3OCl.1/2ZnCl2</chem> M.W. 385.96                            | 81029-05-2 | 12     | 5 gm   | 32049000 | 18 | 792<br>3062   |
| LA0785  | BRILLIANT CRESYL BLUE Alcoholic solution<br>Liquid, d. 0.808   |            | 46     | 25 gm  |          |    | 350<br>1058   |
| LA0786  | BRILLIANT CRESYL BLUE aqueous solution   |            | 5      | 125 ml | 38220090 | 12 | 136           |
|         |  |            | 16     | 500 ml |          |    | 503           |
| LA0787  | BRILLIANT GREEN indicator (C.I. No.42040)<br>Dye Content : Min. 90% <chem>C27H34N2O4S</chem> M.W. 482.65                               | 633-03-4   | 4      | 25 gm  | 32041310 | 18 | 276<br>768    |
|         |  |            | 12     | 100 gm |          |    | 50            |
| LA0788  | BRILLIANT GREEN indicator solution   |            | 2      | 125 ml | 38220090 | 12 | 154           |
|         |  |            | 7      | 500 ml |          |    | 463           |
| LA0789  | BRILLIANT YELLOW (C.I. No.24890)<br>Dye Content : Min. 70% <chem>C26H18N4Na2O8S2</chem> M.W. 624.56                                    | 3051-11-4  | 7      | 25 gm  | 32049000 | 18 | 441<br>1663   |
| LA0790  | BRILLIANT YELLOW indicator paper (pkt of 100 Leaves)   |            | 25     | 100 gm |          |    | 216           |
| LA0791  | BROMEALIN (from pineapple stem)  | 9001-00-7  | 3      | pkt    | 38220090 | 12 | 4812          |
|         | MW : -33,000   |            | 72     | 25 gm  | 35079099 | 18 | 15631         |

| CAT No. | PRODUCT NAME   | CAS No.          | \$ USD | UNIT      | HS CODE  | GST       | PRICE(INR) |
|---------|--|------------------|--------|-----------|----------|-----------|------------|
| LA0792  | <b>BROMINE 99% For Synthesis</b>   | <b>7726-95-6</b> | 24     | 5x20 ml   | 28013020 | <b>18</b> | 1623       |
|         | Br <sub>2</sub> M.W. 159.81, Liquid, d. 3.119                                  |                  | 116    | 5x5x20ml  |          |           | 7734       |
|         | <b>UN 1744 8(6.1)/PG I</b>   |                  |        |           |          |           |            |
| LA0793  | <b>BROMINE 99.5% AR</b>  | <b>7726-95-6</b> | 25     | 5x20 ml   | 28013020 | <b>18</b> | 1693       |
|         | Br <sub>2</sub> M.W. 159.81, Liquid, d. 3.119                                  |                  | 121    | 5x5x20 ml |          |           | 8044       |
|         | <b>UN 1744 8(6.1)/PG I</b>   |                  |        |           |          |           |            |
| LA0794  | <b>BROMINE WATER (concentrated)</b>  | <b>7726-95-6</b> | 9      | 500 ml    | 28013020 | <b>18</b> | 566        |
|         | Br <sub>2</sub> M.W. 159.81  |                  |        |           |          |           |            |
|         | <b>UN 1744 8(6.1)/PG I</b>   |                  |        |           |          |           |            |
| LA0795  | <b>BROMOACETALDEHYDE DIETHYL ACETAL 97%</b>                                    | <b>2032-35-1</b> | 49     | 25 gm     | 29110010 | <b>18</b> | 3247       |
|         | C <sub>6</sub> H <sub>13</sub> BrO <sub>2</sub> M.W. 197.07                    |                  | 120    | 100 gm    |          |           | 7968       |
|         | <b>UN 2810 6.1/ PG III</b>   |                  |        |           |          |           |            |
| LA0796  | <b>BROMOACETALDEHYDE DIMETHYL ACETAL 96%</b>                                   | <b>7252-83-7</b> | 44     | 25 gm     | 29110010 | <b>18</b> | 2908       |
|         | C <sub>6</sub> H <sub>9</sub> BrO <sub>2</sub> M.W. 169.02                     |                  | 100    | 100 gm    |          |           | 6682       |
|         | <b>UN 1989 3/PG III</b>  |                  | 404    | 500 gm    |          |           | 26862      |
| LA0797  | <b>p-BROMO ACETANILIDE 98% For Synthesis</b>                                   | <b>103-88-8</b>  | 9      | 25 gm     | 29242990 | <b>18</b> | 632        |
|         | C <sub>8</sub> H <sub>8</sub> BrNO M.W 214.06                                  |                  | 22     | 100 gm    |          |           | 1465       |
|         |  |                  | 92     | 500 gm    |          |           | 6140       |
| LA0798  | <b>BROMOACETIC ACID 97% For Synthesis</b>                                      | <b>79-08-3</b>   | 42     | 100 gm    | 29159090 | <b>18</b> | 2812       |
|         | C <sub>2</sub> H <sub>3</sub> BrO <sub>2</sub> M.W. 138.95                     |                  | 199    | 500 gm    |          |           | 13222      |
|         | <b>UN 3425 8/PG II</b>   |                  |        |           |          |           |            |
| LA0799  | <b>3'-BROMOACETOPHENONE 98%</b>  | <b>2142-63-4</b> | 44     | 25 gm     | 29147090 | <b>18</b> | 2940       |
|         | C <sub>8</sub> H <sub>7</sub> BrO M.W. 199.06                                  |                  | 130    | 100 gm    |          |           | 8619       |
| LA0800  | <b>p-BROMO ACETOPHENONE 98%</b>  | <b>99-90-1</b>   | 26     | 100 gm    | 29147990 | <b>18</b> | 1701       |
|         | (4-bromo acetophenone) C <sub>8</sub> H <sub>7</sub> BrO M.W. 199.06           |                  | 48     | 250 gm    |          |           | 3173       |
| LA0801  | <b>BROMOACETYL BROMIDE 99%</b>   | <b>598-21-0</b>  | 85     | 100 gm    | 29159090 | <b>18</b> | 5659       |
|         | C <sub>2</sub> H <sub>2</sub> Br <sub>2</sub> O M.W. 201.84                    |                  | 340    | 500 gm    |          |           | 22589      |
| LA0802  | <b>m-BROMOANILINE 98% For synthesis</b>  | <b>591-19-5</b>  | 113    | 25 ml     | 29214290 | <b>18</b> | 7485       |
|         | (3-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W 172.02, Liquid, d. 1.58 |                  | 404    | 100 ml    |          |           | 26877      |
| LA0803  | <b>o-BROMOANILINE 98% For synthesis</b>  | <b>615-36-1</b>  | 115    | 25 gm     | 29214290 | <b>18</b> | 7659       |
|         | (2-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W 172.02, Liquid, d. 1.52 |                  | 297    | 100 gm    |          |           | 19755      |
| LA0804  | <b>p-BROMO ANILINE 98% For Synthesis</b>                                       | <b>106-40-1</b>  | 9      | 25 gm     | 29214290 | <b>18</b> | 594        |
|         | (4-bromoaniline) C <sub>6</sub> H <sub>6</sub> BrN M.W. 172.03                 |                  | 24     | 100 gm    |          |           | 1575       |
|         |  |                  | 82     | 500 gm    |          |           | 5442       |
| LA0805  | <b>2-BROMOANISOLE 98%</b>  | <b>578-57-4</b>  | 257    | 25 gm     | 29093038 | <b>18</b> | 17082      |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.502                |                  |        |           |          |           |            |
| LA0806  | <b>m-BROMOANISOLE 98% For Synthesis</b>  | <b>2398-37-0</b> | 41     | 100 ml    | 29093012 | <b>18</b> | 2719       |
|         | (3-bromoanisole) (1-bromo-3-methoxy benzene)                                   |                  | 152    | 500 ml    |          |           | 10118      |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.477                |                  |        |           |          |           |            |
| LA0807  | <b>p-BROMOANISOLE 99% For Synthesis</b>  | <b>104-92-7</b>  | 34     | 100 gm    | 29093012 | <b>18</b> | 2276       |
|         | (4-bromoanisole) (1-bromo-4-methoxy benzene)                                   |                  | 135    | 500 gm    |          |           | 8947       |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.04, Liquid, d. 1.494                |                  |        |           |          |           |            |
| LA0808  | <b>o-BROMOBENZALDEHYDE 97%</b>   | <b>6630-33-7</b> | 102    | 25 gm     | 29130090 | <b>18</b> | 6816       |
|         | (2-bromobenzALdehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W 185.02, d. 1.597   |                  |        |           |          |           |            |
| LA0809  | <b>m-BROMOBENZALDEHYDE 97% For Synthesis</b>                                   | <b>3132-99-8</b> | 33     | 25 ml     | 29130090 | <b>18</b> | 2224       |
|         | (3-bromobenzALdehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W 185.02, d. 1.580   |                  | 101    | 100 ml    |          |           | 6705       |
| LA0810  | <b>p-BROMOBENZALDEHYDE 98% For Synthesis</b>                                   | <b>1122-91-4</b> | 56     | 25 gm     | 29130090 | <b>18</b> | 3697       |
|         | (4-bromo benzALdehyde) C <sub>7</sub> H <sub>5</sub> BrO M.W 185.02, d. 1.849  |                  | 205    | 100 gm    |          |           | 13616      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0811  | <b>BROMOBENZENE 99% For Synthesis</b><br>(phenyl bromide) C <sub>6</sub> H <sub>5</sub> Br M.W. 157.02, Liquid, d. 1.491           | 108-86-1   | 21     | 250 ml | 29039990 | 18  | 1374       |
|         |  |            | 39     | 500 ml |          |     | 2606       |
|         | <b>UN 2514 3/PG III</b>  |            | 169    | 2.5 Lt |          |     | 11271      |
| LA0812  | <b>BROMOBENZENE 99.5% AR</b><br>(phenyl bromide) C <sub>6</sub> H <sub>5</sub> Br M.W. 157.02, Liquid, d. 1.491                    | 108-86-1   | 24     | 250 ml | 29039990 | 18  | 1628       |
|         |  |            | 90     | 1 Lt   |          |     | 6007       |
|         | <b>UN 2514 3/PG III</b>  |            |        |        |          |     |            |
| LA0813  | <b>2-BROMO BENZOIC ACID 98%</b><br>(o-bromo benzoic acid) C <sub>7</sub> H <sub>5</sub> BrO <sub>2</sub> M.W. 201.02               | 88-65-3    | 17     | 25 gm  | 29163990 | 18  | 1118       |
|         |  |            | 61     | 100 gm |          |     | 4049       |
| LA0814  | <b>3-BROMO BENZOIC ACID 98%</b><br>(m-bromo benzoic acid) C <sub>7</sub> H <sub>5</sub> BrO <sub>2</sub> M.W. 201.02               | 585-76-2   | 15     | 5 gm   | 29163990 | 18  | 1030       |
|         |  |            | 45     | 25 gm  |          |     | 2969       |
| LA0815  | <b>4-BROMO BENZOIC ACID 98%</b><br>(p-bromo benzoic acid) C <sub>7</sub> H <sub>5</sub> BrO <sub>2</sub> M.W. 201.02               | 586-76-5   | 5      | 5 gm   | 29163990 | 18  | 314        |
|         |  |            | 18     | 25 gm  |          |     | 1215       |
| LA0816  | <b>p-BROMO BENZOPHENONE 98%</b><br>C <sub>13</sub> H <sub>9</sub> BrO M.W 261.11   | 90-90-4    | 61     | 25 gm  | 29181190 | 18  | 4089       |
|         |  |            | 169    | 100 gm |          |     | 11239      |
| LA0817  | <b>2-BROMOBENZOYL CHLORIDE 97%</b><br>BrC <sub>6</sub> H <sub>4</sub> COCl M.W 219.46  | 7154-66-7  | 120    | 10 gm  | 29163990 | 18  | 7968       |
|         |  |            |        |        |          |     |            |
|         | <b>UN 3265 8/PG II</b>   |            |        |        |          |     |            |
| LA0818  | <b>3-BROMOBENZOYL CHLORIDE 98%</b><br>BrC <sub>6</sub> H <sub>4</sub> COCl M.W 219.46, Liquid, d. 1.662                            | 1711-09-7  | 160    | 10 gm  | 29163990 | 18  | 10649      |
|         |  |            | 376    | 25 gm  |          |     | 25025      |
|         | <b>UN 3265 8/PG II</b>   |            |        |        |          |     |            |
| LA0819  | <b>4-BROMOBENZOYL CHLORIDE 98%</b><br>BrC <sub>6</sub> H <sub>4</sub> COCl M.W 219.46  | 586-75-4   | 216    | 5 gm   | 29163990 | 18  | 14391      |
|         |  |            | 832    | 25 gm  |          |     | 55352      |
|         | <b>UN 3265 8/PG II</b>   |            |        |        |          |     |            |
| LA0820  | <b>3-BROMOBENZYALMINE 97%</b><br>C <sub>7</sub> H <sub>8</sub> BrN M.W 186.05  | 10269-01-9 | 116    | 1 gm   | 29214990 | 18  | 7712       |
|         |  |            | 316    | 5 gm   |          |     | 21040      |
|         | <b>UN 2735 8/PG II</b>   |            |        |        |          |     |            |
| LA0821  | <b>4-BROMOBENZYALMINE 96%</b><br>C <sub>7</sub> H <sub>8</sub> BrN M.W 186.05  | 3959-07-7  | 274    | 1 gm   | 29214990 | 18  | 18191      |
|         |  |            | 1231   | 5 gm   |          |     | 81862      |
|         | <b>UN 3259 8/PG II</b>   |            |        |        |          |     |            |
| LA0822  | <b>2-BROMOBUTYRIC ACID 96.5%</b><br>C <sub>4</sub> H <sub>7</sub> BrO <sub>2</sub> M.W. 167, Liquid, d. 1.567                      | 80-58-0    | 280    | 250 gm | 29159090 | 18  | 18615      |
|         |  |            |        |        |          |     |            |
|         | <b>UN 3265 8/PG III</b>  |            |        |        |          |     |            |
| LA0823  | <b>4-BROMOCHLOROBENZENE 98%</b><br>(1-bromo-4-chlorobenzene) C <sub>6</sub> H <sub>4</sub> BrCl M.W 191.45                         | 106-39-8   | 32     | 100 gm | 29036990 | 18  | 2099       |
|         |  |            | 66     | 250 gm |          |     | 4391       |
| LA0824  | <b>1-BROMO-4-CHLOROBUTANE 99%</b><br>C <sub>4</sub> H <sub>8</sub> BrCl M.W. 171.46, Liquid, d. 1.488                              | 6940-78-9  | 240    | 25 gm  | 29037900 | 18  | 15941      |
|         |  |            | 615    | 100 gm |          |     | 40908      |
| LA0825  | <b>1-BROMO-2-CHLOROETHANE 98%</b><br>C <sub>2</sub> H <sub>4</sub> BrCl M.W. 143.41, Liquid, d. 1.723                              | 107-04-0   | 92     | 100 ml | 29037900 | 18  | 6128       |
|         |  |            | 337    | 500 ml |          |     | 22430      |
| LA0826  | <b>1-BROMO-3-CHLOROPROPANE 99%</b><br>(trimethylene bromochloride) C <sub>3</sub> H <sub>6</sub> BrCl M.W 157.44, Liquid, d. 1.592 | 109-70-6   | 39     | 100 ml | 29033990 | 18  | 2561       |
|         |  |            | 81     | 500 ml |          | 18  | 5356       |
| LA0827  | <b>BROMO CRESOL GREEN indicator AR</b><br>(bromo cresol blue)  | 76-60-8    | 13     | 5 gm   | 29349900 | 18  | 843        |
|         | Dye Content : Min. 95% C <sub>21</sub> H <sub>14</sub> Br <sub>4</sub> O <sub>5</sub> S M.W. 698.04                                |            | 25     | 10 gm  |          |     | 1643       |
|         |  |            | 56     | 25 gm  |          |     | 3753       |
|         |  |            | 214    | 100 gm |          |     | 14254      |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA0828  | BROMO CRESOL GREEN SODIUM SALT (water soluble)  | 62625-32-5  | 14     | 5 gm   | 29349900 | 18  | 905        |
|         | (bromo cresol blue sodium salt)   |             | 60     | 25 gm  |          | 18  | 3984       |
|         | Dye Content : Min. 90% C <sub>21</sub> H <sub>13</sub> Br <sub>4</sub> NaO <sub>5</sub> S M.W. 720.00 |             |        |        |          |     |            |
| LA0829  | BROMO CRESOL GREEN indicator solution (0.04%)   |             | 2      | 125 ml | 38220090 | 12  | 155        |
|         | (bromo cresol blue solution)  |             | 7      | 500 ml |          |     | 464        |
| LA0830  | BROMOCRESOL GREEN 0.1% w/v AQUEOUS SOLUTION   |             | 3      | 125 ml | 38220090 | 12  | 215        |
| LA0831  | BROMOCRESOL GREEN 0.1% w/v SOLUTION IN IPA  |             | 3      | 125 ml | 38220090 | 12  | 227        |
| LA0832  | BROMOCRESOL GREEN 1% w/v SOLUTION   |             | 5      | 125 ml | 38220090 | 12  | 332        |
| LA0833  | BROMO CRESOL PURPLE indicator AR  | 115-40-2    | 5      | 5 gm   | 29349900 | 18  | 310        |
|         | Dye Content : Min. 90% C <sub>21</sub> H <sub>16</sub> Br <sub>2</sub> O <sub>5</sub> S M.W. 540.22   |             | 15     | 25 gm  |          |     | 1030       |
|         |   |             | 58     | 100 gm |          |     | 3858       |
| LA0834  | BROMO CRESOL PURPLE indicator solution (0.04%)  |             | 2      | 125 ml | 38220090 | 12  | 131        |
|         |   |             | 6      | 500 ml |          |     | 394        |
| LA0835  | BROMOCRESOL PURPLE SODIUM SALT  | 62625-30-3  | 31     | 25 gm  | 29349900 | 18  | 2071       |
|         | Dye Content : Min. 90% C <sub>21</sub> H <sub>15</sub> Br <sub>2</sub> NaO <sub>5</sub> S M.W. 562.20 |             | 115    | 100 gm |          |     | 7659       |
| LA0836  | 4-BROMO-2,6-DIAMINOPYRIDINE   | 329974-09-6 | 1465   | 5 gm   | 29333999 | 18  | 97412      |
|         | C <sub>5</sub> H <sub>6</sub> BrN <sub>3</sub> M.W. 188.02  |             | 2689   | 10 gm  |          |     | 178799     |
| LA0837  | 2-BROMOETHANESULPHONIC ACID SODIUM SALT 98% For Synthesis   | 4263-52-9   | 23     | 10 gm  | 29042090 | 18  | 1507       |
|         | (Sodium 2-bromoethanesulphonate)  |             | 129    | 50 gm  |          |     | 8554       |
|         | C <sub>2</sub> H <sub>4</sub> BrNaO <sub>3</sub> S M.W. 211.02  |             |        |        |          |     |            |
| LA0838  | 2-BROMOETHANOL 95%  | 540-51-2    | 76     | 25 gm  | 29055900 | 18  | 5066       |
|         | C <sub>2</sub> H <sub>5</sub> BrO M.W. 124.96, Liquid, d. 1.76  |             | 234    | 100 gm |          |     | 15555      |
|         | <u>UN 1294 3/PG II</u>  |             |        |        |          |     |            |
| LA0839  | 2-BROMOETHYALMINE HYDROBROMIDE 99%  | 2576-47-8   | 26     | 100 gm | 29033990 | 18  | 1717       |
|         | C <sub>2</sub> H <sub>7</sub> Br <sub>2</sub> N M.W. 204.90   |             | 110    | 500 gm |          |     | 7304       |
| LA0840  | BROMOFORM 98%   | 75-25-2     | 88     | 250 ml | 29033990 | 18  | 5881       |
|         | (tribromomethane) CHBr <sub>3</sub> M.W. 252.73, Liquid, d. 2.894                                     |             |        |        |          |     |            |
|         | <u>UN 2515 6.1/PG III</u>   |             |        |        |          |     |            |
| LA0841  | 5-BROMO-2-FUROIC ACID 97%   | 585-70-6    | 185    | 25 gm  | 29420090 | 18  | 12277      |
|         | C <sub>5</sub> H <sub>3</sub> BrO <sub>3</sub> M.W 190.98   |             | 651    | 100 gm |          |     | 43287      |
| LA0842  | 1-BROMOHEPTANE 99% For Synthesis  | 629-04-9    | 29     | 100 ml | 29033990 | 18  | 1906       |
|         | (n-Heptyl Bromide) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> Br M.W. 179.1, Liquid, d. 1.14     |             | 130    | 500 ml |          |     | 8645       |
|         | <u>UN 1993 3/PG III</u>   |             |        |        |          |     |            |
| LA0843  | 1-BROMOHEXANE 98% For Synthesis   | 111-25-1    | 30     | 100 ml | 29033990 | 18  | 1966       |
|         | (n-Hexyl Bromide) C <sub>6</sub> H <sub>13</sub> Br M.W. 165.07, Liquid, d. 1.176                     |             | 95     | 500 ml |          |     | 6299       |
|         | <u>UN 1993 3/PG III</u>   |             |        |        |          |     |            |
| LA0844  | BROMOHEXINE HYDROCHLORIDE 98% Extra Pure  | 611-75-6    | 24     | 1 gm   | 29213090 | 18  | 1591       |
|         | For Lab Use   |             | 96     | 5 gm   |          |     | 6380       |
|         | C <sub>14</sub> H <sub>20</sub> Br <sub>2</sub> N <sub>2</sub> ·HCl M.W 412.59                        |             |        | 25 gm  |          |     | 25523      |
| LA0845  | 5-BROMOINDOLE 97%   | 10075-50-0  | 28     | 10 gm  | 29339980 | 18  | 1834       |
|         | C <sub>8</sub> H <sub>6</sub> BrN M.W 196.04  |             | 66     | 25 gm  |          |     | 4401       |
| LA0846  | 5-BROMO-INDOXYL ACETATE 99% AR  | 17357-14-1  | 85     | 100 mg | 29339900 | 18  | 5668       |
|         | C <sub>10</sub> H <sub>8</sub> BrNO <sub>2</sub> M.W. 254.08  |             |        |        |          |     |            |
| LA0847  | 1-BROMONAPHTHALENE 97% For Synthesis  | 90-11-9     | 51     | 100 ml | 29039990 | 18  | 3401       |
|         | (a-bromonaphthALene) C <sub>10</sub> H <sub>7</sub> Br M.W. 207.08, Liquid, d. 1.48                   |             |        | 500 ml |          |     | 15452      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0848  | <b>1-BROMO PENTANE 98%</b><br>(n-pentyl bromide) C <sub>5</sub> H <sub>11</sub> Br M.W 151.04, Liquid, d. 1.218                              | 110-53-2   | 28     | 100 ml | 29033919 | 18  | 1875       |
|         |  |            | 89     | 500 ml |          |     | 5912       |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA0849  | <b>2-BROMOPHENOL 98%</b><br>(o-bromo phenol) C <sub>6</sub> H <sub>5</sub> BrO M.W 173.01 , Liquid, d. 1.6235                                | 95-56-7    | 49     | 5 gm   | 29081900 | 18  | 3268       |
|         |  |            | 103    | 25 gm  |          |     | 6827       |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA0850  | <b>3-BROMOPHENOL 98%</b><br>(m-bromo phenol) C <sub>6</sub> H <sub>5</sub> BrO M.W 173.01  | 591-20-8   | 30     | 5 gm   | 29081900 | 18  | 2028       |
|         |  |            | 145    | 25 gm  |          |     | 9668       |
| LA0851  | <b>4-BROMOPHENOL 98%</b><br>(p-bromo phenol) C <sub>6</sub> H <sub>5</sub> BrO M.W 173.01  | 106-41-2   | 14     | 25 gm  | 29081900 | 18  | 960        |
|         |  |            | 50     | 100 gm |          |     | 3355       |
| LA0852  | <b>BROMO PHENOL BLUE indicator AR</b><br>For Molecular Biology C <sub>19</sub> H <sub>10</sub> Br <sub>4</sub> O <sub>5</sub> S M.W. 669.96  | 115-39-9   | 5      | 5 gm   | 29349900 | 18  | 301        |
|         |  |            | 19     | 25 gm  |          |     | 1248       |
|         |  |            | 61     | 100 gm |          |     | 4054       |
| LA0853  | <b>BROMO PHENOL BLUE indicator solution (0.04%)</b>  |            | 2      | 125 ml | 38220090 | 12  | 144        |
|         |  |            | 7      | 500 ml |          |     | 443        |
| LA0854  | <b>BROMOPHENOL BLUE 0.1% W/V AQUEOUS SOLUTION</b>  |            | 4      | 125 ml | 38220090 | 12  | 261        |
| LA0855  | <b>BROMOPHENOL BLUE 0.1% w/v ALCOHOLIC SOLUTION</b>  |            | 3      | 125 ml | 38220090 | 12  | 218        |
| LA0856  | <b>BROMOPHENOL BLUE SODIUM SALT</b><br>(bromophenol blue water soluble)  | 34725-61-6 | 44     | 10 gm  | 29349990 | 18  | 2898       |
|         |  |            | 64     | 25 gm  |          |     | 4279       |
|         | Dye Content: Min. 90% C <sub>19</sub> H <sub>9</sub> Br <sub>4</sub> NaO <sub>5</sub> S M.W. 691.96  |            |        |        |          |     |            |
| LA0857  | <b>BROMO PHENOL RED</b><br>C <sub>19</sub> H <sub>12</sub> Br <sub>2</sub> O <sub>5</sub> S M.W 512.17                                       | 2800-80-8  | 215    | 5 gm   | 29349900 | 18  | 14300      |
|         |  |            | 920    | 25 gm  |          |     | 61178      |
| LA0858  | <b>BROMO PHENOL RED indicator solution</b>   | 2800-80-8  | 6      | 125 ml | 38220090 | 12  | 417        |
|         |  |            | 17     | 500 ml |          |     | 1136       |
| LA0859  | <b>1-(4-BROMOPHENYL) PIPERAZINE 95%</b><br>C <sub>10</sub> H <sub>13</sub> BrN <sub>2</sub> M.W. 241.13                                      | 66698-28-0 | 241    | 1 gm   | 29335990 | 18  | 16049      |
|         |  |            | 1062   | 5 gm   |          |     | 70622      |
| LA0860  | <b>4-BROMOPHTHALIC ACID 98%</b><br>C <sub>8</sub> H <sub>5</sub> BrO <sub>4</sub> M.W. 245.03  | 6968-28-1  | 546    | 5 gm   | 29173990 | 18  | 36333      |
| LA0861  | <b>2-BROMO PROPIONYL BROMIDE 97% For Synthesis</b><br>C <sub>3</sub> H <sub>4</sub> Br <sub>2</sub> O M.W 215.87, Liquid, d. 2.061           | 563-76-8   | 154    | 25 gm  | 29159090 | 18  | 10216      |
|         |  |            | 568    | 100 gm |          |     | 37795      |
|         | <u>UN 3265 8/PG II</u>   |            |        |        |          |     |            |
| LA0862  | <b>3-BROMOPYRIDINE 99%</b><br>C <sub>5</sub> H <sub>4</sub> BrN M.W. 158.00, Liquid, d. 1.64   | 626-55-1   | 93     | 25 gm  | 29333990 | 18  | 6218       |
|         |  |            | 278    | 100 gm |          |     | 18485      |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA0863  | <b>BROMO PYROGALLOL RED AR</b><br>Dye Content : Min. 70% C <sub>19</sub> H <sub>10</sub> Br <sub>2</sub> O <sub>9</sub> S M.W. 558.15        | 16574-43-9 | 14     | 1 gm   | 29322090 | 18  | 953        |
|         |  |            | 47     | 5 gm   |          |     | 3131       |
| LA0864  | <b>N-BROMOSUCCINIMIDE 98%</b><br>C <sub>4</sub> H <sub>4</sub> BrNO <sub>2</sub> M.W. 177.99   | 128-08-5   | 9      | 100 gm | 29251900 | 18  | 602        |
|         |  |            | 37     | 500 gm |          |     | 2473       |
|         | <u>UN 3261 8/PG II</u>   |            |        |        |          |     |            |
| LA0865  | <b>BROMOSULPHALEIN purified</b><br>C <sub>20</sub> H <sub>8</sub> Br <sub>4</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>2</sub> M.W. 838.02 | 71-67-0    | 72     | 1 gm   | 29349900 | 18  | 4778       |
| LA0866  | <b>BROMOTHYMOL BLUE indicator AR</b><br>For Molecular Biology<br>(3,'3"-dibromothymolsulfonaphthALEin)                                       | 76-59-5    | 6      | 5 gm   | 29349900 | 18  | 401        |
|         |  |            | 24     | 25 gm  |          |     | 1577       |
|         |  |            | 90     | 100 gm |          |     | 5990       |
|         | Dye Content : Min. 95% C <sub>27</sub> H <sub>26</sub> Br <sub>2</sub> O <sub>5</sub> S M.W. 624.38  |            | 405    | 500 gm |          |     | 26955      |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA0867  | BROMOTHYMOL BLUE indicator solution (0.04%)   |             | 3      | 125 ml | 38220090 | 12  | 166        |
|         |   |             | 7      | 500 ml |          |     | 498        |
| LA0868  | BROMOTHYMOL BLUE indicator paper  |             | 3      | pkt    | 38220090 | 12  | 226        |
| LA0869  | BROMOTHYMOL BLUE 0.1% W/V AQUEOUS SOLUTION  |             | 4      | 125 ml | 38220090 | 12  | 238        |
| LA0870  | BROMOTHYMOL BLUE 0.1% w/v IN METHANOL   |             | 5      | 125 ml | 38220090 | 12  | 309        |
| LA0871  | BROMOTHYMOL BLUE SODIUM SALT (water soluble)  | 34722-90-2  | 7      | 10 gm  | 29349900 | 18  | 481        |
|         | C <sub>27</sub> H <sub>27</sub> Br <sub>2</sub> NaO <sub>5</sub> M.W. 646.36  |             |        |        |          |     |            |
| LA0872  | 3-BROMO TOLUENE 98%   | 591-17-3    | 26     | 10 gm  | 29420000 | 18  | 1748       |
|         | C <sub>7</sub> H <sub>7</sub> Br M.W 171.03, Liquid, d. 1.41  |             | 61     | 25 gm  |          |     | 4029       |
|         | <u>UN 1993 3/PG III</u>   |             |        |        |          |     |            |
| LA0873  | 4-BROMOTOLUENE 98% For Synthesis  | 106-38-7    | 32     | 100 gm | 29039990 | 18  | 2160       |
|         | C <sub>7</sub> H <sub>7</sub> Br M.W 171.03, Liquid, d. 1.41  |             | 127    | 500 gm |          |     | 8420       |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     |            |
| LA0874  | 5-BROMO URACIL 97%  | 51-20-7     | 7      | 1 gm   | 29335990 | 18  | 441        |
|         | C <sub>4</sub> H <sub>3</sub> BrN <sub>2</sub> O <sub>2</sub> M.W. 190.99   |             | 27     | 5 gm   |          |     | 1811       |
| LA0875  | BRONOPOL 98% For Synthesis  | 52-51-7     | 10     | 100 gm | 29053990 | 18  | 683        |
|         | (2-bromo-2-nitropropane-1,3-diol) C <sub>3</sub> H <sub>5</sub> BrNO <sub>4</sub> M.W 199.99  |             | 40     | 500 gm |          |     | 2646       |
| LA0876  | BRONZE POWDER (COPPER TIN ALLOY)  | 158113-12-3 | 90     | 500 gm | 74032290 | 18  | 5953       |
|         | Sn <sub>5</sub> Cu <sub>84</sub> M.W. 182.26  |             |        |        |          |     |            |
| LA0877  | BRUCINE 98% (free base)   | 357-57-3    | 33     | 25 gm  | 29398000 | 18  | 2227       |
|         | C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> M.W. 394.47   |             | 121    | 100 gm |          |     | 8042       |
|         | <u>UN 1570 6.1/PG I</u>   |             |        |        |          |     |            |
| LA0878  | BRUCINE 99% AR (free base)  | 357-57-3    | 37     | 25 gm  | 29398000 | 18  | 2445       |
|         | C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> M.W. 394.47   |             | 129    | 100 gm |          |     | 8579       |
|         | <u>UN 1570 6.1/PG I</u>   |             |        |        |          |     |            |
| LA0879  | BRUCINE SULPHATE  | 4845-99-2   | 28     | 25 gm  | 29399900 | 18  | 1877       |
|         | For Lab Use (C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub> .7H <sub>2</sub> O M.W. 1013.11 |             | 107    | 100 gm |          |     | 7135       |
|         | <u>UN 1544 6.1/PG II</u>  |             |        |        |          |     |            |
| LA0880  | BUFFER CITRATE SOLUTION   |             | 4      | 500 ml | 38220090 | 12  | 261        |
| LA0881  | BUFFER SOLUTION pH 2.0, Liquid, d. 1.000  |             | 4      | 500 ml | 38220090 | 12  | 263        |
| LA0882  | BUFFER SOLUTION pH 4 (phthALate), Liquid, d. 1.003  |             | 4      | 500 ml | 38220090 | 12  | 276        |
| LA0883  | BUFFER SOLUTION pH 6.0  |             | 4      | 500 ml | 38220090 | 12  | 289        |
| LA0884  | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 4.00   |             | 15     | 4 Amp. | 38220090 | 12  | 1008       |
|         | (2x2 amps. Of set in a box)   |             |        |        |          |     |            |
| LA0885  | BUFFER SOLUTION pH 7 (phosphate), Liquid, d. 1.01   |             | 5      | 500 ml | 38220090 | 12  | 302        |
| LA0886  | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 7.00   |             | 15     | 4 Amp. | 38220090 | 12  | 1010       |
|         |   |             |        |        |          |     | 0          |
|         | (2x2 amps. Of set in a box)   |             |        |        |          |     |            |
| LA0887  | BUFFER SOLUTION pH 9 (borate), Liquid, d. 1.000   |             | 5      | 500 ml | 38220090 | 12  | 304        |
| LA0888  | BUFFER CONCENTRATED FOR 500 ML SOLUTION pH 9.00   |             | 15     | 4 Amp. | 38220090 | 12  | 1013       |
|         | (2x2 amps. Of set in a box)   |             |        |        |          |     |            |
| LA0889  | BUFFER SOLUTION pH 10.0, Liquid, d. 1.0044  |             | 5      | 500 ml | 38220090 | 12  | 306        |
| LA0890  | BUFFER SOLUTION pH 11.0, Liquid, d. 1.01  |             | 5      | 500 ml | 38220090 | 12  | 307        |
| LA0891  | BUFFER CAPSULES pH 4.0  |             | 4      | 10 cap | 38220090 | 12  | 275        |
| LA0892  | BUFFER CAPSULES pH 6.0  |             | 4      | 10 cap | 38220090 | 12  | 276        |
| LA0893  | BUFFER CAPSULES pH 7.0  |             | 4      | 10 cap | 38220090 | 12  | 277        |
| LA0894  | BUFFER CAPSULES pH 9.2  |             | 4      | 10 cap | 38220090 | 12  | 278        |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA0895  | 1,3-BUTANEDIOL 99% For Synthesis  | 107-88-0  | 41     | 500 ml | 29053990 | 18  | 2730       |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W 90.12, Liquid, d. 1.005     |           | 189    | 2.5 Lt |          |     | 12535      |
| LA0896  | 1,4-BUTANEDIOL 99%  | 110-63-4  | 15     | 500 ml | 29053990 | 18  | 1022       |
|         | (tetramethylene glycol) (1,4-butylene glycol)                                 |           | 71     | 2.5 Lt |          |     | 4695       |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W 90.12, Liquid, d. 1.017     |           |        |        |          |     |            |
| LA0897  | 1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC 99%                             | 2386-54-1 | 6      | 5 gm   | 29041090 | 18  | 387        |
|         | (anhydrous) (sodium-1-butanesulphonate anhydrous)                             |           | 19     | 25 gm  |          |     | 1232       |
|         | C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S M.W. 160.16                  |           | 67     | 100 gm |          |     | 4425       |
| LA0898  | 1-BUTANE SULPHONIC ACID SODIUM SALT AR & HPLC 99%                             | 2386-54-1 | 7      | 5 gm   | 29041090 | 18  | 437        |
|         | (monohydrate) (sodium-1-butanesulphonate monohydrate)                         |           | 24     | 25 gm  |          |     | 1589       |
|         | C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W.178.16  |           | 91     | 100 gm |          |     | 6036       |
| LA0899  | 1-tert-BUTOXY-N,N,N'N'-TETRAMETHYL METHANEDIAMINE 90%                         | 5815-08-7 | 159    | 1 gm   | 29221990 | 18  | 10586      |
|         | (Bredereck's reagent)   |           | 615    | 5 gm   |          |     | 40911      |
|         | C <sub>9</sub> H <sub>22</sub> N <sub>2</sub> O M.W. 174.28, Liquid, d. 0.844 |           |        |        |          |     |            |
|         | <u>UN 1993 3/PG III</u>   |           |        |        |          |     |            |
| LA0900  | iso-BUTYL ACETATE 99%   | 105-46-4  | 17     | 500 ml | 29153990 | 18  | 1138       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.872   |           | 77     | 2.5 Lt |          |     | 5118       |
|         | <u>UN 1123 3 /PG II</u>   |           |        |        |          |     |            |
| LA0901  | n-BUTYL ACETATE 99% For Synthesis   | 123-86-4  | 10     | 500 ml | 29153300 | 18  | 674        |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.88    |           | 43     | 2.5 Lt |          |     | 2829       |
|         | <u>UN 1123 3/PG III</u>   |           | 79     | 5 Lt   |          |     | 5236       |
| LA0902  | n-BUTYL ACETATE 99.5% AR  | 123-86-4  | 12     | 500 ml | 29153300 | 18  | 791        |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.88    |           | 44     | 2.5 Lt |          |     | 2947       |
|         | <u>UN 1123 3/PG III</u>   |           |        |        |          |     |            |
| LA0903  | tert-BUTYL ACETATE 99%  | 540-88-5  | 21     | 500 ml | 29153990 | 18  | 1420       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W 116.16, Liquid, d. 0.866    |           | 94     | 2.5 Lt |          |     | 6255       |
|         | <u>UN 1123 3/PG II</u>  |           |        |        |          |     |            |
| LA0904  | BUTYL ACRYALTE 99% (monomer)  | 141-32-2  | 15     | 500 ml | 29161210 | 18  | 967        |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>2</sub> M.W. 128.17, Liquid, d. 0.894   |           | 55     | 2.5 Lt |          |     | 3636       |
|         | <u>UN 2348 3/PG III</u>   |           |        |        |          |     |            |
| LA0905  | n-BUTYL ALCOHOL 99% For Synthesis   | 71-36-3   | 8      | 500 ml | 29051300 | 18  | 548        |
|         | (n-butanol) (1-butanol) (butan-1-ol)  |           | 15     | 1 Lt   |          |     | 1017       |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                  |           | 31     | 2.5 Lt |          |     | 2044       |
|         | <u>UN 1120 3/PG III</u>   |           | 58     | 5 Lt   |          |     | 3881       |
| LA0906  | n-BUTYL ALCOHOL 99.5% AR (n-butanol) (1-butanol) (butan-1-ol)                 | 71-36-3   | 10     | 500 ml | 29051300 | 18  | 667        |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                  |           | 19     | 1 Lt   |          |     | 1238       |
|         | <u>UN 1120 3/PG III</u>   |           | 37     | 2.5 Lt |          |     | 2493       |
| LA0907  | n-BUTYL ALCOHOL HPLC & SPECTROSCOPY 99.8%                                     | 71-36-3   | 12     | 500 ml | 29051300 | 18  | 796        |
|         | (n-butanol) (1-butanol) (butan-1-ol)  |           | 22     | 1 Lt   |          |     | 1470       |
|         | C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81                  |           | 52     | 2.5 Lt |          |     | 3478       |
|         | <u>UN 1120 3/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|---|------------|--------|--------|----------|-----|---------------|
| LA0908  | n-BUTYL ALCOHOL 99.5% For Molecular Biology<br>(1-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.81       | 71-36-3    | 83     | 500 ml | 29051300 | 18  | 5531<br>10241 |
|         | <u>UN 1120 3/PG III</u>   |            | 154    | 1 Lt   |          |     |               |
| LA0909  | iso-BUTYL ALCOHOL 98.5% For Synthesis<br>C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.803                        | 78-83-1    | 7      | 500 ml | 29051490 | 18  | 484<br>849    |
|         | <u>UN 1212 3/PG III</u>   |            | 13     | 1 Lt   |          |     | 1922          |
| LA0910  | iso-BUTYL ALCOHOL 99% AR<br>C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.803                                     | 78-83-1    | 8      | 500 ml | 29051490 | 18  | 555<br>967    |
|         | <u>UN 1212 3/PG III</u>   |            | 15     | 1 Lt   |          |     | 2211          |
| LA0911  | sec-BUTYL ALCOHOL 99% For Synthesis<br>(2-butanol) (butan-2-ol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808 | 78-92-2    | 9      | 500 ml | 29051490 | 18  | 594<br>1017   |
|         | <u>UN 1120 3/PG III</u>   |            | 15     | 1 Lt   |          |     | 2375          |
| LA0912  | sec-BUTYL ALCOHOL 99.5% AR<br>(2-butanol) (butan-2-ol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808          | 78-92-2    | 10     | 500 ml | 29051490 | 18  | 677<br>1237   |
|         | <u>UN 1120 3/PG III</u>   |            | 19     | 1 Lt   |          |     | 2708          |
| LA0913  | sec-BUTYL ALCOHOL 99% For Molecular Biology<br>(2-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.808      | 78-92-2    | 101    | 500 ml | 29051490 | 18  | 6722<br>1242  |
|         | <u>UN 1120 3/PG III</u>   |            | 41     | 2.5 Lt |          |     | 2828          |
| LA0914  | tert-BUTYL ALCOHOL 98.5%<br>(tert-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.786                      | 75-65-0    | 10     | 500 ml | 29051490 | 18  | 682<br>1349   |
|         | <u>UN 1120 3/PG II</u>  |            | 19     | 1 Lt   |          |     | 3049          |
| LA0915  | tert-BUTYL ALCOHOL 99% AR<br>(tert-butanol) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.786                     | 75-65-0    | 12     | 500 ml | 29051490 | 18  | 766<br>3176   |
|         | <u>UN 1120 3/PG II</u>  |            | 20     | 1 Lt   |          |     | 1773          |
| LA0917  | n-BUTYALMINE 98%<br>C <sub>6</sub> H <sub>11</sub> N M.W.73.14, Liquid, d. 0.742  | 109-73-9   | 11     | 500 ml | 29211990 | 18  | 737<br>3407   |
|         | <u>UN 1125 3 (8) /PG II</u>   |            | 51     | 2.5 Lt |          |     |               |
| LA0918  | n-BUTYALMINE 99% AR<br>C <sub>6</sub> H <sub>11</sub> N M.W.73.14, Liquid, d. 0.742   | 109-73-9   | 12     | 500 ml | 29211990 | 18  | 831<br>3626   |
|         | <u>UN 1125 3 (8) /PG II</u>   |            | 55     | 2.5 Lt |          |     |               |
| LA0919  | tert-BUTYALMINE 99%<br>C <sub>6</sub> H <sub>11</sub> N M.W. 73.14, Liquid, d. 0.694  | 75-64-9    | 16     | 500 ml | 29211990 | 18  | 1096<br>2079  |
|         | <u>UN 2734 8 (3)/PG I</u>   |            | 31     | 1 Lt   |          |     |               |
| LA0920  | BUTYALTED HYDROXY ANISOLE 98%<br>(B.H.A.) (2-tert-butyl-4-methoxy phenol)   | 25013-16-5 | 15     | 100 gm | 29095090 | 18  | 1008<br>3836  |
|         | C <sub>11</sub> H <sub>16</sub> O <sub>2</sub> M.W. 180.25  |            | 58     | 500 gm |          |     |               |
| LA0921  | BUTYALTED HYDROXY TOLUENE 99% (B.H.T.)<br>(2,6-di-tert-butyl-4-methyl phenol) (2,6-di-tert-butyl-p-cresol)                    | 128-37-0   | 18     | 500 gm | 29072990 | 18  | 1192<br>9983  |
|         | C <sub>15</sub> H <sub>24</sub> O M.W. 220.36   |            | 150    | 5 Kg   |          |     |               |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |               |
| LA0922  | iso-BUTYL BENZENE 98% For Synthesis<br>C <sub>10</sub> H <sub>14</sub> M.W.134.22, Liquid, d. 0.854                           | 538-93-2   | 10     | 500 ml | 29029090 | 18  | 648<br>2917   |
|         | <u>UN 3295 3/PG III</u>   |            | 44     | 2.5 Lt |          |     |               |
| LA0923  | tert-BUTYL BENZENE 99% For Synthesis<br>C <sub>10</sub> H <sub>14</sub> M.W. 134.22, Liquid, d. 0.87                          | 98-06-6    | 23     | 500 ml | 29029090 | 18  | 1529<br>6591  |
|         | <u>UN 2709 3/PG III</u>   |            | 99     | 2.5 Lt |          |     |               |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA0924  | iso-BUTYL BENZOATE 98%  | 120-50-3   | 68     | 500 gm | 29163190 | 18  | 4541       |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W. 178.23, Liquid, d. 0.990  |            |        |        |          |     |            |
| LA0925  | p-tert-BUTYL BENZOIC ACID 99% For Synthesis (PTBBA)   | 98-73-7    | 27     | 500 gm | 29163990 | 18  | 1817       |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>2</sub> M.W. 178.23  |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA0926  | n-BUTYL BROMIDE 98% For Synthesis   | 109-65-9   | 32     | 500 ml | 29051300 | 18  | 2126       |
|         | (1-bromo butane) C <sub>4</sub> H <sub>9</sub> Br M.W. 137.03, Liquid, d. 1.276   |            | 137    | 2.5 Lt |          |     | 9081       |
|         | <u>UN 1126 3 /PG II</u>   |            |        |        |          |     |            |
| LA0927  | iso-BUTYL BUTYRATE 98%  | 539-90-2   | 46     | 500 gm | 29153300 | 18  | 3040       |
|         | C <sub>8</sub> H <sub>16</sub> O <sub>2</sub> M.W. 144.21, Liquid, d. 0.861   |            |        |        |          |     |            |
|         | <u>UN 3272 3/PG III</u>   |            |        |        |          |     |            |
| LA0928  | tert-BUTYL CARBAZATE 98%  | 870-46-2   | 80     | 25 gm  | 29181190 | 18  | 5311       |
|         | C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 132.16  |            | 261    | 100 gm |          |     | 17361      |
| LA0929  | 4-tert-BUTYL CATECHOL 98%   | 98-29-3    | 31     | 250 gm | 29072990 | 18  | 2042       |
|         | (4-tert-butyl pyrocatechol) (CH <sub>3</sub> ) <sub>3</sub> C.C <sub>6</sub> H <sub>3</sub> (OH) <sub>2</sub> M.W. 166.22 |            |        |        |          |     |            |
|         | <u>UN 3261 8/PG II</u>  |            |        |        |          |     |            |
| LA0930  | n-BUTYL CHLORIDE 98.5% For Synthesis  | 109-69-3   | 17     | 500 ml | 29031990 | 18  | 1131       |
|         | (1-chlorobutane) C <sub>4</sub> H <sub>9</sub> Cl M.W. 92.58, Liquid, d. 0.887  |            | 72     | 2.5 Lt |          |     | 4769       |
|         | <u>UN 1127 3 /PG II</u>   |            |        |        |          |     |            |
| LA0931  | tert-BUTYL CHLORIDE 99% For Synthesis   | 507-20-0   | 17     | 250 ml | 29031990 | 18  | 1122       |
|         | (2-chloro-2-methylpropane) C <sub>4</sub> H <sub>9</sub> Cl M.W. 92.58, Liquid, d. 0.846                                  |            | 32     | 500 ml |          |     | 2126       |
|         | <u>UN 1127 3 /PG II</u>   |            |        |        |          |     |            |
| LA0932  | iso-BUTYLCHLOROFORMATE 98% For Synthesis  | 543-27-1   | 44     | 100 ml | 29159020 | 18  | 2948       |
|         | C <sub>5</sub> H <sub>9</sub> ClO <sub>2</sub> M.W.136.58, Liquid, d. 1.053   |            | 153    | 500 ml |          |     | 10142      |
|         | <u>UN 2742 6.1(3.8) /PG II</u>  |            |        |        |          |     |            |
| LA0933  | iso-BUTYL CINNAMATE 98%   | 122-67-8   | 101    | 500 gm | 29163990 | 18  | 6713       |
|         | C <sub>13</sub> H <sub>18</sub> O <sub>2</sub> M.W 204.26, Liquid, d. 1.00  |            |        |        |          |     |            |
| LA0934  | n-BUTYL DIETHANOALMINE 98% For Synthesis  | 102-79-4   | 31     | 250 ml | 29221990 | 18  | 2040       |
|         | [2,2-(n-butylimino) diethanol]  |            | 115    | 1 Lt   |          |     | 7662       |
|         | C <sub>8</sub> H <sub>19</sub> NO <sub>2</sub> M.W 161.24, Liquid, d. 0.968   |            |        |        |          |     |            |
|         | <u>UN 2735 8/PG II</u>  |            |        |        |          |     |            |
| LA0935  | tert-BUTYLDIMETHYLSILYL CHLORIDE 97% For Synthesis  | 18162-48-6 | 17     | 25 gm  | 29319090 | 18  | 1119       |
|         | (TBDMS- Chloride) C <sub>6</sub> H <sub>15</sub> ClSi M.W. 150.72   |            | 59     | 100 gm |          |     | 3948       |
|         | <u>UN 2925 4.1 (8)/PG II</u>  |            | 234    | 500 gm |          |     | 15566      |
| LA0936  | iso-BUTYL FORMATE 98%   | 542-55-2   | 77     | 500 gm | 29151300 | 18  | 5090       |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W 102.13, Liquid, d. 0.885  |            |        |        |          |     |            |
|         | <u>UN 2393 3/PG II</u>  |            |        |        |          |     |            |
| LA0937  | tert-BUTYLHYDROPEROXIDE 70% In Water  | 75-91-2    | 14     | 100 ml | 29072990 | 18  | 907        |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M. W. 90.12, Liquid, d. 0.93  |            | 49     | 500 ml |          |     | 3291       |
|         | <u>UN 3105 5.2 (8)/PG II</u>  |            |        |        |          |     |            |
| LA0938  | tert-BUTYL HYDROQUINONE 98%   | 1948-33-0  | 18     | 250 gm | 29147990 | 18  | 1229       |
|         | (TBHQ) C <sub>10</sub> H <sub>14</sub> O <sub>2</sub> M.W 166.22  |            | 35     | 500 gm |          |     | 2336       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA0939  | BUTYL-4-HYDROXYBENZOATE 99%  | 94-26-8    | 33     | 500 gm | 29183090 | 18  | 2224       |
|         | (butyl paraben) (n-butyl-4-hydroxybenzoate) C <sub>11</sub> H <sub>14</sub> O <sub>3</sub> M.W. 194.23 |            |        |        |          |     |            |
| LA0940  | BUTYL ALCTATE  | 34451-19-9 | 56     | 100 ml | 29181190 | 18  | 3696       |
|         | C <sub>7</sub> H <sub>14</sub> O <sub>3</sub> M.W 146.18, Liquid, d. 0.98                              |            | 125    | 250 mL |          |     | 8314       |
| LA0941  | BUTYL LITHIUM For Synthesis  | 109-72-8   | 154    | 100 ml | 29420090 | 18  | 10242      |
|         | [15% solution in n-Hexane] (n-butyllithium)  |            |        |        |          |     |            |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> Li M.W. 84.06, Liquid, d. 0.68                         |            |        |        |          |     |            |
|         | <u>UN 3399 4.3(3)/PG I</u>   |            |        |        |          |     |            |
| LA0941  | n-BUTYL METHACRYALTE stabilized 99% For Synthesis  | 97-88-1    | 15     | 500 mL | 29161290 | 18  | 1020       |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> M.W. 142.20, Liquid, d. 0.895                            |            | 54     | 2.5 Lt |          |     | 3586       |
|         | <u>UN 2227 3/PG III</u>  |            |        |        |          |     |            |
| LA0942  | tert-BUTYL METHYL ETHER 99% For Synthesis  | 1634-04-4  | 8      | 500 mL | 29093090 | 18  | 532        |
|         | (methyl tert-butyl ether) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.742                |            | 31     | 2.5 Lt |          |     | 2039       |
|         | <u>UN 2398 3/PG II</u>   |            |        |        |          |     |            |
| LA0943  | tert-BUTYL METHYL ETHER 99.5% AR   | 1634-04-4  | 9      | 500 mL | 29093090 | 18  | 592        |
|         | (methyl tert-butyl ether) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.742                |            | 41     | 2.5 Lt |          |     | 2714       |
|         | <u>UN 2398 3/PG II</u>   |            |        |        |          |     |            |
| LA0944  | tert-BUTYL METHYL ETHER 99.9% For HPLC   | 1634-04-4  | 39     | 1 Lt   | 29093090 | 18  | 2567       |
|         | (methyl tert-butyl ether) C <sub>5</sub> H <sub>12</sub> O M.W. 88.15, Liquid, d. 0.742                |            | 54     | 2.5 Lt |          |     | 3583       |
|         | <u>UN 2398 3/PG II</u>   |            |        |        |          |     |            |
| LA0945  | iso-BUTYL METHYL KETONE 99%  | 108-10-1   | 9      | 500 mL | 29141300 | 18  | 609        |
|         | (4-methyl pentan-2-one)  |            | 42     | 2.5 Lt |          |     | 2776       |
|         | C <sub>6</sub> H <sub>12</sub> O M.W. 100.16, Liquid, d. 0.802   |            | 77     | 5 Lt   |          |     | 5148       |
|         | <u>UN 1245 3/PG II</u>   |            |        |        |          |     |            |
| LA0946  | iso-BUTYL METHYL KETONE 99% AR   | 108-10-1   | 10     | 500 mL | 29141300 | 18  | 657        |
|         | (4-methyl pentan-2-one) C <sub>6</sub> H <sub>12</sub> O M.W. 100.16, Liquid, d. 0.802                 |            | 46     | 2.5 Lt |          |     | 3065       |
|         | <u>UN 1245 3/PG II</u>   |            |        |        |          |     |            |
| LA0947  | tert-BUTYL PERBENZOATE 98%   | 614-45-9   | 17     | 250 mL | 29181190 | 18  | 1128       |
|         | (tert-butyl benzoate) C <sub>11</sub> H <sub>14</sub> O <sub>3</sub> M.W 194.23, Liquid, d. 1.021      |            | 28     | 500 mL |          |     | 1882       |
|         | <u>UN 3103 5.2/ PG II</u>  |            |        |        |          |     |            |
| LA0948  | 4-tert-BUTYLPHENOL 98% For Synthesis   | 98-54-4    | 19     | 500 gm | 29071990 | 18  | 1233       |
|         | (terbutol) C <sub>10</sub> H <sub>14</sub> O M.W. 150.22   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA0949  | iso-BUTYL SALICYLATE 98%   | 87-19-4    | 61     | 500 gm | 29182390 | 18  | 4062       |
|         | C <sub>11</sub> H <sub>14</sub> O <sub>3</sub> M.W 194.23, Liquid, d. 1.064                            |            |        |        |          |     |            |
| LA0950  | n-BUTYL STEARATE   | 123-95-5   | 5      | 500 mL | 29157090 | 18  | 358        |
|         | C <sub>22</sub> H <sub>44</sub> O <sub>2</sub> M.W. 340.58, Liquid, d. 0.861                           |            | 24     | 2.5 Lt |          |     | 1579       |
| LA0951  | BUTYL TITANATE 97% For Synthesis   | 5593-70-4  | 82     | 100 mL | 29051990 | 18  | 5422       |
|         | C <sub>16</sub> H <sub>36</sub> O <sub>4</sub> Ti M.W 340.32, Liquid, d. 1.00                          |            | 306    | 500 mL |          |     | 20334      |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA0952  | n-BUTYRALDEHYDE 99% For Synthesis  | 123-72-8   | 9      | 500 mL | 29121990 | 18  | 602        |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.80  |            | 17     | 1 Lt   |          |     | 1139       |
|         | <u>UN 1129 3/PG II</u>   |            |        |        |          |     |            |
| LA0953  | iso-BUTYRIC ACID 99%   | 79-31-2    | 19     | 500 mL | 29157090 | 18  | 1232       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.95                               |            | 34     | 1 Lt   |          |     | 2271       |
|         | <u>UN 2529 3(8)/PG III</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA1003  | n-BUTYRIC ACID 99% For Synthesis  | 107-92-6  | 12     | 500 ml | 29152990 | 18  | 825        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.96                |           | 49     | 2.5 Lt |          |     | 3254       |
|         | <u>UN 2820 8/PG III</u>   |           |        |        |          |     |            |
| LA1004  | n-BUTYRIC ACID 99.5% AR   | 107-92-6  | 18     | 500 ml | 29152990 | 18  | 1203       |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.96                |           | 34     | 1 Lt   |          |     | 2275       |
|         | <u>UN 2820 8/PG III</u>   |           |        |        |          |     |            |
| LA1005  | n-BUTYRIC ANHYDRIDE 97%   | 106-31-0  | 29     | 100 ml | 29159090 | 18  | 1900       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>3</sub> M.W 158.19, Liquid, d. 0.967               |           | 103    | 500 ml |          |     | 6838       |
|         | <u>UN 2739 8/PG III</u>   |           |        |        |          |     |            |
| LA1006  | Iso-BUTYRYL CHLORIDE 98% For Synthesis  | 79-30-1   | 40     | 250 ml | 29159090 | 18  | 2644       |
|         | (2-methyl propionyl chloride)   |           | 137    | 1 Lt   |          |     | 9098       |
|         | C <sub>6</sub> H <sub>11</sub> ClO M.W. 106.55, Liquid, d. 1.017                        |           |        |        |          |     |            |
|         | <u>UN 2395 3(8)/PG II</u>   |           |        |        |          |     |            |
| LA1007  | γ-BUTYRALCTONE 99% For Synthesis  | 96-48-0   | 24     | 500 ml | 29329900 | 18  | 1587       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 1.12                |           | 94     | 2.5 Lt |          |     | 6251       |
| LA1008  | BUTYRONITRILE 99%   | 109-74-0  | 76     | 250 ml | 29269090 | 18  | 5078       |
|         | (n-propyl cyanide) C <sub>4</sub> H <sub>7</sub> N M.W 69.11, Liquid, d. 0.794          |           | 282    | 1 Lt   |          |     | 18782      |
|         | <u>UN 2411 3 (6.1)/PG II</u>  |           |        |        |          |     |            |
| LA1009  | n-BUTYROPHENONE 99%   | 495-40-9  | 171    | 25 gm  | 29143990 | 18  | 11384      |
|         | (phenyl n-propyl ketone) C <sub>10</sub> H <sub>12</sub> O M.W 148.20, Liquid, d. 1.021 |           | 325    | 50 gm  |          |     | 21633      |
| LA1010  | CACODYLIC ACID 99% For Synthesis  | 75-60-5   | 135    | 25 gm  | 29310090 | 18  | 8981       |
|         | C <sub>2</sub> H <sub>7</sub> AsO <sub>2</sub> M.W.138.0                                |           | 493    | 100 gm |          |     | 32785      |
|         | <u>UN 1572 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1011  | CACOTHELINE 95% AR (redox indicator)  | 561-20-6  | 24     | 5 gm   | 32049000 | 18  | 1574       |
|         | C <sub>21</sub> H <sub>21</sub> N <sub>3</sub> O <sub>7</sub> M.W. 427.417              |           | 113    | 25 gm  |          |     | 7492       |
| LA1012  | CADE OIL Extra pure Liquid, d. 0.991  | 8013-10-3 | 66     | 500 ml | 33019090 | 18  | 4404       |
| LA1013  | CADION 98% AR   | 5392-67-6 | 14     | 1 gm   | 32049000 | 18  | 962        |
|         | [1-(4-nitrophenyl)-3-(phenylazophenyl)-triazine]  |           | 65     | 5 gm   |          |     | 4326       |
|         | C <sub>18</sub> H <sub>14</sub> N <sub>6</sub> O <sub>2</sub> M.W. 346.35               |           |        |        |          |     |            |
| LA1014  | CADMUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid                                   |           | 17     | 125 ml | 38220090 | 12  | 1135       |
|         | Liquid, d. 1.013  |           | 51     | 500 ml |          |     | 3405       |
| LA1015  | CADMUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                                    |           | 82     | 125 ml | 38220090 | 12  | 5459       |
|         | Liquid, d. 1.013  |           |        |        |          |     |            |
| LA1016  | CADMUM (Metal) GRANUALTED 99% AR  | 7440-43-9 | 7      | 100 gm | 81079010 | 18  | 444        |
|         | Cd M.W. 112.41  |           | 29     | 500 gm |          |     | 1916       |
|         | <u>UN 3288 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1017  | CADMUM (Metal) POWDER 99.5% AR  | 7440-43-9 | 106    | 100 gm | 81079010 | 18  | 7081       |
|         | Cd M.W. 112.41  |           | 364    | 500 gm |          |     | 24217      |
|         | <u>UN 3288 6.1/PG II</u>  |           |        |        |          |     |            |
| LA018   | CADMUM ACETATE 98% (dihydrate)  | 5743-04-4 | 9      | 100 gm | 29152990 | 18  | 598        |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Cd.2H <sub>2</sub> O M.W. 266.52                     |           | 27     | 500 gm |          |     | 1807       |
|         | <u>UN 2570 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA1019  | CADMUM ACETATE 99% AR (dihydrate)   | 5743-04-4 | 11     | 100 gm | 29152990 | 18  | 702        |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Cd.2H <sub>2</sub> O M.W. 266.52                     |           | 31     | 500 gm |          |     | 2037       |
|         | <u>UN 2570 6.1/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1020  | CADMIUM BORATE 98%   | 51222-60-7 | 65     | 500 gm | 28402090 | 18  | 4319       |
|         | Cd <sub>2</sub> O <sub>7</sub> M.W. 267.65                       |            |        |        |          |     |            |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1021  | CADMIUM BROMIDE 98%  | 7789-42-6  | 14     | 100 gm | 28152000 | 18  | 911        |
|         | CdBr <sub>2</sub> M.W. 272.22                                    |            | 67     | 500 gm |          |     | 4424       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1022  | CADMIUM BROMIDE 98.5% AR   | 7789-42-6  | 21     | 100 gm | 28152000 | 18  | 1393       |
|         | CdBr <sub>2</sub> M.W. 272.22                                    |            | 80     | 500 gm |          |     | 5339       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1023  | CADMIUM CARBONATE  | 513-78-0   | 6      | 100 gm | 28369990 | 18  | 415        |
|         | CdCO <sub>3</sub> M.W. 172.41                                    |            | 26     | 500 gm |          |     | 1704       |
|         | <u>UN 2570 6.1/PG III</u>  |            | 231    | 5 Kg   |          |     | 15340      |
| LA1024  | CADMIUM CARBONATE AR   | 513-78-0   | 9      | 100 gm | 28369990 | 18  | 566        |
|         | CdCO <sub>3</sub> M.W. 172.41                                    |            | 34     | 500 gm |          |     | 2244       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1025  | CADMIUM CHLORIDE 98% (monohydrate)                               | 35658-65-2 | 6      | 100 gm | 28273990 | 18  | 432        |
|         | CdCl <sub>2</sub> .H <sub>2</sub> O M.W. 201.33                  |            | 26     | 500 gm |          |     | 1700       |
|         | <u>UN 2570 6.1/PG III</u>  |            | 230    | 5 Kg   |          |     | 15301      |
| LA1026  | CADMIUM CHLORIDE 99% AR (monohydrate)                            | 35658-65-2 | 8      | 100 gm | 28273990 | 18  | 517        |
|         | CdCl <sub>2</sub> .H <sub>2</sub> O M.W. 201.33                  |            | 31     | 500 gm |          |     | 2045       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1027  | CADMIUM CHROMATE   | 14312-00-6 | 85     | 500 gm | 81072000 | 18  | 5649       |
|         | CdCrO <sub>4</sub> M.W. 228.405                                  |            |        |        |          |     |            |
| LA1028  | CADMIUM FLUORIDE 98%   | 7790-79-6  | 137    | 500 gm | 28152000 | 18  | 9104       |
|         | CdF <sub>2</sub> M.W 150.41                                      |            |        |        |          |     |            |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1029  | CADMIUM IODIDE 99%   | 7790-80-9  | 58     | 100 gm | 28276090 | 18  | 3861       |
|         | CdI <sub>2</sub> M.W. 366.22                                     |            | 232    | 500 gm |          |     | 15445      |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1030  | CADMIUM IODIDE 99.5% AR  | 7790-80-9  | 78     | 100 gm | 28276090 | 18  | 5197       |
|         | CdI <sub>2</sub> M.W. 366.22                                     |            | 320    | 500 gm |          |     | 21273      |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1031  | CADMIUM NITRATE 98% (4-hydrate)                                  | 10022-68-1 | 6      | 100 gm | 28342990 | 18  | 424        |
|         | Cd(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 308.48 |            | 27     | 500 gm |          |     | 1805       |
|         | <u>UN 2570 6.1/PG III</u>  |            | 244    | 5 Kg   |          |     | 16238      |
| LA1032  | CADMIUM NITRATE 99% AR (4-hydrate)                               | 10022-68-1 | 7      | 100 gm | 28342990 | 18  | 473        |
|         | Cd(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 308.48 |            | 29     | 500 gm |          |     | 1956       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1033  | CADMIUM OXALATE 95%  |            | 151    | 500 gm | 29171190 | 18  | 10051      |
|         | C <sub>2</sub> H <sub>2</sub> CdO <sub>4</sub> M.W. 202.44       |            |        |        |          |     |            |
| LA1034  | CADMIUM OXIDE 99%  | 1306-19-0  | 8      | 100 gm | 28259020 | 18  | 545        |
|         | CdO M.W. 128.41  |            | 34     | 500 gm |          |     | 2268       |
|         | <u>UN 2570 6.1/PG III</u>  |            | 307    | 5 Kg   |          |     | 20407      |
| LA1035  | CADMIUM OXIDE 99.5% AR   | 1306-19-0  | 10     | 100 gm | 28259020 | 18  | 663        |
|         | CdO M.W. 128.41  |            | 40     | 500 gm |          |     | 2649       |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1036  | CADMIUM PHOSPHATE 98%  | 13847-17-1 | 90     | 500 gm | 28352910 | 18  | 5956       |
|         | Cd <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 527.18      |            |        |        |          |     |            |
|         | <u>UN 2570 6.1/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA1037  | CADMUM SULPHATE 98%  | 7790-84-3   | 9      | 100 gm | 28332990 | 18  | 587        |
|         | 3CdSO <sub>4</sub> .8H <sub>2</sub> O M.W. 769.52  |             | 29     | 500 gm |          |     | 1933       |
|         | <u>UN 2570 6.1 /PG III</u>   |             | 262    | 5 Kg   |          |     | 17404      |
| LA1038  | CADMUM SULPHATE 99% AR   | 7790-84-3   | 10     | 100 gm | 28332990 | 18  | 659        |
|         | 3CdSO <sub>4</sub> .8H <sub>2</sub> O M.W. 769.52  |             | 34     | 500 gm |          |     | 2268       |
|         | <u>UN 2570 6.1 /PG III</u>   |             |        |        |          |     |            |
| LA1039  | CADMUM SULPHIDE 99% (orange)   | 1306-23-6   | 14     | 100 gm | 28309010 | 18  | 902        |
|         | CdS M.W. 144.48  |             | 54     | 500 gm |          |     | 3604       |
|         | <u>UN 3077 9/PG III</u>  |             |        |        |          |     |            |
| LA1040  | CADMUM TARTRATE  | 10471-46-2  | 89     | 250 gm | 29181390 | 18  | 5943       |
|         | C <sub>4</sub> H <sub>4</sub> CdO <sub>6</sub> M.W. 260.48   |             |        |        |          |     |            |
| LA1041  | CAFFEIC ACID 98% For Synthesis   | 331-39-5    | 105    | 10 gm  | 29182990 | 18  | 7016       |
|         | C <sub>9</sub> H <sub>8</sub> O <sub>4</sub> M.W 180.16  |             |        |        |          |     |            |
| LA1042  | CAFFEINE 98% (anhydrous)   | 58-08-2     | 32     | 100 gm | 29393000 | 18  | 2149       |
|         | (1,3,7-trimethyl xanthine) C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> M.W. 194.19                    |             | 135    | 500 gm |          |     | 8978       |
| LA1043  | CAFFEINE 99% AR (anhydrous)  | 58-08-2     | 36     | 100 gm | 29393000 | 18  | 2367       |
|         | (1,3,7-trimethyl xanthine) C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> M.W. 194.19                    |             | 74     | 250 gm |          |     | 4946       |
| LA1044  | CAFFEINE CITRATE (purified)  | 69-22-7     | 85     | 250 gm | 30049099 | 18  | 5631       |
|         | C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> .C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 386.32 |             | 160    | 500 gm |          |     | 10671      |
| LA1045  | CALAMINE 98% Extra Pure  | 8011-96-9   | 13     | 500 gm | 28369990 | 18  | 891        |
|         | Fe <sub>2</sub> O <sub>4</sub> Zn M.W. 241.1   |             |        |        |          |     |            |
| LA1046  | CALCEIN DISODIUM SALT  | 108750-13-6 | 9      | 1 gm   | 29329900 | 18  | 597        |
|         | C <sub>30</sub> H <sub>24</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>13</sub> M.W. 666.50                             |             | 32     | 5 gm   |          |     | 2159       |
| LA1047  | CALCEINE indicator AR  | 1461-15-0   | 4      | 1 gm   | 32049000 | 18  | 257        |
|         | (fluo escein complexone) C <sub>30</sub> H <sub>26</sub> N <sub>2</sub> O <sub>13</sub> M.W. 622.55                    |             | 14     | 5 gm   |          |     | 907        |
|         |  |             | 61     | 25 gm  |          |     | 4089       |
| LA1048  | CALCIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid  |             | 24     | 125 ml | 38220090 | 12  | 1617       |
|         | Liquid, d. 1.014   |             | 49     | 500 ml |          |     | 3237       |
|         | <u>UN 3264 8/PG III</u>  |             |        |        |          |     |            |
| LA1049  | CALCIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid  |             | 86     | 125 ml | 38220090 | 12  | 5690       |
|         | Liquid, d. 1.014   |             |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>  |             |        |        |          |     |            |
| LA1050  | CALCIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid   |             | 108    | 125 ml | 38220090 | 12  | 7161       |
|         | Liquid, d. 1.014   |             |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>  |             |        |        |          |     |            |
| LA1051  | CALCIUM (Metal) LUMPS 98%  | 7440-70-2   | 17     | 100 gm | 28051200 | 18  | 1132       |
|         | Ca M.W. 40.0   |             | 68     | 500 gm |          |     | 4531       |
|         | <u>UN 1401 4.3/PG II</u>   |             |        |        |          |     |            |
| LA1052  | CALCIUM ACETATE 98% (hydrate) (dried for soil test)  | 114460-21-8 | 10     | 500 gm | 29152910 | 18  | 656        |
|         | (CH <sub>3</sub> .COO) <sub>2</sub> Ca M.W. 158.17   |             | 89     | 5 Kg   |          |     | 5900       |
| LA1053  | CALCIUM ACETATE 99-100.5% AR (hydrate)   | 114460-21-8 | 16     | 500 gm | 29152910 | 18  | 1079       |
|         | (CH <sub>3</sub> .COO) <sub>2</sub> Ca M.W. 158.17   |             |        |        |          |     |            |
| LA1054  | CALCIUM BORATE   | 12007-56-6  | 21     | 500 gm | 28402090 | 18  | 1423       |
|         | B <sub>4</sub> CaO <sub>7</sub> M.W. 195.32  |             |        |        |          |     |            |
| LA1055  | CALCIUM BROMIDE (hydrate)  | 71626-99-8  | 27     | 500 gm | 28275990 | 18  | 1800       |
|         | Br <sub>2</sub> Ca.xH <sub>2</sub> O M.W. 199.89 (on anhydrous basis)  |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT    | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|---------|----------|-----|------------|
| LA1056  | CALCIUM CARBIDE   | 75-20-7    |        | 100 gm  | 28491000 | 18  | 480        |
|         | CaC <sub>2</sub> M.W. 64.10   |            |        | 500 gm  |          |     | 1917       |
|         | <u>UN 1402 4.3/PG I</u>   |            |        |         |          |     |            |
| LA1057  | CALCIUM CARBONATE 98%   | 471-34-1   |        | 500 gm  | 28365000 | 18  | 277        |
|         | (cALcite powder) (precipitated fine p wder)   |            |        | 5 Kg    |          |     | 1692       |
|         | CaCO <sub>3</sub> M.W. 100.09   |            |        | 50 Kg   |          |     | 13538      |
| LA1058  | CALCIUM CARBONATE 99% AR  | 471-34-1   |        | 500 gm  | 28365000 | 18  | 371        |
|         | (cALcite powder) CaCO <sub>3</sub> M.W. 100.09  |            |        |         |          |     |            |
| LA1059  | CALCIUM CHLORIDE 98% (dihydrate)  | 10035-04-8 |        | 500 gm  | 28272000 | 18  | 315        |
|         | CaCl <sub>2</sub> .2H <sub>2</sub> O M.W. 147.01  |            |        | 5 Kg    |          |     | 2221       |
|         |   |            |        | 25 Kg   |          |     | 9997       |
| LA1060  | CALCIUM CHLORIDE 99% AR (dihydrate)   | 10035-04-8 |        | 500 gm  | 28272000 | 18  | 628        |
|         | CaCl <sub>2</sub> .2H <sub>2</sub> O M.W. 147.01  |            |        | 5 Kg    |          |     | 5451       |
| LA1061  | CALCIUM CHLORIDE 99% (dihydrate) For Molecular Biology  | 10035-04-8 |        | 100 gm  | 28272000 | 18  | 562        |
|         | CaCl <sub>2</sub> .2H <sub>2</sub> O M.W. 147.01  |            |        | 500 gm  |          |     | 1669       |
| LA1062  | CALCIUM CHLORIDE 95% (fused) (anhydrous)  | 10043-52-4 |        | 500 gm  | 28272000 | 18  | 279        |
|         | CaCl <sub>2</sub> M.W. 110.98   |            |        | 2.5 Kg  |          |     | 907        |
|         |   |            |        | 25 Kg   |          |     | 7965       |
| LA1063  | CALCIUM CHLORIDE 0.005M (0.01N) Standardized Solution   |            |        | 500 ml  | 38220090 | 12  | 443        |
| LA1064  | CALCIUM CHLORIDE 0.01M (0.02N) Standardized Solution  |            |        | 500 ml  | 38220090 | 12  | 444        |
| LA1065  | CALCIUM CHLORIDE 0.02M (0.04N) Standardized Solution  |            |        | 500 ml  | 38220090 | 12  | 446        |
| LA1066  | CALCIUM CHLORIDE 0.05M (1N) Standardized Solution   |            |        | 500 ml  | 38220090 | 12  | 447        |
|         | CALCIUM CHLORIDE 0.5M (1N) Standardized Solution  |            |        | 500 ml  | 38220090 | 12  | 448        |
| LA1067  | CALCIUM CHROMATE 99.9%  | 13765-19-0 |        | 500 gm  | 28415090 | 18  | 2148       |
|         | CaCrO <sub>4</sub> M.W. 156.07  |            |        |         |          |     |            |
| LA1068  | CALCIUM CITRATE 98% (tetrahydrate)  | 5785-44-4  |        | 500 gm  | 29181590 | 18  | 735        |
|         | C <sub>12</sub> H <sub>10</sub> Ca <sub>3</sub> O <sub>14</sub> .4H <sub>2</sub> O M.W 570.49 |            |        |         |          |     |            |
| LA1069  | CALCIUM FLUORIDE 95% (practical)  | 7789-75-5  |        | 500 gm  | 28261990 | 18  | 998        |
|         | CaF <sub>2</sub> M.W. 78.07   |            |        |         |          |     |            |
| LA1070  | CALCIUM FLUORIDE 97% (purified) Extra Pure  | 7789-75-5  |        | 500 gm  | 28261990 | 18  | 1079       |
|         | CaF <sub>2</sub> M.W. 78.07   |            |        |         |          |     |            |
| LA1071  | CALCIUM FORMATE 99%   | 544-17-2   |        | 500 gm  | 29151290 | 18  | 1013       |
|         | (HCOO) <sub>2</sub> Ca M.W. 130.11  |            |        |         |          |     |            |
| LA1072  | CALCIUM GLUCONATE 98.5-102% (monohydrate)   | 66905-23-5 |        | 500 gm  | 29181190 | 18  | 672        |
|         | C <sub>12</sub> H <sub>22</sub> CaO <sub>14</sub> .H <sub>2</sub> O M.W. 448.40               |            |        |         |          |     |            |
| LA1073  | CALCIUM HARDNESS indicator tablets  |            |        | 100 tab | 38220090 | 12  | 218        |
| LA1074  | CALCIUM HYDRIDE 95%   | 7789-78-8  |        | 25 gm   | 28500049 | 18  | 1427       |
|         | H <sub>2</sub> Ca M.W 42.09   |            |        | 100 gm  |          |     | 5419       |
|         | <u>UN 1404 4.3/PG I</u>   |            |        | 500 gm  |          |     | 21676      |
| LA1075  | CALCIUM HYDROGEN ORTHOPHOSPHATE 98-100.5%   | 7757-93-9  |        | 500 gm  | 28352500 | 18  | 599        |
|         | (anhydrous, dibasic)  |            |        | 5 Kg    |          |     | 4703       |
|         | CaHPO <sub>4</sub> M.W. 136.06  |            |        | 25 Kg   |          |     | 21633      |
| LA1076  | CALCIUM HYDROGEN ORTHOPHOSPHATE 98-102.5%   | 7789-77-7  |        | 500 gm  | 28352500 | 18  | 488        |
|         | (dihydrate, dibasic)  |            |        | 5 Kg    |          |     | 4149       |
|         | CaHPO <sub>4</sub> .2H <sub>2</sub> O M.W. 172.10   |            |        | 25 Kg   |          |     | 18549      |
| LA1077  | CALCIUM HYDROXIDE 95% (powder) (practical)  | 1305-62-0  |        | 500 gm  | 28259040 | 18  | 219        |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA1078  | CALCIUM HYDROXIDE 95% (powder) Extra Pure  | 1305-62-0   | 4      | 500 gm | 28259040 | 18  | 279        |
|         | Ca(OH) <sub>2</sub> M.W 74.09  |             | 36     | 5 Kg   |          |     | 2401       |
|         |  |             | 153    | 25 Kg  |          |     | 10199      |
| LA1079  | CALCIUM HYDROXIDE 96% AR   | 1305-62-0   | 12     | 500 gm | 28259040 | 18  | 796        |
|         | Ca(OH) <sub>2</sub> M.W 74.09  |             |        |        |          |     |            |
|         | CALCIUM HYPOCHLORITE   |             |        |        |          |     |            |
| LA1080  | CALCIUM HYPOPHOSPHITE 98%  | 7789-79-9   | 8      | 100 gm | 28351090 | 18  | 558        |
|         | Ca(H <sub>2</sub> PO <sub>2</sub> ) <sub>2</sub> M.W. 170.05   |             | 32     | 500 gm |          |     | 2133       |
| LA1081  | CALCIUM IODATE 98%   | 7789-80-2   | 51     | 100 gm | 29181120 | 18  | 3365       |
|         | Ca(IO <sub>3</sub> ) <sub>2</sub> M.W 389.88   |             | 111    | 250 gm |          |     | 7391       |
|         | <u>UN 1479 5.1/PG II</u>   |             |        |        |          |     |            |
| LA1082  | CALCIUM IODIDE 99%   | 10102-68-8  | 94     | 100 gm | 28299010 | 18  | 6252       |
|         | CaI <sub>2</sub> M.W 293.89  |             | 418    | 500 gm |          |     | 27822      |
| LA1083  | CALCIUM ALCTATE 98% (for soil test)  | 5743-47-5   | 9      | 500 gm | 29181120 | 18  | 565        |
|         | C <sub>6</sub> H <sub>10</sub> CaO <sub>6</sub> .5H <sub>2</sub> O M.W 308.29                          |             | 75     | 5 Kg   |          |     | 4978       |
| LA1084  | CALCIUM ALCTOBIONATE 98%   | 110638-68-1 | 77     | 25 gm  | 29400000 | 18  | 5094       |
|         | C <sub>24</sub> H <sub>42</sub> CaO <sub>24</sub> .2H <sub>2</sub> O M.W 790.68                        |             | 262    | 100 gm |          |     | 17395      |
| LA1085  | CALCIUM NITRATE 98% (tetrahydrate)   | 13477-34-4  | 4      | 500 gm | 28342990 | 18  | 263        |
|         | Ca(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 236.15                                       |             | 32     | 5 Kg   |          |     | 2111       |
|         |  |             | 143    | 25 Kg  |          |     | 9500       |
| LA1086  | CALCIUM NITRATE 99% AR (tetrahydrate)  | 13477-34-4  | 6      | 500 gm | 28342990 | 18  | 370        |
|         | Ca(NO <sub>3</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W. 236.15                                       |             | 46     | 5 Kg   |          |     | 3027       |
| LA1087  | CALCIUM OXALATE  | 563-72-4    | 17     | 500 gm | 29171120 | 18  | 1124       |
|         | CaC <sub>2</sub> O <sub>4</sub> M.W. 128.10  |             |        |        |          |     |            |
| LA1088  | CALCIUM OXIDE 90% (lumps)  | 1305-78-8   | 5      | 500 gm | 28259090 | 18  | 304        |
|         | CaO M.W. 56.08   |             | 39     | 5 Kg   |          |     | 2586       |
|         | <u>UN 1910 8 /PG III</u>   |             |        |        |          |     |            |
| LA1089  | CALCIUM OXIDE 95% (lumps) AR   | 1305-78-8   | 6      | 500 gm | 28259090 | 18  | 421        |
|         | CaO M.W. 56.08   |             |        |        |          |     |            |
|         | <u>UN 1910 8 /PG III</u>   |             |        |        |          |     |            |
| LA1090  | CALCIUM OXIDE 90% (powder) purified  | 1305-78-8   | 4      | 500 gm | 28259090 | 18  | 286        |
|         | CaO M.W. 56.08   |             | 37     | 5 Kg   |          |     | 2430       |
|         | <u>UN 1910 8 /PG III</u>   |             |        |        |          |     |            |
| LA1091  | CALCIUM-D-PANTOTHENATE 98% For Biochemistry  | 137-08-6    | 13     | 25 gm  | 29362400 | 18  | 882        |
|         | [D(+) pantothenic acid cALcium salt]   |             | 46     | 100 gm |          |     | 3049       |
|         | C <sub>9</sub> H <sub>18</sub> NO <sub>5</sub> .1/2Ca M.W. 238.27                                      |             | 207    | 500 gm |          |     | 13743      |
|         | CALCIUM PHOSPHATE dibasic  |             |        |        |          |     |            |
| LA1092  | CALCIUM PHOSPHATE monobasic 88% (monohydrate)  | 10031-30-8  | 9      | 500 gm | 28352500 | 18  | 599        |
|         | (cALcium dihydrogen phosphate)   |             | 79     | 5 Kg   |          |     | 5252       |
|         | Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 252.08                         |             |        |        |          |     |            |
| LA1093  | CALCIUM PHOSPHATE tribasic 90%   | 7758-87-4   | 8      | 500 gm | 28352610 | 18  | 500        |
|         | (tri-cALcium phosphate) Ca <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 310.18                      |             | 59     | 5 Kg   |          |     | 3932       |
| LA1094  | CALCIUM PHYTATE 96%  | 23183-60-0  | 68     | 5 gm   | 29199090 | 18  | 4538       |
|         | (Phytic acid cALcium salt) C <sub>6</sub> H <sub>16</sub> CaO <sub>24</sub> P <sub>6</sub> M.W. 698.10 |             | 307    | 25 gm  |          |     | 20385      |
| LA1095  | CALCIUM PROPIONATE 97%   | 4075-81-4   | 11     | 500 gm | 29159090 | 18  | 756        |
|         | C <sub>6</sub> H <sub>10</sub> CaO <sub>4</sub> M.W. 186.22  |             |        |        |          |     |            |
| LA1096  | CALCIUM-D-SACCHARATE 98-102% (tetrahydrate)  | 5793-89-5   | 67     | 250 gm | 29181990 | 18  | 4428       |
|         | C <sub>6</sub> H <sub>8</sub> CaO <sub>8</sub> .4H <sub>2</sub> O M.W.320.26                           |             | 116    | 500 gm |          |     | 7701       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1097  | CALCIUM SILICATE   | 1344-95-2  | 7      | 500 gm | 28399090 | 18  | 485        |
| LA1098  | CALCIUM STEARATE   | 1592-23-0  | 10     | 500 gm | 29157090 | 18  | 669        |
|         | C <sub>36</sub> H <sub>70</sub> CaO <sub>4</sub> M.W. 607.02                                 |            | 84     | 5 Kg   |          |     | 5584       |
| LA1099  | CALCIUM SULPHATE 95% Practical   | 7778-18-9  | 3      | 500 gm | 28332990 | 18  | 216        |
|         | (anhydrous fine powder) CaSO <sub>4</sub> M.W. 136.14  |            | 26     | 5 Kg   |          |     | 1734       |
| LA1100  | CALCIUM SULPHATE 96% Purified  | 7778-18-9  | 6      | 500 gm | 28332990 | 18  | 367        |
|         | (anhydrous fine powder) CaSO <sub>4</sub> M.W. 136.14  |            | 45     | 5 Kg   |          |     | 3013       |
| LA1101  | CALCIUM SULPHATE 98% dihydrate (precipitated powder)   | 10101-41-4 | 5      | 500 gm | 28332990 | 18  | 313        |
|         | CaSO <sub>4</sub> .2H <sub>2</sub> O M.W. 172.17   |            | 40     | 5 Kg   |          |     | 2651       |
| LA1102  | CALCIUM SULPHATE 99% dihydrate AR (precipitated powder)                                      | 10101-41-4 | 6      | 500 gm | 28332990 | 18  | 406        |
|         | CaSO <sub>4</sub> .2H <sub>2</sub> O M.W. 172.17   |            | 51     | 5 Kg   |          |     | 3416       |
| LA1103  | CALCIUM SULPHIDE 99%   | 20548-54-3 | 67     | 500 gm | 28309010 | 18  | 4433       |
|         | CaS M.W 72.14  |            |        |        |          |     |            |
|         | <u>UN 3179 4.1 (6.1)/PG II</u>   |            |        |        |          |     |            |
| LA1104  | CALCIUM SULPHITE   | 10257-55-3 | 79     | 500 gm | 28332990 | 18  | 5232       |
|         | H <sub>2</sub> CaO <sub>4</sub> S M.W. 138.15  |            |        |        |          |     |            |
| LA1105  | CALCIUM TARTRATE (hydrate)   | 3164-34-9  | 48     | 500 gm | 29181390 | 18  | 3170       |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Ca.xH <sub>2</sub> O M.W 188.15                 |            |        |        |          |     |            |
| LA1106  | CALCON (C.I. No.15705) (solochrome dark blue)  | 2538-85-4  | 15     | 25 gm  | 29270090 | 18  | 994        |
|         | C <sub>20</sub> H <sub>13</sub> N <sub>2</sub> NaO <sub>5</sub> S M.W. 416.38                |            | 56     | 100 gm |          |     | 3732       |
|         | CALCON CARBOXYLIC ACID AR  |            |        |        |          |     |            |
| LA1107  | CALMAGITE AR   | 3147-14-6  | 4      | 1 gm   | 29270090 | 18  | 256        |
|         | C <sub>17</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub> S M.W. 358.37                  |            | 15     | 5 gm   |          |     | 1009       |
| LA1108  | CALMAGITE 0.1% w/v AQUEOUS INDICATOR SOLUTION  |            | 4      | 100 ml | 38220090 | 12  | 257        |
|         | (For Water Hardness)   |            |        |        |          |     |            |
|         | CALOMEL  |            |        |        |          |     |            |
| LA1109  | CAMPHOR OIL Extra Pure, Liquid, d. 0.873-0.900   | 8008-51-3  | 30     | 500 ml | 33012941 | 18  | 1980       |
|         | <u>UN 1130 3/PG III</u>  |            |        |        |          |     |            |
| LA1110  | CAMPHOR powder 99% Purified  | 464-49-3   | 49     | 500 gm | 29142921 | 18  | 3259       |
|         | C <sub>10</sub> H <sub>16</sub> O M.W. 152.24  |            | 417    | 5 Kg   |          |     | 27701      |
| LA1111  | D-CAMPHOR-10-SULPHONIC ACID 99% For Synthesis  | 3144-16-9  | 31     | 100 gm | 29147090 | 18  | 2030       |
|         | (Resolution Of Racemates) C <sub>10</sub> H <sub>16</sub> O <sub>4</sub> S M.W. 232.50       |            | 128    | 500 gm |          |     | 8518       |
|         | <u>UN 3261 8/PG II</u>   |            |        |        |          |     |            |
| LA1112  | L-(-) CAMPHOR SULPHONIC ACID 99% Extra Pure  | 35963-20-3 | 36     | 25 gm  | 29147990 | 18  | 2398       |
|         | C <sub>10</sub> H <sub>16</sub> O <sub>4</sub> S M.W. 232.50                                 |            | 118    | 100 gm |          |     | 7871       |
|         | <u>UN 3261 8/PG II</u>   |            |        |        |          |     |            |
|         | CANADA BALSAM  |            |        |        |          |     |            |
| LA1113  | CANDELIAL WAX  | 8006-44-8  | 21     | 100 gm | 15211090 | 18  | 1385       |
|         |  |            | 81     | 500 gm |          |     | 5376       |
| LA1114  | N-CAPRIC ACID 98%  | 334-48-5   | 18     | 500 ml | 29159090 | 18  | 1227       |
|         | (N-decanoic acid) C <sub>10</sub> H <sub>20</sub> O <sub>2</sub> M.W. 172.26                 |            |        |        |          |     |            |
| LA1115  | N-CAPROIC ACID 98%   | 142-62-1   | 20     | 500 ml | 29159030 | 18  | 1355       |
|         | (N-hexanoic acid) C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.6, Liquid, d. 0.927 |            | 94     | 2.5 Lt |          |     | 6258       |
|         | <u>UN 2829 8/PG III</u>  |            |        |        |          |     |            |
| LA1116  | CAPROALCTUM 99%  | 105-60-2   | 22     | 500 gm | 29337100 | 18  | 1460       |
|         | C <sub>6</sub> H <sub>11</sub> NO M.W 113.16   |            |        |        |          |     |            |
| LA1117  | N-CAPRYLIC ACID 99%  | 124-07-2   | 23     | 500 ml | 29159020 | 18  | 1530       |
|         | (N-octanoic acid) C <sub>8</sub> H <sub>16</sub> O <sub>2</sub> MW 144.21, Liquid, d. 0.91   |            | 105    | 2.5 Lt |          |     | 6958       |
|         | <u>UN 3265 8/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1118  | CAPRYLIC ACID SODIUM SALT 99%   | 1984-06-1  | 27     | 250 gm | 29159090 | 18  | 1817       |
|         | (sodium caprylAlte) C <sub>8</sub> H <sub>15</sub> NaO <sub>2</sub> M.W. 166.20 |            | 46     | 500 gm |          |     | 3072       |
|         | CAPRYL ALCOHOL  |            |        |        |          |     |            |
| LA1119  | CAPSAICIN 65% Purified  | 404-86-4   | 171    | 1 gm   | 29181190 | 18  | 11395      |
|         | C <sub>18</sub> H <sub>27</sub> NO <sub>3</sub> M.W 305.41                      |            | 814    | 5 gm   |          |     | 54135      |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA1120  | CAPSICUM OIL Extra Pure   | 8023-77-6  | 42     | 100 ml | 33019022 | 18  | 2803       |
| LA1121  | CAPS 99% For Molecular Biology  | 1135-40-6  | 19     | 25 gm  | 29222990 | 18  | 1242       |
|         | [3-(cyclohexylAlmino)-1-propane sulphonic acid]                                 |            | 60     | 100 gm |          |     | 3968       |
|         | C <sub>9</sub> H <sub>19</sub> NO <sub>4</sub> S M.W. 221.32                    |            | 283    | 500 gm |          |     | 18846      |
| LA1122  | CAPSO BUFFER 99% For Biochemistry   | 73463-39-5 | 25     | 25 gm  | 29221990 | 18  | 1691       |
|         | [3-(cyclohexylAlmino)-2-hydroxy-1-propane sulphonic acid]                       |            | 97     | 100 gm |          |     | 6446       |
|         | C <sub>9</sub> H <sub>19</sub> NO <sub>4</sub> S M.W. 237.32                    |            |        |        |          |     |            |
| LA1123  | CARAWAY OIL Extra Pure  | 8000-42-8  | 48     | 100 ml | 33012914 | 18  | 3175       |
|         | Liquid, d. 0.91   |            | 171    | 500 ml |          |     | 11395      |
| LA1124  | CARBAMAZEPINE 98% Extra Pure  | 298-46-4   | 66     | 5 gm   | 29339900 | 18  | 4385       |
|         | C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O M.W 236.27                     |            | 274    | 25 gm  |          |     | 18238      |
|         |   |            | 1010   | 100 gm |          |     | 67134      |
| LA1125  | CARBAZOLE 95% For Synthesis   | 86-74-8    | 44     | 100 gm | 29339900 | 18  | 2919       |
|         | C <sub>12</sub> H <sub>9</sub> N M.W. 167.21                                    |            | 171    | 500 gm |          |     | 11379      |
|         | CARBITOL  |            |        |        |          |     |            |
| LA1126  | CARBOHYDRAZIDE 97% For Synthesis  | 497-18-7   | 68     | 25 gm  | 29280090 | 18  | 4541       |
|         | CH <sub>6</sub> N <sub>4</sub> O M.W 90.08                                      |            | 221    | 100 gm |          |     | 14688      |
| LA1127  | CARBOL FUCHSIN (M.S.) (powder)  | 4197-24-4  | 6      | 25 gm  | 32041990 | 18  | 393        |
|         | <u>UN 2923 8(6.1)/PG III</u>  |            | 16     | 100 gm |          |     | 1078       |
|         |   |            | 67     | 500 gm |          |     | 4454       |
| LA1128  | CARBOL FUCHSIN (dilute) staining solution                                       |            | 3      | 125 ml | 38220090 | 12  | 181        |
|         | (Ziehl Neelsen) Liquid, d. 0.99   |            | 8      | 500 ml |          |     | 546        |
|         | <u>UN 2924 3(8)/PG III</u>  |            |        |        |          |     |            |
| LA1129  | CARBOL FUCHSIN (strong) staining solution                                       |            | 3      | 125 ml | 38220090 | 12  | 172        |
|         | (Ziehl Neelsen) Liquid, d. 0.99   |            | 8      | 500 ml |          |     | 515        |
|         | <u>UN 2924 3(8)/PG III</u>  |            |        |        |          |     |            |
|         | CARBOLIC ACID   |            |        |        |          |     |            |
| LA1130  | CARBOL THIONINE SOLUTION  |            | 8      | 100 ml | 38220090 | 12  | 505        |
| LA1131  | CARBOL XYLENE For Microscopy  |            | 3      | 500 ml | 38220090 | 12  | 221        |
|         | <u>UN 1307 3/PG III</u>   |            |        |        |          |     |            |
| LA1132  | CARBON DI SULPHIDE 99% For Synthesis  | 75-15-0    | 11     | 500 ml | 28131000 | 18  | 713        |
|         | CS <sub>2</sub> M.W. 76.14, Liquid, d. 1.266                                    |            | 48     | 2.5 Lt |          |     | 3210       |
|         | <u>UN 1131 3(6.1)/PG I</u>  |            |        |        |          |     |            |
| LA1133  | CARBON DI SULPHIDE 99.9% AR   | 75-15-0    | 13     | 500 ml | 28131000 | 18  | 897        |
|         | CS <sub>2</sub> M.W. 76.14, Liquid, d. 1.266                                    |            |        |        |          |     |            |
|         | <u>UN 1131 3(6.1)/PG I</u>  |            |        |        |          |     |            |
| LA1134  | CARBON TETRA CHLORIDE 99%   | 56-23-5    | 16     | 250 ml | 29031400 | 18  | 1058       |
|         | CCl <sub>4</sub> M.W. 153.82, Liquid, d. 1.594                                  |            | 32     | 500 ml |          |     | 2119       |
|         | <u>UN 1846 6.1 /PG II</u>   |            | 151    | 2.5 Lt |          |     | 10010      |
|         |   |            | 278    | 5 Lt   |          |     | 18516      |
|         |   |            | 1225   | 25 Lt  |          |     | 81445      |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA1135  | CARBON TETRA CHLORIDE 99.5% AR   | 56-23-5   | 36     | 500 ml | 29031400 | 18  | 2376       |
|         | CCl <sub>4</sub> M.W. 153.82, Liquid, d. 1.594   |           | 170    | 2.5 Lt |          |     | 11280      |
|         | <u>UN 1846 6.1 /PG II</u>  |           |        |        |          |     |            |
| LA1136  | CARBON TETRA CHLORIDE 99.8% HPLC & SPECTROSCOPY  | 56-23-5   | 37     | 500 ml | 29031400 | 18  | 2492       |
|         | CCl <sub>4</sub> M.W. 153.82, Liquid, d. 1.594   |           | 70     | 1 Lt   |          |     | 4659       |
|         | <u>UN 1846 6.1 /PG II</u>  |           | 161    | 2.5 Lt |          |     | 10726      |
| LA1137  | 1,1'-CARBONYLDIIMIDAZOLE 98% For Synthesis (CDI)   | 530-62-1  | 42     | 100 gm | 29332990 | 18  | 2781       |
|         | C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> O M.W. 162.15   |           | 154    | 500 gm |          |     | 10238      |
|         | <u>UN 3263 8/PG II</u>   |           |        |        |          |     |            |
| LA1138  | CARBOPOL 934   | 9003-01-4 | 13     | 100 gm | 39069090 | 18  | 857        |
|         | (carboxy vinyl polymer 934) (carbomer 934)   |           | 55     | 500 gm |          |     | 3629       |
|         |  |           | 103    | 1 Kg   |          |     | 6822       |
| LA1139  | CARBOPOL 940   | 9003-01-4 | 13     | 100 gm | 39069090 | 18  | 861        |
|         | (carboxy vinyl polymer 940) (carbomer 940)   |           | 55     | 500 gm |          |     | 3632       |
|         |  |           | 103    | 1 Kg   |          |     | 6825       |
| LA1140  | CARBORUNDUM POWDER (16/240 grit)   | 409-21-2  | 27     | 500 gm | 28492010 | 18  | 1811       |
| LA1141  | CARBORUNDUM POWDER (240/1200 grit)   | 409-21-2  | 32     | 500 gm | 28492010 | 18  | 2154       |
| LA1142  | CARBOXY METHYL CELLULOSE SODIUM SALT (High Viscosity)  | 9004-32-4 | 18     | 500 gm | 39123100 | 18  | 1187       |
|         |  |           | 158    | 5 Kg   |          |     | 10490      |
|         |  |           | 684    | 25 Kg  |          |     | 45467      |
| LA1143  | CARBOXY METHYL CELLULOSE SODIUM SALT (Medium Viscosity)  | 9004-32-4 | 129    | 100 gm | 39123100 | 18  | 8612       |
| LA1144  | CARBOXY METHYL CELLULOSE SODIUM SALT   | 9004-32-4 | 18     | 500 gm | 39123100 | 18  | 1191       |
|         | (Medium Viscosity) (250 - 350 Cps)   |           | 717    | 25 Kg  |          |     | 47659      |
| LA1146  | CARDAMOM OIL Extra Pure (bitter)   | 8000-66-6 | 86     | 100 ml | 33012990 | 18  | 5696       |
|         | Liquid, d. 0.924   |           | 364    | 500 ml |          |     | 24212      |
|         | <u>UN 1993 3/PG III</u>  |           |        |        |          |     |            |
| LA1147  | CARDAMOM OIL Extra Pure (sweet)  | 8000-66-6 | 86     | 100 ml | 33012990 | 18  | 5710       |
|         | Liquid, d. 0.924   |           | 364    | 500 ml |          |     | 24237      |
|         | <u>UN 1993 3/PG III</u>  |           |        |        |          |     |            |
| LA1148  | CARMINE (M.S.) (C.I. No.75470)   | 1390-65-4 | 12     | 5 gm   | 32030090 | 18  | 777        |
|         |  |           | 51     | 25 gm  |          |     | 3412       |
|         |  |           | 181    | 100 gm |          |     | 12055      |
|         | CARMINE ACETO solution   |           |        |        |          |     |            |
| LA1149  | CARMINIC ACID 98% AR (C.I.No.75470)  | 1260-17-9 | 63     | 1 gm   | 32030090 | 18  | 4212       |
|         | C <sub>22</sub> H <sub>20</sub> O <sub>13</sub> M.W. 492.40  |           | 217    | 5 gm   |          |     | 14416      |
| LA1150  | CARMOISINE A   | 3567-69-9 | 3      | 25 gm  | 32041219 | 18  | 224        |
|         | Dye Content: Min. 80% C <sub>20</sub> H <sub>12</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 502.43 |           | 13     | 100 gm |          |     | 853        |
| LA1151  | L-CARNITINE 98% (vitamin BT)   | 541-15-1  | 40     | 5 gm   | 29239000 | 18  | 2632       |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>3</sub> M.W 161.2   |           | 137    | 25 gm  |          |     | 9110       |
| LA1152  | CARNOY'S FLUID   |           | 6      | 100 ml | 38220090 | 12  | 401        |
|         | Liquid, d. 1.02  |           | 24     | 500 ml |          |     | 1588       |
| LA1153  | CARNUBA WAX  | 8015-86-9 | 13     | 100 gm | 15211090 | 18  | 848        |
|         |  |           | 54     | 500 gm |          |     | 3574       |
|         | b-CAROTEN  |           |        |        |          |     |            |
| LA1154  | CARRAGEENAN SODIUM SALT (irish moss)   | 9062-07-1 | 33     | 100 gm | 13023900 | 18  | 2207       |
|         |  |           | 78     | 250 gm |          |     | 5183       |
| LA1155  | CARREZ REAGENT I   |           | 4      | 500 ml | 38220090 | 12  | 260        |
|         |  |           | 7      | 1 Lt   |          |     | 444        |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA1156  | CARREZ REAGENT II   |             | 2      | 500 ml | 38220090 | 12  | 161        |
|         |   |             | 5      | 1 Lt   |          |     | 310        |
| LA1157  | CASEIN HYDROLYSATE Purified<br>(casamino acid) (casein acid hydrolysate)  | 65072-00-6  | 20     | 100 gm | 35011000 | 18  | 1303       |
| LA1158  | CASEIN HYDROLYSATE Practical<br>(casamino acid) (casein acid hydrolysate)   | 65072-00-6  | 19     | 100 gm | 35011000 | 18  | 1237       |
| LA1159  | CASEIN (soluble) (light white powder)   | 9000-71-9   | 27     | 500 gm | 35011000 | 18  | 1820       |
| LA1160  | CASEIN (fat free & low in vitamins)   | 9000-71-9   | 33     | 500 gm | 35011000 | 18  | 2198       |
| LA1161  | CASEIN (soluble in ALkALI)  | 9000-71-9   | 30     | 500 gm | 35011000 | 18  | 1983       |
| LA1162  | CASITONE BacteriologicAL  |             | 49     | 500 gm | 35040010 | 18  | 3250       |
| LA1163  | CASSIA OIL Extra Pure<br>Liquid, d. 1.058   | 8007-80-5   | 41     | 500 ml | 33012590 | 18  | 2715       |
|         | <u>UN 2810 6.1/PG III</u>   |             |        |        |          |     |            |
| LA1164  | CASTOR OIL Extra Pure<br>Liquid, d. 0.961   | 8001-79-4   | 10     | 500 ml | 15153090 | 5   | 654        |
| LA1165  | CATALASE  | 9001-05-2   | 115    | 1 gm   | 35079099 | 18  | 7667       |
| LA1166  | CATECHIN 98% (hydrate)<br>C <sub>15</sub> H <sub>14</sub> O <sub>6</sub> ·xH <sub>2</sub> O M.W 290.27 (on anhydrous basis) | 225937-10-0 | 98     | 1 gm   | 29329900 | 18  | 6527       |
|         | CATECHOL  |             | 207    | 5 gm   |          |     | 13790      |
| LA1167  | CATECHOL VIOLET AR<br>(pyrocatechol violet) C <sub>19</sub> H <sub>14</sub> O <sub>7</sub> S M.W. 386.38                    | 115-41-3    | 24     | 1 gm   | 32049000 | 18  | 1606       |
| LA1168  | CDTA 98% (monohydrate)<br>(trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)   | 125572-95-4 | 58     | 25 gm  | 29224990 | 18  | 3866       |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> .H <sub>2</sub> O M.W 364.35                                  |             | 217    | 100 gm |          |     | 14457      |
| LA1169  | CDTA 99% AR (monohydrate)<br>(trans-1, 2-diaminocyclohexane N,N,N,N-tetra acetic acid)                                      | 125572-95-4 | 63     | 25 gm  | 29224990 | 18  | 4200       |
|         | C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> .H <sub>2</sub> O M.W 364.35                                  |             | 240    | 100 gm |          |     | 15954      |
| LA1170  | CEDARWOOD OIL Extra Pure<br>For Microbiology  | 8000-27-9   | 10     | 30 ml  | 33012916 | 18  | 669        |
|         | (immersion oil) Liquid, d. 0.952  |             | 16     | 50 ml  |          |     | 1081       |
|         |   |             | 32     | 100 ml |          |     | 2154       |
|         |   |             | 112    | 500 ml |          |     | 7468       |
| LA1171  | CELECOXIB For Lab Use   | 169590-42-5 | 91     | 5 gm   | 29350090 | 18  | 6078       |
|         | <u>UN 3077 9/PG III</u>   |             | 341    | 25 gm  |          |     | 22667      |
| LA1172  | CELERY SEED OIL Extra Pure<br>Liquid, d. 0.88   | 8015-90-5   | 55     | 100 ml | 33012946 | 18  | 3641       |
|         | <u>UN 1993 3/PG III</u>   |             | 250    | 500 ml |          |     | 16638      |
| LA1173  | CELESTIN BLUE (M.S.) (C.I.No.51050)<br>C <sub>17</sub> H <sub>18</sub> ClN <sub>3</sub> O <sub>4</sub> M.W. 363.80          | 1562-90-9   | 49     | 5 gm   | 32049000 | 18  | 3290       |
| LA1174  | CELESTIN BLUE stain solution  |             | 223    | 25 gm  |          |     | 14805      |
| LA1175  | CELITE (545 filter aid) (20-45 microns)   | 61790-53-2  | 14     | 100 ml | 38220090 | 12  | 899        |
|         |   |             | 7      | 500 gm | 25120090 | 5   | 489        |
|         |   |             | 14     | 1 Kg   |          |     | 902        |
| LA1176  | CELLOBIOSE 99% For Biochemistry<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30                              | 528-50-7    | 24     | 5 gm   | 29400000 | 18  | 1575       |
| LA1177  | CELLOSOLVE 99% For Synthesis (ethyl cellosolve)<br>(ethylene glycol mono ethyl ether) (2-ethoxy ethanol)                    | 110-80-5    | 9      | 500 ml | 29094400 | 18  | 586        |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.93   |             | 34     | 2.5 Lt |          |     | 2263       |
|         | <u>UN 1171 3/PG III</u>   |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|--|-------------|--------|--------|----------|-----|----------------|
| LA1178  | CELLOSOLVE 99.5% AR (ethyl cellosolve)<br>(ethylene glycol mono ethyl ether) (2-ethoxy ethanol)<br>C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.93 | 110-80-5    | 10     | 500 ml | 29094400 | 18  | 679<br>2493    |
|         | <u>UN 1171 3/PG III</u>  |             | 37     | 2.5 Lt |          |     |                |
| LA1179  | CELLOSOLVE ACETATE 98%<br>(2-ethoxyethyl acetate) C <sub>6</sub> H <sub>12</sub> O <sub>3</sub> M.W. 132.16, Liquid, d. 0.975  | 111-15-9    | 8      | 500 ml | 29153990 | 18  | 511<br>1903    |
| LA1180  | CELLULOSE ACETATE (powder)   | 9004-35-7   | 112    | 500 gm | 39121110 | 18  | 7434           |
| LA1181  | CELLULOSE ACETATE BUTYRATE   | 9004-36-8   | 49     | 250 gm | 39129090 | 18  | 3285           |
| LA1182  | CELLULOSE ACETATE PHTHALATE (C.A.P.)<br>C <sub>11</sub> H <sub>16</sub> O <sub>6</sub> M.W 2534.12   | 9004-38-0   | 57     | 500 gm | 39129090 | 18  | 3800           |
| LA1183  | CELLULOSE MICROCRYSTALLINE (for TLC)<br>(cellulose powder) (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>   | 9004-34-6   | 10     | 500 gm | 39129090 | 18  | 677            |
| LA1184  | CELLULOSE NITRATE<br>(nitro cellulose) C <sub>24</sub> H <sub>36</sub> N <sub>8</sub> O <sub>38</sub> M.W 1044.57  | 9004-70-0   | 107    | 500 gm | 39172930 | 18  | 7108           |
|         | <u>UN 1993 3/PG I</u>  |             |        |        |          |     |                |
| LA1185  | CELLULOSE POWDER<br>(For Column Chromatography)  | 9004-34-6   | 9      | 500 gm | 39129090 | 18  | 611<br>21132   |
| LA1186  | CEPHALEXINE 95% Extra Pure<br>C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> O <sub>4</sub> S.xH <sub>2</sub> O M.W 347.39 (anhydr. basis)                                   | 15686-71-2  | 126    | 5 gm   | 39129090 | 18  | 8411<br>20052  |
|         |  |             | 302    | 25 gm  |          |     | 73166          |
| LA1187  | CEPHALEXINE HYDROCHLORIDE Extra Pure<br>C <sub>16</sub> H <sub>20</sub> ClN <sub>3</sub> O <sub>5</sub> S M.W. 401.86  | 105879-42-3 | 84     | 5 gm   | 29419019 | 18  | 5554<br>21379  |
|         |  |             | 321    | 25 gm  |          |     | 62534          |
|         | CERALITE IR 120  |             | 940    | 100 gm |          |     |                |
|         | CERALITE IRA 400   |             |        |        |          |     |                |
| LA1188  | CERESIN WAX (white)<br>C <sub>30</sub> H <sub>50</sub> O <sub>2</sub> M.W. 442.71  | 8001-75-0   | 10     | 500 gm | 27122090 | 18  | 656            |
|         | CERIC AMMONIUM NITRATE   |             |        |        |          |     |                |
|         | CERIC AMMONIUM SULPHATE  |             |        |        |          |     |                |
| LA1189  | CERIC OXIDE 99.95% AR (cerium (IV) oxide)<br>CeO <sub>2</sub> M.W. 172.11  | 1306-38-3   | 24     | 100 gm | 28461090 | 18  | 1591<br>6836   |
| LA1190  | CERIC SULPHATE 99% AR (anhydrous)<br>Ce(SO <sub>4</sub> ) <sub>2</sub> M.W. 332.24   | 13590-82-4  | 76     | 100 gm | 28461010 | 18  | 5048<br>21750  |
| LA1191  | CERIC SULPHATE 98% (tetrahydrate)<br>(cerium (IV) sulphate) Ce(SO <sub>4</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W 404.30  | 10294-42-5  | 44     | 100 gm | 28461000 | 18  | 2919<br>11379  |
|         | <u>UN 3260 8/PG II</u>   |             | 171    | 500 gm |          |     |                |
| LA1192  | CERIC SULPHATE 99% AR (tetrahydrate)<br>(cerium (IV) sulphate) Ce(SO <sub>4</sub> ) <sub>2</sub> .4H <sub>2</sub> O M.W 404.30   | 10294-42-5  | 51     | 100 gm | 28461000 | 18  | 3367<br>15269  |
|         | <u>UN 3260 8/PG II</u>   |             | 230    | 500 gm |          |     |                |
| LA1193  | CERIC SULPHATE N/10 solution 0.1 N volumetric solution   |             | 10     | 500 ml | 38220090 | 12  | 633            |
| LA1194  | CERIC SULPHATE 0.02N (N/50) volumetric solution  |             | 10     | 500 ml | 38220090 | 12  | 634<br>1205    |
| LA1195  | CERIC SULPHATE 0.05N volumetric solution   |             | 18     | 1 Lt   |          |     | 1207           |
| LA1196  | CEROUS ACETATE 99.9% AR (hydrate)<br>(cerium (III) acetate) (anhydrous basis)<br>Ce(CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W. 317.25            | 206996-60-3 | 171    | 100 gm | 29153930 | 18  | 11378<br>42649 |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|---|------------|--------|--------|----------|-----|----------------|
| LA1197  | CEROUS AMMONIUM NITRATE 98% AR<br>[cerium (III) ammonium nitrate] (ammonium cerous nitrate)<br>H <sub>8</sub> CeN <sub>7</sub> O <sub>15</sub> .4H <sub>2</sub> O M.W. 558.28 | 13083-04-0 | 215    | 100 gm | 28461010 | 18  | 14277<br>62956 |
|         | <u>UN 1477 5.1/PG III</u>   |            | 947    | 500 gm |          |     |                |
| LA1198  | CEROUS CARBONATE 99.99% AR (hydrate)<br>(cerium (III) carbonate) (anhydr. basis)<br>Ce <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W. 460.26            | 54451-25-1 | 124    | 100 gm | 28461090 | 18  | 8248<br>36806  |
| LA1199  | CEROUS CHLORIDE 99.9% Extra Pure (heptahydrate)<br>(cerium (III) chloride) CeCl <sub>3</sub> .7H <sub>2</sub> O M.W 372.58  |            | 13     | 25 gm  | 28469030 | 18  | 885<br>2723    |
|         | <u>UN 3260 8/PG II</u>  |            | 41     | 100 gm |          |     |                |
| LA1200  | CEROUS CHLORIDE 99.9% AR (heptahydrate)<br>(cerium (III) chloride) CeCl <sub>3</sub> .7H <sub>2</sub> O M.W 372.58  | 18618-55-8 | 46     | 100 gm | 28469030 | 18  | 3054<br>13738  |
|         | <u>UN 3260 8/PG II</u>  |            | 207    | 500 gm |          |     |                |
| LA1201  | CEROUS FLUORIDE 99.9% AR (anhydrous)<br>(cerium (III) fluoride) CeF <sub>3</sub> M.W 197.11   | 7758-88-5  | 267    | 100 gm | 28461010 | 18  | 17729          |
| LA1202  | CEROUS NITRATE 99% AR (hexahydrate)<br>(cerium (III) nitrate) Ce(NO <sub>3</sub> ) <sub>3</sub> .6H <sub>2</sub> O M.W. 434.23  | 10294-41-4 | 19     | 100 gm | 28461010 | 18  | 1246<br>5853   |
|         | <u>UN 1477 5.1/PG III</u>   |            | 88     | 500 gm |          |     |                |
| LA1203  | CEROUS OXALATE 99.9% AR (hydrate)<br>(cerium (III) oxalate) Ce <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W 544.29                       | 15750-47-7 | 232    | 100 gm | 28461000 | 18  | 15453          |
| LA1204  | CEROUS SULPHATE 99% AR (hydrate)<br>Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W. 568.42 (anhydrous basis)  | 13550-47-5 | 92     | 100 gm | 28461090 | 18  | 6128<br>24324  |
| LA1205  | CEROUS SULPHATE 99.9% AR (octahydrate)<br>(cerium (III) sulphate) Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .8H <sub>2</sub> O M.W 721.54                               | 10450-59-6 | 284    | 100 gm | 28461090 | 18  | 18888<br>84997 |
| LA1206  | CESIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid<br>Liquid, d. 1.013   |            | 34     | 125 ml | 38220090 | 12  | 2258<br>6774   |
| LA1207  | CESIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.013  |            | 102    | 125 ml | 38220090 | 12  | 6787           |
| LA1208  | CESIUM CARBONATE 99.9%<br>(caesium carbonate) Cs <sub>2</sub> CO <sub>3</sub> M.W 325.82  | 534-17-8   | 27     | 25 gm  | 28369910 | 18  | 1806<br>6823   |
| LA1209  | CESIUM CHLORIDE 99.5% For Molecular Biology<br>(caesium chloride) CsCl M.W. 168.36  | 7647-17-8  | 32     | 25 gm  | 28273990 | 18  | 2104<br>8079   |
| LA1210  | CESIUM CHLORIDE 99.9% AR (trace Metal basis)<br>(caesium chloride) CsCl M.W. 168.36   | 7647-17-8  | 30     | 25 gm  | 28273990 | 18  | 2016<br>7591   |
| LA1211  | CESIUM IODIDE 99% Extra Pure<br>CsI M.W. 259.81   | 7789-17-5  | 41     | 10 gm  | 28276090 | 18  | 2714<br>12314  |
|         | <u>UN 3077 9/PG III</u>   |            | 185    | 50 gm  |          |     |                |
| LA1212  | CESIUM IODIDE 99.9% AR<br>(caesium iodide) CsI M.W. 259.81  | 7789-17-5  | 49     | 10 gm  | 28276090 | 18  | 3253           |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |                |
| LA1213  | CESIUM NITRATE 99% AR<br>(caesium nitrate) CsNO <sub>3</sub> M.W. 194.91  | 7789-18-6  | 65     | 10 gm  | 28342990 | 18  | 4291           |
|         | <u>UN 1451 5.1/PG III</u>   |            |        |        |          |     |                |
| LA1214  | CESIUM SULPHATE 99.9% AR<br>(caesium sulphate) Cs <sub>2</sub> SO <sub>4</sub> M.W. 361.87  | 10294-54-9 | 37     | 10 gm  | 28332990 | 18  | 2457           |
| LA1215  | CETOMACROGOL - 1000 (CT 1000)   |            | 27     | 500 gm | 34022090 | 18  | 1808           |
|         |   |            | 227    | 5 Kg   |          |     | 15101          |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1216  | CETO STEARYL ALCOHOL Extra Pure   | 8005-44-5  | 8      | 500 gm | 29181190 | 18  | 534        |
| LA1217  | CETRIMIDE 98%   | 57-09-0    | 11     | 100 gm | 29239000 | 18  | 717        |
|         | (N-cetyl-N,N,N-trimethyl ammonium bromide) (CTAB)   |            | 50     | 500 gm |          |     | 3330       |
|         | C <sub>19</sub> H <sub>42</sub> BrN M.W. 364.45   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1218  | CETRIMIDE 99% For Molecular Biology   | 57-09-0    | 12     | 100 gm | 29239000 | 18  | 823        |
|         | (N-cetyl-N,N,N-trimethyl ammonium bromide) (CTAB)   |            | 56     | 500 gm |          |     | 3697       |
|         | C <sub>19</sub> H <sub>42</sub> BrN M.W. 364.45   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1219  | CETYL ALCOHOL 95%   | 36653-82-4 | 8      | 500 gm | 29051700 | 18  | 563        |
|         | (1-hexadecanol) C <sub>16</sub> H <sub>34</sub> O M.W. 242.44   |            | 74     | 5 Kg   |          |     | 4931       |
| LA1220  | CETYL PYRIDINIUM BROMIDE 95%  | 140-72-7   | 34     | 250 gm | 29333990 | 18  | 2275       |
|         | C <sub>21</sub> H <sub>38</sub> BrN M.W. 384.44   |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
| LA1221  | CETYL PYRIDINIUM CHLORIDE 98% (monohydrate)   | 6004-24-6  | 10     | 100 gm | 29333990 | 18  | 680        |
|         | C <sub>21</sub> H <sub>38</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 358.01                             |            | 44     | 500 gm |          |     | 2951       |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
|         | N-CETYL-N,N,N-TRIMETHYL AMMONIUM BROMIDE  |            |        |        |          |     |            |
| LA1222  | CHAPS 99% For Molecular Biology   | 75621-03-3 | 21     | 1 gm   | 29239000 | 18  | 1413       |
|         | [3-(3-choALmidopropyl)-dimethylAlmmonio] 1-propane-sulphonate]  |            | 85     | 5 gm   |          |     | 5678       |
|         | C <sub>32</sub> H <sub>58</sub> N <sub>2</sub> O <sub>7</sub> S M.W. 614.88                             |            | 162    | 10 gm  |          |     | 10786      |
| LA1223  | CHAPSO 96% For Biochemistry   | 82473-24-3 | 86     | 1 gm   | 29242990 | 18  | 5738       |
|         | [3-(3-choALmidopropyl)-dimethylAlmmonio]  |            | 326    | 5 gm   |          |     | 21653      |
|         | -2-hydroxy-1-propane sulphonate]  |            |        |        |          |     |            |
|         | C <sub>32</sub> H <sub>58</sub> N <sub>2</sub> O <sub>8</sub> S M.W. 630.88                             |            | 627    | 10 gm  |          |     | 41707      |
|         | CHARCOAL ACTIVATED  |            |        |        |          |     |            |
| LA1224  | CHAULMOGRA OIL Extra Pure, Liquid, d. 0.950-0.60  |            | 61     | 500 ml | 33013099 | 18  | 4088       |
| LA1225  | CHENOPODIUM OIL Extra Pure  | 8006-99-3  | 103    | 500 ml | 10085000 | 5   | 6825       |
|         |   |            |        |        |          |     |            |
| LA1226  | CHES BUFFER 99%   | 103-47-9   | 112    | 25 gm  | 29213090 | 18  | 7465       |
|         | [2-(cyclohexyALmino) ethanesulphonic acid] C <sub>8</sub> H <sub>17</sub> NO <sub>3</sub> S M.W. 207.29 |            | 326    | 100 gm |          |     | 21648      |
|         |   |            |        |        |          |     |            |
| LA1227  | CHES SODIUM BUFFER 99%  | 3076-05-9  | 118    | 5 gm   | 29213090 | 18  | 7821       |
|         | [2-(cyclohexyALmino) ethanesulphonic acid sodium salt]  |            | 234    | 10 gm  |          |     | 15540      |
|         | C <sub>8</sub> H <sub>16</sub> NNaO <sub>3</sub> S M.W. 229.27  |            |        |        |          |     |            |
|         | CHINA BLUE  |            |        |        |          |     |            |
| LA1228  | CHITIN Extra Pure (flakes )   | 1398-61-4  | 6      | 100 gm | 39139090 | 18  | 369        |
|         | (C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub> )n  |            | 22     | 500 gm |          |     | 1464       |
| LA1229  | CHITOSAMINE HYDROCHLORIDE 99%   | 66-84-2    | 14     | 25 gm  | 29329900 | 18  | 918        |
|         | [D-(+)-glucosamine hydrochloride] C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub> .HCl M.W 215.63        |            | 52     | 100 gm |          |     | 3438       |
| LA1230  | CHITOSAN 70%  | 9012-76-4  | 7      | 25 gm  | 39139020 | 18  | 452        |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n  |            | 26     | 100 gm |          |     | 1697       |
|         | Degree of DeacetylALtion: 70%   |            | 60     | 500 gm |          |     | 3978       |
| LA1231  | CHITOSAN 80%  | 9012-76-4  | 8      | 25 gm  | 39139020 | 18  | 548        |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n  |            | 31     | 100 gm |          |     | 2043       |
|         | Degree of DeacetylALtion: 80%   |            | 68     | 500 gm |          |     | 4541       |
| LA1232  | CHITOSAN 90%  | 9012-76-4  | 26     | 25 gm  | 39139020 | 18  | 1726       |
|         | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n  |            | 100    | 100 gm |          |     | 6629       |
|         | Degree of DeacetylALtion:90%  |            | 290    | 500 gm |          |     | 19261      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)            |
|---------|--|------------|--------|--------|----------|-----|-----------------------|
| LA1233  | <b>CHLORAMINE T 98% For Synthesis (trihydrate)</b><br>(N-chloro-p-toluene sulphonamide sodium salt)<br><chem>C6H5ClNNaO2S.3H2O</chem> M.W. 281.69<br><b>UN 3263 8/PG III</b> | 7080-50-4  | 20     | 250 gm | 29359090 | 18  | 1330<br>2381<br>3978  |
| LA1234  | <b>CHLORAMINE T 99% AR trihydrate</b><br>(N-chloro-p-toluene sulphonamide sodium salt)<br><chem>C6H5ClNNaO2S.3H2O</chem> M.W. 281.69<br><b>UN 3263 8/PG III</b>              | 7080-50-4  | 26     | 250 gm | 29359090 | 18  | 1700<br>3228          |
| LA1235  | <b>CHLORAMPHENICOL powder 98%</b><br>For Lab Testing<br><chem>C11H12Cl2N2O5</chem> M.W. 323.13   | 56-75-7    | 14     | 5 gm   | 29414000 | 18  | 939<br>2547<br>9069   |
| LA1236  | <b>CHLORAMPHENICOL PALMITATE Extra Pure</b><br>For Lab Use<br><chem>C27H42Cl2N2O6</chem> M.W. 561.54   | 530-43-8   | 35     | 25 gm  | 29414000 | 18  | 2332<br>6996<br>27985 |
| LA1237  | <b>CHLORANIL 99% For Synthesis</b><br>(tetrachloro-p-benzoquinone) <chem>C6Cl4O2</chem> M.W. 245.88<br><b>UN 3077 9/PG III</b>   | 118-75-2   | 29     | 250 gm | 29147990 | 18  | 1903<br>3398          |
| LA1238  | <b>CHLORANILIC ACID 98% AR</b><br><chem>C6H2Cl2O4</chem> M.W. 208.98<br>CHLORANILIC ACID BARIUM SALT AR<br>CHLORBUTOL  | 87-88-7    | 77     | 25 gm  | 29147990 | 18  | 5121<br>19201         |
| LA1239  | <b>CHLORHEXIDINE GLUCONATE SOLUTION 20%</b><br>(confirming to BP standa d) Liquid, d. 1.06<br><b>UN 3082 9/PG III</b><br>CHLORINATED LIME                                    | 18472-51-0 | 32     | 500 ml | 29329900 | 18  | 2159<br>19431         |
| LA1240  | <b>CHLORINE WATER (concentrated solution)</b>  |            | 3      | 500 ml | 38220090 | 12  | 200<br>1706           |
| LA1241  | <b>CHLORINE TEST PAPER</b>   |            | 26     | 5 Lt   |          |     |                       |
| LA1242  | <b>CHLOROACETALDEHYDE DIETHYL ACETAL</b><br>(dimethyl chloroacetAL) <chem>C6H13ClO2</chem> M.W 152.62<br><b>UN 1993 3/PG III</b>   | 621-62-5   | 316    | 100 gm | 29110090 | 18  | 21032<br>78866        |
| LA1243  | <b>o-CHLOROACETAMIDE 97%</b><br>(2-chloroacetamide) <chem>ClCH2CONH2</chem> M.W 93.51<br><b>UN 2811 6.1/PG III</b>   | 79-07-2    | 68     | 500 gm | 29241900 | 18  | 4539                  |
| LA1244  | <b>p-CHLOROACETANILIDE 98% AR</b><br>(4-chloroacetanilide) <chem>C8H8ClNO</chem> M.W 169.61  | 539-03-7   | 26     | 25 gm  | 29242990 | 18  | 1759<br>6594<br>28152 |
| LA1245  | <b>CHLORO ACETIC ACID 99% (di)</b><br>(dichloroacetic acid) <chem>C2H2Cl2O2</chem> M.W 128.94, Liquid, d. 1.563<br><b>UN 1764 8/PG II</b>                                    | 79-43-6    | 31     | 100 ml | 29154030 | 18  | 2047<br>4556<br>8651  |
| LA1246  | <b>CHLORO ACETIC ACID 99% (mono)</b><br>(monochloroacetic acid) <chem>ClCH2COOH</chem> M.W. 94.50<br><b>UN 1751 6.1 (8)/PG II</b>  | 79-11-8    | 7      | 500 gm | 29154010 | 18  | 455                   |
| LA1247  | <b>CHLORO ACETIC ACID 99.5% AR (mono)</b><br>(monochloroacetic acid) <chem>ClCH2COOH</chem> M.W. 94.50<br><b>UN 1751 6.1 (8)/PG II</b>                                       | 79-11-8    | 10     | 500 gm | 29154010 | 18  | 674                   |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)   |
|---------|---|-----------|--------|--------|----------|-----|--------------|
| LA1248  | CHLORO ACETIC ACID 98% (tri)<br>(trichloro acetic acid) Cl <sub>3</sub> C.COOH M.W. 163.39  | 76-03-9   | 5      | 100 gm | 29154030 | 18  | 310<br>961   |
|         | <u>UN 1839 8/PG II</u>  |           | 14     | 500 gm |          |     |              |
| LA1249  | CHLORO ACETIC ACID 99% AR (tri)<br>Cl <sub>3</sub> C.COOH M.W. 163.39   | 76-03-9   | 6      | 100 gm | 29154030 | 18  | 403<br>1247  |
|         | <u>UN 1839 8/PG II</u>  |           | 19     | 500 gm |          |     |              |
| LA1250  | CHLORO ACETIC ACID (tri) 20% W/V SOLUTION AR  |           | 3      | 125 ml | 29154030 | 18  | 200<br>565   |
|         |   |           | 9      | 500 ml |          |     |              |
| LA1251  | 2'-CHLOROACETOACETANILIDE 98%<br>C <sub>10</sub> H <sub>10</sub> ClNO <sub>2</sub> M.W 211.65                                       | 93-70-9   | 164    | 25 gm  | 29242990 | 18  | 10906        |
| LA1252  | p-CHLORO ACETOPHENONE 98% For Synthesis<br>(4-chloro acetophenone) C <sub>8</sub> H <sub>7</sub> ClO M.W 154.59, Liquid, d 1.193    | 99-91-2   | 44     | 100 ml | 29147020 | 18  | 2894<br>6999 |
|         | <u>UN 3416 6.1/PG II</u>  |           | 105    | 250 ml |          |     |              |
| LA1253  | m-CHLOROACETYL ACETONE 97%<br>(3-chloroacetyl acetone) C <sub>5</sub> H <sub>7</sub> ClO <sub>2</sub> M.W. 134.56, Liquid, d 1.1921 | 1694-29-7 | 264    | 100 ml | 29147090 | 18  | 17534        |
|         | <u>UN 1224 3/PG III</u>   |           |        |        |          |     |              |
| LA1254  | CHLORO ACETYL CHLORIDE 98%<br>C <sub>2</sub> H <sub>2</sub> Cl <sub>2</sub> O M.W 112.94, Liquid, d. 1.418                          | 79-04-9   | 34     | 500 ml | 29159090 | 18  | 2259<br>9033 |
|         | <u>UN 1752 6.1 (8)/PG I</u>   |           | 136    | 2.5 Lt |          |     |              |
| LA1255  | m-CHLORO ANILINE 98% For Synthesis<br>(3-chloro aniline) C <sub>6</sub> H <sub>6</sub> ClN M.W. 127.57, Liquid, d. 1.206            | 108-42-9  | 29     | 500 ml | 29214211 | 18  | 1931<br>7963 |
|         | <u>UN 2019 6.1/PG II</u>  |           | 120    | 2.5 Lt |          |     |              |
| LA1256  | o-CHLORO ANILINE 98% For Synthesis<br>(2-chloro aniline) C <sub>6</sub> H <sub>6</sub> ClN M.W. 127.57, Liquid, d. 1.213            | 95-51-2   | 14     | 500 ml | 29214211 | 18  | 907<br>4180  |
|         | <u>UN 2019 6.1/PG II</u>  |           | 63     | 2.5 Lt |          |     |              |
| LA1257  | p-CHLORO ANILINE 98% For Synthesis<br>(4-chloro aniline) C <sub>6</sub> H <sub>6</sub> ClN M.W. 127.57                              | 106-47-8  | 29     | 500 gm | 29214211 | 18  | 1936         |
|         | <u>UN 2018 6.1/PG II</u>  |           |        |        |          |     |              |
|         | CHLOROAURIC ACID  |           |        |        |          |     |              |
| LA1258  | m-CHLOROBENZALDEHYDE 96% For Synthesis<br>(3-chlorobenzALdehyde) C <sub>7</sub> H <sub>5</sub> ClO M.W 140.57, Liquid, d. 1.24      | 587-04-2  | 31     | 100 ml | 29130090 | 18  | 2040<br>6978 |
| LA1259  | o-CHLOROBENZALDEHYDE 98% For Synthesis<br>(2-chlorobenzALdehyde) C <sub>7</sub> H <sub>5</sub> ClO M.W 140.57, Liquid, d. 1.25      | 89-98-5   | 12     | 100 ml | 29130010 | 18  | 777<br>1908  |
|         | <u>UN 3265 8/PG III</u>   |           | 29     | 500 ml |          |     |              |
| LA1260  | p-CHLOROBENZALDEHYDE 98% For Synthesis<br>(4-chlorobenzALdehyde) C <sub>7</sub> H <sub>5</sub> ClO M.W. 140.57                      | 104-88-1  | 13     | 100 gm | 29130010 | 18  | 894<br>3688  |
|         | <u>UN 3077 9/PG III</u>   |           | 55     | 500 gm |          |     |              |
| LA1261  | CHLOROBENZENE 99% (mono)<br>(monochlorobenzene) C <sub>6</sub> H <sub>5</sub> Cl M.W. 112.56, Liquid, d. 1.106                      | 108-90-7  | 8      | 500 ml | 29039110 | 18  | 554<br>2208  |
|         | <u>UN 1134 3/PG III</u>   |           | 33     | 2.5 Lt |          |     |              |
| LA1262  | CHLOROBENZENE (mono) 99% AR<br>(monochlorobenzene) C <sub>6</sub> H <sub>5</sub> Cl M.W. 112.56, Liquid, d. 1.106                   | 108-90-7  | 9      | 500 ml | 29039110 | 18  | 615<br>2463  |
|         | <u>UN 1134 3/PG III</u>   |           | 37     | 2.5 Lt |          |     |              |
| LA1263  | CHLOROBENZENE 99.90% For HPLC<br><u>UN 1134 3/PG III</u>  | 108-90-7  | 21     | 1 Lt   | 29039110 | 18  | 1381         |
| LA1264  | m-CHLOROBENZOIC ACID 98% For Synthesis<br>(3-chlorobenzoic acid) C <sub>7</sub> H <sub>5</sub> ClO <sub>2</sub> M.W. 156.57         | 535-80-8  | 20     | 25 gm  | 29163160 | 18  | 1360<br>4987 |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1265  | <b>o-CHLOROBENZOIC ACID 98% For Synthesis</b><br>(2-chlorobenzoic acid) $C_6H_5ClO_2$ M.W. 156.57                   | 118-91-2   | 13     | 100 gm | 29163160 | 18  | 884        |
|         |   |            | 36     | 500 gm |          |     | 2378       |
| LA1266  | <b>p-CHLOROBENZOIC ACID 99% For Synthesis</b><br>(4-chlorobenzoic acid) $C_7H_5ClO_2$ M.W. 156.57                   | 74-11-3    | 7      | 100 gm | 29163160 | 18  | 486        |
|         |   |            | 27     | 500 gm |          |     | 1822       |
| LA1267  | <b>2-CHLOROBENZONITRILE 98% For Synthesis</b><br>(o-chlorobenzonitrile) $C_7H_4ClN$ M.W 137.57                      | 873-32-5   | 58     | 100 gm | 29269000 | 18  | 3886       |
|         |   |            | 137    | 250 gm |          |     | 9098       |
| LA1268  | <b>3-CHLOROBENZONITRILE 99% For Synthesis</b><br>(m-chlorobenzonitrile) $C_7H_4ClN$ M.W 137.57                      | 766-84-7   | 59     | 25 gm  | 29269000 | 18  | 3924       |
|         |   |            | 168    | 100 gm |          |     | 11164      |
| LA1269  | <b>4-CHLOROBENZONITRILE 98% For Synthesis</b><br>(p-chlorobenzonitrile) $C_7H_4ClN$ M.W 137.57                      | 623-03-0   | 44     | 25 gm  | 29269000 | 18  | 2957       |
|         |   |            | 120    | 100 gm |          |     | 8009       |
| LA1270  | <b>o-CHLOROBENZOPHENONE 99% For Synthesis</b><br>(2-chlorobenzophenone) $C_{13}H_9ClO$ M.W 216.66                   | 5162-03-8  | 171    | 25 gm  | 29147990 | 18  | 11384      |
|         |   |            | 409    | 100 gm |          |     | 27231      |
| LA1271  | <b>p-CHLOROBENZOPHENONE 99% For Synthesis</b><br>(4-chlorobenzophenone) $C_{13}H_9ClO$ M.W 216.66                   | 134-85-0   | 15     | 100 gm | 29147990 | 18  | 1013       |
|         |   |            | 62     | 500 gm |          |     | 4092       |
| LA1272  | <b>4-CHLOROBENZYALMINE 98%</b><br>$C_7H_8ClN$ M.W 141.60, Liquid, d. 1.164  | 104-86-9   | 361    | 25 gm  | 29147990 | 18  | 23998      |
|         |   |            | 1353   | 100 gm |          |     | 89994      |
|         | <b><u>UN 2735 8/PGII</u></b>  |            |        |        |          |     |            |
|         | 1-CHLOROBUTANE  |            |        |        |          |     |            |
| LA1273  | <b>4-CHLORO-1-BUTANOL</b><br>(Tetramethylene chlorohydrin) $C_6H_9ClO$ M.W. 108.57                                  | 928-51-8   | 48     | 10 gm  | 29055900 | 18  | 3219       |
|         |   |            | 449    | 100 gm |          |     | 29873      |
|         | <b><u>UN 2924 3(8)/PG III</u></b>   |            |        |        |          |     |            |
| LA1274  | <b>CHLOROBUTANOL 98% Extra Pure</b><br>(chlorbutanol) $C_6H_9Cl_2O$ M.W. 177.46                                     | 57-15-8    | 22     | 100 gm | 29055900 | 18  | 1431       |
|         |   |            | 85     | 500 gm |          |     | 5650       |
| LA1275  | <b>CHLORO CHOLINE CHLORIDE 97%</b><br>(2-chloroethyl trimethyl ammonium chloride)                                   | 999-81-5   | 274    | 25 gm  | 29239000 | 18  | 18236      |
|         |   |            | 1028   | 100 gm |          |     | 68387      |
|         | $C_5H_{13}Cl_2N$ M.W 158.07   |            |        |        |          |     |            |
|         | <b><u>UN 2811 6.1/PG III</u></b>  |            |        |        |          |     |            |
| LA1276  | <b>CHLORO CHOLINE CHLORIDE 50% aqueous solution</b><br>(2-chloroethyl trimethyl ammonium chloride 50%)              |            | 10     | 100 ml | 29239000 | 18  | 672        |
|         |   |            | 40     | 500 ml |          |     | 2680       |
| LA1277  | <b>p-CHLORO-m-CRESOL 98%</b><br>(4-chloro-3-methyl phenol) $C_7H_7ClO$ M.W. 142.59                                  | 59-50-7    | 23     | 250 gm | 29081900 | 18  | 1541       |
|         |   |            | 44     | 500 gm |          |     | 2899       |
|         | <b><u>UN 3437 6.1/PG II</u></b>   |            |        |        |          |     |            |
| LA1278  | <b>1-CHLORO-2, 4-DINITROBENZENE 98.5% For Synthesis</b><br>(2, 4-dinitrochlorobenzene) $C_6H_3ClN_2O_4$ M.W. 202.55 | 97-00-7    | 17     | 500 gm | 29042090 | 18  | 1133       |
|         |   |            |        |        |          |     |            |
|         | <b><u>UN 3441 6.1/PG II</u></b>   |            |        |        |          |     |            |
| LA1279  | <b>1-CHLORO-2, 4-DINITROBENZENE 99% AR</b><br>(2, 4-dinitrochlorobenzene) $C_6H_3ClN_2O_4$ M.W. 202.55              | 97-00-7    | 3      | 25 gm  | 29042090 | 18  | 222        |
|         |   |            | 10     | 100 gm |          |     | 679        |
|         | <b><u>UN 3441 6.1/PG II</u></b>   |            |        |        |          |     |            |
| LA1280  | <b>2-CHLORO-3,5-DINITROPYRIDINE 99% AR</b><br>(terminAL N-blocking reagent for proteins)                            | 2578-45-2  | 184    | 1 gm   | 29333990 | 18  | 12228      |
|         | $C_5H_2ClN_3O_4$ M.W 203.54   |            |        |        |          |     |            |
|         | <b><u>UN 2811 6.1/PG II</u></b>   |            |        |        |          |     |            |
|         | 1-CHLORO-2, 3-EPOXYPROPANE  |            |        |        |          |     |            |
|         | 2-CHLOROETHANOL   |            |        |        |          |     |            |
| LA1281  | <b>2-CHLOROETHYL PHOSPHONIC ACID 96%</b><br>(ethrel) $C_2H_6ClO_3P$ M.W 144.49, Liquid, d. 1.568                    | 16672-87-0 | 43     | 100 ml | 29319090 | 18  | 2882       |
|         |   |            | 102    | 250 ml |          |     | 6782       |
|         | <b><u>UN 2928 6.1 (8)/PG II</u></b>   |            |        |        |          |     |            |
|         | 2-CHLOROETHYL TRIMETHYL AMMONIUM CHLORIDE   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD                          | UNIT  | HS CODE  | GST | PRICE(INR)                                 |
|---------|--|-----------|---------------------------------|---|----------|-----|--|
| LA1282  | <b>CHLOROFORM 99% For Synthesis</b><br>(trichloromethane) $\text{CHCl}_3$ M.W. 119.38<br>Liquid, d. 1.480-1.492<br><u>UN 1888 6.1/PG III</u>                                       | 67-66-3   | 4<br>7<br>12<br>25<br>46<br>205 | 250 ml<br>500 ml<br>1 Lt<br>2.5 Lt<br>5 Lt<br>25 Lt | 29031300 | 18  | 286<br>435<br>779<br>1681<br>3027<br>13618 |
| LA1283  | <b>CHLOROFORM 99.5% AR</b><br>(trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492<br><u>UN 1888 6.1/PG III</u>  | 67-66-3   | 8<br>15<br>32                   | 500 ml<br>1 Lt<br>2.5 Lt                            | 29031300 | 18  | 509<br>979<br>2154                         |
| LA1284  | <b>CHLOROFORM 99.8% HPLC &amp; SPECTROSCOPY</b><br>(trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492<br><u>UN 1888 6.1/PG III</u>                             | 67-66-3   | 12<br>18<br>40                  | 500 ml<br>1 Lt<br>2.5 Lt                            | 29031300 | 18  | 765<br>1210<br>2683                        |
| LA1285  | <b>CHLOROFORM 99.8% For Molecular Biology</b><br>(trichloromethane) $\text{CHCl}_3$ M.W. 119.38, Liquid, d. 1.480-1.492<br><u>UN 1888 6.1/PG III</u>                               | 67-66-3   | 8<br>36                         | 100 ml<br>500 ml                                    | 29031300 | 18  | 563<br>2388                                |
| LA1286  | <b>3-CHLORO-4-HYDROXY ANILINE 98%</b><br>$\text{C}_6\text{H}_6\text{ClNO}$ M.W 143.57  | 3964-52-1 | 315                             | 1 gm  | 29222990 | 18  | 20960                                      |
| LA1287  | <b>CHLOROGENIC ACID 97%</b><br>$\text{C}_{16}\text{H}_{18}\text{O}_9$ M.W. 354.31  | 327-97-9  | 18<br>163<br>672                | 100 mg<br>1 gm<br>5 gm                              | 29182990 | 18  | 1182<br>10817<br>44710                     |
| LA1288  | <b>CHLOROMETHYL METHYL ETHER For Synthesis</b><br>$\text{C}_2\text{H}_5\text{ClO}$ M.W. 80.51, Liquid, d. 1.06<br><u>UN 1239 6.1(3)/PG I</u>                                       | 107-30-2  | 68<br>238<br>811                | 25 gm<br>100 gm<br>500 gm                           | 29093090 | 18  | 4538<br>15825<br>53960                     |
| LA1289  | <b>1-CHLORO NAPHTHALENE For Synthesis</b><br>$\text{C}_{10}\text{H}_7\text{Cl}$ M.W 162.62, Liquid, d. 1.194<br><u>UN 3082 9/PG III</u>  | 90-13-1   | 34<br>135                       | 100 ml<br>500 ml                                    | 29033990 | 18  | 2251<br>8989                               |
| LA1290  | <b>2-CHLORO-1,4-NAPHTHOQUINONE 98%</b><br>$\text{C}_{10}\text{H}_5\text{ClO}_2$ M.W. 192.6   | 1010-60-2 | 584<br>1630                     | 5 gm<br>25 gm                                       | 29147090 | 18  | 38858<br>108399                            |
| LA1291  | <b>p-CHLORO-o-NITROANILINE 98% For Synthesis</b><br>(4-chloro-2-nitroaniline) $\text{C}_6\text{H}_5\text{ClN}_2\text{O}_2$ M.W 172.57<br><u>UN 2237 6.1/PG III</u>                 | 89-63-4   | 40                              | 250 gm  | 29214290 | 18  | 2632                                       |
| LA1292  | <b>o-CHLORO-p-NITROANILINE 98% For Synthesis</b><br>(2-chloro-4-nitroaniline) $\text{C}_6\text{H}_5\text{ClN}_2\text{O}_2$ M.W 172.57<br><u>UN 2237 6.1/PG III</u>                 | 121-87-9  | 43                              | 250 gm  | 29214212 | 18  | 2860                                       |
| LA1293  | <b>1-CHLORO-2-NITROBENZENE 98% (ONCB)</b><br>(o-chloronitrobenzene) (o-nitro chlorobenzene)<br>$\text{C}_6\text{H}_5\text{ClN}_2\text{O}_2$ M.W 172.57<br><u>UN 1578 6.1/PG II</u> | 88-73-3   | 10                              | 500 gm  | 29049095 | 18  | 651  |
| LA1294  | <b>1-CHLORO-3-NITROBENZENE 98% (MNCB)</b><br>(m-chloronitrobenzene) $\text{C}_6\text{H}_4\text{ClNO}_2$ M.W 157.55<br><u>UN 1578 6.1/PG II</u>                                     | 121-73-3  | 15                              | 500 gm  | 29049090 | 18  | 1017                                       |
| LA1295  | <b>1-CHLORO-4-NITROBENZENE 99% (PNCB)</b><br>(p-chloronitrobenzene) (p-nitro chlorobenzene)<br>$\text{C}_6\text{H}_4\text{ClNO}_2$ M.W 157.55<br><u>UN 1578 6.1/PG II</u>          | 100-00-5  | 8                               | 500 gm  | 29049095 | 18  | 540  |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| AL 1296 | m-CHLOROPERBENZOIC ACID<br>(3-chloroperbenzoic acid) C <sub>7</sub> H <sub>5</sub> ClO <sub>3</sub> M.W 172.57                         | 937-14-4   | 8      | 25 gm  | 29163160 | 18  | 529        |
|         |  |            | 29     | 100 gm |          |     | 1898       |
|         | <u>UN 3106 5.2/PG II</u>   |            | 128    | 500 gm |          |     | 8488       |
| LA1297  | m-CHLORO PHENOL 98% For Synthesis<br>(3-chloro phenol) C <sub>6</sub> H <sub>5</sub> ClO M.W 128.56                                    | 108-43-0   | 22     | 25 gm  | 29081900 | 18  | 1490       |
|         |  |            | 70     | 100 gm |          |     | 4684       |
|         | <u>UN 2020 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1298  | o-CHLORO PHENOL 98% For Synthesis<br>(2-chloro phenol) C <sub>6</sub> H <sub>5</sub> ClO M.W 128.56, Liquid, d. 1.26                   | 95-57-8    | 16     | 500 ml | 29089990 | 18  | 1071       |
|         |  |            |        |        |          |     |            |
|         | <u>UN 2021 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1299  | p-CHLORO PHENOL 99% For Synthesis<br>(4-chloro phenol) C <sub>6</sub> H <sub>5</sub> ClO M.W 128.56                                    | 106-48-9   | 21     | 500 gm | 29089990 | 18  | 1415       |
|         |  |            |        |        |          |     |            |
|         | <u>UN 2020 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1300  | CHLORO PHENOL RED indicator AR<br>pH 4.8 - 6.4 yellow to purple  | 4430-20-0  | 8      | 5 gm   | 29349900 | 18  | 538        |
|         | C <sub>19</sub> H <sub>12</sub> Cl <sub>2</sub> O <sub>5</sub> S M.W 423.27  |            | 31     | 25 gm  |          |     | 2033       |
| LA1301  | CHLORO PHENOL RED indicator solution   |            | 2      | 125 ml | 38220090 | 12  | 165        |
|         |  |            | 7      | 500 ml |          |     | 497        |
| LA1302  | 4-CHLOROPHOXYACETIC ACID 98%<br>(p-chlorophenoxyacetic acid) C <sub>8</sub> H <sub>7</sub> ClO <sub>3</sub> M.W 186.59                 | 122-88-3   | 14     | 5 gm   | 29189900 | 18  | 908        |
|         |  |            | 53     | 25 gm  |          |     | 3555       |
| LA1303  | 2-CHLOROPHENYLCETIC ACID 99% For Synthesis<br>C <sub>8</sub> H <sub>7</sub> ClO <sub>2</sub> M.W 170.59                                | 2444-36-2  | 6      | 25 gm  | 29163160 | 18  | 432        |
|         |  |            | 17     | 100 gm |          |     | 1130       |
| LA1304  | 4-CHLOROPHENYLCETIC ACID 97% For Synthesis<br>C <sub>8</sub> H <sub>7</sub> ClO <sub>2</sub> M.W 170.59                                | 1878-66-6  | 22     | 100 gm | 29163160 | 18  | 1473       |
|         |  |            | 68     | 500 gm |          |     | 4541       |
| AL 1305 | 4-CHLOROPHENYLCETYL CHLORIDE 96% For Synthesis   | 25026-34-0 | 34     | 5 gm   | 29159090 | 18  | 2273       |
|         |  |            | 154    | 25 gm  |          |     | 10232      |
| LA1306  | 2-CHLORO-p-PHENYLENEDIAMINE SULPHONATE 98%<br>(2-chloro-1,4-diaminobenzene sulphate)   | 61702-44-1 | 48     | 5 gm   | 29215190 | 18  | 3176       |
|         | C <sub>8</sub> H <sub>7</sub> ClN <sub>2</sub> H <sub>2</sub> SO <sub>4</sub> M.W 240.66   |            | 168    | 25 gm  |          |     | 11157      |
| LA1307  | 2-(3-CHLOROPHENYL) ETHYALMINE 97%<br>C <sub>9</sub> H <sub>10</sub> ClN M.W 155.62   | 13078-79-0 | 170    | 5 gm   | 29214990 | 18  | 11273      |
|         |  |            | 614    | 25 gm  |          |     | 40800      |
| LA1308  | 2-(4-CHLOROPHENYL) ETHYALMINE 97%<br>C <sub>8</sub> H <sub>10</sub> ClN M.W 155.62, Liquid, d. 1.112                                   | 156-41-2   | 137    | 5 gm   | 29214990 | 18  | 9098       |
| LA1309  | 1-(3-CHLOROPHENYL) PIPERAZINE MONOHYDROCHLORIDE<br><u>UN 2811 6.1/PG II</u>  | 13078-15-4 | 304    | 10 gm  | 29335900 | 18  | 20191      |
|         | CHLOROPLATINIC ACID  |            | 729    | 25 gm  |          |     | 48454      |
|         | 3-CHLORO-1-PROPENE   |            |        |        |          |     |            |
| LA1310  | 2-CHLORO PROPIONIC ACID For Synthesis<br>C <sub>3</sub> H <sub>5</sub> ClO <sub>2</sub> M.W 108.52, Liquid, d. 1.262                   | 598-78-7   | 44     | 100 ml | 29159090 | 18  | 2957       |
|         |  |            | 205    | 500 ml |          |     | 13652      |
|         | <u>UN 2511 8/PG III</u>  |            |        |        |          |     |            |
| LA1311  | 2-CHLOROPYRIDINE 99% For Synthesis   | 109-09-1   | 24     | 100 ml | 29333990 | 18  | 1591       |
|         |  |            | 101    | 500 ml |          |     | 6722       |
| LA1312  | 2-CHLOROPYRIDINE-5-CARBONITRILE 97%<br>C <sub>6</sub> H <sub>5</sub> ClN <sub>2</sub> M.W 138.55                                       | 33252-28-7 | 230    | 10 gm  | 29333990 | 18  | 15274      |
|         |  |            | 608    | 25 gm  |          |     | 40458      |
| LA1313  | CHLOROQUINE DIPHOSPHATE 98% Extra Pure<br>C <sub>18</sub> H <sub>26</sub> ClN <sub>3</sub> .2H <sub>3</sub> PO <sub>4</sub> M.W 515.86 | 50-63-5    | 68     | 25 gm  | 29334900 | 18  | 4538       |
|         |  |            | 212    | 100 gm |          |     | 14115      |
| LA1314  | 4-CHLORORESORCINOL 98%<br>C <sub>6</sub> H <sub>5</sub> ClO <sub>2</sub> M.W 144.56  | 95-88-5    | 14     | 25 gm  | 29081900 | 18  | 904        |
|         |  |            | 49     | 100 gm |          |     | 3288       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1315  | N-CHLOROSUCCINIMIDE 98% For Synthesis   | 128-09-6   | 13     | 100 gm | 29251900 | 18  | 884        |
|         | C <sub>4</sub> H <sub>4</sub> ClNO <sub>2</sub> M.W. 133.53   |            | 51     | 500 gm |          |     | 3404       |
|         | <u>UN 3261 8/PG II</u>  |            |        |        |          |     |            |
| LA1316  | CHLOROSULPHONIC ACID 97% For Synthesis  | 7790-94-5  | 25     | 500 ml | 28062000 | 18  | 1683       |
|         | HClO <sub>3</sub> S M.W. 116.52, Liquid d. 1.753  |            |        |        |          |     |            |
|         | <u>UN 1754 8/PG I</u>   |            |        |        |          |     |            |
| LA1317  | CHLOROTEX REAGENT, Liquid, d. 0.800-0.900   |            | 8      | 100 ml | 38220090 | 12  | 557        |
|         | (For determination of free chlorine from 0.1 to 1.0 ppm)  |            |        |        |          |     |            |
|         | <u>UN 1987 3/PG II</u>  |            |        |        |          |     |            |
| LA1318  | CHLOROTHIAZIDE 98% Extra Pure   | 58-94-6    | 56     | 25 gm  | 29359090 | 18  | 3715       |
|         | For Lab Use C <sub>7</sub> H <sub>6</sub> ClN <sub>3</sub> O <sub>4</sub> S <sub>2</sub> M.W 295.72       |            | 160    | 100 gm |          |     | 10671      |
|         | N-CHLORO-P-TOLUENE SULPHONAMIDE SODIUM SALT   |            |        |        |          |     |            |
| LA1319  | o-CHLOROTOLUENE 98% For Synthesis   | 95-49-8    | 28     | 500 ml | 29039990 | 18  | 1883       |
|         | (2-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59, Liquid, d. 1.083                          |            | 113    | 2.5 Lt |          |     | 7528       |
|         | <u>UN 2238 3/PG III</u>   |            |        |        |          |     | 0          |
| LA1320  | 3-CHLOROTOLUENE 98% For Synthesis   | 108-41-8   | 30     | 250 ml | 29039990 | 18  | 1988       |
|         | Liquid, d. 1.072 (m-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59                           |            | 109    | 1 Lt   |          |     | 7245       |
|         | <u>UN 2238 3/PG III</u>   |            |        |        |          |     |            |
| LA1321  | p-CHLOROTOLUENE 98% For Synthesis   | 106-43-4   | 51     | 500 ml | 29039990 | 18  | 3370       |
|         | (4-chlorotoluene) C <sub>7</sub> H <sub>7</sub> Cl M.W. 126.59, Liquid, d. 1.07                           |            | 211    | 2.5 Lt |          |     | 14030      |
|         | <u>UN 2238 3/PG III</u>   |            |        |        |          |     |            |
| LA1322  | CHLOROTRIPHENYLMETHANE 98% For Synthesis  | 76-83-5    | 10     | 100 gm | 29039990 | 18  | 682        |
|         | (trityl chloride, triphenylmethyl chloride)   |            | 43     | 500 gm |          |     | 2838       |
|         | C <sub>19</sub> H <sub>15</sub> Cl M.W. 278.78  |            |        |        |          |     |            |
|         | <u>UN 3261 8/PGIII</u>  |            |        |        |          |     |            |
| LA1323  | CHLOROTRIS (TRIPHENYLPHOSPHINE) RHODIUM (I) 11% Rh  | 14694-95-2 | 122    | 1 gm   | 28439019 | 18  | 8141       |
|         | For Synthesis   |            | 507    | 5 gm   |          |     | 33723      |
| LA1324  | 4-CHLORO-m-XYLENOL (PCMx) Pure 98%  | 88-04-0    | 21     | 100 gm | 29089990 | 18  | 1395       |
|         | (4-chloro-3,5-dimethylphenol) C <sub>8</sub> H <sub>9</sub> ClO M.W. 156.61                               |            | 73     | 500 gm |          |     | 4850       |
| LA1325  | CHLORPHENARAMINE MALEATE 99% Extra Pure   | 113-92-8   | 56     | 25 gm  | 29333990 | 18  | 3711       |
|         | (CPM) (For Lab Use)   |            | 160    | 100 gm |          |     | 10666      |
|         | C <sub>16</sub> H <sub>19</sub> ClN <sub>2</sub> ·C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W 390.86 |            | 481    | 500 gm |          |     | 31985      |
| LA1326  | CHLORPROMAZINE HYDROCHLORIDE 98% Extra Pure   | 69-09-0    | 41     | 5 gm   | 29343000 | 18  | 2734       |
|         | (For Lab Use) C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> S·2HCl M.W 355.33                          |            | 143    | 25 gm  |          |     | 9520       |
|         | <u>UN 2811 6.1/PG II</u>  |            | 340    | 100 gm |          |     | 22642      |
| LA1327  | CHOLECALCIFEROL 98%   | 67-97-0    | 31     | 1 gm   | 29362990 | 18  | 2033       |
|         | (Vitamin D3) C <sub>22</sub> H <sub>44</sub> O M.W 384.64   |            | 245    | 10 gm  |          |     | 16261      |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
| LA1328  | CHOLESTEROL 97-103% Extra Pure  | 57-88-5    | 41     | 25 gm  | 29061310 | 18  | 2719       |
|         | C <sub>27</sub> H <sub>46</sub> O M.W 386.65  |            | 154    | 100 gm |          |     | 10232      |
|         |   |            | 679    | 500 gm |          |     | 45129      |
| LA1329  | CHOLESTEROL AR 99%  | 57-88-5    | 44     | 25 gm  | 29061310 | 18  | 2951       |
|         | C <sub>27</sub> H <sub>46</sub> O M.W 386.65  |            | 169    | 100 gm |          |     | 11262      |
| LA1330  | CHOLESTEROL STANDARD SOLUTION   |            | 6      | 100 ml | 38220019 | 18  | 389        |
|         |   |            | 21     | 500 ml |          |     | 1416       |
| LA1331  | CHOLIC ACID 98-101% For Biochemistry  | 81-25-4    | 50     | 25 gm  | 29181990 | 18  | 3298       |
|         | C <sub>24</sub> H <sub>40</sub> O <sub>5</sub> M.W. 408.57  |            | 186    | 100 gm |          |     | 12374      |
| LA1332  | CHOLINE BITARTRATE 99% Extra Pure   | 87-67-2    | 40     | 500 gm | 29239000 | 18  | 2685       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1333  | CHOLINE CHLORIDE 98-100.5% Extra Pure  | 67-48-1    | 4      | 100 gm | 29231000 | 18  | 292        |
|         | C <sub>5</sub> H <sub>14</sub> ClNO M.W. 139.62  |            | 15     | 500 gm |          |     | 965        |
| LA1334  | CHROMAZUROL S (C.I. No.43825)  | 1667-99-8  | 34     | 10 gm  | 32049000 | 18  | 2267       |
|         | (eriochrome azurol S) (chrome azurol S)  |            | 68     | 25 gm  |          |     | 4548       |
|         | Dye Content: Min. 50% C <sub>23</sub> H <sub>15</sub> Cl <sub>2</sub> Na <sub>3</sub> O <sub>5</sub> S M.W. 605.29 |            |        |        |          |     |            |
|         | CHROME ALUM  |            |        |        |          |     |            |
|         | CHROMIC ACID   |            |        |        |          |     |            |
| LA1335  | CHROMIUM AAS STANDARD SOLUTION   |            | 22     | 125 mL | 38220090 | 12  | 1460       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.015  |            | 51     | 500 mL |          |     | 3388       |
|         | <u>UN 3264 8/PG III</u>  |            |        |        |          |     |            |
| LA1336  | CHROMIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid   |            | 84     | 125 mL | 38220090 | 12  | 5613       |
|         | Liquid, d. 1.015   |            |        |        |          |     |            |
| LA1337  | CHROMIUM (Metal) LUMPS 99.9%   | 7440-47-3  | 16     | 100 gm | 81122900 | 18  | 1054       |
|         | Cr M.W 52.00   |            | 54     | 500 gm |          |     | 3563       |
| LA1338  | CHROMIUM (Metal) POWDER 99%  | 7440-47-3  | 18     | 100 gm | 81122900 | 18  | 1181       |
|         | Cr M.W 52.00   |            | 63     | 500 gm |          |     | 4214       |
| LA1339  | CHROMIUM ACETATE   | 39430-51-8 | 32     | 500 gm | 29152990 | 18  | 2153       |
|         | (chromium (III) acetate) C <sub>14</sub> H <sub>22</sub> Cr <sub>3</sub> O <sub>16</sub> M.W 603.31                |            |        |        |          |     |            |
| LA1340  | CHROMIUM BORATE (chromium (III) borate)  |            | 66     | 500 gm | 28199000 | 18  | 4377       |
| LA1341  | CHROMIUM BROMIDE 99% (hexahydrate)   | 13478-06-3 | 72     | 500 gm | 28275990 | 18  | 4812       |
|         | (chromium (III) bromide) CrBr <sub>3</sub> .6H <sub>2</sub> O M.W 399.80   |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG III</u>  |            |        |        |          |     |            |
| LA1342  | CHROMIUM CARBONATE   | 29689-14-3 | 34     | 500 gm | 28369990 | 18  | 2259       |
|         | (chromium (III) carbonate) Cr <sub>2</sub> O <sub>3</sub> .xCO <sub>2</sub> .yH <sub>2</sub> O                     |            |        |        |          |     |            |
| LA1343  | CHROMIUM CHLORIDE 96% (hexahydrate)  | 10060-12-5 | 16     | 500 gm | 28273990 | 18  | 1064       |
|         | (chromium (III) chloride) Cl <sub>3</sub> Cr.6H <sub>2</sub> O M.W 266.45  |            | 144    | 5 Kg   |          |     | 9558       |
|         | <u>UN 3260 8/ PG III</u>   |            |        |        |          |     |            |
| LA1344  | CHROMIUM CHLORIDE 97% AR (hexahydrate)   | 10060-12-5 | 20     | 500 gm | 28273990 | 18  | 1362       |
|         | (chromium (III) chloride) Cl <sub>3</sub> Cr.6H <sub>2</sub> O M.W 266.45  |            |        |        |          |     |            |
|         | <u>UN 3260 8/ PG III</u>   |            |        |        |          |     |            |
| LA1345  | CHROMIUM FLUORIDE(chromium (III) fluoride)   | 68886-78-2 | 90     | 500 gm | 28261990 | 18  | 5992       |
| LA1346  | CHROMIUM IODIDE (chromium (III) iodide)  | 13569-75-0 | 107    | 100 gm | 28276090 | 18  | 7133       |
|         |  |            | 169    | 250 gm |          |     | 11239      |
| LA1347  | CHROMIUM NITRATE 97% (nonahydrate)   | 7789-02-8  | 15     | 500 gm | 28342990 | 18  | 1014       |
|         | (chromium (III) nitrate) Cr(NO <sub>3</sub> ) <sub>3</sub> .9H <sub>2</sub> O M.W. 400.15                          |            | 137    | 5 kg   |          |     | 9098       |
|         | <u>UN 2720 5.1/PG III</u>  |            |        |        |          |     |            |
| LA1348  | CHROMIUM NITRATE 98-101.0% AR (nonahydrate)  | 7789-02-8  | 19     | 500 gm | 28342990 | 18  | 1233       |
|         | (chromium (III) nitrate) Cr(NO <sub>3</sub> ) <sub>3</sub> .9H <sub>2</sub> O M.W. 400.15                          |            |        |        |          |     |            |
|         | <u>UN 2720 5.1/PG III</u>  |            |        |        |          |     |            |
| LA1349  | CHROMIUM OXALATE 96%   | 814-90-4   | 103    | 500 gm | 29171190 | 18  | 6821       |
|         | (chromium (III) oxalate) Cr(C <sub>2</sub> O <sub>4</sub> ) M.W. 140.02  |            |        |        |          |     |            |
|         | CHROMIUM (VI) OXIDE  |            |        |        |          |     |            |
| LA1350  | CHROMIUM OXIDE green powder 98%  | 1308-38-9  | 22     | 500 gm | 28199000 | 18  | 1475       |
|         | (chromium (III) oxide green) Cr <sub>2</sub> O <sub>3</sub> M.W 151.99   |            | 203    | 5 Kg   |          |     | 13526      |
| LA1351  | CHROMIUM OXIDE green powder 98% AR   | 1308-38-9  | 36     | 500 gm | 28199000 | 18  | 2378       |
|         | (chromium (III) oxide green) Cr <sub>2</sub> O <sub>3</sub> M.W 151.99   |            |        |        |          |     |            |
| LA1352  | CHROMIUM PHOSPHATE 98%   | 10101-59-4 | 80     | 500 gm | 28353900 | 18  | 5320       |
|         | (chromium (III) phosphate) CrPO <sub>4</sub> .4H <sub>2</sub> O M.W 219.04   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST      | PRICE(INR) |     |
|---------|---|------------|--------|--------|----------|----------|------------|-----|
| LA1353  | CHROMIUM PICOLINATE 96%   | 14639-25-9 | 41     | 100 gm | 29333990 | 18       | 2723       |     |
|         | C <sub>18</sub> H <sub>12</sub> CrN <sub>3</sub> O <sub>6</sub> M.W 418.30  |            | 171    | 500 gm |          |          | 11376      |     |
| LA1354  | CHROMIUM POTASSIUM SULPHATE 98.5% (dodecahydrate)   | 7788-99-0  | 16     | 500 gm | 28332990 | 18       | 1095       |     |
|         | (chrome ALum) (chromium (III) potassium sulphate)   |            |        |        |          |          |            |     |
|         | CrKO <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 499.40  |            |        |        |          |          |            |     |
| LA1355  | CHROMIUM POTASSIUM SULPHATE 99% AR (dodecahydrate)  | 7788-99-0  | 19     | 500 gm | 28332990 | 18       | 1245       |     |
|         | (chrome ALum) (chromium (III) potassium sulphate)   |            |        |        |          |          |            |     |
|         | CrKO <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O M.W. 499.40  |            |        |        |          |          |            |     |
| LA1356  | CHROMIUM SULPHATE (basic)   | 39380-78-4 | 7      | 500 gm | 28332990 | 18       | 448        |     |
|         | (chromium (III) sulphate) Cr <sub>4</sub> (SO <sub>4</sub> ) <sub>5</sub> (OH) <sub>2</sub> M.W 722.31                          |            |        | 5 Kg   |          |          |            |     |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |          |            |     |
| LA1357  | CHROMIUM TARTRATE (chromium (III) tartrate)   | 62498-20-8 | 179    | 500 gm | 29181390 | 18       | 11918      |     |
| LA1358  | CHROMIUM TRIOXIDE 98% (flakes )   | 1333-82-0  | 17     | 500 gm | 28191000 | 18       | 1100       |     |
|         | (chromic acid) (chromium (VI) oxide) CrO <sub>3</sub> M.W. 99.99  |            | 149    | 5 Kg   |          |          | 9890       |     |
|         | <u>UN 1463 5.1 (6.1,8)/PG II</u>  |            | 1396   | 50 Kg  |          |          | 92826      |     |
| LA1359  | CHROMIUM TRIOXIDE (flakes ) 99% AR (chromic acid)   | 1333-82-0  | 18     | 500 gm | 28191000 | 18       | 1229       |     |
|         | (chromium (VI) oxide) CrO <sub>3</sub> M.W. 99.99   |            |        |        |          |          |            |     |
|         | <u>UN 1463 5.1 (6.1,8)/PG II</u>  |            |        |        |          |          |            |     |
| LA1360  | CHROMOTROPE 2B (Acid red 176) (C.I.No.16575)  | 548-80-1   | 9      | 5 gm   | 29270090 | 18       | 569        |     |
|         | C <sub>16</sub> H <sub>9</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>2</sub> M.W. 513.37                        |            | 33     | 25 gm  |          |          | 2201       |     |
| LA1361  | CHROMOTROPE 2B REAGENT SOLUTION   |            |        | 4      | 100 ml   | 38220090 | 12         | 264 |
| LA1362  | CHROMOTROPE 2R (M.S.) (C.I. No.16570)   | 4197-07-3  | 15     | 25 gm  | 32129090 | 18       | 1018       |     |
|         | Dye Content : Min. 85% C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 468.37 |            |        |        |          |          | 0          |     |
| LA1363  | CHROMOTROPIC ACID DISODIUM SALT 98%   | 5808-22-0  | 15     | 25 gm  | 29089990 | 18       | 974        |     |
|         | C <sub>10</sub> H <sub>6</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> .2H <sub>2</sub> O M.W. 400.29                     |            | 55     | 100 gm |          |          | 3654       |     |
| LA1364  | CHROMOTROPIC ACID DISODIUM SALT 98.5% AR  | 5808-22-0  | 35     | 25 gm  | 29089990 | 18       | 2298       |     |
|         | C <sub>10</sub> H <sub>6</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> .2H <sub>2</sub> O M.W. 400.29                     |            | 130    | 100 gm |          |          | 8615       |     |
| LA1365  | CHRYSOIDINE R (M.S) (C.I. No.11320)   | 4438-16-8  | 2      | 25 gm  | 32049000 | 18       | 158        |     |
|         | C <sub>13</sub> H <sub>15</sub> N <sub>4</sub> Cl M.W. 262.74   |            | 8      | 100 gm |          |          | 501        |     |
| LA1366  | CHRYSOIDINE Y (M.S.) (C.I. No.11270)  | 532-82-1   | 2      | 25 gm  | 32129090 | 18       | 161        |     |
|         | C <sub>12</sub> H <sub>12</sub> N <sub>4</sub> .HCl M.W. 248.71   |            | 7      | 100 gm |          |          | 492        |     |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |          |            |     |
| LA1367  | a-CHYMOTRYPSIN crystLALine  | 9004-07-3  | 40     | 250 mg | 35079099 | 18       | 2660       |     |
|         | (ALpha-chymocutan)  |            | 150    | 1 gm   |          |          | 9980       |     |
| LA1368  | CIMETIDINE 98%  | 51481-61-9 | 49     | 5 gm   | 29332990 | 18       | 3289       |     |
|         | For Lab Use C <sub>10</sub> H <sub>16</sub> N <sub>6</sub> S M.W 252.34   |            | 198    | 25 gm  |          |          | 13185      |     |
| LA1369  | CINCHONINE 85% for synthesis  | 118-10-5   | 101    | 25 gm  | 29392010 | 18       | 6699       |     |
|         | C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O M.W 294.39   |            | 332    | 100 gm |          |          | 22046      |     |
|         | CINNAMALDEHYDE  |            |        |        |          |          |            |     |
| LA1370  | CINNAMIC ACID 99%   | 140-10-3   | 10     | 100 gm | 29163910 | 18       | 660        |     |
|         | C <sub>9</sub> H <sub>8</sub> O <sub>2</sub> M.W. 148.16  |            | 18     | 250 gm |          |          | 1164       |     |
|         |   |            | 34     | 500 gm |          |          | 2259       |     |
| LA1371  | CINNAMIC ACID 99% AR  | 140-10-3   | 24     | 250 gm | 29163910 | 18       | 1566       |     |
|         | C <sub>9</sub> H <sub>8</sub> O <sub>2</sub> M.W. 148.16  |            |        |        |          |          |            |     |
| LA1372  | CINNAMIC ALCOHOL 98% Extra Pure   | 104-54-1   | 32     | 500 ml | 29062910 | 18       | 2114       |     |
|         | C <sub>9</sub> H <sub>10</sub> O M.W. 134.18, Liquid, d. 1.04   |            |        |        |          |          |            |     |
| LA1373  | CINNAMIC ALDEHYDE 98%   | 104-55-2   | 16     | 500 ml | 29122910 | 18       | 1077       |     |
|         | (cinnamALdehyde) C <sub>9</sub> H <sub>8</sub> O M.W. 132.16, Liquid, d. 1.05   |            |        |        |          |          |            |     |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1374  | CINNAMON OIL Extra Pure   | 8015-91-6  | 25     | 500 ml | 33012990 | 18  | 1694       |
| LA1375  | CINNAMYL ACETATE 99%  | 103-54-8   | 68     | 500 gm | 29153990 | 18  | 4545       |
|         | C <sub>11</sub> H <sub>12</sub> O <sub>2</sub> M.W 176.21, Liquid, d. 1.057       |            |        |        |          |     |            |
| LA1376  | CINNAMYL CHLORIDE 95%   | 2687-12-9  | 171    | 50 gm  | 29121990 | 18  | 11387      |
|         | C <sub>9</sub> H <sub>9</sub> Cl M.W. 152.62                                      |            |        |        |          |     |            |
|         | <u>UN 1760 8/PG II</u>  |            |        |        |          |     |            |
| LA1377  | CIPROFLOXACIN 98% Extra Pure  | 85721-33-1 | 36     | 5 gm   | 29335990 | 18  | 2404       |
|         | For Lab Use   |            | 126    | 25 gm  |          |     | 8357       |
|         | C <sub>17</sub> H <sub>18</sub> FN <sub>3</sub> O <sub>3</sub> M.W 331.34         |            | 440    | 100 gm |          |     | 29254      |
| LA1378  | CIPROFLOXACIN HYDROCHLORIDE Extra Pure (monohydrate)                              | 86393-32-0 | 54     | 5 gm   | 29225090 | 18  | 3561       |
|         | For Lab Use   |            | 130    | 25 gm  |          |     | 8657       |
|         |   |            | 194    | 100 gm |          |     | 12922      |
| LA1379  | CITRAL 97%  | 5392-40-5  | 9      | 100 ml | 29121990 | 18  | 577        |
|         | C <sub>10</sub> H <sub>16</sub> O M.W 152.23, Liquid d. 0.888                     |            | 41     | 500 ml |          |     | 2709       |
| LA1380  | CITRAZINIC ACID 96%   | 99-11-6    | 57     | 25 gm  | 29333990 | 18  | 3817       |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 155.11                         |            | 209    | 100 gm |          |     | 13918      |
| LA1381  | CITRIC ACID 99% Extra Pure (anhydrous)  | 77-92-9    | 15     | 500 gm | 29181400 | 18  | 970        |
|         | C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 192.12                          |            | 131    | 5 Kg   |          |     | 8723       |
|         |   |            | 590    | 25 Kg  |          |     | 39254      |
| LA1382  | CITRIC ACID 99.5% AR (anhydrous)  | 77-92-9    | 17     | 500 gm | 29181400 | 18  | 1111       |
|         | C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 192.12                          |            | 151    | 5 Kg   |          |     | 10026      |
| LA1383  | CITRIC ACID 99.5% For Molecular Biology (anhydrous)                               | 77-92-9    | 48     | 500 gm | 29181400 | 18  | 3164       |
|         | C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 192.12                          |            |        |        |          |     |            |
| LA1384  | CITRIC ACID 99% Extra Pure (monohydrate)  | 5949-29-1  | 12     | 500 gm | 29181400 | 18  | 828        |
|         | C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> .H <sub>2</sub> O M.W. 210.14        |            | 112    | 5 Kg   |          |     | 7420       |
|         |   |            | 502    | 25 Kg  |          |     | 33367      |
| LA1385  | CITRIC ACID 99.5% AR (monohydrate)  | 5949-29-1  | 14     | 500 gm | 29181400 | 18  | 902        |
|         | C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> .H <sub>2</sub> O M.W. 210.14        |            | 122    | 5 Kg   |          |     | 8107       |
|         |   |            | 549    | 25 Kg  |          |     | 36484      |
| LA1386  | CITRIC ACID 20% AQUEOUS SOLUTION AR   | 77-92-9    | 6      | 1 Lt   | 38220090 | 12  | 427        |
| LA1387  | CITRIC ACID 50% AQUEOUS SOLUTION  | 77-92-9    | 11     | 1 Lt   | 38220090 | 12  | 713        |
| LA1388  | CITRONELAL OIL Extra Pure Liquid, d. 0.897  | 8000-29-1  | 55     | 500 ml | 33011910 | 18  | 3677       |
| LA1389  | L-CITRULLINE 98% For Biochemistry   | 372-75-8   | 12     | 10 gm  | 29241900 | 18  | 794        |
|         | [L-(+)-2-amino-5-ureidovALeric acid]  |            | 28     | 25 gm  |          |     | 1834       |
|         | C <sub>6</sub> H <sub>13</sub> N <sub>3</sub> O <sub>2</sub> M.W. 175.19          |            |        |        |          |     |            |
|         | CLAYTON YELLOW  |            |        |        |          |     |            |
| LA1390  | CLINDAMYCIN HYDROCHLORIDE 96%   | 21462-39-5 | 103    | 5 gm   | 29419019 | 18  | 6828       |
|         | C <sub>18</sub> H <sub>33</sub> ClN <sub>2</sub> O <sub>5</sub> S·HCl M.W. 461.44 |            |        |        |          |     |            |
| LA1391  | CLOPIDOL  | 2971-90-6  | 52     | 5 gm   | 29333990 | 18  | 3489       |
|         | For Lab Use   |            | 171    | 25 gm  |          |     | 11379      |
| LA1392  | CLOTRIMAZOLE 98% Extra Pure   | 23593-75-1 | 58     | 25 gm  | 29332990 | 18  | 3868       |
|         | For Lab Use C <sub>22</sub> H <sub>17</sub> CIN <sub>2</sub> M.W 344.84           |            | 171    | 100 gm |          |     | 11382      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1393  | CLOVE OIL For Microscopy  | 8000-34-8  | 19     | 100 ml | 33012921 | 18  | 1283       |
|         | Liquid, d. 1.04   |            | 72     | 500 ml |          |     | 4817       |
| LA1394  | CLOXACILLINE Extra Pure   | 61-72-3    | 21     | 25 gm  | 30041050 | 18  | 1398       |
|         | For Lab Use   |            | 82     | 100 gm |          |     | 5459       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT    | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|---------|----------|-----|------------|
| LA1395  | <b>CLOZAPINE 98%</b><br>For Lab Use C <sub>18</sub> H <sub>19</sub> CIN <sub>4</sub> M.W 326.82   | 5786-21-0  | 92     | 25 gm   | 29339900 | 18  | 6132       |
|         |   |            | 277    | 100 gm  |          |     | 18412      |
|         | <b>UN 2811 6.1/PG III</b>   |            |        |         |          |     |            |
| LA1396  | <b>COAL TAR (liquid)</b> Liquid, d. 1.2   | 8007-45-2  | 17     | 500 ml  | 27060010 | 5   | 1119       |
| LA1397  | <b>COBALT AAS STANDARD SOLUTION</b><br>1000mg/L in Nitric Acid, Liquid, d. 1.014  |            | 34     | 125 ml  | 38220090 | 12  | 2272       |
|         |   |            | 101    | 500 ml  |          |     | 6697       |
|         | <b>UN 3264 8/PG III</b>   |            |        |         |          |     |            |
| LA1398  | <b>COBALT ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b><br>Liquid, d. 1.014   |            | 103    | 125 ml  | 38220090 | 12  | 6823       |
|         |   |            |        |         |          |     |            |
|         | <b>UN 3264 8/PG III</b>   |            |        |         |          |     |            |
| LA1399  | <b>COBALT (Metal) LUMPS 99%</b><br>Co M.W 58.93   | 7440-48-4  | 60     | 100 gm  | 81052010 | 18  | 3962       |
|         |   |            | 259    | 500 gm  |          |     | 17244      |
|         | <b>UN 3089 4.1/PG II</b>  |            |        |         |          |     |            |
| LA1400  | <b>COBALT (Metal) POWDER 99%</b><br>Co M.W 58.93  | 7440-48-4  | 68     | 100 gm  | 81052010 | 18  | 4535       |
|         |   |            | 307    | 500 gm  |          |     | 20394      |
|         | <b>UN 3089 4.1/PG II</b>  |            |        |         |          |     |            |
| LA1401  | <b>COBALT (II) ACETATE 98.5% (tetrahydrate)</b><br>(cobALTous acetate) (CH <sub>3</sub> COO) <sub>2</sub> Co.4H <sub>2</sub> O M.W. 249.08  | 6147-53-1  | 23     | 100 gm  | 29152990 | 18  | 1529       |
|         |   |            | 90     | 500 gm  |          |     | 5998       |
|         | <b>UN 3077 9/PG III</b>   |            |        |         |          |     |            |
| LA1402  | <b>COBALT (II) ACETATE 99% AR (tetrahydrate)</b><br>(cobALTous acetate) (CH <sub>3</sub> COO) <sub>2</sub> Co.4H <sub>2</sub> O M.W. 249.08 | 6147-53-1  | 25     | 100 gm  | 29152990 | 18  | 1691       |
|         |   |            | 96     | 500 gm  |          |     | 6412       |
|         | <b>UN 3077 9/PG III</b>   |            |        |         |          |     |            |
| LA1403  | <b>COBALT AMMONIUM CHLORIDE 97%</b><br>[Co(NH <sub>3</sub> ) <sub>6</sub> ]Cl <sub>3</sub> M.W. 267.48                                      | 10534-89-1 | 141    | 100 gm  | 28429090 | 18  | 9377       |
|         |   |            |        |         |          |     |            |
| LA1404  | <b>COBALT (II) BORATE</b><br>(cobALTous borate)   |            | 78     | 100 gm  | 28402090 | 18  | 5159       |
|         |   |            | 337    | 500 gm  |          |     | 22420      |
| LA1405  | <b>COBALT (II) BROMIDE hydrate 99%</b><br>(cobALTous bromide)   | 85017-77-2 | 103    | 100 gm  | 28152000 | 18  | 6827       |
|         |   |            | 333    | 500 gm  |          |     | 22115      |
|         | CoBr <sub>2</sub> .xH <sub>2</sub> O M.W 218.74 (anhydrous basis)   |            |        |         |          |     |            |
|         | <b>UN 3077 9/PG III</b>   |            |        |         |          |     |            |
| LA1406  | <b>COBALT (II) BROMIDE hydrate 99% AR</b><br>CoBr <sub>2</sub> .xH <sub>2</sub> O M.W 218.74 (anhydrous basis)                              | 85017-77-2 | 146    | 100 gm  | 28152000 | 18  | 9737       |
|         |   |            |        |         |          |     |            |
|         | <b>UN 3077 9/PG III</b>   |            |        |         |          |     |            |
| LA1407  | <b>COBALT (II) CARBONATE</b><br>(cobALTous carbonate) CoCO <sub>3</sub> .xH <sub>2</sub> O M.W. 118.94 (anhydrous basis)                    | 57454-67-8 | 31     | 100 gm  | 28369990 | 18  | 2088       |
|         |   |            | 143    | 500 gm  |          |     | 9500       |
| LA1408  | <b>COBALT (II) CHLORIDE 97-102% (hexahydrate)</b><br>(cobALTous chloride) CoCl <sub>2</sub> .6H <sub>2</sub> O M.W. 237.93                  | 7791-13-1  | 19     | 100 gm  | 28274190 | 18  | 1247       |
|         |   |            | 85     | 500 gm  |          |     | 5649       |
|         | <b>UN 3077 9/PG III</b>   |            |        | 807     | 5 Kg     |     | 53666      |
| LA1409  | <b>COBALT (II) CHLORIDE 99% AR (hexahydrate)</b><br>(cobALTous chloride) CoCl <sub>2</sub> .6H <sub>2</sub> O M.W. 237.93                   | 7791-13-1  | 21     | 100 gm  | 28274190 | 18  | 1364       |
|         |   |            | 92     | 500 gm  |          |     | 6131       |
|         | <b>UN 3077 9/PG III</b>   |            |        |         |          |     |            |
| LA1410  | <b>COBALT (II) CHLORIDE test paper (Pkt. of 100 leaves)</b>   |            | 3      | Pkt.    | 38220090 | 12  | 170        |
|         |   |            | 52     | 24 Pkt. |          |     | 3444       |
| LA1411  | <b>COBALT (II) CHROMATE 98%</b><br>(cobALTous chromate) CoCrO <sub>4</sub> M.W. 174.93  | 13455-25-9 | 105    | 100 gm  | 28415090 | 18  | 6956       |
|         |   |            | 379    | 500 gm  |          |     | 25198      |
|         | <b>UN 3085 5.1(8)/PG II</b>   |            |        |         |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1432  | COBALT (II) CITRATE 98% (dihydrate)<br>(cobALTous citrate) $C_{12}H_{10}Co_3O_{14} \cdot 2H_2O$ M.W. 592.02                                 | 6424-15-3  | 136    | 100 gm | 29181590 | 18  | 9045       |
|         |   |            | 500    | 500 gm |          |     | 33248      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1433  | COBALT (II) FLUORIDE 98%<br>(cobALTous fluoride) $CoF_2$ M.W 96.93  | 10026-17-2 | 171    | 100 gm | 28261990 | 18  | 11361      |
|         |   |            |        |        |          |     |            |
|         | <u>UN 2923 8 (6.1)/PG III</u>   |            |        |        |          |     |            |
| LA1434  | COBALT (II) HYDROXIDE 97%<br>$Co(OH)_2$ M.W. 92.95  | 21041-93-0 | 91     | 100 gm | 28220010 | 18  | 6038       |
|         |   |            |        |        |          |     |            |
|         | <u>UN 3288 6.1/PG I</u>   |            |        |        |          |     |            |
| LA1435  | COBALT (II) IODIDE 98% (hydrate)<br>(cobALTous iodide) $CoI_2 \cdot xH_2O$ M.W. 312.74 (anhy)   | 13455-29-3 | 106    | 25 gm  | 29420090 | 18  | 7032       |
|         |   |            | 380    | 100 gm |          |     | 25284      |
| LA1436  | COBALT NAPHTHENATE (6% solution)<br>Liquid, d. 0.921  | 61789-51-3 | 43     | 100 gm | 38249090 | 18  | 2840       |
|         |   |            | 81     | 500 gm |          |     | 5417       |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA1437  | COBALT (II) NITRATE 97-101% (hexahydrate)<br>(cobALTous nitrate) $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03                                       | 10026-22-9 | 17     | 100 gm | 28342990 | 18  | 1121       |
|         |   |            | 72     | 500 gm |          |     | 4770       |
|         | <u>UN 1477 5.1/PG II</u>  |            |        | 681    | 5 Kg     |     | 45309      |
| LA1438  | COBALT (II) NITRATE 99% AR (hexahydrate)<br>(cobALTous nitrate) $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03  | 10026-22-9 | 19     | 100 gm | 28342990 | 18  | 1249       |
|         |   |            | 79     | 500 gm |          |     | 5252       |
|         | <u>UN 1477 5.1/PG II</u>  |            |        |        |          |     |            |
| LA1439  | COBALT (II) OXALATE (dihydrate)<br>(cobALTous oxalate) $(Co) CoC_2O_4 \cdot 2H_2O$ M.W 182.98   | 5965-38-8  | 67     | 100 gm | 29171190 | 18  | 4456       |
|         |   |            | 266    | 500 gm |          |     | 17680      |
| LA1440  | COBALT (II) OXIDE (black) powder<br>(cobALTous oxide) $Co_3O_4$ M.W. 240.80   | 1308-06-1  | 49     | 100 gm | 28220010 | 18  | 3273       |
|         |   |            | 214    | 500 gm |          |     | 14206      |
| LA1441  | COBALT (II) OXIDE (black) AR<br>(cobALTous oxide) $Co_3O_4$ M.W. 240.80   | 1308-06-1  | 55     | 100 gm | 28220010 | 18  | 3629       |
|         |   |            | 238    | 500 gm |          |     | 15817      |
| LA1442  | COBALT (II) PHOSPHATE 98%<br>(cobALTous phosphate) $Co_3(PO_4)_2$ M.W 366.74  | 13455-36-2 | 55     | 100 gm | 28352990 | 18  | 3631       |
|         |   |            | 204    | 500 gm |          |     | 13550      |
| LA1443  | COBALT (II) SULPHATE 97-102% (heptahydrate)<br>(cobALTous sulphate) $CoSO_4 \cdot 7H_2O$ M.W. 281.10  | 10026-24-1 | 15     | 100 gm | 28332990 | 18  | 965        |
|         |   |            | 66     | 500 gm |          |     | 4376       |
|         | <u>UN 3077 9/PG III</u>   |            |        | 592    | 5 Kg     |     | 39386      |
| LA1444  | COBALT (II) SULPHATE 99% AR (heptahydrate)<br>(cobALTous sulphate) $CoSO_4 \cdot 7H_2O$ M.W. 281.10   | 10026-24-1 | 16     | 100 gm | 28332990 | 18  | 1073       |
|         |   |            | 67     | 500 gm |          |     | 4482       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1445  | COBALT (II) SULPHIDE 99.5%<br>(cobALTous sulphide) $CoS$ (Varied) M.W. 91.00  | 1317-42-6  | 169    | 100 gm | 28309000 | 18  | 11234      |
|         |   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1446  | COBALT (II) SULPHITE (cobALTous sulphite)   |            | 211    | 100 gm | 28333090 | 18  | 14062      |
| LA1447  | COBALT (II) TARTRATE 95.0% (cobALTous tartrate)<br>[-CH(OH)CO <sub>2</sub> ] <sub>2</sub> Cu·xH <sub>2</sub> O M.W 211.62 (anhydrous basis) |            | 171    | 250 gm | 29181390 | 18  | 11370      |
| LA1448  | COBALT (II) THIOCYANATE 96%<br>(cobALTous thiocyanate) $Co(SCN)_2$ M.W 175.10   | 3017-60-5  | 103    | 100 gm | 28429090 | 18  | 6824       |
|         |   |            | 366    | 500 gm |          |     | 24324      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1449  | COCO DIETHANOALMIDE   | 120-40-1   | 32     | 500 gm | 34021200 | 18  | 2119       |
| LA1450  | COCO MONOETHANOALMIDE   | 8052-62-8  | 32     | 500 gm | 34021300 | 18  | 2119       |
| LA1451  | COCO BUTTER Extra Pure  | 8002-31-1  | 43     | 500 gm | 18040000 | 18  | 2885       |
| LA1452  | COCONUT OIL (fatty acid) Liquid, d. 0.903   | 8001-31-8  | 15     | 500 ml | 15131900 | 5   | 1005       |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT    | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|---------|----------|-----|------------|
| LA1453  | CODLIVER OIL   |           | 85     | 250 ml  | 15041010 | 12  | 5681       |
|         | Liquid, d. 0.916-0.928   |           | 156    | 500 ml  |          |     | 10402      |
| LA1454  | COLCHICINE 98.5%   | 64-86-8   | 44     | 1 gm    | 29398000 | 18  | 2947       |
|         | <chem>C22H25NO6</chem> M.W. 399.44                             |           | 411    | 10 gm   |          |     | 27332      |
|         | <u>UN 1544 6.1/PG I</u>  |           |        |         |          |     |            |
| LA1455  | COLLODION 4%   | 9004-70-0 | 15     | 500 ml  | 39129090 | 18  | 1011       |
|         | Liquid, d. 0.775   |           |        |         |          |     |            |
|         | <u>UN 1993 3/PG I</u>  |           |        |         |          |     |            |
| LA1456  | COLLODION FLEXIBLE   |           | 29     | 500 ml  | 39129090 | 18  | 1925       |
| LA1457  | COLOPHONY (Resin)  | 8050-09-7 | 25     | 500 gm  | 38061090 | 18  | 1663       |
| LA1458  | CONGO RED indicator (C.I.No.22120)                             | 573-58-0  | 2      | 25 gm   | 32041421 | 18  | 161        |
|         | For Microscopy   |           | 7      | 100 gm  |          |     | 492        |
|         | Dye Content: Min. 35% <chem>C32H22N6Na2O6S2</chem> M.W. 696.66 |           | 30     | 500 gm  |          |     | 1976       |
| LA1459  | CONGO RED indicator solution                                   |           | 2      | 125 ml  | 38220090 | 12  | 130        |
|         | Liquid, d. 0.995   |           | 6      | 500 ml  |          |     | 393        |
| LA1460  | CONGO RED indicator papers                                     |           | 3      | 100 lvs | 38220090 | 12  | 166        |
|         | COOMASIE BRILLIANT BLUE G 250                                  |           |        |         |          |     |            |
|         | COOMASIE BRILLIANT BLUE R 250                                  |           |        |         |          |     |            |
| LA1461  | COPPER AAS STANDARD SOLUTION                                   |           | 27     | 100 ml  | 38220090 | 12  | 1786       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                      |           | 53     | 500 ml  |          |     | 3544       |
|         | <u>UN 3264 8/PG III</u>  |           |        |         |          |     |            |
| LA1462  | COPPER ICP STANDARD SOLUTION                                   |           | 100    | 125 ml  | 38220090 | 12  | 6657       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.014                      |           |        |         |          |     |            |
|         | <u>UN 3264 8/PG III</u>  |           |        |         |          |     |            |
| LA1463  | COPPER ICP STANDARD SOLUTION                                   |           | 224    | 125 ml  | 38220090 | 12  | 14878      |
|         | 10000mg/L in Nitric Acid, Liquid, d. 1.035                     |           |        |         |          |     |            |
| LA1464  | COPPER (Metal) TURNING/FILLING 99.5% (smLAL pieces)            | 7440-50-8 | 7      | 100 gm  | 74061000 | 18  | 481        |
|         | Cu M.W. 63.55  |           | 16     | 250 gm  |          |     | 1075       |
|         | <u>UN 3089 4.1/PG II</u>                                       |           | 31     | 500 gm  |          |     | 2045       |
|         |  |           | 283    | 5 Kg    |          |     | 18804      |
| LA1465  | COPPER (Metal) FOIL 99% (approx. 0.1 mm)                       | 7440-50-8 | 24     | 100 gm  | 74101100 | 18  | 1625       |
|         | Cu M.W. 63.55  |           | 75     | 500 gm  |          |     | 5012       |
| LA1466  | COPPER (Metal) FOIL 99% AR (approx. 0.1 mm)                    | 7440-50-8 | 29     | 100 gm  | 74101100 | 18  | 1936       |
|         | Cu M.W. 63.55  |           | 82     | 500 gm  |          |     | 5460       |
| LA1467  | COPPER (Metal) POWDER 99.5% Practical                          | 7440-50-8 | 11     | 100 gm  | 74061000 | 18  | 719        |
|         | Cu M.W. 63.55  |           | 40     | 500 gm  |          |     | 2647       |
|         |  |           | 332    | 5 Kg    |          |     | 22063      |
| LA1468  | COPPER (Metal) POWDER 99.5% EL grade (325 mesh)                | 7440-50-8 | 12     | 100 gm  | 74061000 | 18  | 791        |
|         | Cu M.W. 63.55  |           | 44     | 500 gm  |          |     | 2958       |
|         |  |           | 400    | 5 Kg    |          |     | 26626      |
| LA1469  | COPPER (Metal) POWDER 99.7% AR                                 | 7440-50-8 | 13     | 100 gm  | 74061000 | 18  | 851        |
|         | Cu M.W. 63.55  |           | 59     | 500 gm  |          |     | 3920       |
| LA1470  | COPPER (II) ACETATE 98% (monohydrate)                          | 6046-93-1 | 14     | 250 gm  | 29152990 | 18  | 945        |
|         | (cupric acetate) <chem>(CH3.COO)2Cu.H2O</chem> M.W. 199.65     |           | 25     | 500 gm  |          |     | 1643       |
|         | <u>UN 1759 8/PG II</u>   |           | 222    | 5 Kg    |          |     | 14776      |
| LA1471  | COPPER (II) ACETATE 99% AR (monohydrate)                       | 6046-93-1 | 24     | 250 gm  | 29152990 | 18  | 1577       |
|         | (cupric acetate) <chem>(CH3.COO)2Cu.H2O</chem> M.W. 199.65     |           | 45     | 500 gm  |          |     | 2992       |
|         | <u>UN 1759 8/PG II</u>   |           |        |         |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1472  | COPPER (II) BORATE (cupric borate)   |            | 72     | 500 gm | 28402090 | 18  | 4817       |
| LA1473  | COPPER (I) BROMIDE 97%   | 7787-70-4  | 59     | 500 gm | 28273990 | 18  | 3951       |
|         | (cuprous bromide) CuBr M.W. 143.45   |            |        |        |          |     |            |
| LA1477  | COPPER (II) BROMIDE 98%  | 7789-45-9  | 68     | 500 gm | 28275990 | 18  | 4545       |
|         | (cupric bromide) CuBr <sub>2</sub> M.W 223.35  |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG III</u>  |            |        |        |          |     |            |
| LA1478  | COPPER (II) CARBONATE 95% (basic)  | 12069-69-1 | 31     | 500 gm | 28369990 | 18  | 2039       |
|         | (copper (II) hydroxide carbonate) (cupric carbonate)                                 |            | 284    | 5 Kg   |          |     | 18855      |
|         | CuCO <sub>3</sub> ·Cu(OH) <sub>2</sub> M.W 221.12                                    |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA1479  | COPPER (II) CHLORIDE 98% (dihydrate)   | 10125-13-0 | 22     | 500 gm | 28273990 | 18  | 1437       |
|         | (cupric chloride) CuCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 170.48                   |            | 194    | 5 Kg   |          |     | 12930      |
|         | <u>UN 2802 8/PG III</u>  |            |        |        |          |     |            |
| LA1480  | COPPER (II) CHLORIDE (dihydrate) 99% AR  | 10125-13-0 | 29     | 500 gm | 28273990 | 18  | 1930       |
|         | (cupric chloride) CuCl <sub>2</sub> ·2H <sub>2</sub> O M.W. 170.48                   |            |        |        |          |     |            |
|         | <u>UN 2802 8/PG III</u>  |            |        |        |          |     |            |
| LA1481  | COPPER (II) CHLORIDE SOLUTION  |            | 7      | 500 ml | 38220090 | 12  | 484        |
| LA1482  | COPPER (I) CHLORIDE 97% (anhydrous)  | 7758-89-6  | 29     | 500 gm | 28273940 | 18  | 1932       |
|         | (cuprous chloride) CuCl M.W. 99.00   |            |        |        |          |     |            |
|         | <u>UN 2802 8/PG III</u>  |            |        |        |          |     |            |
| LA1483  | COPPER (I) CHLORIDE 98% AR (anhydrous)   | 7758-89-6  | 43     | 250 gm | 28273940 | 18  | 2845       |
|         | (cuprous chloride) CuCl M.W. 99.00   |            |        |        |          |     |            |
|         | <u>UN 2802 8/PG III</u>  |            |        |        |          |     |            |
| LA1484  | COPPER (II) CHROMATE (cupric chromate)   | 13548-42-0 | 84     | 500 gm | 28415090 | 18  | 5582       |
| LA1485  | COPPER CHROMITE  | 12053-18-8 | 27     | 100 gm | 28419000 | 18  | 1822       |
|         | (Copper chromium oxide) Cr <sub>2</sub> Cu <sub>2</sub> O <sub>5</sub> M.W. 311.08   |            | 97     | 500 gm |          |     | 6429       |
|         | <u>UN 1479 5.1/PG II</u>   |            |        |        |          |     |            |
| LA1486  | COPPER (II) CITRATE (cupric citrate)   | 10402-15-0 | 51     | 500 gm | 29181590 | 18  | 3398       |
| LA1487  | COPPER (I) CYANIDE   | 544-92-3   | 44     | 500 gm | 28371990 | 18  | 2932       |
|         | (cuprous cyanide) CuCN M.W 89.56   |            |        |        |          |     |            |
|         | <u>UN 1587 6.1/PG II</u>   |            |        |        |          |     |            |
| LA1488  | COPPER (II) FLUOBORATE   | 38465-60-0 | 44     | 500 gm | 28269000 | 18  | 2945       |
|         | (cupric fluoborate) Cu(BF <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O M.W. 237.16 |            |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>  |            |        |        |          |     |            |
| LA1489  | COPPER (II) FLUORIDE 98%   | 7789-19-7  | 84     | 500 gm | 28261990 | 18  | 5568       |
|         | (cupric fluoride) CuF <sub>2</sub> M.W. 101.54                                       |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG II</u>   |            |        |        |          |     |            |
| LA1490  | COPPER (II) HYDROXIDE  | 20427-59-2 | 46     | 500 gm | 28255000 | 18  | 3027       |
|         | Cu(OH) <sub>2</sub> M.W. 97.56   |            | 410    | 5 Kg   |          |     | 27241      |
|         | <u>UN 3288 6.1/PG II</u>   |            |        |        |          |     |            |
|         | COPPER (II) HYDROXIDE CARBONATE  |            |        |        |          |     |            |
| LA1491  | COPPER (I) IODIDE 98% Practical  | 7681-65-4  | 34     | 100 gm | 28276090 | 18  | 2265       |
|         | (cuprous iodide) Cul M.W 190.95  |            | 82     | 250 gm |          |     | 5436       |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA1492  | COPPER (I) IODIDE 99% AR   | 7681-65-4  | 39     | 100 gm | 28276090 | 18  | 2610       |
|         | (cuprous iodide) Cul M.W 190.95  |            | 157    | 500 gm |          |     | 10409      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1493  | <b>COPPER (II) SULPHIDE 99.99%</b><br>(cupric sulphide) CuS M.W 95.61  | 1317-40-4  | 135    | 500 gm | 28309010 | 18  | 8987       |
| LA1494  | <b>COPPER (II) TARTRATE 99.9%</b><br>(cupric tartrate) $C_4H_4CuO_6 \cdot xH_2O$ M.W. 211.62 (anhydrous basis) | 815-82-7   | 144    | 500 gm | 29181390 | 18  | 9558       |
| LA1495  | <b>COPPER (I) THIOCYANATE 99.9%</b><br>(cuprous thiocyanate) CuSCN M.W 121.63                                  | 1111-67-7  | 142    | 250 gm | 28429090 | 18  | 9411       |
|         | <b>UN 3077 9/PG III</b>  |            | 249    | 500 gm |          |     | 16571      |
| LA1496  | <b>CORIANDER OIL</b> Extra Pure<br>Liquid, d. 0.868  | 8008-52-4  | 50     | 100 ml | 33012922 | 18  | 3336       |
|         |  |            | 116    | 250 ml |          |     | 7705       |
| LA1497  | <b>CORRALIN SODA REAGENT</b> solution  |            | 17     | 500 ml | 28151200 | 18  | 1139       |
| LA1498  | <b>COTRIMOXAZOLE 98%</b> Extra Pure<br>For Lab Use<br>$C_{22}H_{17}ClN_2$ M.W. 344.84<br>COTTON BLUE           | 738-70-5   | 51     | 25 gm  | 30049099 | 12  | 3375       |
|         |  |            | 152    | 100 gm |          |     | 10091      |
|         |  |            | 409    | 500 gm |          |     | 27193      |
| LA1499  | <b>COTTON BLUE</b> in ALctophenol<br>Liquid, d. 1.16   |            | 2      | 125 ml | 38220090 | 12  | 142        |
|         |  |            | 6      | 500 ml |          |     | 428        |
| LA1500  | <b>COTTON SEED OIL</b> Liquid, d. 0.92   | 8001-29-4  | 22     | 500 ml | 15122100 | 5   | 1454       |
| LA1501  | <b>p-COUMARIC ACID 98%</b><br>(trans-4-Hydroxycinnamic acid) $C_9H_8O_3$ M.W 164.16                            | 501-98-4   | 169    | 25 gm  | 29182990 | 18  | 11259      |
| LA1502  | <b>COUMARIN 99%</b> For Synthesis<br>(2H-1-benzopyran-2-one) $C_9H_6O_2$ M.W. 146.15                           |            | 27     | 250 gm | 29322010 | 18  | 1812       |
|         | <b>UN 2811 6.1/PG III</b>  |            |        |        |          |     |            |
|         | CREAM OF TARTAR  |            |        |        |          |     |            |
| LA1503  | <b>CREATINE 98%</b> (monohydrate)<br>$C_4H_9N_3O_2 \cdot H_2O$ M.W. 149.15                                     | 6020-87-7  | 4      | 25 gm  | 29252990 | 18  | 252        |
|         |  |            | 12     | 100 gm |          |     | 800        |
|         |  |            | 51     | 500 gm |          |     | 3401       |
| LA1504  | <b>CREATINE PHOSPHATE DISODIUM SALT 98% AR</b><br>(creatine phosphoric acid disodium salt)                     | 922-32-7   | 68     | 1 gm   | 29420000 | 18  | 4542       |
|         |  |            | 188    | 5 gm   |          |     | 12523      |
|         |  |            |        |        |          |     |            |
| LA1505  | <b>CREATININE 99%</b> Extra Pure<br>$C_4H_8N_3Na_2O_5P \cdot 4H_2O$ M.W. 327.14                                | 60-27-5    | 10     | 25 gm  | 29332990 | 18  | 679        |
|         |  |            | 34     | 100 gm |          |     | 2265       |
|         |  |            | 137    | 500 gm |          |     | 9107       |
| LA1506  | <b>CREATININE 99.8% AR</b><br>$C_4H_8N_3O$ M.W. 113.12   | 60-27-5    | 12     | 25 gm  | 29332990 | 18  | 831        |
|         |  |            | 46     | 100 gm |          |     | 3033       |
|         |  |            | 171    | 500 gm |          |     | 11379      |
| LA1507  | <b>CREATININE HYDROCHLORIDE 98%</b><br>$C_4H_8N_3O \cdot HCl$ M.W. 149.58                                      | 19230-81-0 | 15     | 25 gm  | 29332990 | 18  | 996        |
|         |  |            | 56     | 100 gm |          |     | 3733       |
| LA1508  | <b>CREATININE ZINC CHLORIDE 98%</b><br>( $C_4H_8N_3O_2 \cdot ZnCl_2$ ) M.W. 362.53                             | 62708-52-5 | 38     | 10 gm  | 29332990 | 18  | 2525       |
|         |  |            | 89     | 25 gm  |          |     | 5946       |
| LA1509  | <b>CREMOPHOR® EL</b> (Polyoxy 35 hydrogenated castor oil)  | 61791-12-6 | 115    | 500 gm | 34021300 | 18  | 7657       |
| LA1510  | <b>CREMOPHOR® RH-40</b>  | 61788-85-0 | 117    | 500 gm | 15180040 | 5   | 7773       |
| LA1511  | <b>CREOSOTE OIL</b> Extra Pure (light), Liquid, d. 0.98-1.1  |            | 65     | 500 ml | 27079100 | 18  | 4354       |
| LA1512  | <b>CREOSOTE OIL</b> (practical) (heavy), Liquid, d. 1.03-1.18  |            | 49     | 500 ml | 27079100 | 18  | 3273       |
| LA1513  | <b>m-CRESOL 98%</b> For Synthesis<br>(3-methylphenol) $CH_3C_6H_4OH$ M.W. 108.14, Liquid, d. 1.034             | 108-39-4   | 34     | 500 ml | 29071290 | 18  | 2259       |
|         | <b>UN 2076 6.1 (8)/PG II</b>   |            | 162    | 2.5 Lt |          |     | 10788      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1514  | <b>m-CRESOL 99% AR</b><br>(3-methylphenol) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14, Liquid, d. 1.034               | 108-39-4   | 36     | 500 ml | 29071290 | 18  | 2399       |
|         | <b>UN 2076 6.1 (8)/PG II</b>  |            |        |        |          |     |            |
| LA1515  | <b>o-CRESOL 98% For Synthesis</b><br>(2-methylphenol) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14, Liquid, d. 1.048    | 95-48-7    | 15     | 500 ml | 29071210 | 18  | 1020       |
|         | <b>UN 3455 6.1 (8)/PG II</b>  |            | 67     | 2.5 Lt |          |     | 4487       |
| LA1516  | <b>p-CRESOL 98% For Synthesis</b><br>(4-methylphenol) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14, Liquid, d. 1.03     | 106-44-5   | 19     | 500 ml | 29071210 | 18  | 1250       |
|         | <b>UN 3455 6.1(8)/PG II</b>   |            | 79     | 2.5 Lt |          |     | 5231       |
| LA1517  | <b>o-CRESOLPHTHALEIN (pH indicator)</b><br>C <sub>22</sub> H <sub>18</sub> O <sub>4</sub> M.W. 346.39                                   | 596-27-0   | 4      | 5 gm   | 29349900 | 18  | 238        |
|         |   |            | 10     | 25 gm  |          |     | 662        |
| LA1518  | <b>o-CRESOLPHTHALEIN COMPLEXONE</b><br>C <sub>32</sub> H <sub>32</sub> N <sub>2</sub> O <sub>12</sub> M.W 636.60B                       | 2411-89-4  | 8      | 1 gm   | 29332990 | 18  | 561        |
|         |   |            | 41     | 5 gm   |          |     | 2717       |
| LA1519  | <b>m-CRESOL PURPLE indicator</b><br>Dye Content : Min. 90% C <sub>21</sub> H <sub>18</sub> O <sub>3</sub> S M.W. 382.44                 | 2303-01-7  | 6      | 1 gm   | 29332990 | 18  | 404        |
|         |   |            | 24     | 5 gm   |          |     | 1579       |
| LA1520  | <b>m-CRESOL PURPLE 0.1% w/v AQUEOUS INDICATOR SOLUTION</b>  |            | 4      | 100 ml | 38220090 | 12  | 235        |
| LA1521  | <b>CRESOL RED indicator AR</b><br>Dye Content : Min. 95% C <sub>21</sub> H <sub>18</sub> O <sub>3</sub> S M.W. 382.43                   | 1733-12-6  | 3      | 5 gm   | 29332990 | 18  | 224        |
|         |   |            | 12     | 25 gm  |          |     | 785        |
|         |   |            | 44     | 100 gm |          |     | 2940       |
| LA1522  | <b>CRESOL RED indicator solution</b><br>Liquid, d. 0.98   |            | 2      | 125 ml | 38220090 | 12  | 138        |
|         |   |            | 6      | 500 ml |          |     | 412        |
|         | <b>CRESOL SOAP SOLUTION</b>   |            |        |        |          |     |            |
| LA1523  | <b>CRESYL VIOLET ACETATE Certified</b><br>Dye Content : - 70% C <sub>18</sub> H <sub>15</sub> N <sub>3</sub> O <sub>3</sub> M.W. 321.33 | 10510-54-0 | 13     | 1 gm   | 32049000 | 18  | 882        |
|         |   |            | 58     | 5 gm   |          |     | 3858       |
|         | <b>CRESYL BLUE</b>  |            |        |        |          |     |            |
| LA1524  | <b>CRESYLIC ACID</b><br>(cresol mixed isomers) Liquid, d.1.04   | 1319-77-3  | 19     | 500 ml | 29071190 | 18  | 1271       |
|         | <b>UN 2076 6.1(8)/PG II</b>   |            | 74     | 2.5 Lt |          |     | 4897       |
| LA1525  | <b>CROSCARMELLOSE SODIUM</b><br>(ac-di-sol)   | 74811-65-7 | 42     | 500 gm | 29420090 | 18  | 2812       |
|         |   |            | 197    | 2.5 Kg |          |     | 13085      |
| LA1526  | <b>CROSPovidone</b><br>(kollidon)   | 9003-39-8  | 21     | 100 gm | 39059990 | 18  | 1401       |
|         |   |            | 68     | 500 gm |          |     | 4538       |
| LA1527  | <b>CROTONALDEHYDE 99% For Synthesis</b><br>C <sub>6</sub> H <sub>8</sub> O M.W 70.09, Liquid, d. 0.846                                  | 123-73-9   | 27     | 500 ml | 29121910 | 18  | 1815       |
|         | <b>UN 1143 6.1(3)/PG I</b>  |            | 101    | 2.5 Lt |          |     | 6707       |
| LA1528  | <b>CROTONIC ACID 99% For Synthesis</b><br>C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W 86.09  | 107-93-7   | 11     | 100 gm | 29161990 | 18  | 757        |
|         | <b>UN 2823 8/PG III</b>   |            | 25     | 250 gm |          |     | 1682       |
| LA1529  | <b>18-CROWN-6-ETHER 99% For Synthesis</b><br>(1,4,7,10,13,16-hexaoxacyclooctadecane)  | 17455-13-9 | 10     | 5 gm   | 29329900 | 18  | 634        |
|         | (phase transfer catALyst complexing agent) C <sub>12</sub> H <sub>24</sub> O <sub>6</sub> M.W. 264.32                                   |            | 34     | 25 gm  |          |     | 2276       |
|         |   |            | 120    | 100 gm |          |     | 7967       |
| LA1530  | <b>CRYOLITE 98.5%</b><br>(sodium hexafluoroAluminate) Na <sub>3</sub> AlF <sub>6</sub> M.W. 209.94                                      | 15096-52-3 | 7      | 500 gm | 28263000 | 18  | 478        |
|         | <b>UN 3077 9/PG III</b>   |            | 30     | 2.5 Kg |          |     | 1962       |
| LA1531  | <b>CRYSTAL VIOLET</b><br>(gentian violet) (M.S.) (C.I.No.42555)   | 548-62-9   | 7      | 25 gm  | 32049000 | 18  | 481        |
|         | Dye Content : Min. 85% C <sub>25</sub> H <sub>30</sub> N <sub>3</sub> Cl M.W. 407.98  |            | 24     | 100 gm |          |     | 1588       |
|         | <b>UN 3077 9/PG III</b>   |            | 105    | 500 gm |          |     | 6982       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|--|------------|--------|--------|----------|-----|---------------|
| LA1532  | COPPER (II) NITRATE 95-103% (trihydrate)<br>(cupric nitrate) Cu(NO <sub>3</sub> ) <sub>2</sub> .3H <sub>2</sub> O M.W. 241.60  | 10031-43-3 | 10     | 250 gm | 28342990 | 18  | 675<br>1281   |
|         | <u>UN 1477 5.1/PG II</u>   |            | 173    | 5 Kg   |          |     | 11519         |
| LA1533  | COPPER (II) NITRATE 99.5% AR (trihydrate)<br>(cupric nitrate) Cu(NO <sub>3</sub> ) <sub>2</sub> .3H <sub>2</sub> O M.W. 241.60 | 10031-43-3 | 21     | 500 gm | 28342990 | 18  | 1419<br>12775 |
|         | <u>UN 1477 5.1/PG II</u>   |            | 192    | 5 Kg   |          |     |               |
| LA1534  | COPPER (II) OXALATE 98%<br>(cupric oxalate) CuC <sub>2</sub> O <sub>4</sub> .0.5H <sub>2</sub> O M.W. 160.57                   | 5893-66-3  | 82     | 500 gm | 29171190 | 18  | 5457          |
|         | <u>UN 3288 6.1/PG III</u>  |            |        |        |          |     |               |
| LA1535  | COPPER (II) OXIDE black 97% Practical (powder)<br>(cupric oxide black) CuO M.W. 79.55  | 1317-38-0  | 35     | 500 gm | 28255000 | 18  | 2301<br>20713 |
|         | <u>UN 3077 9/PG III</u>  |            | 311    | 5 Kg   |          |     |               |
| LA1536  | COPPER (II) OXIDE black 98% Extra Pure (powder)<br>(cupric oxide black) CuO M.W. 79.55   | 1317-38-0  | 38     | 500 gm | 28255000 | 18  | 2532<br>22779 |
|         | <u>UN 3077 9/PG III</u>  |            | 343    | 5 Kg   |          |     |               |
| LA1537  | COPPER (II) OXIDE black 99% AR<br>(cupric oxide black) CuO M.W. 79.55  | 1317-38-0  | 12     | 100 gm | 28255000 | 18  | 768<br>3071   |
|         | <u>UN 3077 9/PG III</u>  |            | 46     | 500 gm |          |     |               |
| LA1538  | COPPER OXIDE WIRE 98% AR (For Elementary AnALysis)<br>CuO M.W. 79.55   | 1317-38-0  | 154    | 100 gm | 28255000 | 18  | 10254         |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |               |
| LA1539  | COPPER (I) OXIDE red 95%<br>(cuprous oxide red) Cu <sub>2</sub> O M.W 143.09   | 1317-39-1  | 44     | 500 gm | 28255000 | 18  | 2948          |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |               |
| LA1540  | COPPER (II) PHOSPHATE 98%<br>(cupric phosphate) Cu <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 380.58                      | 7798-23-4  | 30     | 500 gm | 28352900 | 18  | 2003<br>18033 |
| LA1541  | COPPER (I) POTASSIUM CYANIDE<br>(cuprous potassium cyanide)  | 13682-73-0 | 68     | 500 gm | 28371990 | 18  | 4548          |
|         | <u>UN 1679 6.1/PG II</u>   |            |        |        |          |     |               |
| LA1542  | COPPER (II) SULPHATE 98% Practical<br>(pentahydrate big crystals) (cupric sulphate)  | 7758-99-8  | 13     | 500 gm | 28332500 | 18  | 833<br>6762   |
|         | CuSO <sub>4</sub> .5H <sub>2</sub> O M.W. 249.69   |            | 102    | 5 Kg   |          |     |               |
|         | <u>UN 3077 9/PG III</u>  |            | 941    | 50 Kg  |          |     | 62556         |
| LA1543  | COPPER (II) SULPHATE 98.5-101% Extra Pure (pentahydrate)<br>(pentahydrate sugar crystals) (cupric sulphate)                    | 7758-99-8  | 14     | 500 gm | 28332500 | 18  | 905<br>7974   |
|         | CuSO <sub>4</sub> .5H <sub>2</sub> O M.W. 249.69   |            | 120    | 5 Kg   |          |     |               |
|         | <u>UN 3077 9/PG III</u>  |            | 1103   | 50 Kg  |          |     | 73366         |
| LA1544  | COPPER (II) SULPHATE 99% AR (pentahydrate)<br>(cupric sulphate) CuSO <sub>4</sub> .5H <sub>2</sub> O M.W. 249.69               | 7758-99-8  | 16     | 500 gm | 28332500 | 18  | 1056<br>9392  |
|         | <u>UN 3077 9/PG III</u>  |            | 141    | 5 Kg   |          |     |               |
| LA1545  | COPPER (II) SULPHATE 0.1M (0.1N)<br>Standardized Solution  |            | 8      | 500 ml | 38220090 | 12  | 546           |
| LA1546  | COPPER (II) SULPHATE 98% (anhydrous)<br>(cupric sulphate) CuSO <sub>4</sub> M.W. 159.61  | 7758-98-7  | 25     | 500 gm | 28332500 | 18  | 1643<br>1769  |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |               |
| LA1547  | COPPER (II) SULPHATE 99% AR (anhydrous)<br>(cupric sulphate) CuSO <sub>4</sub> M.W. 159.61                                     | 7758-98-7  | 27     | 500 gm | 28332500 | 18  |               |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |               |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)      |
|---------|---|------------|--------|--------|----------|-----|-----------------|
| LA1548  | CRYSTAL VIOLET AR<br>(gentian violet) (M.S.) (C.I.No.42555)   | 548-62-9   | 10     | 25 gm  | 32049000 | 18  | 678<br>2195     |
|         | Dye Content : Min. 88% $C_{25}H_{30}N_3Cl$ M.W. 407.98  |            | 139    | 500 gm |          |     | 9264            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |                 |
| LA1549  | CRYSTAL VIOLET solution (Gram's staining solution)<br>(crystAL violet ammonium oxalate solution), Liquid, d. 1.00 |            | 3      | 125 ml | 38220090 | 12  | 169<br>501      |
|         | <u>UN 1993 3 /PG III</u>  |            |        |        |          |     |                 |
| LA1550  | CUMIN SEED OIL Extra Pure<br>Liquid, d. 0.925   | 8014-13-9  | 51     | 100 ml | 33012945 | 18  | 3387<br>11151   |
|         | <u>UN 1993 3 /PG III</u>  |            | 168    | 500 ml |          |     |                 |
| LA1551  | CUOXAM REAGENT solution   |            | 12     | 500 ml | 38220090 | 12  | 768             |
| LA1552  | CUPFERRON 98% AR<br>(N-nitroso-N-phenyl hydroxyALmine ammonium salt)  | 135-20-6   | 21     | 25 gm  | 29280090 | 18  | 1384<br>4805    |
|         | $C_6H_9N_3O_2$ M.W. 155.16  |            | 72     | 100 gm |          |     |                 |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |                 |
| LA1553  | CUPFERRON REAGENT solution  |            | 22     | 500 ml | 38220090 | 12  | 1466            |
| LA1554  | CUPRIC POTASSIUM TARTARATE<br>(potassium cupric tartarate)  |            | 34     | 100 gm | 29181390 | 18  | 2276<br>8275    |
|         | CUPRON AR   |            | 124    | 500 gm |          |     |                 |
| LA1555  | CURCUMINE crystAlline 94% (C.I. No.75300)   | 458-37-7   | 10     | 5 gm   | 32030090 | 18  | 672<br>1232     |
|         | $C_{21}H_{20}O_6$ M.W. 368.39   |            | 19     | 10 gm  |          |     |                 |
| LA1556  | CYANOACETAMIDE 98% For Synthesis<br>(mAlonamide nitrile) $C_3H_4N_2O$ M.W. 84.08                                  | 107-91-5   | 11     | 100 gm | 29269000 | 18  | 732<br>2557     |
| LA1557  | CYANOACETIC ACID 98% For Synthesis  | 372-09-8   | 25     | 250 gm | 29269000 | 18  | 1646<br>5352    |
|         | $C_3H_3NO_2$ M.W. 85.06   |            | 80     | 1 Kg   |          |     |                 |
|         | <u>UN 3261 8/PG II</u>  |            |        |        |          |     |                 |
|         | CYANOCOBALAMINE   |            |        |        |          |     |                 |
| LA1558  | CYANOGEN BROMIDE 97% For Synthesis  | 506-68-3   | 39     | 100 gm | 28530091 | 18  | 2606<br>11385   |
|         | BrCN M.W. 105.93  |            | 171    | 500 gm |          |     |                 |
|         | <u>UN 1889 6.1 (8)/PG I</u>   |            |        |        |          |     |                 |
| LA1559  | 2-CYANO-6-HYDROXY BENZOTHIAZOLE 95%   | 939-69-5   | 551    | 500 mg | 29342000 | 18  | 36672<br>69676  |
|         | $C_8H_4N_2O_3$ M.W. 176.20  |            | 1048   | 1 gm   |          |     |                 |
| LA1560  | 5-CYANOINDOLE 98.5%   | 15861-24-2 | 21     | 1 gm   | 29339900 | 18  | 1415<br>6101    |
|         | $C_9H_6N_2$ M.W : 142.16  |            | 92     | 5 gm   |          |     |                 |
| LA1561  | 2-CYANO-6-METHOXY BENZOTHIAZOLE 98%   | 943-03-3   | 439    | 1 gm   | 29342000 | 18  | 29165<br>112375 |
|         | $C_9H_6N_2OS$ M.W 190.22  |            | 1690   | 5 gm   |          |     |                 |
| LA1562  | CYANURIC ACID 98% For Synthesis   | 108-80-5   | 164    | 250 gm | 29336990 | 18  | 10916<br>2823   |
|         | $C_3H_3N_3O_3$ M.W 129.07   |            |        |        |          |     |                 |
| LA1563  | CYANURIC CHLORIDE 99%   | 108-77-0   | 23     | 500 gm | 29336910 | 18  | 1523<br>13633   |
|         | $C_3Cl_3N_3$ M.W 184.41   |            | 42     | 1 Kg   |          |     |                 |
|         | <u>UN 2670 8/PG II</u>  |            |        |        |          |     |                 |
| LA1564  | a-CYCLODEXTRIN 98%  | 10016-20-3 | 51     | 1 gm   | 29400000 | 18  | 3407<br>18914   |
|         | (cyclomALtohexaose) $C_{36}H_{60}O_{30}$ M.W 972.84   |            | 205    | 5 gm   |          |     |                 |
|         | b-CYCLODEXTRIN  |            |        |        |          |     |                 |
| LA1565  | gama-CYCLODEXTRIN 98%   | 17465-86-0 | 284    | 1 gm   | 29400000 | 18  | 75652<br>540    |
|         | $C_{48}H_{80}O_{40}$ M.W. 1297.12   |            | 1138   | 5 gm   |          |     |                 |
| LA1566  | CYCLOHEXANE 99% For Synthesis   | 110-82-7   | 8      | 500 ml | 29021100 | 18  | 2262<br>2262    |
|         | $C_6H_{12}$ M.W. 84.16, Liquid, d. 0.780  |            | 34     | 2.5 Lt |          |     |                 |
|         | <u>UN 1145 3/PG II</u>  |            |        |        |          |     |                 |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA1567  | CYCLOHEXANE 99.5% AR   | 110-82-7  | 9      | 500 ml | 29021100 | 18  | 599        |
|         | C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.780                                  |           | 38     | 2.5 Lt |          |     | 2503       |
|         | <u>UN 1145 3/PG II</u>   |           |        |        |          |     |            |
| LA1568  | CYCLOHEXANE 99.8% HPLC & SPECTROSCOPY  | 110-82-7  | 15     | 500 ml | 29021100 | 18  | 1011       |
|         | C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.780                                  |           | 29     | 1 Lt   |          |     | 1936       |
|         | <u>UN 1145 3/PG II</u>   |           | 51     | 2.5 Lt |          |     | 3408       |
| LA1569  | CYCLOHEXANOL 99% For Synthesis   | 108-93-0  | 11     | 500 ml | 29061200 | 18  | 753        |
|         | C <sub>6</sub> H <sub>11</sub> OH M.W. 100.16, Liquid, d. 0.948                              |           | 48     | 2.5 Lt |          |     | 3183       |
|         | <u>UN 3082 9/PG III</u>  |           |        |        |          |     |            |
| LA1570  | CYCLOHEXANOL 99.5% AR  | 108-93-0  | 12     | 500 ml | 29061200 | 18  | 825        |
|         | C <sub>6</sub> H <sub>11</sub> OH M.W. 100.16, Liquid, d. 0.948                              |           | 53     | 2.5 Lt |          |     | 3527       |
|         | <u>UN 3082 9/PG III</u>  |           |        |        |          |     |            |
| LA1571  | CYCLOHEXANONE 99% For Synthesis  | 108-94-1  | 11     | 500 ml | 29142200 | 18  | 735        |
|         | C <sub>6</sub> H <sub>10</sub> O M.W. 98.15, Liquid, d. 0.947                                |           | 43     | 2.5 Lt |          |     | 2834       |
|         | <u>UN 1915 3/PG III</u>  |           | 81     | 5 Lt   |          |     | 5388       |
| LA1572  | CYCLOHEXANONE 99.5% AR   | 108-94-1  | 14     | 500 ml | 29142200 | 18  | 899        |
|         | C <sub>6</sub> H <sub>10</sub> O M.W. 98.15, Liquid, d. 0.947                                |           | 54     | 2.5 Lt |          |     | 3613       |
|         | <u>UN 1915 3/PG III</u>  |           |        |        |          |     |            |
| LA1573  | CYCLOHEXENE 99%  | 110-83-8  | 38     | 500 ml | 29142200 | 18  | 2498       |
|         | C <sub>6</sub> H <sub>10</sub> M.W. 82.14, Liquid, d. 0.811                                  |           | 170    | 2.5 Lt |          |     | 11277      |
|         | <u>UN 2256 3/PG II</u>   |           |        |        |          |     |            |
|         | CYCLOHEXIMIDE AR   |           |        |        |          |     |            |
| LA1574  | CYCLOHEXYLAMINE 99.8% For Synthesis  | 108-91-8  | 12     | 500 ml | 29213010 | 18  | 779        |
|         | (aminocyclohexane) C <sub>6</sub> H <sub>11</sub> NH <sub>2</sub> M.W. 99.17 Liquid, d 0.867 |           | 51     | 2.5 Lt |          |     | 3402       |
|         | <u>UN 2357 8 (3)/PG II</u>   |           |        |        |          |     |            |
| LA1575  | CYCLOHEXYL BROMIDE 98% For Synthesis   | 108-85-0  | 107    | 500 ml | 29038900 | 18  | 7108       |
|         | (bromocyclohexane)   |           |        |        |          |     |            |
|         | C <sub>6</sub> H <sub>11</sub> Br M.W. 163.06, Liquid, d. 1.324                              |           |        |        |          |     |            |
| LA1576  | CYCLOHEXYL ISOCYANATE 98% (5% solution in xylene)  | 1122-82-3 | 149    | 10 ml  | 29309099 | 18  | 9902       |
|         | C <sub>6</sub> H <sub>11</sub> NCS M.W 141.23, Liquid, d. 0.996                              |           | 334    | 25 ml  |          |     | 22226      |
|         | <u>UN 3265 8/PG II</u>   |           |        |        |          |     |            |
| LA1577  | CYCLOPENTANE 98% For Synthesis   | 287-92-3  | 73     | 100 ml | 29021900 | 18  | 4855       |
|         | C <sub>5</sub> H <sub>10</sub> M.W 70.13, Liquid, d 0.751                                    |           | 160    | 250 ml |          |     | 10669      |
|         | <u>UN 1146 3/PG II</u>   |           |        |        |          |     |            |
| LA1578  | CYCLOPENTANOL 99% For Synthesis  | 96-41-3   | 61     | 500 ml | 29061990 | 18  | 4082       |
|         | (hydroxycyclopentane) C <sub>5</sub> H <sub>9</sub> OH M.W 86.13, Liquid, d. 0.949           |           |        |        |          |     |            |
|         | <u>UN 2244 3/PG III</u>  |           |        |        |          |     |            |
| LA1579  | CYCLOPENTANONE 99% For Synthesis   | 120-92-3  | 43     | 500 ml | 29142990 | 18  | 2875       |
|         | C <sub>5</sub> H <sub>8</sub> O M.W. 84.12, Liquid, d. 0.951                                 |           |        |        |          |     |            |
|         | <u>UN 2245 3/PG III</u>  |           |        |        |          |     |            |
| LA1580  | CYCLOPENTYL METHYL ETHER 99.9% AR  | 5614-37-9 | 68     | 500 ml | 29093090 | 18  | 4541       |
|         | C <sub>6</sub> H <sub>12</sub> O M.W. 100.16, Liquid, d. 0.86                                |           | 130    | 1 Lt   |          |     | 8623       |
|         | <u>UN 3271 3/PG II</u>   |           |        |        |          |     |            |
| LA1581  | CYCLOPROPANE CARBONITRILE 98%  | 5500-21-0 | 114    | 10 gm  | 29269000 | 18  | 7587       |
|         | C <sub>4</sub> H <sub>5</sub> N M.W 67.09, Liquid, d. 0.911                                  |           | 170    | 25 gm  |          |     | 11327      |
|         | <u>UN 3275 6.1 (3)/PG II</u>   |           |        |        |          |     |            |
| LA1582  | CYCLOPROPANE METHYALMINE HYDROCHLORIDE 99%   | 7252-53-1 | 280    | 5 gm   | 29213090 | 18  | 18624      |
|         | C <sub>4</sub> H <sub>9</sub> N.HCl M.W 107.58   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1583  | CYCLOPROPYLAMINE 98% For Synthesis  | 765-30-0   | 42     | 100 ml | 29213090 | 18  | 2780       |
|         | C <sub>3</sub> H <sub>5</sub> NH <sub>2</sub> M.W.57.09, Liquid, d. 0.824                               |            | 169    | 500 ml |          |     | 11217      |
|         | <u>UN 2733 3 (8)/PG II</u>  |            |        |        |          |     |            |
| LA1584  | CYCLOPROPYLMETHYL ISOTHIOCYANATE 97%  | 6068-90-2  | 316    | 10 gm  | 29309010 | 18  | 21000      |
|         | C <sub>5</sub> H <sub>7</sub> NS M.W. 113.18  |            | 676    | 25 gm  |          |     | 44975      |
| LA1585  | o-CYMENE 99%  | 572-84-4   | 147    | 250 ml | 29029090 | 18  | 9774       |
|         | C <sub>10</sub> H <sub>14</sub> M.W. 134.22, Liquid, d. 0.877   |            |        |        |          |     |            |
| LA1586  | CYSTEAMINE HYDROCHLORIDE 98% For Synthesis  | 156-57-0   | 36     | 100 gm | 29211990 | 18  | 2387       |
|         | (aminoethanethiol hydrochloride) C <sub>2</sub> H <sub>7</sub> NS.HCl M.W 113.61                        |            | 163    | 500 gm |          |     | 10813      |
|         | <u>UN 3335 9/PG III</u>   |            |        |        |          |     |            |
| LA1587  | L-CYSTEINE 99% For Biochemistry   | 52-90-4    | 4      | 5 gm   | 29309040 | 18  | 246        |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S M.W. 121.16   |            | 10     | 25 gm  |          |     | 680        |
|         |   |            | 38     | 100 gm |          |     | 2552       |
| LA1588  | L-CYSTEINE HYDROCHLORIDE 98% (monohydrate)  | 7048-04-6  | 4      | 25 gm  | 29309040 | 18  | 284        |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S.HCl.H <sub>2</sub> O M.W. 175.63                        |            | 15     | 100 gm |          |     | 1016       |
|         |   |            | 51     | 500 gm |          |     | 3399       |
| LA1589  | CYSTINE DISODIUM 98% (Culture media grade)  | 64704-23-0 | 55     | 25 gm  | 29224990 | 18  | 3663       |
|         | C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> S <sub>2</sub> M.W. 284.30 |            | 207    | 100 gm |          |     | 13799      |
| LA1590  | L-CYSTINE 99% For Biochemistry  | 56-89-3    | 7      | 25 gm  | 29309040 | 18  | 450        |
|         | C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub> M.W. 240.30                 |            | 20     | 100 gm |          |     | 1352       |
|         |   |            | 85     | 500 gm |          |     | 5685       |
| LA1591  | CYTIDINE 99% For Biochemistry   | 65-46-3    | 8      | 5 gm   | 29349900 | 18  | 557        |
|         | (d-cytidine) C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> M.W. 243.22                   |            | 27     | 25 gm  |          |     | 1812       |
| LA1592  | CYTOKININE For Biochemistry   | 525-80-4   | 46     | 1 gm   | 38089340 | 18  | 3068       |
|         |   |            | 171    | 5 gm   |          |     | 11379      |
| LA1593  | CYTOKININE REAGENT solution   |            | 12     | 100 ml | 38220090 | 12  | 768        |
| LA1594  | CYTOSINE 98% For Biochemistry   | 71-30-7    | 11     | 5 gm   | 29335990 | 18  | 734        |
|         | (4-amino-2-hydroxy pyrimidine) C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 111.10               |            | 47     | 25 gm  |          |     | 3152       |
| LA1595  | DAPSONE 97% Extra Pure  | 80-08-0    | 30     | 25 gm  | 29309099 | 18  | 2024       |
|         | (4-aminophenyl sulphone) C12H12N2O2S M.W. 248.30  |            | 106    | 100 gm |          |     | 7019       |
|         | UN 3077 9 / PG III  |            |        |        |          |     |            |
| LA1596  | DARCO G 60  |            | 34     | 500 gm | 38029019 | 18  | 2267       |
| LA1597  | DEAE CELLULOSE 11   | 9013-34-7  | 111    | 5 gm   | 39140090 | 18  | 7398       |
|         | (For Column Chromatography)   |            | 211    | 10 gm  |          |     | 14012      |
| LA1598  | DEAE CELLULOSE 52 For Molecular Biology   | 9013-34-7  | 99     | 5 gm   | 39140090 | 18  | 6591       |
|         | (For Column Chromatography)   |            | 396    | 25 gm  |          |     | 26361      |
|         | (diethylALmino ethyl cellulose) (fine mesh)   |            | 1432   | 100 gm |          |     | 95218      |
| LA1599  | DECALIN 98% For Synthesis   | 91-17-8    | 21     | 500 ml | 29029090 | 18  | 1419       |
|         | (DecahydronaphthALene) C10H18 M.W. 138.55, Liquid, d. 0.88  |            | 100    | 2.5 Lt |          |     | 6653       |
|         | UN 1147 3/PG III  |            |        |        |          |     |            |
| LA1600  | n-DECANE 99% For Synthesis  | 124-18-5   | 39     | 100 ml | 29011000 | 18  | 2573       |
|         | C10H22 M.W.142.28, Liquid, d. 0.73  |            | 94     | 250 ml |          |     | 6234       |
|         | UN 2247 3/PG III  |            |        |        |          |     |            |
| LA1601  | 1,10-DECANEDIOL 97.5%   | 112-47-0   | 169    | 100 gm | 29053990 | 18  | 11262      |
|         | C10H22O2 M.W. 174.28  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|--|-------------|--------|--------|----------|-----|----------------|
| LA1602  | 1-DECANESULPHONIC ACID SODIUM SALT 99% AR & HPLC (anhydrous)<br>(Sodium 1-decanesulphonate anhydrous)          | 13419-61-9  | 5      | 5 gm   | 29041090 | 18  | 332<br>1131    |
|         | C <sub>10</sub> H <sub>21</sub> NaO <sub>5</sub> M.W. 244.33   |             | 68     | 100 gm |          |     | 4552           |
| LA1603  | 1-DECANESULPHONIC ACID SODIUM SALT 99% AR & HPLC (monohydrate)<br>(Sodium 1-decanesulphonate monohydrate)      | 13419-61-9  | 5      | 5 gm   | 29041090 | 18  | 335<br>1134    |
|         | C <sub>10</sub> H <sub>21</sub> NaO <sub>5</sub> S.H <sub>2</sub> O M.W. 262.33                                |             | 69     | 100 gm |          |     | 4555           |
|         | hexa-DECANOIC ACID   |             |        |        |          |     |                |
|         | N-DECANOIC ACID  |             |        |        |          |     |                |
|         | tetra-DECANOIC ACID  |             |        |        |          |     |                |
| LA1604  | 1-DECANOL 99% For Synthesis<br>(Decyl Alcohol) C <sub>10</sub> H <sub>22</sub> O M.W. 158.29, Liquid, d. 0.829 | 112-30-1    | 18     | 500 ml | 29051990 | 18  | 1205<br>5425   |
| LA1605  | DECANOYL CHLORIDE 98% For Synthesis<br>CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COCl M.W. 190.71        | 112-13-0    | 34     | 100 ml | 29159090 | 18  | 2268<br>10124  |
| LA1606  | DEHYDRO-EPI-ANDROSTERONE 97% For Biochemistry<br>C <sub>19</sub> H <sub>28</sub> O <sub>2</sub> M.W. 288.43    | 53-43-0     | 49     | 5 gm   | 29379090 | 18  | 3458<br>6520   |
|         | <u>UN 3077 9/PG III</u>  |             | 93     | 10 gm  |          |     |                |
| LA1607  | DENIGE'S REAGENT   |             | 17     | 100 ml | 38220090 | 12  | 1193           |
| LA1608  | DEOXYRIBONUCLEASE I (From Bovine Pancreas)<br>M.W. ~31 kDa   | 9003-98-9   | 128    | 5 mg   | 35079099 | 18  | 8958<br>31903  |
|         |  |             | 456    | 50 mg  |          |     | 58004          |
|         |  |             | 829    | 100 mg |          |     |                |
| LA1609  | DEOXY RIBONUCLEIC ACID (From Fish Sperm)<br>(DNA)  | 100403-24-5 | 102    | 10 gm  | 29349900 | 18  | 7138<br>14807  |
|         |  |             | 212    | 25 gm  |          |     |                |
|         |  |             | 74     | 100 gm |          |     | 52201          |
| LA1610  | DEOXYRIBONUCLEIC ACID SODIUM SALT<br>(For Molecular Biology) (DNA sodium salt)                                 | 73049-39-5  | 69     | 25 mg  | 29349900 | 18  | 4814<br>16852  |
|         | From cALf thymus, highly polymerised (Store at 2 - 8°C)  |             | 241    | 100 mg |          |     |                |
|         |  |             | 542    | 250 mg |          |     | 37913          |
| LA1611  | DEVARDA'S ALLOY (powder)   | 8049-11-4   | 11     | 100 gm | 74032900 | 18  | 738            |
|         | <u>UN 3089 4.1/PG II</u>   |             | 43     | 500 gm |          |     | 2995           |
| LA1612  | DEVARDA'S ALLOY AR (powder)  | 8049-11-4   | 13     | 100 gm | 74032900 | 18  | 944            |
|         | <u>UN 3089 4.1/PG II</u>   |             | 29     | 500 gm |          |     | 2026           |
| LA1613  | DEXAMETHASONE 97%  | 50-02-2     | 366    | 1 gm   | 29372200 | 18  | 25607          |
|         | C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W. 392.46  |             |        |        |          |     |                |
| LA1614  | DEXTRAN<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> M.W. ~10,000                          | 9004-54-0   | 109    | 25 gm  | 39139030 | 18  | 7645<br>27590  |
| LA1615  | DEXTRAN SULFATE SODIUM SALT<br>(From Leuconostoc spp.) A.W. ~ 5,000  | 9011-18-1   | 158    | 5 gm   | 39139030 | 18  | 10492<br>41843 |
|         |  |             | 629    | 25 gm  |          |     |                |
|         |  |             | 2373   | 100 gm |          |     | 157782         |
| LA1616  | DEXTRINE WHITE<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> .xH <sub>2</sub> O             | 9004-53-9   | 4      | 500 gm | 35051090 | 18  | 292<br>2333    |
| LA1617  | DEXTRINE YELLOW<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> .xH <sub>2</sub> O            | 9004-53-9   | 4      | 500 gm | 35051090 | 18  | 272<br>2176    |
| LA1618  | DEXTROSE 99% Extra Pure (anhydrous)<br>(glucose anhydrous) (D - (+) glucose anhydrous)                         | 50-99-7     | 6      | 500 gm | 17023031 | 18  | 423<br>3376    |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16  |             | 51     | 5 Kg   |          |     |                |
| LA1619  | DEXTROSE 99.5% AR (anhydrous)<br>(glucose anhydrous) (D - (+) glucose anhydrous)                               | 50-99-7     | 7      | 500 gm | 17023031 | 18  | 484<br>3870    |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16  |             | 228    | 25 Kg  |          |     |                |
|         |  |             | 58     | 5 Kg   |          |     |                |
|         |  |             | 262    | 25 Kg  |          |     | 17414          |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA1620  | DEXTROSE 99.5% For Molecular Biology (anhydrous)  | 50-99-7     | 23     | 100 gm | 17023031 | 18  | 1524       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16                                       |             | 85     | 500 gm |          |     | 5630       |
| LA1621  | DEXTROSE 98% Extra Pure (monohydrate)   | 14431-43-7  | 5      | 500 gm | 17023039 | 18  | 364        |
|         | (glucose monohydrate) (D - (+) glucose monohydrate)   |             | 44     | 5 Kg   |          |     | 2908       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O M.W. 198.17                     |             | 392    | 50 Kg  |          |     | 26062      |
| LA1622  | DEXTROSE 99% AR (For Microbiology) (monohydrate)  | 14431-43-7  | 6      | 500 gm | 17023039 | 18  | 391        |
|         | (monohydrate) (D - (+) glucose monohydrate)   |             | 47     | 5 Kg   |          |     | 3128       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O M.W. 198.17                     |             |        |        |          |     |            |
| LA1623  | DIACETONE ALCOHOL 99% For Synthesis   | 123-42-2    | 8      | 500 ml | 29144000 | 18  | 542        |
|         | (4-hydroxy-4-methyl pentan-2-one)   |             | 34     | 2.5 Lt |          |     | 2264       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.931                     |             |        |        |          |     |            |
|         | <u>UN 1148 3/PG III</u>   |             |        |        |          |     |            |
| LA1624  | DIACETYL 99% For Synthesis  | 431-03-8    | 31     | 100 ml | 29141990 | 18  | 2037       |
|         | (2,3-butanedione) C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 0.981     |             | 72     | 250 ml |          |     | 5038       |
|         | <u>UN 2346 3/PG II</u>  |             |        |        |          |     |            |
| LA1625  | DIACETYL MONOXIME 99% AR  | 57-71-6     | 10     | 25 gm  | 29280090 | 18  | 719        |
|         | (2, 3-butanedione oxime)  |             | 36     | 100 gm |          |     | 2497       |
|         | C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 101.11                                       |             | 159    | 500 gm |          |     | 11102      |
| LA1626  | 3,3-DIAMINO BENZIDINE 99% Purified  | 91-95-2     | 79     | 1 gm   | 29215990 | 18  | 5560       |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> M.W. 214.27                                      |             | 341    | 5 gm   |          |     | 23861      |
| LA1627  | 3,3-DIAMINO BENZIDINE TETRA HYDROCHLORIDE 97% AR hydrate  | 868272-85-9 | 58     | 1 gm   | 29215990 | 18  | 4050       |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> ·4HCl·xH <sub>2</sub> O M.W. 360.11 (anhy basis) |             | 260    | 5 gm   |          |     | 18223      |
| LA1628  | 3,5-DIAMINO BENZOIC ACID 99%  | 535-87-5    | 41     | 100 gm | 29224990 | 18  | 2840       |
|         | C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 152.15                         |             | 152    | 500 gm |          |     | 10666      |
| LA1629  | 1,4-DIAMINOBUTANE 98.5%   | 110-60-1    | 129    | 25 gm  | 29212900 | 18  | 9047       |
|         | C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> M.W. 88.15  |             |        |        |          |     |            |
|         | <u>UN 2928 6.1(8) PG II</u>   |             |        |        |          |     |            |
|         | trans-1, 2-DIAMINOCYCLOHEXANE N,N,N,N-TETRA ACETIC ACID   |             |        |        |          |     |            |
| LA1630  | 4,4-DIAMINO DIPHENYL ETHER 98% For Synthesis  | 101-80-4    | 68     | 25 gm  | 29222900 | 18  | 4777       |
|         | C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 200.24                                    |             | 256    | 100 gm |          |     | 17906      |
|         | <u>UN 2811 6.1/PG III</u>   |             |        |        |          |     |            |
| LA1631  | 4,4-DIAMINO DIPHENYL METHANE 98% For Synthesis  | 101-77-9    | 109    | 250 gm | 29215990 | 18  | 7600       |
|         | (4,4-methylenedianiline) (MDA) C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> M.W. 198.26       |             |        |        |          |     |            |
|         | <u>UN 2651 6.1/PG III</u>   |             |        |        |          |     |            |
| LA1632  | 2,3-DIAMINONAPHTHALENE 97% Extra Pure   | 771-97-1    | 257    | 1 gm   | 29215990 | 18  | 17082      |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> M.W. 158.20                                      |             |        |        |          |     |            |
|         | 1,2-DIAMINOETHANE   |             |        |        |          |     |            |
| LA1633  | 3,4-DIAMINOTOLUENE 97%  | 496-72-0    | 103    | 25 gm  | 29215120 | 18  | 6823       |
|         | (3,4-toluenediamine) C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> M.W. 122.17                  |             | 341    | 100 gm |          |     | 22658      |
| LA1634  | o-DIANISIDINE 99%   | 119-90-4    | 8      | 25 gm  | 29222990 | 18  | 543        |
|         | C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> M.W. 244.30                       |             | 27     | 100 gm |          |     | 1811       |
| LA1635  | DIASTASE  | 9000-92-4   | 9      | 100 gm | 35079062 | 18  | 615        |
|         | (a-amyALse) (fungAL diastase) (amyALse activity 1300 1 U/g)                                     |             | 39     | 500 gm |          |     | 2612       |
| LA1636  | DIASTASE SOLUTION (a-amyALse solution), Liquid, d. 1.013  |             | 10     | 500 ml | 38220090 | 12  | 663        |
| LA1637  | 1,4-DIAZABICYCLO (2.2.2) OCTANE 98% For Synthesis   | 280-57-9    | 34     | 100 gm | 29335990 | 18  | 2261       |
|         | (DABCO, TED, Triethylenediamine) C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> M.W. 112.17      |             | 101    | 500 gm |          |     | 6697       |
|         | <u>UN 1235 4.1/PG II (Store at 2-8°C)</u>   |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1638  | 1,8-DIAZABICYCLO [5.4.0] UNDEC-7-ENE 98% (DBU)  | 6674-22-2  | 12     | 25 ml  | 29335980 | 18  | 781        |
|         | C <sub>9</sub> H <sub>16</sub> N <sub>2</sub> M.W. 152.24, Liquid, d. 1.018                         |            | 43     | 100 ml |          |     | 2845       |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA1639  | DIAZO REAGENT A indicator solution  |            | 4      | 125 ml | 38220090 | 12  | 258        |
|         | (vanden bergh's reagent A) (for bilirubin determination)  |            | 12     | 500 ml |          |     | 785        |
|         | Liquid, d. 0.800-0.850  |            |        |        |          |     |            |
| LA1640  | DIAZO REAGENT B indicator solution  |            | 4      | 125 ml | 38220090 | 12  | 261        |
|         | (vanden bergh's reagent B) (for bilirubin determination)  |            | 12     | 500 ml |          |     | 788        |
|         | Liquid, d. 0.88   |            |        |        |          |     |            |
| LA1641  | 5-DIAZO URACIL For Biochemistry   |            | 67     | 1 gm   | 29222990 | 18  | 4425       |
| LA1642  | DIBENZO-18-CROWN-6 98%  | 14187-32-7 | 31     | 5 gm   | 29329900 | 18  | 2079       |
|         | C <sub>20</sub> H <sub>24</sub> O <sub>6</sub> M.W. 360.40  |            | 125    | 25 gm  |          |     | 8304       |
| LA1643  | DIBENZOTHIOPHENE 98%  | 132-65-0   | 74     | 25 gm  | 29349990 | 18  | 4908       |
|         | (diphenylene sulphide) C <sub>12</sub> H <sub>8</sub> S M.W. 184.26                                 |            | 266    | 100 gm |          |     | 18595      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA1644  | DIBENZOYL METHANE 98%   | 120-46-7   | 169    | 25 gm  | 29144000 | 18  | 11828      |
|         | C <sub>15</sub> H <sub>12</sub> O <sub>2</sub> M.W. 224.25  |            |        |        |          |     |            |
| LA1645  | O,O'-DIBENZOYL-L-TARTARIC ACID 98% For Synthesis (anhydrous)  | 2743-38-6  | 8      | 5 gm   | 29181390 | 18  | 550        |
|         | C <sub>18</sub> H <sub>14</sub> O <sub>8</sub> M.W. 358.30  |            | 16     | 25 gm  |          |     | 1115       |
|         |   |            | 42     | 100 gm |          |     | 2929       |
| LA1646  | DIBENZYALMINE 96%   | 103-49-1   | 85     | 250 ml | 29214900 | 18  | 5978       |
|         | [N,N-bis(methylphenyl) amine] C <sub>14</sub> H <sub>15</sub> N M.W 197.28, Liquid, d. 1.026        |            | 162    | 500 ml |          |     | 11368      |
|         | <u>UN 2735 8/PG III</u>   |            |        |        |          |     |            |
| LA1647  | 3,5-DIBROMO ANISOLE 98%   | 74137-36-3 | 188    | 1 gm   | 29093090 | 18  | 13193      |
|         | CH <sub>3</sub> OC <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> M.W. 265.93                          |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/ PG III</u>  |            |        |        |          |     |            |
| LA1648  | 5,5-DIBROMOBARBITURIC ACID 97%  | 511-67-1   | 198    | 5 gm   | 29335400 | 18  | 13878      |
|         | C <sub>4</sub> H <sub>2</sub> Br <sub>2</sub> N <sub>2</sub> O <sub>3</sub> M.W. 285.88             |            |        |        |          |     |            |
|         | <u>UN 3261 8/PG II</u>  |            |        |        |          |     |            |
| LA1649  | 1, 2-DIBROMOETHANE 99% For Synthesis  | 106-93-4   | 74     | 500 ml | 29033100 | 18  | 5203       |
|         | (ethylene dibromide) C <sub>2</sub> H <sub>4</sub> Br <sub>2</sub> M.W. 187.89, Liquid, d. 2.18     |            | 335    | 2.5 Lt |          |     | 23420      |
|         | <u>UN 1605 6.1/PG I</u>   |            |        |        |          |     |            |
| LA1650  | 4 : 5 DIBROMO FLUORESCEIN (C.I. No.45370)   | 596-03-2   | 61     | 10 gm  | 32129090 | 18  | 4246       |
|         | Dye Content : Min. 95% C <sub>20</sub> H <sub>10</sub> Br <sub>2</sub> O <sub>5</sub> M.W. 490.10   |            | 146    | 25 gm  |          |     | 9678       |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA1651  | 1,6-DIBROMOHEXANE 97% For Synthesis   | 629-03-8   | 50     | 100 gm | 29033919 | 18  | 3307       |
|         | C <sub>6</sub> H <sub>12</sub> Br <sub>2</sub> M.W. 243.97, Liquid, d. 1.586                        |            | 170    | 500 gm |          |     | 11288      |
|         | <u>UN 2810 6.1/PG III</u>   |            |        |        |          |     |            |
| LA1652  | DIBROMOMETHANE 99%  | 74-95-3    | 246    | 500 gm | 29033020 | 18  | 16340      |
|         | CH <sub>2</sub> Br <sub>2</sub> M.W. 173.83, Liquid, d. 2.49  |            |        |        |          |     |            |
|         | <u>UN 2664 6.1/PG III</u>   |            |        |        |          |     |            |
| LA1653  | 2,6-DIBROMOPHENOL 97%   | 608-33-3   | 51     | 5 gm   | 29081900 | 18  | 3391       |
|         | C <sub>6</sub> H <sub>4</sub> Br <sub>2</sub> O M.W. 251.90   |            | 229    | 25 gm  |          |     | 15259      |
|         | <u>UN 2811 6.1/PG III</u>   |            |        |        |          |     |            |
| LA1654  | 1,3-DIBROMOPROPANE 99%  | 109-64-8   | 101    | 250 ml | 29033990 | 18  | 6698       |
|         | (trimethylene dibromide) C <sub>3</sub> H <sub>6</sub> Br <sub>2</sub> M.W. 201.89, Liquid, d. 1.98 |            | 188    | 500 ml |          |     | 12513      |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA1656  | 2,6-DIBROMOQUINONE-4-CHLORIMIDE 98% AR  | 537-45-1  | 99     | 5 gm   | 29251900 | 18  | 6599       |
|         |   |           |        |        |          |     |            |
|         | C <sub>6</sub> H <sub>5</sub> Br <sub>2</sub> ClNO M.W. 299.35                                  |           |        |        |          |     |            |
|         | 2,6-Di-tert-BUTYL-p-CRESOL  |           |        |        |          |     |            |
| LA1657  | Di-N-BUTYALMINE 99% For Synthesis   | 111-92-2  | 15     | 500 mL | 29211990 | 18  | 979        |
|         | C <sub>8</sub> H <sub>19</sub> N M.W. 129.25, Liquid, d. 0.767                                  |           | 65     | 2.5 Lt |          |     | 4299       |
|         | <u>UN 2248 8(3)/PG II</u>   |           |        |        |          |     |            |
| LA1658  | DIBUTYL ETHER 98% For Synthesis   | 142-96-1  | 24     | 500 mL | 29091900 | 18  | 1609       |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.764                                  |           | 113    | 2.5 Lt |          |     | 7539       |
|         | <u>UN 1149 3/PG III</u>   |           |        |        |          |     |            |
| LA1659  | DIBUTYL ETHER 99% AR  | 142-96-1  | 28     | 500 mL | 29091900 | 18  | 1863       |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.764                                  |           | 118    | 2.5 Lt |          |     | 7860       |
|         | <u>UN 1149 3/PG III</u>   |           |        |        |          |     |            |
| LA1660  | DIBUTYLTIN OXIDE 98% For Synthesis  | 818-08-6  | 48     | 250 gm | 29319090 | 18  | 3176       |
|         | (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> ) <sub>2</sub> SnO M.W. 248.94 |           | 169    | 1 kg   |          |     | 11852      |
|         | <u>UN 3164 6.1/PG III</u>   |           |        |        |          |     |            |
| LA1661  | DIBUTYL MALEATE 98% For Synthesis   | 105-76-0  | 20     | 500 mL | 29171990 | 18  | 1366       |
|         | C <sub>12</sub> H <sub>20</sub> O <sub>4</sub> M.W. 228.28, Liquid, d. 0.988                    |           | 85     | 2.5 Lt |          |     | 5927       |
| LA1662  | DIBUTYL PHTHALATE 99% For Synthesis   | 84-74-2   | 11     | 500 mL | 29173400 | 18  | 769        |
|         | (di-n-butyl phthALate) (phthALic acid dibutyl ester)  |           | 44     | 2.5 Lt |          |     | 3098       |
|         | C <sub>16</sub> H <sub>22</sub> O <sub>4</sub> M.W. 278.35, Liquid, d. 1.043                    |           |        |        |          |     |            |
|         | <u>UN 3082 9/PG III</u>   |           |        |        |          |     |            |
| LA1663  | DIBUTYL SEBACATE 94%  | 109-43-3  | 133    | 100 gm | 29171390 | 18  | 9340       |
|         | (di-n-butyl sebacate, sebacic acid, di-n-butyl ester)   |           | 336    | 500 gm |          |     | 23501      |
|         | C <sub>18</sub> H <sub>34</sub> O <sub>4</sub> M.W. 314.46, Liquid, d. 0.936                    |           |        |        |          |     |            |
|         | DI-TERT BUTYL PYROCARBONATE   |           |        |        |          |     |            |
|         | DICHLORO ACETIC ACID  |           |        |        |          |     |            |
| LA1664  | 2,3-DICHLOROANILINE 98%   | 608-27-5  | 29     | 100 gm | 29214218 | 18  | 1998       |
|         | C <sub>6</sub> H <sub>5</sub> Cl <sub>2</sub> N M.W. 165.02                                     |           | 59     | 500 gm |          |     | 4135       |
|         | <u>UN 3442 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1665  | 2,4-DICHLOROANILINE 98%   | 554-00-7  | 46     | 100 gm | 29214290 | 18  | 3188       |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           | 194    | 500 gm |          |     | 13558      |
|         | <u>UN 3442 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1666  | 2,5-DICHLOROANILINE 98%   | 95-82-9   | 100    | 250 gm | 29214213 | 18  | 7007       |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           |        |        |          |     |            |
|         | <u>UN 3442 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1667  | 2,6-DICHLOROANILINE 98%   | 608-31-1  | 164    | 250 gm | 29214290 | 18  | 10922      |
|         | Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 162.02                       |           |        |        |          |     |            |
|         | <u>UN 3442 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1668  | 3,4-DICHLOROANILINE 98%   | 95-76-1   | 49     | 250 gm | 29329900 | 18  | 3262       |
|         | C <sub>6</sub> H <sub>5</sub> NCl <sub>2</sub> M.W. 162.02                                      |           |        |        |          |     |            |
|         | <u>UN 3442 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1669  | 2,3-DICHLOROBENZALDEHYDE 98.5%  | 6334-18-5 | 78     | 25 gm  | 29130090 | 18  | 5168       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                     |           |        |        |          |     |            |
|         | <u>UN 3077 9/ PG III</u>  |           |        |        |          |     |            |
| LA1670  | 3,4-DICHLOROBENZALDEHYDE 98%  | 6287-38-3 | 63     | 5 gm   | 29130090 | 18  | 4177       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01                                     |           | 167    | 25 gm  |          |     | 11121      |
|         | <u>UN 1759 8/PG II</u>  |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1671  | 2,4-DICHLORO BENZALDEHYDE 98%  | 874-42-0   | 46     | 100 gm | 29130090 | 18  | 3028       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01  |            | 149    | 500 gm |          |     | 9891       |
|         | <u>UN 3261 8/PG II</u>   |            |        |        |          |     |            |
| LA1672  | 2,6-DICHLOROBENZALDEHYDE 99%   | 83-38-5    | 61     | 25 gm  | 29130090 | 18  | 4068       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O M.W. 175.01  |            | 168    | 100 gm |          |     | 11160      |
|         | <u>UN 3261 8/PG II</u>   |            |        |        |          |     |            |
| LA1673  | m-DICHLORO BENZENE 98% (M.D.C.B.)  | 541-73-1   | 36     | 500 ml | 29039120 | 18  | 2372       |
|         | (1,3-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00                    |            | 159    | 2.5 Lt |          |     | 10547      |
|         | <u>UN 3082 9/PG III</u>  |            |        |        |          |     |            |
| LA1674  | o-DICHLORO BENZENE 98% (O.D.C.B.)  | 95-50-1    | 8      | 500 ml | 29039100 | 18  | 517        |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306 |            | 14     | 1 Lt   |          |     | 940        |
|         | <u>UN 1591 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1675  | o-DICHLORO BENZENE 99% AR (O.D.C.B.)   | 95-50-1    | 12     | 500 ml | 29039100 | 18  | 827        |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306 |            | 21     | 1 Lt   |          |     | 1471       |
|         | <u>UN 1591 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1676  | o-DICHLORO BENZENE 99% HPLC (O.D.C.B.)   | 95-50-1    | 20     | 500 ml | 29039100 | 18  | 1376       |
|         | (1, 2-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00, Liquid. d. 1.306 |            | 33     | 1 Lt   |          |     | 2326       |
|         | <u>UN 1591 6.1/PG III</u>  |            |        |        |          |     |            |
| LA1677  | p-DICHLORO BENZENE 98% For Synthesis (P.D.C.B.)  | 106-46-7   | 9      | 500 gm | 29039130 | 18  | 635        |
|         | (1, 4-dichlorobenzene) C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.00                   |            | 81     | 5 Kg   |          |     | 5701       |
|         | <u>UN 3077 9/PG III</u>  |            | 716    | 50 Kg  |          |     | 50102      |
| LA1678  | 2,3-DICHLOROBENZOIC ACID 97%   | 50-45-3    | 92     | 5 gm   | 29163990 | 18  | 6460       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> M.W. 191.01                           |            | 415    | 25 gm  |          |     | 29069      |
| LA1679  | 2,4-DICHLORO BENZOIC ACID 98% For Synthesis  | 50-84-0    | 21     | 250 gm | 29163990 | 18  | 1482       |
|         | C <sub>7</sub> H <sub>4</sub> Cl <sub>2</sub> O <sub>2</sub> M.W. 191.01                           |            |        |        |          |     |            |
| LA1680  | trans-DICHLOROBIS(TRIPHENYLPHOSPHINE)PALALDIUM (II) 99.95%   | 13965-03-2 | 82     | 1 gm   | 28439019 | 18  | 5755       |
|         | (Metal basis)  |            | 375    | 5 gm   |          |     | 26264      |
|         | C <sub>36</sub> H <sub>30</sub> Cl <sub>2</sub> P <sub>2</sub> Pd M.W. 701.90                      |            | 1820   | 25 gm  |          |     | 106158     |
| LA1681  | DICHLOROBIS (ACETONITRILE) PALALDIUM (II) 41% Pd For Synthesis                                     | 14592-56-4 | 223    | 500 mg | 28439019 | 18  | 15587      |
|         | PdCl <sub>2</sub> · (CH <sub>3</sub> CN) <sub>2</sub> M.W. 259.43                                  |            | 23     | 1 gm   |          |     | 29605      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA1682  | 2,3-DICHLORO-5,6-DICYANO-p-BENZOQUINONE 98% For Synthesis  | 84-58-2    | 25     | 25 gm  | 29269000 | 18  | 1742       |
|         | (DDQ) C <sub>8</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> M.W.227.00 (Store at 2-8 °C)    |            | 84     | 100 gm |          |     | 5884       |
|         | <u>UN 3439 6.1/PG III</u>  |            | 366    | 500 gm |          |     | 24321      |
| LA1683  | DICHLORO [ (1,1 - BIS DIPHENYLPHOSPHINO FERROCENE) ]   | 72287-26-4 | 103    | 1 gm   | 28439019 | 18  | 6834       |
|         | PALALDIUM - (II) 14.5% (Pd) For Synthesis  |            | 467    | 5 gm   |          |     | 31037      |
|         | (C <sub>17</sub> H <sub>14</sub> P)2Fe · PdCl <sub>2</sub> M.W 731.70                              |            |        |        |          |     |            |
| LA1684  | DICHLORO [(1, 1 - BIS DIPHENYLPHOSPHINO FERROCENE)]  | 95464-05-4 | 101    | 1 gm   | 28439019 | 18  | 6711       |
|         | PALALDIUM (II) DICHLOROMETHANE ADDUCT 12.6% (Pd)   |            | 461    | 5 gm   |          |     | 30641      |
|         | For Synthesis C <sub>35</sub> H <sub>30</sub> Cl <sub>2</sub> FeP <sub>2</sub> Pd M.W. 816.64      |            |        |        |          |     |            |
| LA1685  | DICHLOROBIS (p-CYMENE) RUTHENIUM (II) DIMER 33% (Ru)   | 52462-29-0 | 101    | 1 gm   | 28439019 | 18  | 6725       |
|         | For Synthesis C <sub>20</sub> H <sub>28</sub> Cl <sub>4</sub> Ru <sub>2</sub> M.W. 612.38          |            | 478    | 5 gm   |          |     | 31784      |
| LA1686  | 2,7-DICHLORO FLUORESCINE 90% AR  | 76-54-0    | 19     | 10 gm  | 32049000 | 18  | 1290       |
|         | C <sub>20</sub> H <sub>10</sub> Cl <sub>2</sub> O <sub>5</sub> M.W. 401.20                         |            | 37     | 25 gm  |          |     | 2489       |
| LA1687  | DICHLORO METHANE 98%   | 75-09-2    | 9      | 500 ml | 29031200 | 18  | 598        |
|         | (methylene chloride) CH <sub>2</sub> Cl <sub>2</sub> M.W. 84.93, Liquid, d. 1.325                  |            | 34     | 2.5 Lt |          |     | 2240       |
|         | <u>UN 1593 6.1 /PG III</u>   |            | 62     | 5Lt    |          |     | 4145       |

| CAT No. | PRODUCT NAME  | CAS No.      | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)                   |
|---------|---|--------------|--------|--------|----------|-----|------------------------------|
| LA1688  | DICHLORO METHANE 99.56% AR<br>(methylene chloride) $\text{CH}_2\text{Cl}_2$ M.W. 84.93, Liquid, d. 1.325  | 75-09-2      | 10     | 500 ml | 29031200 | 18  | 680<br>1298<br>2838          |
|         | <u>UN 1593 6.1 /PG III</u>  |              | 20     | 1 Lt   |          |     |                              |
|         |   |              | 43     | 2.5 Lt |          |     |                              |
| LA1689  | DICHLORO METHANE 99.8% HPLC & SPECTROSCOPY<br>(methylene chloride) $\text{CH}_2\text{Cl}_2$ M.W. 84.93, Liquid, d. 1.325  | 75-09-2      | 11     | 500 ml | 29031200 | 18  | 753<br>1427<br>3355          |
|         | <u>UN 1593 6.1/PG III</u>   |              | 21     | 1 Lt   |          |     |                              |
|         |   |              | 50     | 2.5 Lt |          |     |                              |
| LA1690  | 2,3-DICHLORO 1,4-NAPHTHOQUINONE 98%<br>(dichrone) $\text{C}_{10}\text{H}_4\text{Cl}_2\text{O}_2$ M.W. 227.04  | 117-80-6     | 56     | 25 gm  | 29147010 | 18  | 3698<br>11098                |
|         | <u>UN 2811 6.1/PG III</u>   |              | 167    | 100 gm |          |     |                              |
| LA1691  | 3,4-DICHLORO NITROBENZENE 98% For Synthesis<br>$\text{C}_6\text{H}_3\text{Cl}_2\text{NO}_2$ M.W. 192.00   | 99-54-7      | 30     | 100 gm | 29049010 | 18  | 1990<br>8957                 |
| LA1692  | 2,3-DICHLORO PHENOL 99%<br>$\text{C}_6\text{H}_4\text{Cl}_2\text{O}$ M.W. 163.0   | 576-24-9     | 46     | 25 gm  | 29333990 | 18  | 3031<br>10612                |
|         | <u>UN 2020 6.1/PG III</u>   |              | 160    | 100 gm |          |     |                              |
| LA1693  | 2,4-DICHLORO PHENOL 98% For Synthesis<br>$\text{C}_6\text{H}_4\text{Cl}_2\text{O}$ M.W 163.01   | 120-83-2     | 7      | 100 gm | 29081900 | 18  | 469<br>2126                  |
|         | <u>UN 2020 6.1/PG III</u>   |              | 30     | 500 gm |          |     |                              |
| LA1694  | 2,6-DICHLORO PHENOL 98% For Synthesis<br>$\text{C}_6\text{H}_4\text{Cl}_2\text{O}$ M.W 163.01   | 87-65-0      | 18     | 100 gm | 29081900 | 18  | 1276<br>4745                 |
|         | <u>UN 2020 6.1/PG III</u>   |              | 68     | 500 gm |          |     |                              |
| LA1695  | 2,6-DICHLOROPHENOL INDOPHENOL Solution<br>reagent solution, Liquid, d. 1.00   |              | 7      | 125 ml | 38220090 | 12  | 474<br>1423                  |
| LA1696  | 2,6-DICHLOROPHENOL INDOPHENOL SODIUM SALT 90% AR<br>(2,6-DCPIP Na Salt) (redox indicator for biologicAlwork)<br>(For the determination of ascorbic acid)<br>$\text{C}_{12}\text{H}_6\text{Cl}_2\text{NNaO}_2 \cdot x\text{H}_2\text{O}$ M.W. 290.08 (anhy. basis) | 1266615-56-8 | 5      | 1 gm   | 29252990 | 18  | 356<br>1426<br>5699<br>21577 |
| LA1697  | 2,4-DICHLOROPHOENOXY ACETIC ACID 98%<br>$\text{C}_8\text{H}_6\text{Cl}_2\text{O}_3$ M.W. 221.04   | 94-75-7      | 18     | 100 gm | 29189900 | 18  | 1262<br>2968                 |
|         | <u>UN 3077 9/PG III</u>   |              | 42     | 250 gm |          |     |                              |
| LA1698  | 1-(2,3-DICHLOROPHENYL) PIPERAZINE HYDROCHLORIDE 98%<br>$\text{C}_{10}\text{H}_{12}\text{Cl}_2\text{N}_2 \cdot \text{HCl}$ M.W. 267.58   | 119532-26-2  | 361    | 25 gm  | 29420090 | 18  | 25253<br>46782               |
| LA1699  | 1-(3,4-DICHLOROPHENYL) PIPERAZINE 98%<br>$\text{C}_{10}\text{H}_{12}\text{Cl}_2\text{N}_2$ M.W 231.12   | 57260-67-0   | 617    | 25 gm  | 29335990 | 18  | 43183<br>82052               |
|         |   |              | 1172   | 50 gm  |          |     |                              |
| LA1700  | 2,6-DICHLOROQUINONE-4-CHLORIMIDE 99% AR<br>(gibb's reagent) $\text{C}_6\text{H}_2\text{Cl}_3\text{NO}$ M.W. 210.45  | 101-38-2     | 27     | 5 gm   | 29252990 | 18  | 1766<br>3170                 |
|         | <u>UN 3224 4.1</u>  |              | 48     | 10 gm  |          |     |                              |
| LA1701  | DICLOFENAC DIETHYALMMONIUM SALT 99%<br>For Lab Use $\text{C}_{14}\text{H}_{11}\text{Cl}_2\text{NO}_2 \cdot \text{C}_4\text{H}_{11}\text{N}$   | 78213-16-8   | 68     | 5 gm   | 29224990 | 18  | 4505<br>14869                |
| LA1702  | DICLOFENAC POTASSIUM Extra Pure<br>For Lab Use $\text{C}_{14}\text{H}_{10}\text{Cl}_2\text{KNO}_2$ M.W. 334.24  | 15307-81-0   | 32     | 25 gm  | 29224990 | 18  | 2159<br>5991                 |
|         | <u>UN 2811 6.1/PG III</u>   |              | 90     | 100 gm |          |     |                              |
| LA1703  | DICLOFENAC SODIUM Extra Pure<br>For Lab Use $\text{C}_{14}\text{H}_{10}\text{Cl}_2\text{NNaO}_2$ M.W. 318.13  | 15307-79-6   | 40     | 25 gm  | 29224990 | 18  | 2664<br>6188                 |
|         | <u>UN 2811 6.1/PG III</u>   |              | 93     | 100 gm |          |     |                              |
| LA1704  | DICYANDIAMIDE 99% Extra Pure<br>$\text{C}_2\text{H}_4\text{N}_4$ M.W. 84.08   | 461-58-5     | 14     | 500 gm | 29262000 | 18  | 936                          |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|--|-----------|--------|--------|----------|-----|---------------|
| LA1705  | DICYCLOHEXYLAMINE 99% For Synthesis<br>C <sub>12</sub> H <sub>23</sub> N M.W. 181.32, Liquid. d. 0.912   | 101-83-7  | 22     | 500 ml | 29213090 | 18  | 1461<br>6502  |
|         | <u>UN 2565 8/PG III</u>  |           | 98     | 2.5 Lt |          |     |               |
| LA1706  | N,N-DICYCLOHEXYLCARBODIIMIDE 99% For Synthesis<br>C <sub>13</sub> H <sub>22</sub> N <sub>2</sub> M.W. 206.33   | 538-75-0  | 27     | 100 gm | 29251900 | 18  | 1817<br>7735  |
|         | <u>UN 2811 6.1/PG III</u>  |           | 116    | 500 gm |          |     |               |
| LA1707  | DICYCLOMINE HYDROCHLORIDE 99% Extra Pure<br>For Lab Use  | 67-92-5   | 59     | 25 gm  | 29221990 | 18  | 3928<br>9983  |
|         | C <sub>19</sub> H <sub>35</sub> NO <sub>2</sub> ·HCl M.W. 345.95   |           | 150    | 100 gm |          |     | 25546         |
| LA1708  | DIETHANOALMINE 98% For Synthesis<br>C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14, Liquid, d. 1.097   | 111-42-2  | 9      | 500 ml | 29221200 | 18  | 580<br>2486   |
| LA1709  | DIETHANOALMINE 99% AR<br>C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 105.14, Liquid, d. 1.097  | 111-42-2  | 10     | 500 ml | 29221200 | 18  | 675<br>2899   |
| LA1710  | DIETHYALMINE 99% For Synthesis<br>(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH M.W. 73.14, Liquid. d. 0.707  | 109-89-7  | 9      | 500 ml | 29211990 | 18  | 653<br>2610   |
|         | <u>UN 1154 3 (8) /PG II</u>  |           | 37     | 2.5 Lt |          |     | 4831          |
| LA1711  | DIETHYALMINE 99.5% AR<br>(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH M.W. 73.14, Liquid. d. 0.707   | 109-89-7  | 11     | 500 ml | 29211990 | 18  | 752<br>1438   |
|         | <u>UN 1154 3 (8) /PG II</u>  |           | 21     | 1 Lt   |          |     | 2951          |
| LA1712  | DIETHYALMINE HYDROCHLORIDE 98% For Synthesis<br>(diethyAlmonium chloride)  | 660-68-4  | 6      | 100 gm | 29211990 | 18  | 409<br>1334   |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 109.60   |           | 19     | 500 gm |          |     |               |
|         | 2-DIETHYALMINOETHANOL  |           |        |        |          |     |               |
| LA1713  | N,N-DIETHYALNILINE 98.5% For Synthesis<br>C <sub>10</sub> H <sub>15</sub> N M.W. 149.23, Liquid. d. 0.938  | 91-66-7   | 13     | 500 ml | 29252990 | 18  | 916<br>4181   |
|         | <u>UN 2432 6.1/PG III</u>  |           | 60     | 2.5 Lt |          |     |               |
| LA1714  | N,N-DIETHYALNILINE 99% AR<br>(reagent for zinc) C <sub>10</sub> H <sub>15</sub> N M.W. 149.23, Liquid. d. 0.938  | 91-66-7   | 16     | 500 ml | 29252990 | 18  | 1134<br>5095  |
|         | <u>UN 2432 6.1/PG III</u>  |           | 73     | 2.5 Lt |          |     |               |
| LA1715  | 1,1-DIETHYL 2,2-CARBOCYANINE IODIDE 97%<br>C <sub>25</sub> H <sub>23</sub> IN <sub>2</sub> M.W. 480.38   | 605-91-4  | 54     | 100 mg | 29333990 | 18  | 3776<br>30370 |
|         | <u>UN 2811 6.1/PG II</u>   |           | 434    | 1 gm   |          |     |               |
| LA1716  | 1,1-DIETHYL 4,4-CARBOCYANINE IODIDE 96%<br>C <sub>25</sub> H <sub>25</sub> IN <sub>2</sub> M.W. 480.38   | 4727-50-8 | 164    | 250 mg | 29333990 | 18  | 10875         |
|         | <u>UN 2811 6.1/PG II</u>   |           |        |        |          |     |               |
| LA1717  | DIETHYL CARBONATE 99% For Synthesis<br>C <sub>5</sub> H <sub>10</sub> O <sub>3</sub> M.W. 118.13, Liquid, d. 0.975   | 105-58-8  | 21     | 500 ml | 29209099 | 18  | 1415<br>2613  |
|         | <u>UN 2366 3/PG III</u>  |           | 39     | 1 Lt   |          |     |               |
| LA1718  | DIETHYLENE GLYCOL 98.5%<br>(digol) C <sub>4</sub> H <sub>10</sub> O <sub>3</sub> M.W. 106.12, Liquid, d. 1.118   | 111-46-6  | 8      | 500 ml | 29094100 | 18  | 551<br>2239   |
|         |  |           | 34     | 2.5 Lt |          |     | 4030          |
|         |  |           | 61     | 5 Lt   |          |     |               |
| LA1719  | DIETHYLENE GLYCOL 99% AR<br>(digol) C <sub>4</sub> H <sub>10</sub> O <sub>3</sub> M.W. 106.12, Liquid, d. 1.118  | 111-46-6  | 10     | 500 ml | 29094100 | 18  | 656<br>2607   |
| LA1720  | DIETHYLENE GLYCOL DIMETHYLETHER 99% For Synthesis<br>(diglyme) (dimethyldigol) C <sub>6</sub> H <sub>14</sub> O <sub>3</sub> M.W. 113.17, Liquid, d. 0.944 | 111-96-6  | 24     | 500 ml | 29095090 | 18  | 1594<br>7147  |
|         | <u>UN 3271 3/PG III</u>  |           | 107    | 2.5 Lt |          |     |               |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA1721  | DIETHYLENE GLYCOL MONO BUTYL ETHER 98%   | 112-34-5  | 15     | 500 ml | 29094300 | 18  | 1004       |
|         | (butyl carbitol) (butyl digol)   |           | 68     | 2.5 Lt |          |     | 4551       |
|         | C <sub>8</sub> H <sub>18</sub> O <sub>3</sub> M.W. 162.23, Liquid, d. 0.953-0.967            |           |        |        |          |     |            |
| LA1722  | DIETHYLENE GLYCOL MONO ETHYL ETHER 98%   | 111-90-0  | 9      | 500 ml | 29094400 | 18  | 597        |
|         | (carbitol) (ethyl digol) (ethyl carbitol)  |           | 37     | 2.5 Lt |          |     | 2490       |
| LA1723  | DIETHYLENE GLYCOL MONO METHYL ETHER 98%  | 111-77-3  | 12     | 500 ml | 29094900 | 18  | 770        |
|         | (methyl digol) (methyl carbitol)   |           | 44     | 2.5 Lt |          |     | 2948       |
|         | C <sub>8</sub> H <sub>12</sub> O <sub>3</sub> M.W. 120.15, Liquid, d. 1.022                  |           |        |        |          |     |            |
| LA1724  | DIETHYLENE TRIAMINE 98% For Synthesis  | 111-40-0  | 16     | 500 ml | 29212990 | 18  | 1090       |
|         | C <sub>4</sub> H <sub>13</sub> N <sub>3</sub> M.W. 103.17, Liquid, d. 0.952                  |           | 31     | 1 Lt   |          |     | 2071       |
|         | <u>UN 2079 8/PG II</u>   |           | 68     | 2.5 Lt |          |     | 4547       |
| LA1725  | DIETHYLENE TRIAMINE PENTA ACETIC ACID 98%  | 67-43-6   | 6      | 100 gm | 29224990 | 18  | 432        |
|         | (DTPA) C <sub>14</sub> H <sub>23</sub> N <sub>3</sub> O <sub>10</sub> M.W. 393.35            |           | 27     | 500 gm |          |     | 1802       |
| LA1726  | DIETHYLENE TRIAMINE PENTA ACETIC ACID 99% AR   | 67-43-6   | 8      | 100 gm | 29224990 | 18  | 530        |
|         | (DTPA) C <sub>14</sub> H <sub>23</sub> N <sub>3</sub> O <sub>10</sub> M.W. 393.35            |           | 34     | 500 gm |          |     | 2380       |
| LA1727  | DIETHYLENE TRIAMINE PENTA ACETIC ACID  |           | 13     | 500 ml | 29224990 | 18  | 941        |
|         | PENTA SODIUM SALT 40% (aqueous solution), Liquid, d. 1.303                                   |           |        |        |          |     |            |
| LA1728  | N,N-DIETHYL ETHANOALMINE 98%   | 100-37-8  | 13     | 500 ml | 29221990 | 18  | 894        |
|         | (2-diethylALminoethanol) C <sub>6</sub> H <sub>15</sub> NO M.W. 117.19, Liquid, d. 0.884     |           | 57     | 2.5 Lt |          |     | 3955       |
|         | <u>UN 2686 8 (3)/PG II</u>   |           |        |        |          |     |            |
| LA1729  | DIETHYL ETHER 98%  | 60-29-7   | 9      | 500 ml | 29091100 | 18  | 656        |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12 , Liquid, d. 0.714               |           | 17     | 1 Lt   |          |     | 1198       |
|         | <u>UN 1155 3 /PG I</u>   |           | 37     | 2.5 Lt |          |     | 2615       |
|         |  |           | 299    | 25 Lt  |          |     | 20917      |
| LA1730  | DIETHYL ETHER 99% AR   | 60-29-7   | 11     | 500 ml | 29091100 | 18  | 746        |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12 , Liquid, d. 0.714               |           | 20     | 1 Lt   |          |     | 1408       |
|         | <u>UN 1155 3 /PG I</u>   |           | 41     | 2.5 Lt |          |     | 2861       |
| LA1731  | DIETHYL ETHER 99.5% HPLC & SPECTROSCOPY  | 60-29-7   | 32     | 500 ml | 29091100 | 18  | 2262       |
|         | (ether solvent) C <sub>4</sub> H <sub>10</sub> O M.W. 74.12, Liquid, d. 0.714                |           | 60     | 1 Lt   |          |     | 4183       |
|         | <u>UN 1155 3 /PG I</u>   |           | 137    | 2.5 Lt |          |     | 9584       |
| LA1732  | DIETHYL KETONE 99% For Synthesis   | 96-22-0   | 46     | 500 ml | 29141990 | 18  | 3202       |
|         | (3 - Pentanone) CH <sub>3</sub> CH <sub>2</sub> COCH <sub>2</sub> CH <sub>3</sub> M.W. 86.13 |           | 189    | 2.5 Lt |          |     | 13211      |
|         | <u>UN 1156 3 /PG II</u>  |           |        |        |          |     |            |
| LA1733  | DIETHYL MALEATE 97%  | 141-05-9  | 85     | 500 ml | 29171980 | 18  | 5633       |
|         | C <sub>8</sub> H <sub>12</sub> O <sub>4</sub> M.W. 172.18, Liquid, d. 1.064                  |           |        |        |          |     |            |
| LA1734  | DIETHYL MALONATE 98% For Synthesis   | 105-53-3  | 15     | 500 ml | 29171970 | 18  | 1017       |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub> M.W. 160.17, Liquid, d. 1.055                  |           | 72     | 2.5 Lt |          |     | 4769       |
| LA1735  | DIETHYL MALONATE 99% AR  | 105-53-3  | 17     | 500 ml | 29171970 | 18  | 1133       |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>4</sub> M.W. 160.17, Liquid, d. 1.055                  |           | 32     | 1 Lt   |          |     | 2149       |
| LA1736  | DIETHYL METHYLMALONATE 98%   | 609-08-5  | 131    | 50 gm  | 29171980 | 18  | 8716       |
|         | (methylmALonic acid diethyl ester)   |           | 537    | 250 gm |          |     | 35735      |
|         | C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W. 174.19, Liquid, d. 1.022                  |           |        |        |          |     |            |
| LA1737  | DIETHYL OXALATE 99% For Synthesis  | 95-92-1   | 11     | 500 ml | 29171140 | 18  | 762        |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14, Liquid, d. 1.076                  |           | 47     | 2.5 Lt |          |     | 3145       |
|         | <u>UN 2525 6.1/PG III</u>  |           |        |        |          |     |            |
| LA1738  | N,N-DIETHYL-P-PHENYLENE DIAMINE SULPHATE 98% AR  | 6283-63-2 | 103    | 100 gm | 29215190 | 18  | 6830       |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub> M.W. 262.33   |           | 221    | 250 gm |          |     | 14685      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)      |
|---------|--|------------|--------|--------|----------|-----|-----------------|
| LA1739  | DIETHYL PHTHALATE 99% For Synthesis<br>C <sub>12</sub> H <sub>14</sub> O <sub>4</sub> M.W. 222.24, Liquid, d. 1.12                   |            | 42     | 2.5 Lt |          |     | 676<br>2809     |
| LA1740  | DIETHYL SUCCINATE 99% For Synthesis<br>C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W. 174.19, Liquid, d. 1.043-1.047             | 123-25-1   | 38     | 500 ml | 29171990 | 18  | 2537<br>11384   |
| LA1741  | DIETHYL SULPHATE 99%<br>(sulphuric acid diethyl ester) C <sub>4</sub> H <sub>10</sub> O <sub>4</sub> S M.W. 154.19, Liquid, d. 1.177 | 64-67-5    | 11     | 500 ml | 29209099 | 18  | 749<br>1423     |
|         | <u>UN 1594 6.1/PG II</u>   |            |        |        |          |     |                 |
| LA1742  | 1,3-DIFLUOROBENZENE 99% Extra Pure<br>(m-difluorobenzene) C <sub>6</sub> H <sub>4</sub> F <sub>2</sub> M.W. 114.10, Liquid, d. 1.163 | 372-18-9   | 50     | 100 ml | 29039990 | 18  | 3351<br>13544   |
|         | <u>UN 1993 3/PG II</u>   |            |        |        |          |     |                 |
| LA1743  | DIGITONIN 99% AR<br>C <sub>56</sub> H <sub>92</sub> O <sub>29</sub> M.W. 1229.31   | 11024-24-1 | 480    | 1 gm   | 29389090 | 18  | 31911<br>153174 |
|         | <u>UN 3462 6.1/PG III</u>  |            |        |        |          |     |                 |
|         | DIGOL  |            |        |        |          |     |                 |
| LA1744  | 2,4-DIHYDROXY ACETOPHENONE 98%<br>(Resacetophenone) (4-acetylresorcinol)   | 89-84-9    | 44     | 100 gm | 29145000 | 18  | 2957<br>14233   |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15   |            | 214    | 500 gm |          |     |                 |
| LA1745  | 2,4-DIHYDROXYBENZALDEHYDE 97%  | 95-01-2    | 130    | 25 gm  | 29124900 | 18  | 8648            |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 138.12   |            | 369    | 100 gm |          |     | 24563           |
| LA1746  | 2,4-DIHYDROXYBENZOPHENONE 99%  | 131-56-6   | 56     | 100 gm | 29145000 | 18  | 3703            |
|         | C <sub>13</sub> H <sub>10</sub> O <sub>3</sub> M.W. 214.22   |            |        |        |          |     |                 |
| LA1747  | 1,5-DIHYDROXYNAPHTHALENE 98%<br>(1,5-naphthAlenediol) C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17                      | 83-56-7    | 120    | 100 gm | 29072910 | 18  | 7968<br>31910   |
| LA1748  | 2,7-DIHYDROXYNAPHTHALENE 98%<br>(2,7-naphthAlenediol)  | 582-17-2   | 103    | 25 gm  | 29072910 | 18  | 6819<br>25232   |
|         | C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17  |            | 379    | 100 gm |          |     |                 |
|         | 1082   | 500 gm     |        |        |          |     | 71984           |
| LA1749  | 3-(3,4-DIHYDROXYPHENYL)-DL-ALANINE 99% For Synthesis<br>(DL-DOPA) (DL-3-hydroxytyrosin)  | 63-84-3    | 45     | 5 gm   | 29222990 | 18  | 3004<br>11042   |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub> M.W. 197.19   |            | 166    | 25 gm  |          |     |                 |
| LA1750  | 3-(3,4-DIHYDROXYPHENYL)-L-ALANINE 99% For Biochemistry<br>(L-DOPA) C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub> M.W. 197.19        | 59-92-7    | 143    | 25 gm  | 29225000 | 18  | 9506<br>33458   |
|         | 2,2-DI-(4-HYDROXYPHENYL) PROPANE   |            | 503    | 100 gm |          |     |                 |
| LA1751  | 1,8-DIHYDROXY-2-(4-SULPHOPHENYLZO) NAPHTHALENE-3,6-DISULPHONIC ACID TRISODIUM SALT AR  |            |        |        |          |     |                 |
|         | 3,5-DIHYDROXYTOLUENE   |            |        |        |          |     |                 |
| LA1752  | DIODOMETHANE 98% (For separation of minerals)  | 75-11-6    | 68     | 25 gm  | 29033990 | 18  | 4538            |
|         | (methylene iodide) CH <sub>2</sub> I <sub>2</sub> M.W. 267.84, Liquid, d. 3.325  |            | 154    | 100 gm |          |     | 10216           |
|         | <u>UN 2810 6.1/PG III</u>  |            |        |        |          |     |                 |
| LA1753  | DIISOBUTYALMINE 99%  | 110-96-3   | 91     | 100 ml | 29212910 | 18  | 6023            |
|         | C <sub>8</sub> H <sub>15</sub> N M.W. 129.24, Liquid, d. 0.74  |            | 332    | 500 ml |          |     | 22052           |
|         | <u>UN 2361 3 (8)/PG III</u>  |            |        |        |          |     |                 |
| LA1754  | DI-ISO OCTYL PHTHALATE 99% For Synthesis   | 27554-26-3 | 846    | 500 gm | 29173300 | 18  | 56242           |
|         | C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.56, Liquid, d. 0.983   |            |        |        |          |     |                 |
| LA1755  | DIISOPROPYLAMINE 99% For Synthesis   | 108-18-9   | 19     | 500 ml | 29211990 | 18  | 1238            |
|         | C <sub>6</sub> H <sub>13</sub> N M.W. 101.19, Liquid, d. 0.722   |            | 82     | 2.5 Lt |          |     | 5457            |
|         | <u>UN 1158 3 (8)/PG II</u>   |            |        |        |          |     |                 |
| LA1756  | DIISOPROPYLZODICARBOXYALTE 98% For Synthesis<br>(DIAD, Diisopropylzodiformate)   | 2446-83-5  | 41     | 25 ml  | 29270090 | 18  | 2746<br>8937    |
|         | C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> M.W. 202.21, Liquid, d. 1.027 <u>UN 3082 9/PG III</u>                   |            | 134    | 100 ml |          |     |                 |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)                  |
|---------|--|-----------|--------|--------|----------|-----|-----------------------------|
| LA1757  | DI-ISOPROPYL ETHER 99% For Synthesis<br>(iso-propyl ether) C <sub>6</sub> H <sub>14</sub> O M.W 102.17, Liquid, d. 0.724   | 108-20-3  |        | 500 ml | 29091900 | 18  | 625<br>2805                 |
|         | <u>UN 1159 3/PG II</u>   |           |        | 2.5 Lt |          |     |                             |
| LA1758  | N,N-DIISOPROPYLETHYLAMINE 98% For Peptide Synthesis (DIEA)<br>(ethylene diisopropylamine) C <sub>8</sub> H <sub>19</sub> N M.W. 129.24, Liquid, d. 0.742-0.747                     | 7087-68-5 |        | 250 ml | 29211990 | 18  | 999<br>3760                 |
|         | <u>UN 1992 3(6.1)/PG II</u>  |           |        | 1 Lt   |          |     |                             |
| LA1759  | DILL OIL Extra Pure<br>(anethi oil) Liquid, d. 0.892   | 8006-75-5 | 28     | 100 ml | 33012923 | 18  | 1864<br>6299                |
| LA1760  | DIMEDONE 99% AR (reagent for ALdehyde)<br>C <sub>8</sub> H <sub>12</sub> O <sub>2</sub> M.W. 140.18  | 126-81-8  | 19     | 25 gm  | 29142990 | 18  | 1250<br>3407                |
| LA1761  | 1,2-DIMETHOXYETHANE 99%<br>(ethelene glycol dimethyl ether) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12 Liquid, d. 0.867  | 110-71-4  | 14     | 100 ml | 29091900 | 18  | 900<br>2486                 |
|         | <u>UN 2252 3/PG II</u>   |           |        | 37     | 500 ml   |     |                             |
| LA1762  | 3',5'-DIMETHOXY-4'-HYDROXY ACETOPHENONE 98%<br>(acetosyringone) C <sub>10</sub> H <sub>12</sub> O <sub>4</sub> M.W. 196.2  | 2478-38-8 | 88     | 1 gm   | 29145000 | 18  | 6134<br>28912               |
| LA1763  | 2,2-DIMETHOXY PROPANE 98% for synthesis<br>(acetone dimethyl acetAL) C <sub>5</sub> H <sub>12</sub> O <sub>2</sub> M.W. 104.15, Liquid, d. 0.850                                   | 77-76-9   | 25     | 500 ml | 29110010 | 18  | 1721<br>7398                |
|         | <u>UN 1993 3/PG II</u>   |           |        | 106    | 2.5 Lt   |     |                             |
| LA1764  | N,N-DIMETHYL ACETAMIDE 99%<br>C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.937  | 127-19-5  | 10     | 500 ml | 29241900 | 18  | 715<br>2984                 |
| LA1765  | N,N-DIMETHYL ACETAMIDE 99.5% AR<br>C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.937   | 127-19-5  | 12     | 500 ml | 29241900 | 18  | 814<br>3227                 |
| LA1766  | DIMETHYL ADIPATE For Synthesis 98%<br>C <sub>8</sub> H <sub>14</sub> O <sub>4</sub> M.W.174.19, Liquid, d. 1.062   | 627-93-0  | 32     | 500 ml | 29171200 | 18  | 2233                        |
| LA1767  | DIMETHYLAMINE  |           |        |        |          |     |                             |
| LA1768  | DIMETHYLAMINE HYDROCHLORIDE 99%<br>(dimethyl ammonium chloride) C <sub>2</sub> H <sub>7</sub> N.HCl M.W. 81.55   | 506-59-2  | 3      | 100 gm | 29211100 | 18  | 230<br>592                  |
| LA1769  | 4-DIMETHYL AMINO ANTIPYRINE  |           |        |        |          |     |                             |
| LA1770  | p-DIMETHYL AMINO BENZALDEHYDE 98%<br>C <sub>9</sub> H <sub>11</sub> NO M.W. 149.19   | 100-10-7  | 25     | 100 gm | 29222990 | 18  | 1733<br>7602                |
| LA1771  | p-DIMETHYL AMINO BENZALDEHYDE 99% AR<br>C <sub>9</sub> H <sub>11</sub> NO M.W. 149.19  | 100-10-7  | 27     | 100 gm | 29222990 | 18  | 1903<br>8588                |
| LA1772  | p-DIMETHYL AMINO BENZYLIDINE RHODANINE 97% AR<br>(reagent for silver)<br>C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> OS <sub>2</sub> M.W. 264.37                                | 536-17-4  | 27     | 5 gm   | 29341000 | 18  | 1811<br>7626                |
| LA1773  | p-DIMETHYL AMINO CINNAMALDEHYDE 99% AR<br>C <sub>11</sub> H <sub>13</sub> NO M.W. 175.23   | 6203-18-5 | 62     | 5 gm   | 29222990 | 18  | 4128<br>6819                |
|         | <u>UN 3077 9/PG III</u>  |           |        | 103    | 10 gm    |     |                             |
| LA1774  | 2-(DIMETHYLAMINO)-ETHANOL 99%<br>(N,N-dimethylethanoAlmine) C <sub>4</sub> H <sub>11</sub> NO M.W 89.14, Liquid, d. 0.886  | 108-01-0  | 12     | 500 ml | 29221990 | 18  | 825<br>1555                 |
|         | <u>UN 2051 8 (3)/PG II</u>   |           |        | 23     | 1 Lt     |     |                             |
| LA1775  | tris-(DIMETHYLAMINO) METHANE<br>C <sub>7</sub> H <sub>15</sub> N <sub>3</sub> M.W 145.25, Liquid, d. 0.838   | 5762-56-1 | 675    | 5 gm   | 29212990 | 18  | 44900<br>85314              |
|         | <u>UN 2733 3 (8)/PG II</u>   |           |        | 1283   | 10 gm    |     |                             |
| LA1776  | 3-DIMETHYLAMINO PROPYLAMINE 98.50% For Synthesis<br>(N,N-Dimethyltrimethylenediamine) (CH <sub>3</sub> ) <sub>2</sub> N(CH <sub>2</sub> ) <sub>3</sub> NH <sub>2</sub> M.W. 102.18 | 109-55-7  | 51     | 500 ml | 29211990 | 18  | 3407<br>UN 2734 8 (3)/PG II |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1777  | <b>6,6-DIMETHYL FULVENE 95%</b><br>C <sub>8</sub> H <sub>10</sub> M.W 106.17, Liquid, d. 0.881<br><u>UN 3295 3/PG III</u>  | 2175-91-9  | 271    | 5 ml   | 29021900 | 18  | 18017      |
| LA1778  | <b>DIMETHYL GLYOXIME 98%</b><br>(2, 3-butanedion dioxime) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 116.12<br><u>UN 1325 4.1/PG III</u>   | 95-45-4    | 12     | 100 gm | 29280090 | 18  | 792        |
| LA1779  | <b>DIMETHYL GLYOXIME 99% AR</b><br>(2, 3-butanedion dioxime) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 116.12<br><u>UN 1325 4.1/PG III</u>  | 95-45-4    | 14     | 100 gm | 29280090 | 18  | 931        |
| LA1780  | <b>DIMETHYL GLYOXIME DISODIUM SALT 99% AR (octahydrate)</b><br>C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>2</sub> ·8H <sub>2</sub> O M.W. 304.21                                | 75006-64-3 | 39     | 250 gm | 29280090 | 18  | 2598       |
| LA1781  | <b>2,3-DIMETHYL HYDROQUINONE 97%</b><br>C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.16  | 608-43-5   | 501    | 10 gm  | 29072990 | 18  | 33289      |
| LA1782  | <b>2,6-DIMETHYL HYDROQUINONE 97%</b><br>C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.16<br><u>UN 2811 6.1/PG III</u>   | 654-42-2   | 658    | 10 gm  | 29072990 | 18  | 43755      |
| LA1783  | <b>N,N-DIMETHYL IMIDAZOLIDINONE 99% GC</b><br>(1,3-Dimethyl-2-Imidazolidinone) C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 114.15<br>For Residual Solvent Impurity Profile & Headspace Analysis | 80-73-9    | 50     | 100 gm | 29332990 | 18  | 41567      |
| LA1784  | <b>DIMETHYL MALONATE 99% For Synthesis</b><br>C <sub>5</sub> H <sub>8</sub> O <sub>4</sub> M.W. 114.15, Liquid, d. 1.156   | 108-59-8   | 31     | 500 ml | 29171990 | 18  | 3133       |
| LA1785  | <b>DIMETHYL OXALATE 98% For Synthesis</b><br>C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> M.W. 118.09<br><u>UN 3263 8/PG III</u>   | 553-90-2   | 45     | 100 gm | 29171100 | 18  | 0          |
| LA1786  | <b>2,6-DIMETHYLPHENOL 99%</b><br>(2,6-Xylenol) C <sub>8</sub> H <sub>10</sub> O M.W. 122.16<br><u>UN 2261 6.1/PG II</u>  | 576-26-1   | 332    | 500 gm | 29071910 | 18  | 2843       |
| LA1787  | <b>2,9-DIMETHYL-1, 10-PHENANTHROLINE AR</b>  |            |        |        |          |     |            |
| LA1788  | <b>2, 9-DIMETHYL-1, 10-PHENANTHROLINE HYDROCHLORIDE AR</b>   |            |        |        |          |     |            |
| LA1789  | <b>2,4-DIMETHYLPHENOL 98%</b><br>(2,4-xylenol) C <sub>8</sub> H <sub>10</sub> O M.W 122.16<br><u>UN 2261 6.1/PG II</u>   | 105-67-9   | 28     | 5 ml   | 29071910 | 18  | 1880       |
| LA1790  | <b>2,5-DIMETHYL PHENOL 97%</b><br>C <sub>8</sub> H <sub>10</sub> O M.W 122.16<br><u>UN 2261 6.1/PG II</u>  | 95-87-4    | 77     | 100 gm | 29071950 | 18  | 5109       |
| LA1791  | <b>3,4-DIMETHYL PHENOL 98%</b><br>C <sub>8</sub> H <sub>10</sub> O M.W 122.16<br><u>UN 2261 6.1/PG II</u>  | 95-65-8    | 198    | 25 gm  | 29071950 | 18  | 13152      |
| LA1792  | <b>3,5-DIMETHYL PHENOL 98%</b><br>C <sub>8</sub> H <sub>10</sub> O M.W 122.16<br><u>UN 2261 6.1/PG II</u>  | 108-68-9   | 53     | 100 gm | 29071950 | 18  | 3522       |
| LA1793  | <b>N,N-DIMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE 99% AR</b><br>C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> ·2HCl M.W. 209.12<br><u>UN 2811 6.1/PG II</u>   | 536-46-9   | 35     | 10 gm  | 29215190 | 18  | 1882       |
| LA1794  | <b>N,N-DIMETHYL-p-PHENYLENEDIAMINE 98%</b><br>C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> M.W. 136.19<br><u>UN 2811 6.1/PG II</u>  | 99-98-9    | 335    | 50 gm  | 29215190 | 18  | 22278      |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA1795  | 4-(DIMETHYLAMINO) PYRIDINE 99% For Synthesis  | 1122-58-3 | 7      | 25 gm  | 29333919 | 18  | 444        |
|         | C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> M.W. 122.17   |           | 26     | 100 gm |          |     | 1700       |
|         | <u>UN 2811 6.1/PG II</u>  |           | 109    | 500 gm |          |     | 7218       |
|         | DIMETHYL AMMONIUM CHLORIDE  |           |        |        |          |     |            |
| LA1796  | 2,5-DIMETHYALNILINE 98%   | 95-78-3   | 49     | 100 gm | 29214900 | 18  | 3230       |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.98                                     |           | 218    | 500 gm |          |     | 14528      |
|         | <u>UN 1711 6.1/PG II</u>  |           |        |        |          |     |            |
|         | 2,6-DIMETHYALNILINE 99%   |           |        |        |          |     |            |
| LA1797  | 3,5-DIMETHYL ANILINE 98%  | 108-69-0  | 40     | 25 gm  | 29214910 | 18  | 2673       |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.972                                    |           |        |        |          |     |            |
|         | <u>UN 1711 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1798  | N,N-DIMETHYALNILINE 99% For Synthesis   | 121-69-7  | 15     | 500 ml | 29214223 | 18  | 964        |
|         | (dimethyl aniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18 Liquid, d. 0.956                  |           | 66     | 2.5 Lt |          |     | 4419       |
|         | <u>UN 2253 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1799  | N,N-DIMETHYALNILINE 99.5% AR  | 121-69-7  | 16     | 500 ml | 29214223 | 18  | 1081       |
|         | (dimethyl aniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.956                 |           | 71     | 2.5 Lt |          |     | 4753       |
|         | <u>UN 2253 6.1/PG II</u>  |           |        |        |          |     |            |
| LA1800  | DIMETHYL ANTHRANIALTE 97%   | 85-91-6   | 217    | 500 gm | 29224990 | 18  | 14411      |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19, Liquid, d. 1.126                      |           |        |        |          |     |            |
| LA1801  | 1,3-DIMETHYLBARBITURIC ACID 99%   | 769-42-6  | 82     | 25 gm  | 29335400 | 18  | 5451       |
|         | (1,3-dimethyl-2,4,6-pyrimidinetrione)   |           | 287    | 100 gm |          |     | 19076      |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 156.14                           |           |        |        |          |     |            |
| LA1802  | DIMETHYLCARBAMYL CHLORIDE 98% For Synthesis   | 79-44-7   | 100    | 100 gm | 29420050 | 18  | 6662       |
|         | C <sub>3</sub> H <sub>6</sub> ClNO M.W. 107.54  |           |        |        |          |     |            |
|         | <u>UN 2262 8/PG II</u>  |           |        |        |          |     |            |
| LA1803  | DIMETHYL CARBONATE 99% For Synthesis  | 616-38-6  | 11     | 500 ml | 29209099 | 18  | 735        |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.070                         |           | 46     | 2.5 Lt |          |     | 3085       |
|         | <u>UN 1161 3/PGII</u>   |           |        |        |          |     |            |
|         | DIMETHYLDIGOL 99%   |           |        |        |          |     |            |
|         | 2,9-DIMETHYL-4,7-DIPHENYL-1,10-PHENANTHROLINE AR  |           |        |        |          |     |            |
| LA1804  | DIMETHYL ETHYL HEXADECYL AMMONIUM BROMIDE 99.8%   | 124-03-8  | 186    | 100 gm | 29239000 | 18  | 12377      |
|         | For Molecular Biology C <sub>20</sub> H <sub>44</sub> BrN M.W. 378.47 ( <b>Store at 2 - 8°C</b> ) |           | 838    | 500 gm |          |     | 55699      |
|         | <u>UN 3077 9/PG III</u>   |           |        |        |          |     |            |
| LA1805  | DIMETHYL FORMAMIDE 99% For Synthesis (DMF)  | 68-12-2   | 10     | 500 ml | 29242990 | 18  | 649        |
|         | (N, N-dimethyl formamide) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944           |           | 19     | 1 Lt   |          |     | 1232       |
|         | <u>UN 2265 3 /PG III</u>  |           | 42     | 2.5 Lt |          |     | 2784       |
| LA1806  | DIMETHYL FORMAMIDE 99.5% AR (DMF)   | 68-12-2   | 11     | 500 ml | 29242990 | 18  | 711        |
|         | (N, N-dimethyl formamide) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944           |           | 20     | 1 Lt   |          |     | 1304       |
|         | <u>UN 2265 3 /PG III</u>  |           | 46     | 2.5 Lt |          |     | 3061       |
| LA1807  | DIMETHYL FORMAMIDE 99.7% HPLC & SPECTROSCOPY  | 68-12-2   | 12     | 500 ml | 29242990 | 18  | 770        |
|         | (N,N-dimethyl formamide) (DMF) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944      |           | 22     | 1 Lt   |          |     | 1478       |
|         | <u>UN 2265 3 /PG III</u>  |           | 52     | 2.5 Lt |          |     | 3475       |
| LA1808  | DIMETHYL FORMAMIDE 99% For Molecular Biology  | 68-12-2   | 25     | 250 ml | 29242990 | 18  | 1675       |
|         | (N,N-Dimethylformamide) (DMF) C <sub>3</sub> H <sub>7</sub> NO M.W. 73.09, Liquid, d. 0.944       |           | 48     | 500 ml |          |     | 3182       |
|         | <u>UN 2265 3 /PG III</u>  |           |        |        |          |     |            |
| LA1809  | DIMETHYL FORMAMIDE DIMETHYL ACETAL 97%  | 4637-24-5 | 29     | 100 ml | 29225090 | 18  | 1917       |
|         | C <sub>5</sub> H <sub>13</sub> NO <sub>2</sub> M.W 119.16, Liquid, d. 0.897                       |           | 122    | 500 ml |          |     | 8143       |
|         | <u>UN 3271 3/PG II</u>  |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.  | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|----------|--------|--------|----------|-----|------------|
| LA1810  | DIMETHYL YELLOW pH indicator (C.I. No.11020)<br>(pH 2.9 - 4.0 red to orange yellow) C <sub>14</sub> H <sub>15</sub> N <sub>3</sub> M.W. 225.29      | 60-11-7  | 3      | 25 gm  | 29270090 | 18  | 222        |
|         |   |          | 9      | 100 gm |          |     | 565        |
|         | <u>UN 2811 6.1/PG III</u>   |          | 39     | 500 gm |          |     | 2607       |
| LA1811  | DIMETHYL YELLOW indicator solution  |          | 3      | 125 ml | 38220090 | 12  | 192        |
|         |   |          | 9      | 500 ml |          |     | 569        |
| LA1812  | DIMIDIUM BROMIDE 98%<br>(for tensile test) C <sub>20</sub> H <sub>18</sub> BrN <sub>3</sub> M.W. 380.28   | 518-67-2 | 14     | 100 mg | 29339900 | 18  | 902        |
|         |   |          | 97     | 1 gm   |          |     | 6477       |
| LA1813  | DIMIDIUM BROMIDE DISULPHINE BLUE INDICATOR STOCK SOLUTION   |          | 51     | 100 ml | 38220090 | 12  | 3401       |
| LA1814  | 2, 4-DINITRO ANILINE 98% For Synthesis<br>C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 183.12                                   | 97-02-9  | 19     | 100 gm | 29214226 | 18  | 1259       |
|         |   |          | 76     | 500 gm |          |     | 5022       |
|         | <u>UN 1596 6.1/PG II</u>  |          |        |        |          |     |            |
| LA1815  | 1,2-DINITROBENZENE 98%<br>C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 168.11   | 528-29-0 | 284    | 5 gm   | 29042090 | 18  | 18885      |
|         |   |          |        |        |          |     |            |
|         | <u>UN 3443 6.1/PG II</u>  |          |        |        |          |     |            |
| LA1816  | m-DINITROBENZENE 98% For Synthesis<br>C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 168.11                                       | 99-65-0  | 26     | 500 gm | 29042020 | 18  | 1796       |
|         |   |          |        |        |          |     |            |
|         | <u>UN 3443 6.1/PG II</u>  |          |        |        |          |     |            |
| LA1817  | m-DINITROBENZENE 99% AR<br>(For determination of 17 ketosteroids) C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 168.11           | 99-65-0  | 17     | 100 gm | 29042020 | 18  | 1174       |
|         |   |          | 74     | 500 gm |          |     | 5171       |
|         | <u>UN 3443 6.1/PG II</u>  |          |        |        |          |     |            |
| LA1818  | 3,5-DINITRO BENZOIC ACID 98%<br>C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>6</sub> M.W. 212.12   | 99-34-3  | 13     | 100 gm | 29163990 | 18  | 889        |
|         |   |          | 51     | 500 gm |          |     | 3578       |
| LA1819  | 3,5-DINITRO BENZOIC ACID 99% AR<br>C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>6</sub> M.W. 212.12  | 99-34-3  | 15     | 100 gm | 29163990 | 18  | 1072       |
|         |   |          | 54     | 500 gm |          |     | 3797       |
| LA1820  | 3,5-DINITROBENZOYL CHLORIDE 98%<br>C <sub>7</sub> H <sub>3</sub> ClN <sub>2</sub> O <sub>5</sub> M.W. 230.56  | 99-33-2  | 384    | 100 gm | 29163990 | 18  | 26910      |
|         |   |          |        |        |          |     |            |
|         | <u>UN 3261 8/PG II</u>  |          |        |        |          |     |            |
|         | 2,4-DINITROCHLOROBENZENE  |          |        |        |          |     |            |
| LA1821  | 2,4-DINITRO-1-FLUOROBENZENE 98% AR<br>(sanger's reagent, 1-fluo o-2-4-dinitrobenzene)   | 70-34-8  | 51     | 25 gm  | 29049990 | 18  | 3571       |
|         |   |          | 169    | 100 gm |          |     | 11864      |
|         | C <sub>6</sub> H <sub>3</sub> FN <sub>2</sub> O <sub>4</sub> M.W. 186.10  |          |        |        |          |     |            |
| LA1822  | 2,4-DINITROPHENOL 97%<br>C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>5</sub> M.W. 184.11  | 51-28-5  | 8      | 25 gm  | 29089990 | 18  | 562        |
|         |   |          | 29     | 100 gm |          |     | 2027       |
|         | <u>UN 1320 4.1 (6.1)/PG I</u>   |          |        |        |          |     | 7502       |
| LA1823  | 2,4-DINITROPHENOL (indicator) 98% AR<br>(pH 2.8 - 4.7 colourless to yellow) C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>5</sub> M.W. 184.11 | 51-28-5  | 10     | 25 gm  | 29089990 | 18  | 675        |
|         |   |          | 37     | 100 gm |          |     | 2432       |
|         | <u>UN 1320 4.1 (6.1)/PG I</u>   |          |        |        |          |     | 9022       |
| LA1824  | 2,4-DINITROPHENYL HYDRAZINE 98% For Synthesis<br>C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> O <sub>4</sub> M.W. 198.14                            | 119-26-6 | 11     | 100 gm | 29089990 | 18  | 735        |
|         |   |          | 53     | 500 gm |          |     | 3541       |
|         | <u>UN 3380 4.1/PG I</u>   |          |        |        |          |     |            |
| LA1825  | 2,4-DINITROPHENYL HYDRAZINE 99% AR<br>C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> O <sub>4</sub> M.W. 198.14                                       | 119-26-6 | 4      | 25 gm  | 29089990 | 18  | 281        |
|         |   |          | 12     | 100 gm |          |     | 830        |
|         | <u>UN 3380 4.1/PG I</u>   |          |        |        |          |     | 3761       |
| LA1826  | 3,5-DINITRO SALICYLIC ACID 97%<br>C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>7</sub> M.W. 228.12   | 609-99-4 | 10     | 25 gm  | 29182190 | 18  | 639        |
|         |   |          | 35     | 100 gm |          |     | 2350       |
|         |   |          | 154    | 500 gm |          |     | 10230      |
| LA1827  | 3,5-DINITRO SALICYLIC ACID 98% AR<br>C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>7</sub> M.W. 228.12  | 609-99-4 | 11     | 25 gm  | 29182190 | 18  | 734        |
|         |   |          | 42     | 100 gm |          |     | 2810       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1828  | N,N-DIMETHYL-P-PHENYLENE DIAMINE HEMIOXALATE 98%   | 62778-12-5 | 39     | 5 gm   | 29215190 | 18  | 2569       |
|         | C <sub>18</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> M.W. 181.21                                  |            | 135    | 25 gm  |          |     | 8999       |
|         | <u>UN 2811 6.1/PG II</u>   |            |        |        |          |     |            |
| LA1829  | N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE 98%  | 536-47-0   | 41     | 5 gm   | 29215190 | 18  | 2730       |
|         | (4-amino-N,N-dimethylAlniline sulphate)  |            | 151    | 25 gm  |          |     | 10027      |
|         | C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> H <sub>2</sub> O <sub>4</sub> S M.W. 234.27                  |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/PG II</u>   |            |        |        |          |     |            |
| LA1830  | N,N-DIMETHYL-p-TOLUIDINE   | 99-97-8    | 79     | 500 ml | 29214390 | 18  | 5229       |
|         | C <sub>9</sub> H <sub>13</sub> N M.W. 135.21   |            |        |        |          |     |            |
|         | <u>UN 2810 6.1/PG II</u>   |            |        |        |          |     |            |
| LA1831  | 1-(2,3-DIMETHYLPHENYL) PIPERAZINE 99%  | 1013-22-5  | 198    | 100 mg | 29335990 | 18  | 13165      |
|         | C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> M.W. 190.28   |            | 931    | 500 mg |          |     | 61912      |
| LA1832  | 1-(2,5-DIMETHYLPHENYL) PIPERAZINE 96%  | 1013-25-8  | 302    | 10 gm  | 29335990 | 18  | 20054      |
|         | C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> M.W. 190.28   |            | 494    | 25 gm  |          |     | 32845      |
|         | <u>UN 3259 8/PG III</u>  |            |        |        |          |     |            |
| LA1833  | 1,4-DIMETHYLPIPERAZINE 98%   | 106-58-1   | 72     | 50 gm  | 29335995 | 18  | 4815       |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> M.W. 114.19, Liquid, d. 0.85                                 |            | 119    | 100 gm |          |     | 7939       |
|         | <u>UN 2924 (8)/PG II</u>   |            |        |        |          |     |            |
| LA1834  | DIMETHYL PHTHALATE 99% For Synthesis   | 131-11-3   | 10     | 500 ml | 29173940 | 18  | 678        |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>4</sub> M.W. 194.19, Liquid, d. 1.19                                |            | 45     | 2.5 Lt |          |     | 2982       |
| LA1835  | DIMETHYL POLYSILOXANE Liquid, d. 0.971-0.980   | 9016-00-6  | 245    | 100 gm | 39100090 | 18  | 16321      |
| LA1836  | DIMETHYL POPOP 99% scintilALTion grade   | 3073-87-8  | 103    | 5 gm   | 29349900 | 18  | 6872       |
|         | [1,4-bis (4-methyl-5-phonyl-2-oxazolyl)benzene]  |            | 486    | 25 gm  |          |     | 32307      |
|         | C <sub>26</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> M.W. 392.45                                  |            |        |        |          |     |            |
| LA1837  | DIMETHYL SUCCINATE 98%   | 106-65-0   | 23     | 250 ml | 29173990 | 18  | 1517       |
|         | (Succinic acid dimethyl ester) C <sub>6</sub> H <sub>10</sub> O <sub>4</sub> M.W. 146.14, Liquid, d. 1.117 |            | 42     | 500 ml |          |     | 2772       |
| LA1838  | DIMETHYL SULPHATE 99% For Synthesis  | 77-78-1    | 8      | 500 ml | 29209099 | 18  | 540        |
|         | (CH <sub>3</sub> O) <sub>2</sub> SO <sub>2</sub> M.W. 126.13, Liquid, d. 1.333                             |            | 38     | 2.5 Lt |          |     | 2501       |
|         | <u>UN 1595 6.1(8)/PG I</u>   |            |        |        |          |     |            |
| LA1839  | DIMETHYL SULPHIDE 99%  | 75-18-3    | 65     | 500 ml | 29309099 | 18  | 4292       |
|         | C <sub>2</sub> H <sub>6</sub> S M.W. 62.13, Liquid. d. 0.846   |            | 284    | 2.5 Lt |          |     | 18885      |
|         | <u>UN 1164 3/PG II</u>   |            |        |        |          |     |            |
| LA1840  | DIMETHYL SULPHOXIDE 99%  | 67-68-5    | 34     | 500 ml | 29309099 | 18  | 2276       |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |            | 137    | 2.5 Lt |          |     | 9118       |
| LA1841  | DIMETHYL SULPHOXIDE 99% AR   | 67-68-5    | 37     | 500 ml | 29309099 | 18  | 2461       |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |            | 70     | 1 Lt   |          |     | 4675       |
|         |  |            | 143    | 2.5 Lt |          |     | 9521       |
| LA1842  | DIMETHYL SULPHOXIDE 99.7% HPLC & SPECTROSCOPY  | 67-68-5    | 42     | 500 ml | 29309099 | 18  | 2785       |
|         | (DMSO) CH <sub>3</sub> SO.CH <sub>3</sub> M.W. 78.13, Liquid, d. 1.10                                      |            | 78     | 1 Lt   |          |     | 5180       |
|         |  |            | 183    | 2.5 Lt |          |     | 12170      |
| LA1843  | DIMETHYL SULPHOXIDE 99.5% For Molecular Biology  | 67-68-5    | 23     | 100 ml | 29309099 | 18  | 1511       |
|         | (DMSO) C <sub>2</sub> H <sub>6</sub> OS M.W. 78.13, Liquid, d. 1.10  |            | 77     | 500 ml |          |     | 5115       |
| LA1844  | DIMETHYL TEREPHTHALATE 99%   | 120-61-6   | 42     | 100 gm | 29173700 | 18  | 2768       |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>4</sub> M.W. 194.18   |            | 171    | 500 gm |          |     | 11388      |
| LA1845  | N,N'-DIMETHYLTHIOUREA 98.50% For Synthesis   | 534-13-4   | 7      | 5 gm   | 29309010 |     | 480        |
|         | CH <sub>3</sub> NHCSNHCH <sub>3</sub> M.W. 104.17  |            | 87     | 100 gm |          |     | 5816       |
| LA1846  | N,N-DIMETHYLUREA 98% For Synthesis   | 96-31-1    | 3      | 100 gm | 29242120 | 18  | 186        |
|         | C <sub>3</sub> H <sub>8</sub> N <sub>2</sub> O M.W. 88.11  |            | 9      | 500 gm |          |     | 620        |

| CAT No. | PRODUCT NAME   | CAS No.  | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|----------|--------|--------|----------|-----|------------|
| LA1847  | 2,4-DINITROTOLUENE 95%   | 121-14-2 | 145    | 100 gm | 29042060 | 18  | 9640       |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>4</sub> N <sub>2</sub> M.W. 182.13                                    |          |        |        |          |     |            |
|         | <u>UN 3454 6.1/PG II</u>   |          |        |        |          |     |            |
| LA1848  | DIOCTYL PHTHALATE 99% For Synthesis  | 117-81-7 | 10     | 500 ml | 29173920 | 18  | 680        |
|         | (DOP) C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.57, Liquid, d. 0.985                         |          | 46     | 2.5 Lt |          |     | 3053       |
|         |  |          |        | 5 Lt   |          |     | 5698       |
| LA1849  | DIOCTYL SEBACATE 98%   | 122-62-3 | 19     | 500 ml | 29173200 | 18  | 1242       |
|         | [di(2-diethyl hexyl)sebacate] C <sub>26</sub> H <sub>50</sub> O <sub>4</sub> M.W. 426.68, Liquid, d. 0.914 |          | 82     | 2.5 Lt |          |     | 5462       |
| LA1850  | DIOCTYL SODIUM SULPHOSUCCINATE 98%   | 577-11-7 | 25     | 500 gm | 29171990 | 18  | 1644       |
|         | (manoxol OT) (DOSS) C <sub>20</sub> H <sub>37</sub> NaO <sub>5</sub> S M.W. 444.57                         |          | 217    | 5 Kg   |          |     | 14436      |
| LA1851  | DIOSGENIN 93%  | 512-04-9 | 99     | 1 gm   | 29329900 | 18  | 6571       |
|         | C <sub>27</sub> H <sub>42</sub> O <sub>3</sub> M.W. 414.62   |          | 418    | 5 gm   |          |     | 27765      |
| LA1852  | 1,3-DIOXOALNE 99% For Synthesis  | 646-06-0 | 22     | 500 ml | 29329900 | 18  | 1443       |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.06, Liquid, d. 1.06                                   |          | 41     | 1 Lt   |          |     | 2744       |
|         | <u>UN 1166 3/PG II</u>   |          | 97     | 2.5 Lt |          |     | 6451       |
| LA1853  | 1,3-DIOXOALNE 99% AR   | 646-06-0 | 24     | 500 ml | 29329900 | 18  | 1584       |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.06, Liquid, d. 1.06                                   |          | 45     | 1 Lt   |          |     | 3011       |
|         | <u>UN 1166 3/PG II</u>   |          | 107    | 2.5 Lt |          |     | 7093       |
| LA1854  | 1,4-DIOXAN 98% For Synthesis   | 123-91-1 | 13     | 500 ml | 29329900 | 18  | 836        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                  |          | 24     | 1 Lt   |          |     | 1589       |
|         | <u>UN 1165 3/PG II</u>   |          | 51     | 2.5 Lt |          |     | 3403       |
| LA1855  | 1,4-DIOXAN 99% AR  | 123-91-1 | 13     | 500 ml | 29329900 | 18  | 896        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                  |          | 25     | 1 Lt   |          |     | 1695       |
|         | <u>UN 1165 3/PG II</u>   |          | 56     | 2.5 Lt |          |     | 3737       |
| LA1856  | 1,4-DIOXAN 99.8% HPLC & SPECTROSCOPY   | 123-91-1 | 20     | 500 ml | 29329900 | 18  | 1356       |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 1.034                                  |          | 39     | 1 Lt   |          |     | 2577       |
|         | <u>UN 1165 3/PG II</u>   |          | 93     | 2.5 Lt |          |     | 6181       |
| LA1857  | DIPHEN HYDRAMINE HYDROCHLORIDE 98% Extra Pure  | 147-24-0 | 21     | 25 gm  | 29221990 | 18  | 1395       |
|         | For Lab Use  |          | 59     | 100 gm |          |     | 3904       |
|         | C <sub>17</sub> H <sub>21</sub> NO.HCl M.W 291.82  |          | 158    | 500 gm |          |     | 10517      |
| LA1858  | DIPHENYL   |          |        |        |          |     |            |
| LA1859  | DIPHENYL ACETIC ACID 99% For Synthesis   | 117-34-0 | 42     | 100 gm | 29163990 | 18  | 2765       |
|         | C <sub>14</sub> H <sub>12</sub> O <sub>2</sub> M.W 212.24  |          |        |        |          |     |            |
| LA1860  | DIPHENYALMINE 98%  | 122-39-4 | 5      | 100 gm | 29214410 | 18  | 338        |
|         | C <sub>12</sub> H <sub>11</sub> N M.W. 169.23  |          | 18     | 500 gm |          |     | 1172       |
|         | <u>UN 3077 9/PG III</u>  |          |        |        |          |     |            |
| LA1861  | DIPHENYALMINE 99% AR   | 122-39-4 | 6      | 100 gm | 29214410 | 18  | 398        |
|         | C <sub>12</sub> H <sub>11</sub> N M.W. 169.23  |          | 20     | 500 gm |          |     | 1323       |
|         | <u>UN 3077 9/PG III</u>  |          |        |        |          |     |            |
| LA1862  | DIPHENYALMINE solution, Liquid, d. 1.160   |          | 8      | 500 ml | 38220090 | 12  | 549        |
|         | DIPHENYALMINE-4-SULPHONIC ACID BARIUM SALT AR  |          |        |        |          |     |            |
|         | DIPHENYALMINE-4-SULPHONIC ACID SODIUM SALT AR  |          |        |        |          |     |            |
| LA1863  | N,N-DIPHENYL BENZIDINE 96% AR  | 531-91-9 | 61     | 5 gm   | 29215990 | 18  | 4051       |
|         | (oxidation reduction indicator) C <sub>24</sub> H <sub>20</sub> N <sub>2</sub> M.W 336.43                  |          | 280    | 25 gm  |          |     | 18632      |
| LA1864  | DIPHENYL CARBAZIDE 98%   | 140-22-7 | 5      | 5 gm   | 29280090 | 18  | 336        |
|         | (1,5-diphenyl carbazole)   |          | 24     | 25 gm  |          |     | 1580       |
|         | C <sub>13</sub> H <sub>14</sub> N <sub>4</sub> O M.W. 242.28   |          | 74     | 100 gm |          |     | 4944       |
|         |  |          | 341    | 500 gm |          |     | 22673      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)   |
|---------|--|------------|--------|--------|----------|-----|--------------|
| LA1865  | DIPHENYL CARBAZIDE 98.5% AR<br>(1,5-diphenyl carbazole)  | 140-22-7   | 8      | 5 gm   | 29280090 | 18  | 512<br>2144  |
|         | C <sub>13</sub> H <sub>14</sub> N <sub>4</sub> O M.W. 242.28   |            | 32     | 25 gm  |          |     | 7503         |
|         |  |            | 113    | 100 gm |          |     | 26988        |
| LA1866  | DIPHENYL CARBAZONE<br>(reagent for mercury)  | 538-62-5   | 8      | 5 gm   | 29280090 | 18  | 541<br>2434  |
|         | C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> O M.W. 240.26   |            | 37     | 25 gm  |          |     | 8864         |
|         |  |            | 133    | 100 gm |          |     | 39007        |
| LA1867  | DIPHENYL CARBAZONE AR<br>(reagent for mercury)   | 538-62-5   | 10     | 5 gm   | 29280090 | 18  | 671<br>2735  |
|         | C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> O M.W. 240.26   |            | 41     | 25 gm  |          |     | 10398        |
|         | DIPHENYL CARBINOL  |            | 156    | 100 gm |          |     |              |
| LA1868  | DIPHENYL CARBONATE 99% For Synthesis<br>C <sub>13</sub> H <sub>10</sub> O <sub>3</sub> M.W. 214.22   | 102-09-0   | 33     | 250 gm | 29209099 | 18  | 2225<br>7876 |
|         | <u>UN 3077 9/PG III</u>  |            | 113    | 1 Kg   |          |     |              |
| LA1869  | DIPHENYL ETHER 98%<br>(diphenyl oxide) C <sub>12</sub> H <sub>10</sub> O M.W. 170.21, Liquid, d. 1.073   | 101-84-8   | 17     | 500 ml | 29093090 | 18  | 1181<br>5334 |
|         | <u>UN 3077 9/PG III</u>  |            | 76     | 2.5 Lt |          |     |              |
| LA1870  | 5,5-DIPHENYLHYDANTOIN 99%<br>C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 252.27   | 57-41-0    | 25     | 100 gm | 29332100 | 18  | 1771<br>6920 |
| LA1871  | DIPHENYL METHANE 99%<br>C <sub>13</sub> H <sub>12</sub> M.W.168.23, Liquid, d. 1.006   | 101-81-5   | 21     | 250 ml | 29029090 | 18  | 1438<br>2747 |
|         | DIPHENYL OXIDE   |            | 39     | 500 ml |          |     |              |
|         | 4,7-DIPHENYL-1-10-PHENANTHROLINE   |            |        |        |          |     |              |
| LA1872  | 2,2-DIPHENYL-1-PICRYLHYDRAZYL (free radical)<br>(DPPH) C <sub>18</sub> H <sub>12</sub> N <sub>5</sub> O <sub>6</sub> M.W. 394.32 (Store at 2-8 °C) | 1898-66-4  | 82     | 250 mg | 29280090 | 18  | 5749<br>9350 |
|         | <u>UN 3224 4.1</u>   |            | 134    | 1 gm   |          |     |              |
|         |  |            | 1269   | 10 gm  |          |     | 88828        |
| LA1873  | DIPHENYL THiocarbazone AR<br>(dithizone) C <sub>13</sub> H <sub>12</sub> N <sub>4</sub> S M.W. 256.33  | 60-10-6    | 17     | 5 gm   | 29309099 | 18  | 1193<br>5058 |
|         |  |            | 72     | 25 gm  |          |     | 19723        |
| LA1874  | N,N'-DIPHENYLTHIOUREA Pure 98%<br>C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> S M.W. 228.31   | 102-08-9   | 29     | 100 gm | 29309098 | 18  | 2000<br>7762 |
|         | <u>UN 3077 9/PG III</u>  |            | 111    | 500 gm |          |     |              |
| LA1875  | DIPHOSPHORIC ACID 98% For Synthesis<br>H <sub>3</sub> O <sub>2</sub> P <sub>2</sub> M.W. 177.98  | 2466-09-3  | 185    | 100 gm | 28092020 | 18  | 12322        |
|         | <u>UN 3260 8/PG II</u>   |            |        |        |          |     |              |
| LA1876  | DISTILLED WATER (DM water)<br>H <sub>2</sub> O M.W. 18.02, Liquid, d. 1.000  | 7732-18-5  | 2      | 500 ml | 28530010 | 18  | 106<br>484   |
| LA1877  | DIPROPYLENE GLYCOL MONOMETHYL ETHER 99% For Synthesis<br>(MIXTURE OF ISOMERS)  | 34590-94-8 | 20     | 500 ml | 29094900 | 18  | 1346<br>5679 |
|         | CH <sub>3</sub> OC <sub>3</sub> H <sub>6</sub> OC <sub>3</sub> H <sub>6</sub> OH M.W. 148.20   |            | 85     | 2.5 Lt |          |     |              |
|         | 2,2-DIPYRIDYL  |            |        |        |          |     |              |
|         | 2,2-DIQUINOLYL   |            |        |        |          |     |              |
|         | DISODIUM PHENYL PHOSPHATE  |            |        |        |          |     |              |
| LA1878  | DISULPHINE BLUE (C.I. No.42045)<br>C <sub>27</sub> H <sub>31</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W.566.7                        | 129-17-3   | 27     | 25 gm  | 32041245 | 18  | 1818<br>5684 |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA1879  | DOXYCLINE HYDROCHLORIDE                                    | 10592-13-9  | 81     | 25 gm  | 29413090 | 18  | 5356       |
|         | For Lab Use $C_{22}H_{24}N_2O_8 \cdot HCl$ M.W. 480.90     |             | 207    | 100 gm |          |     | 13782      |
| LA1880  | DOXYALMINE SUCCINATE 98%                                   | 562-10-7    | 168    | 25 gm  | 29333919 | 18  | 11150      |
|         | For Lab Use $C_{17}H_{22}N_2O \cdot C_4H_6O_4$ M.W. 388.46 |             | 507    | 100 gm |          |     | 33746      |
| LA1881  | DOWEX 50 X 8 (Na) (20-50 mesh)                             | 69011-22-9  | 171    | 500 gm | 39140090 | 18  | 11381      |
|         | (strongly acidic cation exchanger)                         |             |        |        |          |     |            |
| LA1882  | D.P.X. MOUNTANT For Microscopy                             |             | 8      | 250 ml | 38220090 | 12  | 506        |
|         | Liquid, d. 0.904   |             | 14     | 500 ml |          |     | 963        |
|         | <u>UN 1307 3/PG II</u>                                     |             |        |        |          |     |            |
| LA1883  | DRABKIN'S SOLUTION (diluent)                               |             | 4      | 500 ml | 38220090 | 12  | 235        |
|         | <u>UN 1588 6.1/PG III</u>                                  |             | 13     | 2.5 Lt |          |     | 851        |
| LA1884  | DRAGENDROFF'S REAGENT                                      |             | 27     | 125 ml | 38220090 | 12  | 1765       |
|         | (test reagent for ALkALoids), Liquid, d. 0.95              |             | 80     | 500 ml |          |     | 5300       |
|         | <u>UN 2031 8/PG II</u>                                     |             |        |        |          |     |            |
| LA1885  | DROTAVERINE HYDROCHLORIDE                                  | 985-12-6    | 84     | 5 gm   | 29334900 | 18  | 5610       |
|         | For Lab Use  |             | 290    | 25 gm  |          |     | 19314      |
|         | iso-DULCITE  |             |        |        |          |     |            |
| LA1886  | DULCITOL 99% For Microscopy                                | 608-66-2    | 16     | 25 gm  | 29054900 | 18  | 1064       |
|         | $C_6H_{14}O_6$ M.W. 182.17                                 |             | 57     | 100 gm |          |     | 3824       |
| LA1887  | DYSPROSIUM CARBONATE 99.9% AR (tetrahydrate)               | 38245-35-1  | 65     | 5 gm   | 28469090 | 18  | 4349       |
|         | $Dy_2(CO_3)_3 \cdot 4H_2O$ M.W. 577.06                     |             | 230    | 25 gm  |          |     | 15294      |
| LA1888  | DYSPROSIUM (III) CHLORIDE 99.99% AR (anhydrous)            | 10025-74-8  | 254    | 1 gm   | 28469030 | 18  | 16891      |
|         | $DyCl_3$ M.W 268.86  |             | 1143   | 5 gm   |          |     | 76013      |
| LA1889  | DYSPROSIUM (III) CHLORIDE 99.9% (hexahydrate)              | 15059-52-6  | 98     | 5 gm   | 28469090 | 18  | 6531       |
|         | $DyCl_3 \cdot 6H_2O$ M.W. 376.75                           |             | 321    | 25 gm  |          |     | 21342      |
| LA1890  | DYSPROSIUM NITRATE 99.99% AR                               | 100641-13-2 | 51     | 5 gm   | 28469090 | 18  | 3411       |
|         | $Dy(NO_3)_3 \cdot xH_2O$ M.W. 348.51 (anhy. basis)         |             | 169    | 25 gm  |          |     | 11267      |
|         | <u>UN 1477 5.1/PG II</u>                                   |             |        |        |          |     |            |
| LA1891  | DYSPROSIUM OXIDE 99.9% AR                                  | 1308-87-8   | 45     | 5 gm   | 28469010 | 18  | 3026       |
|         | $Dy_2O_3$ M.W. 373.00                                      |             | 171    | 25 gm  |          |     | 11349      |
| LA1892  | DYSPROSIUM SULPHATE 99.99% AR                              | 14373-91-2  | 48     | 1 gm   | 28469010 | 18  | 3176       |
|         | $Dy_2(SO_4)_3$ M.W. 613.19                                 |             | 159    | 5 gm   |          |     | 10575      |
| LA1893  | EDTA N/10 SOLUTION   |             |        | 125 ml | 38220090 | 12  | 150        |
|         |  |             |        | 500 ml |          |     | 400        |
| LA1894  | EDTA SOLUTION N/50 (0.02N) (For Volumetric AnALysis)       |             |        | 500 ml | 38220090 | 12  | 300        |
|         | Liquid, d. 1.003   |             |        |        |          |     |            |
| LA1895  | EDTA 0.1 Mol/L (0.2N) SOLUTION Liquid, d. 1.02             |             |        | 500 ml | 38220090 | 12  | 310        |
| LA1896  | EDTA 0.01 Mol/L (0.02N) SOLUTION Liquid, d. 1.003          |             |        | 500 ml | 38220090 | 12  | 311        |
| LA1897  | EDTA DISODIUM SALT 0.1M SOLUTION, Liquid, d. 1.02          |             |        | 500 ml | 38220090 | 12  | 350        |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA1898  | 5,5-DITHIO BIS 99% (2-NITRO BENZOIC ACID) Extra Pure (DTNB)   | 69-78-3    | 41     | 1 gm   | 29309099 | 18  | 2698       |
|         | (Eliman's reagent)  |            | 119    | 5 gm   |          |     | 7944       |
|         | C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 396.35   |            | 221    | 10 gm  |          |     | 14705      |
| LA1899  | DITHIOERYTHRITOL 99% For Molecular Biology  | 6892-68-8  | 19     | 1 gm   | 29309099 | 18  | 1244       |
|         | (D.T.E) (1,4-dithioerythritol) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> M.W. 154.25 (Store at 2 - 8°C )           |            | 84     | 5 gm   |          |     | 5565       |
|         | <u>UN 3335 9/ PG III</u>  |            | 377    | 25 gm  |          |     | 25038      |
|         | DITHIOOXAMIDE   |            |        |        |          |     |            |
| LA1900  | DITHIOTHREITOL 99%  | 3483-12-3  | 12     | 1 gm   | 29309099 | 18  | 791        |
|         | (D.T.T.) (CleALnd's Reagent) C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> M.W. 154.24                                 |            | 48     | 5 gm   |          |     | 3186       |
|         | <u>UN 3335 9/ PG III</u>  |            | 205    | 25 gm  |          |     | 13664      |
|         | DITHIZONE   |            |        |        |          |     |            |
| LA1901  | DITHRANOL 98%   | 1143-38-0  | 65     | 5 gm   | 29145000 | 18  | 4317       |
|         | (1,8,9-anthracenetriol) For Lab Use C <sub>14</sub> H <sub>10</sub> O <sub>3</sub> M.W 226.23   |            | 227    | 25 gm  |          |     | 15115      |
| LA1902  | Di-p-TOLUOYL-D-TARTARIC ACID 95%  | 32634-68-7 | 24     | 25 gm  | 29181390 | 18  | 1667       |
|         | C <sub>20</sub> H <sub>18</sub> O <sub>8</sub> M.W. 386.35  |            | 75     | 100 gm |          |     | 5257       |
| LA1903  | Di-p-TOLUOYL-L-TARTARIC ACID 99%  | 32634-66-5 | 8      | 5 gm   | 29181390 | 18  | 590        |
|         | C <sub>20</sub> H <sub>18</sub> O <sub>8</sub> M.W 386.35   |            | 37     | 25 gm  |          |     | 2620       |
| LA1904  | n-DOCOSANE 99% For Synthesis  | 629-97-0   | 108    | 25 gm  | 29011000 | 18  | 7577       |
|         | C <sub>22</sub> H <sub>46</sub> M.W. 310.60   |            | 377    | 100 gm |          |     | 26418      |
| LA1905  | DODECANETHIOL 98% Extra Pure  | 112-55-0   | 44     | 500 ml | 29309070 | 18  | 3103       |
|         | (ALuryl Mercaptan, Dodecyl Mercaptan)   |            | 84     | 1 Lt   |          |     | 5876       |
|         | C <sub>12</sub> H <sub>26</sub> S M.W. 202.41, Liquid, d. 0.845   |            | 197    | 2.5 Lt |          |     | 13822      |
|         | <u>UN 1760 8/PG III</u>   |            |        |        |          |     |            |
| LA1906  | DODECYALMINE 98% For Synthesis  | 124-22-1   | 23     | 100 ml | 29211990 | 18  | 1631       |
|         | (ALuryALmine) C <sub>12</sub> H <sub>27</sub> N M.W.185.35, Liquid. d. 0.802-0.806  |            | 103    | 500 ml |          |     | 7177       |
|         | <u>UN 3259 8/PG II</u>  |            |        |        |          |     |            |
| LA1907  | DODECYLTRIMETHYLAMMONIUM BROMIDE 99% For Synthesis  | 1119-94-4  | 48     | 25 gm  | 29239000 | 18  | 3338       |
|         | C <sub>15</sub> H <sub>34</sub> BrN M.W. 308.34   |            | 152    | 100 gm |          |     | 10660      |
|         | <u>UN 2811 6.1/PG II</u>  |            |        |        |          |     |            |
| LA1908  | DODECYLTRIMETHYLAMMONIUM CHLORIDE 99% For Synthesis   | 112-00-5   | 48     | 25 gm  | 29239000 | 18  | 3341       |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>11</sub> N(CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 263.89                                      |            | 152    | 100 gm |          |     | 10662      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
|         | DL-DOPA   |            |        |        |          |     |            |
|         | L-DOPA  |            |        |        |          |     |            |
|         | DNA   |            |        |        |          |     |            |
| LA1909  | 1-DODECANESULPHONIC ACID SODIUM SALT 98% AR & HPLC  | 2386-53-0  | 8      | 5 gm   | 29041090 | 18  | 542        |
|         | (sodium 1-dodecanesulphonate)   |            | 29     | 25 gm  |          |     | 1911       |
|         | C <sub>12</sub> H <sub>25</sub> NaO <sub>3</sub> S M.W. 272.38  |            | 103    | 100 gm |          |     | 6838       |
|         | N-DODECANOIC ACID   |            |        |        |          |     |            |
|         | DODECYL ALCOHOL   |            |        |        |          |     |            |
| LA1910  | DODECYL BENZENE 97% For Synthesis   | 123-01-3   | 307    | 250 ml | 29029030 | 18  | 20394      |
|         | C <sub>18</sub> H <sub>30</sub> M.W. 246.44, Liquid, d. 0.856   |            | 567    | 500 ml |          |     | 37724      |
| LA1911  | DODECYL BENZENE SULPHONIC ACID SODIUM SALT Purified   | 25155-30-0 | 7      | 100 gm | 29041090 | 18  | 447        |
|         | C <sub>18</sub> H <sub>29</sub> NaO <sub>3</sub> S M.W. 348.48  |            | 22     | 500 gm |          |     | 1474       |
| LA1912  | DOLOMITE powder   | 16389-88-1 | 6      | 500 gm | 25182000 | 5   | 415        |
|         | C <sub>2</sub> CaMgO <sub>6</sub> M.W. 184.40   |            | 50     | 5 Kg   |          |     | 3323       |
| LA1913  | DOMPERIDONE MALEATE   | 99497-03-7 | 55     | 25 gm  | 29225024 | 18  | 3666       |
|         | For Lab Use C <sub>22</sub> H <sub>24</sub> ClN <sub>5</sub> O <sub>2</sub> ·C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 541.98 |            | 171    | 100 gm |          |     | 11385      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1914  | EPICHLOROHYDRIN 99% AR<br>(1-chloro-2, 3-epoxypropane) C <sub>3</sub> H <sub>5</sub> ClO M.W. 92.52, Liquid, d. 1.18   | 106-89-8   | 15     | 500 ml | 29103000 | 18  | 1010       |
|         |  |            | 29     | 1 Lt   |          |     | 1911       |
|         | <u>UN 2023 6.1 (3)/PG II</u>   |            | 67     | 2.5 Lt |          |     | 4433       |
| LA1915  | ERDMAN'S REAGENT (for protein test)  |            | 6      | 125 ml | 38220090 | 12  | 375        |
|         |  |            | 17     | 500 ml |          |     | 1118       |
| LA1916  | ERIOCHROME BLACK T (C.I.No.14645)<br>(mordant black 11) (solochrome black T)   | 1787-61-7  | 6      | 25 gm  | 32041267 | 18  | 412        |
|         |  |            | 17     | 100 gm |          |     | 1121       |
|         | C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>5</sub> S M.W. 461.38  |            | 73     | 500 gm |          |     | 4850       |
| LA1917  | ERIOCHROME BLACK T AR (C.I.No.14645)<br>(mordant black 11) (solochrome black T)  | 1787-61-7  | 7      | 25 gm  | 32041267 | 18  | 485        |
|         |  |            | 20     | 100 gm |          |     | 1306       |
|         | C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>5</sub> S M.W. 461.38  |            | 85     | 500 gm |          |     | 5651       |
| LA1918  | ERIOCHROME BLACK T indicator solution<br>(solochrome black T solution) Liquid, d. 1.109  |            | 3      | 125 ml | 38220090 | 12  | 169        |
|         |  |            | 8      | 500 ml |          |     | 512        |
|         | ERIOCHROME BLUE BLACK R  |            |        |        |          |     |            |
| LA1919  | ERIOCHROME CYANINE R AR (C.I. No.43820)<br>(solochrome cyanine R) C <sub>23</sub> H <sub>15</sub> Na <sub>3</sub> O <sub>9</sub> S M.W. 536.39                               | 3564-18-9  | 15     | 10 gm  | 32041264 | 18  | 1016       |
|         |  |            | 32     | 25 gm  |          |     | 2134       |
| LA1920  | ERIOPALUCINE DISODIUM SALT (C.I. No.42090)<br>C <sub>37</sub> H <sub>34</sub> Na <sub>2</sub> N <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 792.85                       | 3844-45-9  | 11     | 10 gm  | 32041200 | 18  | 733        |
|         |  |            | 23     | 25 gm  |          |     | 1532       |
| LA1921  | ERIOPALUCINE A.  |            |        |        |          |     |            |
| LA1922  | ERYTHROMYCIN Extra Pure<br>For lab Use   | 114-07-8   | 91     | 5 gm   | 29415000 | 18  | 6036       |
|         | C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> M.W 733.93  |            | 341    | 25 gm  |          |     | 22670      |
|         |  |            | 1202   | 100 gm |          |     | 79944      |
| LA1923  | ERYTHROMYCIN ESTOALTE Extra Pure<br>For lab Use  | 3521-62-8  | 47     | 5 gm   | 29415000 | 18  | 3145       |
|         |  |            | 187    | 25 gm  |          |     | 12425      |
|         | C <sub>40</sub> H <sub>71</sub> NO <sub>14</sub> ·C <sub>12</sub> H <sub>26</sub> SO <sub>4</sub> M.W 1056.39  |            | 502    | 100 gm |          |     | 33357      |
| LA1924  | ERYTHROMYCIN ETHYL SUCCINATE Extra Pure<br>C <sub>43</sub> H <sub>75</sub> NO <sub>16</sub> M.W. 862.05  | 1264-62-2  | 55     | 5 gm   | 30049099 | 18  | 3639       |
|         |  |            | 202    | 25 gm  |          |     | 13422      |
|         |  |            | 513    | 100 gm |          |     | 34148      |
| LA1925  | ERYTHROMYCIN STEARATE Extra Pure<br>For lab Use  | 643-22-1   | 45     | 5 gm   | 29415000 | 18  | 2981       |
|         |  |            | 157    | 25 gm  |          |     | 10449      |
|         | C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> ·C <sub>18</sub> H <sub>36</sub> O <sub>2</sub> M.W. 1018.40  |            | 411    | 100 gm |          |     | 27322      |
| LA1926  | ERYTHROSINE B For Microscopy (C.I. No.45430)<br>(Iodo eosin) Dye Content : Min. 90% C <sub>20</sub> H <sub>6</sub> I <sub>4</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 879.84 | 16423-68-0 | 15     | 25 gm  | 32129090 | 18  | 1024       |
|         |  |            | 58     | 100 gm |          |     | 3864       |
| LA1927  | ESBACH'S REAGENT (for detection of proteins)<br>Liquid, d. 0.987   |            | 2      | 125 ml | 38220090 | 12  | 149        |
|         |  |            | 7      | 500 ml |          |     | 447        |
| LA1928  | ESCHKA'S MIXTURE 38-42% AR<br>(for determination of sulfur in coal)  | 8007-09-8  | 129    | 100 gm | 38220090 | 12  | 8588       |
|         | 2MgO·Na <sub>2</sub> CO <sub>3</sub>   |            | 238    | 250 gm |          |     | 15839      |
|         | ESCOLIN  |            | 461    | 500 gm |          |     | 30660      |
| LA1929  | ESERINE SALICYLATE 97% (Physostigmine salicylate)<br>C <sub>22</sub> H <sub>27</sub> O <sub>3</sub> N <sub>3</sub> M.W. 413.47   | 57-64-7    | 408    | 100 mg | 29397900 | 18  | 27127      |
|         |  |            | 918    | 250 mg |          |     | 61043      |
|         | <u>UN 1544 6.1/PG I</u>  |            |        |        |          |     |            |
| LA1930  | ETHAMBUTOL DIHYDROCHLORIDE Extra Pure<br>For Lab Use   | 1070-11-7  | 70     | 5 gm   | 29221990 | 18  | 4661       |
|         |  |            | 252    | 25 gm  |          |     | 16734      |
|         | C <sub>10</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> ·2HCl M.W 277.23   |            | 738    | 100 gm |          |     | 49055      |
| LA1931  | ETHANOL Extra Pure 99-99.5%<br>C <sub>2</sub> H <sub>6</sub> O M.W. 46.07, Liquid, d. 0.789 (End Use Certificate required)   | 64-17-5    | 14     | 500 ml | 22072090 | 18  | 960        |
|         |  |            | 59     | 2.5 Lt |          |     | 3891       |
|         | <u>UN 1170 3/PG II</u>   |            |        | P1B11  | 5 Lt     |     | 7392       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA1932  | EDTA DISODIUM SALT 0.01M (0.02N), Liquid, d. 1.003<br>Standardized Solution                                  |            | 9      | 500 ml | 38220090 | 12  | 587        |
| LA1933  | EDTA DISODIUM SALT 0.1M (0.2N), Liquid, d. 1.02<br>Standardized Solution                                     |            | 9      | 500 ml | 38220090 | 12  | 588        |
| LA1934  | EDTA DISODIUM SALT 0.5M (1N), Liquid, d. 1.003<br>Standardized Solution                                      |            | 9      | 500 ml | 38220090 | 12  | 589        |
| LA1935  | EDTA DISODIUM SALT (0.02N) N/50 (2x2 amps. Of set in a box)  |            | 17     | 4 amp  | 38220090 | 12  | 1127       |
| LA1936  | EDTA SOLUTION 5%   |            | 2      | 125 ml | 38220090 | 12  | 136        |
|         |  |            | 6      | 500 ml |          |     | 411        |
| LA1937  | EDTA SOLUTION 5% (2x2 amps. Of set in a box)   |            | 27     | 4 amp  | 38220090 | 12  | 1803       |
|         | EDTA TETRASODIUM SALT  |            |        |        |          |     |            |
|         | EGG LABUMIN  |            |        |        |          |     |            |
| LA1938  | E.G.T.A. 99% AR (For Molecular Biology)<br>(ethylene glycol-o,o-bis (2-aminoethyl)-N,N,N,N-tetraacetic acid) | 67-42-5    | 36     | 10 gm  | 29225090 | 18  | 2375       |
|         | <chem>C12H24N2O10</chem> M.W. 380.35   |            | 78     | 25 gm  |          |     | 5158       |
|         |  |            | 270    | 100 gm |          |     | 17938      |
| LA1939  | EHRLICH'S REAGENT Liquid, d. 1.10<br>(For Detection Of Urobilinogen)   |            | 2      | 125 ml | 38220090 | 12  | 155        |
| LA1940  | EHRLICH'S A REAGENT Liquid, d. 1.10<br>For Diazo-Reaction For Determination of Bilirubin In Serum & Urine    |            | 3      | 125 ml | 38220090 | 12  | 192        |
|         |  |            | 9      | 500 ml |          |     | 569        |
| LA1941  | EHRLICH'S B REAGENT Liquid, d. 1.10<br>For Diazo-Reaction For Determination of Bilirubin In Serum & Urine    |            | 3      | 125 ml | 38220090 | 12  | 195        |
|         |  |            | 9      | 500 ml |          |     | 572        |
| LA1942  | 1-EICOSANE BROMIDE 96%<br><chem>C20H41Br</chem> M.W. 361.44  | 4276-49-7  | 387    | 25 gm  | 29033920 | 18  | 25722      |
| LA1943  | 1-EICOSANOL 96%<br><chem>C20H42O</chem> M.W. 298.55  | 629-96-9   | 136    | 25 gm  | 29051990 | 18  | 9068       |
| LA1944  | EMALSFIFYING WAX Extra Pure  |            | 15     | 500 gm | 34049090 | 18  | 1009       |
| LA1945  | EOSINE BLUE For Microscopy<br>(C.I. No.45400)  | 548-24-3   | 12     | 25 gm  | 32041293 | 18  | 782        |
|         | Dye Content : Min. 90% <chem>C20H6Br2N2O9Na2</chem> M.W. 624.06  |            | 44     | 100 gm |          |     | 2937       |
| LA1946  | EOSINE BLUE (2% w/v) (staining solution)<br>(staining solution)  |            | 3      | 125 ml | 32041293 | 18  | 193        |
|         |  |            | 8      | 500 ml |          |     | 560        |
|         | <u>UN 1170 3/PG III</u>  |            |        |        |          |     |            |
| LA1947  | EOSINE SPIRIT SOLUBLE For Microscopy<br>(Ethyl eosine) (C.I.No.45386)  | 6359-05-3  | 10     | 25 gm  | 32049000 | 18  | 652        |
|         | Dye Content : Min. 95% <chem>C22H11Br4KO5</chem> M.W. 714.03   |            | 31     | 100 gm |          |     | 2044       |
| LA1948  | EOSINE YELLOW (W.S.) For Microscopy<br>(C.I. No.45380)   | 17372-87-1 | 6      | 25 gm  | 32041299 | 18  | 428        |
|         | Dye Content : Min. 85% <chem>C20H6Br4Na2O5</chem> M.W. 691.85  |            | 18     | 100 gm |          |     | 1169       |
| LA1949  | EOSINE YELLOW (2% w/v) staining solution<br>Liquid, d. 1.015   |            | 76     | 500 gm |          |     | 5046       |
|         |  |            | 3      | 125 ml | 32041299 | 18  | 169        |
|         |  |            | 8      | 500 ml |          |     | 512        |
|         | <u>UN 1170 3/PG II</u>   |            |        |        |          |     |            |
| LA1950  | EOSIN YELLOW 0.5% AQUEOUS SOLUTION For Microscopy  |            | 3      | 125 ml | 38220090 | 12  | 172        |
|         | <u>UN 1170 3/PG II</u>   |            | 8      | 500 ml |          |     | 515        |
| LA1951  | EOSINOPHIL DILUTING FLUID  |            | 9      | 500 ml | 38220090 | 12  | 631        |
| LA1952  | EPICHLOROHYDRIN 98.5%<br>(1-chloro-2, 3-epoxypropane) <chem>C3H5ClO</chem> M.W. 92.52, Liquid, d. 1.18       | 106-89-8   | 13     | 500 ml | 29103000 | 18  | 883        |
|         | <u>UN 2023 6.1 (3)/PG II</u>   |            | 56     | 2.5 Lt |          |     | 3745       |

| CAT No. | PRODUCT NAME  | CAS No.          | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------------|--------|--------|----------|-----|------------|
| LA2000  | <b>ETHANOL 99.7-100% AR</b>   | <b>64-17-5</b>   | 17     | 500 ml | 22072090 | 18  | 1134       |
|         | C <sub>2</sub> H <sub>6</sub> O M.W. 46.07, Liquid, d. 0.789 (End Use Certificate required) |                  | 68     | 2.5 Lt |          |     | 4521       |
|         | <b>UN 1170 3/PG II</b>  |                  | 129    | 5 Lt   |          |     | 8592       |
| LA2001  | <b>ETHANOL 95-96%</b>   | <b>64-17-5</b>   | 11     | 500 ml | 22072090 | 18  | 728        |
|         | C <sub>2</sub> H <sub>6</sub> O M.W. 46.07 Liquid, d. 0.789 (End Use Certificate required)  |                  | 19     | 1 Lt   |          |     | 1287       |
|         | <b>UN 1170 3/PG II</b>  |                  | 38     | 2.5 Lt |          |     | 2509       |
| LA2002  | <b>ETHANE SULPHONIC ACID SODIUM SALT AR &amp; HPLC 99%</b>                                  | <b>5324-47-0</b> | 78     | 1 gm   | 29041090 | 18  | 5200       |
|         | (sodium ethanesulphonate)   |                  | 331    | 5 gm   |          |     | 22040      |
|         | C <sub>2</sub> H <sub>5</sub> SO <sub>3</sub> Na.H <sub>2</sub> O M.W. 150.12               |                  |        |        |          |     |            |
| LA2003  | <b>ETHANOALMINE 99% (mono)</b>  | <b>141-43-5</b>  | 10     | 500 ml | 29221190 | 18  | 643        |
|         | (monoethanoAlmine) (2-aminoethanol)   |                  | 44     | 2.5 Lt |          |     | 2947       |
|         | C <sub>2</sub> H <sub>5</sub> NO M.W. 61.08, Liquid, d. 1.012                               |                  |        |        |          |     |            |
|         | <b>UN 2491 8/PG III</b>   |                  |        |        |          |     |            |
| LA2004  | <b>ETHANOALMINE 99% AR (mono)</b>   | <b>141-43-5</b>  | 11     | 500 ml | 29221190 | 18  | 725        |
|         | (monoethanoAlmine) (2-aminoethanol)   |                  | 21     | 1 Lt   |          |     | 1364       |
|         | C <sub>2</sub> H <sub>5</sub> NO M.W. 61.08, Liquid, d. 1.012                               |                  | 50     | 2.5 Lt |          |     | 3304       |
|         | <b>UN 2491 8/PG III</b>   |                  |        |        |          |     |            |
| LA2005  | <b>ETHANOALMINE HYDROCHLORIDE 99% Purified</b>  | <b>2002-24-6</b> | 37     | 500 gm | 29221190 | 18  | 2450       |
|         | C <sub>2</sub> H <sub>5</sub> ClNO M.W. 97.55   |                  |        |        |          |     |            |
| LA2006  | <b>ETHER PETROLEUM 40°-60°C</b>   | <b>8032-32-4</b> | 11     | 500 ml | 27101213 | 18  | 708        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.655                                      |                  | 20     | 1 Lt   |          |     | 1347       |
|         | <b>UN 1268 3/PG II</b>  |                  | 43     | 2.5 Lt |          |     | 2832       |
|         |   |                  | 77     | 5 Lt   |          |     | 5102       |
| LA2007  | <b>ETHER PETROLEUM 40°-60°C AR</b>  | <b>8032-32-4</b> | 12     | 500 ml | 27101213 | 18  | 816        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.655                                      |                  | 23     | 1 Lt   |          |     | 1547       |
|         | <b>UN 1268 3/PG II</b>  |                  | 49     | 2.5 Lt |          |     | 3270       |
| LA2008  | <b>ETHER PETROLEUM 40°-60°C HPLC &amp; SPECTROSCOPY</b>                                     | <b>8032-32-4</b> | 14     | 500 ml | 27101213 | 18  | 900        |
|         | (petroleum benzine)(petroleum ether) Liquid, d. 0.655                                       |                  | 26     | 1 Lt   |          |     | 1700       |
|         | <b>UN 1268 3/PG II</b>  |                  | 54     | 2.5 Lt |          |     | 3593       |
| LA2009  | <b>ETHER PETROLEUM 60°-80°C</b>   | <b>8032-32-4</b> | 7      | 500 ml | 27101213 | 18  | 483        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.672                                      |                  | 24     | 2.5 Lt |          |     | 1578       |
|         | <b>UN 1268 3/PG II</b>  |                  | 43     | 5 Lt   |          |     | 2844       |
| LA2010  | <b>ETHER PETROLEUM 60°-80°C AR</b>  | <b>8032-32-4</b> | 9      | 500 ml | 27101213 | 18  | 565        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.672                                      |                  | 16     | 1 Lt   |          |     | 1068       |
|         | <b>UN 1268 3/PG II</b>  |                  | 27     | 2.5 Lt |          |     | 1822       |
| LA2011  | <b>ETHER PETROLEUM 60°-80°C HPLC &amp; SPECTROSCOPY</b>                                     | <b>8032-32-4</b> | 14     | 500 ml | 27101213 | 18  | 945        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.67                                       |                  | 27     | 1 Lt   |          |     | 1791       |
|         | <b>UN 1268 3/PG II</b>  |                  | 61     | 2.5 Lt |          |     | 4026       |
| LA2012  | <b>ETHER PETROLEUM 80°-100°C</b>  | <b>8032-32-4</b> | 9      | 500 ml | 27101213 | 18  | 608        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.77                                       |                  | 37     | 2.5 Lt |          |     | 2433       |
|         | <b>UN 1268 3/PG II</b>  |                  |        |        |          |     |            |
| LA2013  | <b>ETHER PETROLEUM 100°-120°C</b>   | <b>8032-32-4</b> | 11     | 500 ml | 27101213 | 18  | 724        |
|         | (petroleum benzine) (petroleum ether) Liquid, d. 0.77                                       |                  | 42     | 2.5 Lt |          |     | 2811       |
|         | <b>UN 1268 3/PG II</b>  |                  |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2014  | <b>ETHIDIUM BROMIDE 98% AR</b>  | 1239-45-8  | 11     | 1 gm   | 29339900 | 18  | 737        |
|         | For Molecular Biology C <sub>21</sub> H <sub>20</sub> BrN <sub>3</sub> M.W. 394.31                    |            | 46     | 5 gm   |          |     | 3076       |
|         | <u>UN 2811 6.1/ PG I</u>  |            |        |        |          |     |            |
| LA2015  | <b>ETHIDIUM BROMIDE Solution ~1% In Water</b>   |            | 31     | 50 ml  | 38220090 | 12  | 2030       |
|         | For Fluorescence, Liquid, d. 1.00 ( <b>Store at 2 - 8°C</b> )   |            |        |        |          |     |            |
|         | <u>UN 2810 6.1/PG III</u>   |            |        |        |          |     |            |
| LA2016  | <b>2-ETHOXYBENZAMIDE 97% Extra Pure</b>   | 938-73-8   | 51     | 25 gm  | 29242990 | 18  | 3411       |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19  |            | 130    | 100 gm |          |     | 8645       |
| LA2017  | <b>p-ETHOXY CHRYSOIDINE HYDROCHLORIDE 98% Purified</b>  | 2313-87-3  | 151    | 1 gm   | 29269000 | 18  | 10025      |
|         | C <sub>14</sub> H <sub>16</sub> N <sub>4</sub> O·HCl M.W. 292.76                                      |            | 566    | 5 gm   |          |     | 37614      |
| LA2018  | <b>1-(2-ETHOXYPHENYL) PIPERAZINE 98%</b>  | 83081-75-8 | 288    | 10 gm  | 29335990 | 18  | 19124      |
|         | C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> O·HCl M.W 242.75                                       |            | 647    | 25 gm  |          |     | 43031      |
| LA2029  | <b>ETHYL ACETATE 99%</b>  | 141-78-6   | 8      | 500 ml | 29153100 | 18  | 545        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.902                             |            | 16     | 1 Lt   |          |     | 1036       |
|         | <u>UN 1173 3/PG II</u>  |            | 33     | 2.5 Lt |          |     | 2188       |
|         |   |            | 59     | 5 Lt   |          |     | 3934       |
| LA2030  | <b>ETHYL ACETATE 99.5% AR</b>   | 141-78-6   | 9      | 500 ml | 29153100 | 18  | 595        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.902                             |            | 17     | 1 Lt   |          |     | 1110       |
|         | <u>UN 1173 3/PG II</u>  |            | 38     | 2.5 Lt |          |     | 2547       |
| LA2031  | <b>ETHYL ACETATE HPLC &amp; SPECTROSCOPY 99.8%</b>  | 141-78-6   | 10     | 500 ml | 29153100 | 18  | 656        |
|         | C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11, Liquid, d. 0.902                             |            | 18     | 1 Lt   |          |     | 1215       |
|         | <u>UN 1173 3/PG II</u>  |            | 42     | 2.5 Lt |          |     | 2801       |
| LA2032  | <b>ETHYL ACETO ACETATE 99%</b>  | 141-97-9   | 22     | 500 ml | 29183020 | 18  | 1469       |
|         | (acetoacetic ester ethyl) C <sub>6</sub> H <sub>10</sub> O <sub>3</sub> M.W. 130.14, Liquid, d. 1.029 |            | 41     | 1 Lt   |          |     | 2724       |
|         |   |            | 84     | 2.5 Lt |          |     | 5564       |
| LA2033  | <b>ETHYL ACRYALTE 99% For Synthesis</b>   | 140-88-5   | 15     | 500 ml | 29161290 | 18  | 1005       |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d. 0.92                             |            | 62     | 2.5 Lt |          |     | 4096       |
|         | <u>UN 1917 3/PG II</u>  |            |        |        |          |     |            |
| LA2034  | <b>ETHYLAL 99% For Synthesis</b>  | 462-95-3   | 51     | 500 ml | 29110010 | 18  | 3402       |
|         | (Diethoxymethane, FormALdehyde diethyl acetAL)  |            | 204    | 2.5 Lt |          |     | 13549      |
|         | CH <sub>2</sub> (OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 104.15                            |            |        |        |          |     |            |
|         | <u>UN 2373 3/PG II</u>  |            |        |        |          |     |            |
| LA2035  | <b>ETHYALMINE solution 70% (monoethylamine)</b>   | 75-04-7    | 8      | 500 ml | 29211990 | 18  | 542        |
|         | C <sub>2</sub> H <sub>5</sub> N M.W. 45.08, Liquid, d. 0.689  |            | 32     | 2.5 Lt |          |     | 2151       |
|         | <u>UN 2270 3(8)/PG II</u>   |            |        |        |          |     |            |
| LA2036  | <b>2-(ETHYALMINO) ETHANOL 98% For Synthesis</b>   | 110-73-6   | 13     | 250 ml | 29221990 | 18  | 865        |
|         | (N-ethylmethanamine)  |            | 46     | 1 Lt   |          |     | 3077       |
|         | C <sub>4</sub> H <sub>11</sub> NO M.W. 89.14, Liquid, d. 0.914  |            |        |        |          |     |            |
|         | <u>UN 2735 8/ PG II</u>   |            |        |        |          |     |            |
| LA2037  | <b>ETHYALNILINE (mono) 98% For Synthesis</b>  | 103-69-5   | 15     | 500 ml | 29214290 | 18  | 1004       |
|         | (N-ethylaniline) (monoethylaniline)   |            | 62     | 2.5 Lt |          |     | 4095       |
|         | C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.963  |            |        |        |          |     |            |
|         | <u>UN 2272 6.1/PG III</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2038  | 2-ETHYALNILINE 97.5%<br>C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.983<br><u>UN 2273 6.1/PG III</u>  | 578-54-1   | 80     | 100 ml | 29214950 | 18  | 5328       |
| LA2039  | 3-ETHYL ANILINE 98%<br>C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.975  | 587-02-0   | 607    | 25 gm  | 29214290 | 18  | 40338      |
| LA2040  | 4-ETHYL ANILINE 98%<br>C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.975<br><u>UN 2810 6.1/PG III</u>   | 589-16-2   | 212    | 25 gm  | 29214290 | 18  | 14108      |
| LA2041  | ETHYL ANTHRANIALTE 99% For Synthesis<br>C <sub>9</sub> H <sub>11</sub> O <sub>2</sub> M.W. 165.19, Liquid, d. 1.117  | 87-25-2    | 43     | 25 ml  | 29224990 | 18  | 2891       |
| LA2042  | ETHYL BENZENE 99%<br>C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.867<br><u>UN 1175 3 /PG II</u>   | 100-41-4   | 15     | 500 ml | 29026000 | 18  | 1024       |
| LA2043  | ETHYL BENZOATE 99% Extra Pure<br>(benzoic acid ethyl ester)<br>C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.045-1.049                                   | 93-89-0    | 21     | 500 ml | 29163190 | 18  | 1416       |
| LA2044  | ETHYL-4-HYDROXYBENZOATE SODIUM SALT 99% Extra Pure<br>C <sub>9</sub> H <sub>9</sub> NaO <sub>3</sub> M.W. 188.16   | 35285-68-8 | 47     | 500 gm | 29182990 | 18  | 3128       |
| LA2045  | ETHYL BENZOYL ACETATE 88% For Synthesis<br>C <sub>11</sub> H <sub>12</sub> O <sub>3</sub> M.W. 192.21, Liquid, d. 1.11   | 94-02-0    | 83     | 100 ml | 29183090 | 18  | 5512       |
| LA2046  | ETHYL BROMIDE 99% For Synthesis<br>(bromoethane) C <sub>2</sub> H <sub>5</sub> Br M.W. 108.97, Liquid, d. 1.46<br><u>UN 1891 6.1/PG II</u>   | 74-96-4    | 18     | 250 ml | 29033990 | 18  | 1192       |
| LA2047  | ETHYL BROMOACETATE 95% For Synthesis<br>(bromoacetic acid ethyl ester)<br>C <sub>4</sub> H <sub>7</sub> BrO <sub>2</sub> M.W. 167.00, Liquid, d. 1.506<br><u>UN 1603 6.1(3) II</u> | 105-36-2   | 76     | 250 ml | 29153990 | 18  | 5048       |
| LA2048  | ETHYL BUTYRATE 98%<br>C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W. 116.16, Liquid, d. 0.875-0.879<br><u>UN 1180 3/PGIII</u>  | 105-54-4   | 34     | 500 gm | 29156020 | 18  | 2258       |
| LA2049  | ETHYL CAPRYALTE 98%<br>C <sub>10</sub> H <sub>20</sub> O <sub>2</sub> M.W. 172.26, Liquid, d. 0.867-0.872<br><u>UN 3082 9/PG III</u>   | 106-32-1   | 102    | 500 gm | 29159090 | 18  | 6808       |
| LA2050  | ETHYL CARBAZATE 98%<br>C <sub>3</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 104.11   | 4114-31-2  | 50     | 25 gm  | 29280090 | 18  | 3333       |
| LA2051  | ETHYL CELLULOSE (7 cps) (low viscosity)<br><u>UN 1180 3/PGIII</u>  | 9004-57-3  | 65     | 250 gm | 39123911 | 18  | 4304       |
|         |  |            | 120    | 500 gm |          |     | 7964       |
| LA2052  | ETHYL CELLULOSE (18-22 cps) (high viscosity)<br><u>UN 1180 3/PGIII</u>   | 9004-57-3  | 61     | 250 gm | 39123911 | 18  | 4089       |
|         |  |            | 114    | 500 gm |          |     | 7568       |
| LA2053  | ETHYL CHLORO ACETATE 99% For Synthesis (mono)<br>C <sub>4</sub> H <sub>7</sub> ClO <sub>2</sub> M.W. 122.55, Liquid, d. 1.145<br><u>UN 1181 6.1 (3)/PG II</u>                      | 105-39-5   | 22     | 500 ml | 29153990 | 18  | 1458       |
|         |  |            | 101    | 2.5 Lt |          |     | 6716       |
| LA2054  | ETHYL CHLOROFORMATE 97% For Synthesis<br>(ethyl chlorocarbonate) C <sub>3</sub> H <sub>5</sub> ClO <sub>2</sub> M.W. 108.32, Liquid, d. 1.135<br><u>UN 1182 6.1 (3,8)/PG I</u>     | 541-41-3   | 21     | 500 ml | 29153990 | 18  | 1416       |
|         |  |            | 94     | 2.5 Lt |          |     | 6228       |
| LA2055  | ETHYL CINNAMATE 98% For Synthesis<br>C <sub>11</sub> H <sub>12</sub> O <sub>2</sub> M.W 176.21, Liquid, d. 1.049   | 103-36-6   | 86     | 500 gm | 29163990 | 18  | 5716       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA2056  | ETHYL CYANOACETATE 98% For Synthesis  | 105-56-6    | 19     | 500 ml | 29269000 | 18  | 1237       |
|         | C <sub>5</sub> H <sub>8</sub> NO <sub>2</sub> M.W. 113.11, Liquid, d. 1.063   |             | 81     | 2.5 Lt |          |     | 5376       |
|         | <u>UN 3334 9 /PG III</u>  |             |        |        |          |     |            |
| LA2057  | ETHYLENE CHLOROHYDRINE 99%  | 107-07-3    | 37     | 500 ml | 29051690 | 18  | 2459       |
|         | (2-chloroethanol) C <sub>2</sub> H <sub>5</sub> ClO M.W. 80.51, Liquid, d. 1.201  |             | 171    | 2.5 Lt |          |     | 11353      |
|         | <u>UN 1135 6.1(3)/PG I</u>  |             |        |        |          |     |            |
| LA2058  | ETHYLENE DIAMINE 99%  | 107-15-3    | 15     | 500 ml | 29212100 | 18  | 968        |
|         | (1,2-diaminoethane) C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> M.W. 60.10, Liquid, d. 0.90                                      |             | 27     | 1 Lt   |          |     | 1814       |
|         | <u>UN 1604 8 (3)/PG II</u>  |             | 62     | 2.5 Lt |          |     | 4095       |
| LA2059  | ETHYLENEDIAMINE DIHYDROCHLORIDE 98%   | 333-18-6    | 14     | 100 gm | 29212100 | 18  | 904        |
|         | (1,2-diaminoethane dihydrochloride)   |             | 56     | 500 gm |          |     | 3744       |
|         | C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> .2HCl M.W. 133.02  |             |        |        |          |     |            |
| LA2060  | ETHYLENEDIAMINE TETRA ACETIC ACID 98% (palin)   | 60-00-4     | 6      | 100 gm | 29224990 | 18  | 405        |
|         | (salt free) (EDTA palin)  |             | 24     | 500 gm |          |     | 1614       |
|         | C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub> M.W. 292.24   |             | 204    | 5 Kg   |          |     | 13585      |
| LA2061  | ETHYLENEDIAMINE TETRA ACETIC ACID AR 99.5% (palin)  | 60-00-4     | 7      | 100 gm | 29224990 | 18  | 454        |
|         | (salt free) (EDTA palin) C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub> M.W. 292.24                                |             | 27     | 500 gm |          |     | 1812       |
| LA2062  | ETHYLENEDIAMINE TETRA ACETIC ACID CALCIUM   | 62-33-9     | 7      | 100 gm | 29224990 | 18  | 446        |
|         | DISODIUM SALT 97% (EDTA cALcium disodium salt)  |             | 26     | 500 gm |          |     | 1701       |
|         | C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>8</sub> CaNa <sub>2</sub> M.W. 374.27                                       |             |        |        |          |     |            |
| LA2063  | ETHYLENEDIAMINE TETRA ACETIC ACID FERRIC  | 1578-42-6   | 8      | 100 gm | 29212100 | 18  | 505        |
|         | MONOSODIUM SALT (EDTA ferric monosodium salt)   |             | 29     | 500 gm |          |     | 1920       |
|         | C <sub>10</sub> H <sub>12</sub> FeN <sub>2</sub> NaO <sub>8</sub> .H <sub>2</sub> O M.W. 367.05                                   |             |        |        |          |     |            |
| LA2064  | ETHYLENEDIAMINE TETRA ACETIC ACID   | 25102-12-9  | 7      | 100 gm | 29224990 | 18  | 450        |
|         | DIPOTASSIUM SALT 99% AR (EDTA dipotassium salt)   |             | 27     | 500 gm |          |     | 1808       |
|         | C <sub>10</sub> H <sub>14</sub> K <sub>2</sub> N <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O M.W. 404.5                        |             |        |        |          |     |            |
| LA2065  | ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT 98.5%   | 6381-92-6   | 8      | 100 gm | 29224990 | 18  | 521        |
|         | (EDTA disodium salt)  |             | 31     | 500 gm |          |     | 2084       |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O M.W. 372.24                      |             | 244    | 5 Kg   |          |     | 16221      |
| LA2066  | ETHYLENEDIAMINE TETRA ACETIC ACID DISODIUM SALT 99% AR  | 6381-92-6   | 8      | 100 gm | 29224990 | 18  | 560        |
|         | (EDTA disodium salt)  |             | 34     | 500 gm |          |     | 2259       |
|         | C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O M.W. 372.24                      |             | 263    | 5 Kg   |          |     | 17514      |
| LA2067  | ETHYLENEDIAMINE TETRA ACETIC ACID   | 6381-92-6   | 22     | 100 gm | 29224990 | 18  | 1453       |
|         | DISODIUM SALT 99% dihydrate (For Molecular Biology)   |             | 41     | 500 gm |          |     | 2719       |
|         | (EDTA disodium salt) C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O M.W. 372.24 |             |        |        |          |     |            |
| LA2068  | ETHYLENEDIAMINE TETRA ACETIC ACID   | 14402-88-1  | 6      | 100 gm | 29224990 | 18  | 417        |
|         | MAGNESIUM SALT 99% AR (EDTA magnesium salt AR)  |             | 22     | 500 gm |          |     | 1433       |
|         | C <sub>10</sub> H <sub>12</sub> MgN <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .xH <sub>2</sub> O M.W. 358.50 (anhyd. basis)     |             |        |        |          |     |            |
| LA2069  | ETHYLENE DIAMINE TETRA ACETIC ACID TETRASODIUM SALT 98%   | 194491-31-1 | 8      | 100 gm | 29224990 | 18  | 534        |
|         | C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> Na <sub>4</sub> O <sub>8</sub> .xH <sub>2</sub> O M.W. 380.17                      |             | 32     | 500 gm |          |     | 2108       |
| LA2070  | ETHYLENE DICHLORIDE 98% For Synthesis   | 107-06-2    | 8      | 500 ml | 29031500 | 18  | 525        |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256                                   |             | 30     | 2.5 Lt |          |     | 1974       |
|         | (End Use Certificate Required)  |             | 55     | 5 Lt   |          |     | 3652       |
|         | <u>UN 1184 3 (6.1) /PG II</u>   |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA2071  | ETHYLENE DICHLORIDE 99% AR  | 107-06-2  | 9      | 500 ml | 29031500 | 18  | 586        |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256     |           | 33     | 2.5 Lt |          |     | 2195       |
|         | (End Use Certificate Required)  |           |        |        |          |     |            |
|         | <u>UN 1184 3 (6.1) /PG II</u>   |           |        |        |          |     |            |
| LA2072  | ETHYLENE DICHLORIDE 99.8% HPLC & SPECTROSCOPY   | 107-06-2  | 26     | 500 ml | 29031500 | 18  | 1717       |
|         | (1,2-dichloroethane) C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 98.96, Liquid, d. 1.256     |           | 49     | 1 Lt   |          |     | 3257       |
|         | (End Use Certificate Required)  |           | 103    | 2.5 Lt |          |     | 6872       |
|         | <u>UN 1184 3 (6.1) /PG II</u>   |           |        |        |          |     |            |
| LA2073  | ETHYLENE GLYCOL 99% (mono)  | 107-21-1  | 9      | 500 ml | 29053100 | 18  | 580        |
|         | (ethanediol) (MEG) C <sub>2</sub> H <sub>6</sub> O <sub>2</sub> M.W 62.07, Liquid, d. 1.113         |           | 31     | 2.5 Lt |          |     | 2030       |
| LA2074  | ETHYLENE GLYCOL (mono) 99.5% AR   | 107-21-1  | 10     | 500 ml | 29053100 | 18  | 640        |
|         | (ethanediol) (MEG) C <sub>2</sub> H <sub>6</sub> O <sub>2</sub> M.W 62.07, Liquid, d. 1.113         |           | 17     | 1 Lt   |          |     | 1132       |
|         |   |           | 34     | 2.5 Lt |          |     | 2262       |
| LA2075  | ETHYLENE GLYCOL MONOBUTYL ETHER 99%   | 111-76-2  | 10     | 500 ml | 29094300 | 18  | 678        |
|         | (2-butoxyethanol) (butyl glycol) (butyl cellosolve)   |           | 44     | 2.5 Lt |          |     | 2948       |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>2</sub> M.W. 118.17, Liquid, d. 0.902                         |           |        |        |          |     |            |
| LA2076  | ETHYLENE GLYCOL MONOBUTYL ETHER ACETATE 99% For Synthesis   | 112-07-2  | 35     | 1 Lt   | 29153990 | 18  | 2345       |
|         | (Butyl cellosolve acetate)  |           | 79     | 2.5 Lt |          |     | 5276       |
|         | C <sub>8</sub> H <sub>16</sub> O <sub>3</sub> M.W.160.21, Liquid, d. 0.942                          |           |        |        |          |     |            |
| LA2077  | tri-ETHYL 1,1,2-ETHANETRICARBOXYALTE 99%  | 7459-46-3 | 343    | 25 gm  | 29171990 | 18  | 22799      |
|         | C <sub>11</sub> H <sub>18</sub> O <sub>6</sub> M.W. 246.26, Liquid, d. 1.074                        |           | 1147   | 100 gm |          |     | 76256      |
| LA2078  | ETHYL FORMATE 97% For Synthesis   | 109-94-4  | 14     | 500 ml | 29151290 | 18  | 960        |
|         | (formic acid ethyl ester) C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.917 |           | 27     | 1 Lt   |          |     | 1805       |
|         | <u>UN 1190 3 /PG II</u>   |           | 65     | 2.5 Lt |          |     | 4314       |
| LA2079  | 2-ETHYLHEXANOIC ACID 99%  | 149-57-5  | 10     | 500 ml | 29159020 | 18  | 678        |
|         | (octoic acid) C <sub>8</sub> H <sub>16</sub> O <sub>2</sub> M.W. 144.21, Liquid, d. 0.903-0.910     |           | 43     | 2.5 Lt |          |     | 2834       |
| LA2080  | 2-ETHYL-1-HEXANOL 99.6%   | 104-76-7  | 10     | 500 ml | 29051610 | 18  | 669        |
|         | C <sub>8</sub> H <sub>18</sub> O M.W. 130.23, Liquid, d. 0.833                                      |           | 37     | 2.5 lt |          |     | 2483       |
| LA2081  | 2-ETHYLHEXYL ACRYALTE 98% For Synthesis   | 103-11-7  | 15     | 500 ml | 29161290 | 18  | 1025       |
|         | (acrylic acid 2-ethyl hexyl ether)  |           | 60     | 2.5 Lt |          |     | 3968       |
|         | C <sub>11</sub> H <sub>20</sub> O <sub>2</sub> M.W. 184.28, Liquid, d. 0.885                        |           |        |        |          |     |            |
|         | <u>UN 3334 9 /PG III</u>  |           |        |        |          |     |            |
| LA2082  | 2-ETHYLHEXYL METHACRYALTE 98% For Synthesis (Stabilized)  | 688-84-6  | 27     | 250 ml | 29161290 | 18  | 1815       |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>2</sub> M.W. 198.31, Liquid, d. 0.885                        |           | 96     | 1 Lt   |          |     | 6365       |
|         | <u>UN 3334 9/PG III</u>   |           |        |        |          |     |            |
| LA2083  | ETHYL IODIDE For Synthesis 99%  | 75-03-6   | 76     | 100 ml | 29033930 | 18  | 5066       |
|         | (iodoethane) C <sub>2</sub> H <sub>5</sub> I M.W. 155.97, Liquid, d. 1.940                          |           | 171    | 250 ml |          |     | 11394      |
|         | <u>UN 1993 3/ PG III</u>  |           | 326    | 500 ml |          |     | 21655      |
| LA2084  | ETHYL ISOBUTYRATE 99%   | 97-62-1   | 80     | 500 gm | 29156010 | 18  | 5320       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>2</sub> M.W 116.16, Liquid, d. 0.865-0.869                    |           |        |        |          |     |            |
|         | <u>UN 2385 3/PG II</u>  |           |        |        |          |     |            |
| LA2085  | ETHYL ALCTATE 99%   | 687-47-8  | 86     | 500 ml | 29181190 | 18  | 5698       |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>3</sub> M.W.118.13, Liquid, d. 1.03                           |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2086  | ETHYL ALURATE 98%  | 106-33-2   | 106    | 500 gm | 29159090 | 18  | 7056       |
|         | C <sub>14</sub> H <sub>28</sub> O <sub>2</sub> M.W. 228.37, Liquid, d. 0.86                                    |            |        |        |          |     |            |
| LA2087  | N-ETHYL MALEIMIDE 99% (NEM)  | 128-53-0   | 61     | 5 gm   | 29251900 | 18  | 4071       |
|         | C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 125.13 (Store at 2 - 8°C)                                  |            | 274    | 25 gm  |          |     | 18219      |
|         | <u>UN 2928 6.1 (8)/PG II</u>   |            |        |        |          |     |            |
| LA2088  | ETHYL METHANE SULPHONATE 98%   | 62-50-0    | 50     | 10 gm  | 29339900 | 18  | 3333       |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> S M.W. 124.16, Liquid, d. 1.206                                   |            | 119    | 25 gm  |          |     | 7894       |
| LA2089  | ETHYL 2-METHYL ACETOACETATE 90%  | 609-14-3   | 198    | 25 gm  | 29183090 | 18  | 13150      |
|         | (2-methyl acetoacetic acid ethyl ester)  |            | 722    | 100 gm |          |     | 48001      |
|         | C <sub>7</sub> H <sub>12</sub> O <sub>3</sub> M.W. 144.17, Liquid, d. 1.019                                    |            |        |        |          |     |            |
| LA2090  | N-ETHYLMETHYALMINE 97%   | 624-78-2   | 487    | 25 ml  | 29212990 | 18  | 32372      |
|         | (40% solution in toluene) C <sub>9</sub> H <sub>11</sub> N M.W. 59.11, Liquid, d. 0.688                        |            | 1536   | 100 ml |          |     | 102142     |
|         | <u>UN 2733 3 (8)/PG II</u>   |            |        |        |          |     |            |
| LA2091  | 1-ETHYL 2-METHYL INDOLE 97%  | 40876-94-6 | 362    | 5 gm   | 29339900 | 18  | 24064      |
|         | C <sub>11</sub> H <sub>13</sub> N M.W. 159.23  |            | 685    | 10 gm  |          |     | 45578      |
| LA2092  | ETHYL METHYL KETONE 99%  | 78-93-3    | 13     | 500 ml | 29141200 | 18  | 891        |
|         | (butanone) (butane-2-one) (methyl ethyl ketone)  |            | 25     | 1 Lt   |          |     | 1691       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805   |            | 54     | 2.5 Lt |          |     | 3607       |
|         | (End Use Certificate Required)   |            | 98     | 5 Lt   |          |     | 6492       |
|         | <u>UN 1193 3/PG II</u>   |            |        |        |          |     |            |
| LA2093  | ETHYL METHYL KETONE 99.5% AR   | 78-93-3    | 15     | 500 ml | 29141200 | 18  | 1010       |
|         | (butane-2-one) (methyl ethyl ketone) (butanone)  |            | 29     | 1 Lt   |          |     | 1923       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805   |            | 60     | 2.5 Lt |          |     | 3977       |
|         | (End Use Certificate Required)   |            |        |        |          |     |            |
|         | <u>UN 1193 3/PG II</u>   |            |        |        |          |     |            |
| LA2094  | ETHYL METHYL KETONE 99.7% HPLC & SPECTROSCOPY  | 78-93-3    | 17     | 500 ml | 29141200 | 18  | 1116       |
|         | (butanone) (butane-2-one) (methyl ethyl ketone)  |            | 31     | 1 Lt   |          |     | 2042       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.805   |            | 67     | 2.5 Lt |          |     | 4459       |
|         | (End Use Certificate Required)   |            |        |        |          |     |            |
|         | <u>UN 1193 3/PG II</u>   |            |        |        |          |     |            |
| LA2095  | 2-ETHYL-6-METHYLPHENOL 97%   | 1687-64-5  | 931    | 10 gm  | 29071990 | 18  | 61940      |
|         | C <sub>9</sub> H <sub>12</sub> O M.W. 136.19   |            |        |        |          |     |            |
| LA2096  | n-ETHYL MORPHOLINE 97% For Synthesis   | 100-74-3   | 25     | 250 ml | 29349900 | 18  | 1646       |
|         | (4-ethyl morpholine) C <sub>8</sub> H <sub>13</sub> NO M.W. 115.17, Liquid, d. 0.91                            |            | 79     | 1 Lt   |          |     | 5273       |
|         | <u>UN 2920 8 (3)/PG II</u>   |            |        |        |          |     |            |
| LA2097  | ETHYL NICOTINATE 99%   | 614-18-6   | 54     | 100 gm | 29333919 | 18  | 3563       |
|         | (ethyl pyridine-3-carboxylic acid) C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 151.16, Liquid, d. 1.107 |            | 213    | 500 gm |          |     | 14132      |
| LA2098  | ETHYL OLEATE 98%   | 111-62-6   | 18     | 500 ml | 29161590 | 18  | 1195       |
|         | C <sub>20</sub> H <sub>38</sub> O <sub>2</sub> M.W. 310.51, Liquid, d. 0.87                                    |            | 77     | 2.5 Lt |          |     | 5118       |
| LA2099  | ETHYL ORANGE SODIUM SALT   | 62758-12-7 | 32     | 5 gm   | 29270090 | 18  | 2156       |
|         | Dye Content : Min. 90% C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 355.39           |            | 94     | 25 gm  |          |     | 6249       |
| LA2101  | ETHYL ORTHOFORMATE 98%   | 122-51-0   | 37     | 500 ml | 29159090 | 18  | 2455       |
|         | (triethyl orthoformate) C <sub>7</sub> H <sub>16</sub> O <sub>3</sub> M.W. 148.20, Liquid, d. 0.891            |            | 166    | 2.5 Lt |          |     | 11040      |
|         | <u>UN 2524 3/PG III</u>  |            |        |        |          |     |            |
| LA2102  | ETHYL PARABEN 99% Extra Pure (nipagin A)   | 120-47-8   | 9      | 100 gm | 29182990 | 18  | 610        |
|         | (ethyl-p-hydroxy benzoate) C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17                           |            | 34     | 500 gm |          |     | 2241       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2103  | n-ETHYL PIPERAZINE 98% For Synthesis  | 5308-25-8  | 55     | 250 ml | 29339900 | 18  | 3644       |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> M.W. 114.19, Liquid, d. 0.899   |            | 203    | 1 Lt   |          |     | 13484      |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA2104  | ETHYL PROPIONATE 98%  | 105-37-3   | 50     | 500 gm | 29155000 | 18  | 3339       |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W. 102.13, Liquid, d. 0.888   |            |        |        |          |     |            |
|         | <u>UN 1195 3/PG II</u>  |            |        |        |          |     |            |
| LA2105  | ETHYL PYRUVATE 98% For Synthesis  | 617-35-6   | 98     | 100 gm | 29183090 | 18  | 6533       |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>3</sub> M.W. 116.12, Liquid, d. 1.05   |            | 393    | 500 gm |          |     | 26131      |
|         | <u>UN 3272 3/PG III</u>   |            |        |        |          |     |            |
| LA2106  | ETHYL RED 97%   | 76058-33-8 | 62     | 25 gm  | 29270090 | 18  | 4131       |
|         | C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> O <sub>2</sub> M.W. 297.36   |            | 230    | 100 gm |          |     | 15304      |
| LA2107  | ETHYL SALICYLATE 99%  | 118-61-6   | 94     | 500 gm | 29182390 | 18  | 6264       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17, Liquid, d. 1.131   |            |        |        |          |     |            |
| LA2108  | ETHYL TRIFLUOROACETATE 99% For Synthesis  | 383-63-1   | 34     | 100 gm | 29159090 | 18  | 2287       |
|         | C <sub>4</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> M.W. 142.08, Liquid, d. 1.194                                       |            | 126    | 500 gm |          |     | 8409       |
|         | <u>UN 1993 3/PG II</u>  |            |        |        |          |     |            |
| LA2109  | ETHYL VANILINE 98%  | 121-32-4   | 22     | 100 gm | 29124100 | 18  | 1480       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.17   |            | 100    | 500 gm |          |     | 6668       |
| LA2110  | ETHYL VIOLET For Microscopy (C.I. No.42600)   | 2390-59-2  | 15     | 25 gm  | 32041341 | 18  | 1004       |
|         | Dye Content: Min. 80% C <sub>31</sub> H <sub>42</sub> N <sub>3</sub> Cl M.W. 492.14   |            | 57     | 100 gm |          |     | 3764       |
| LA2111  | EUCLAYPTUS OIL Extra Pure   | 8000-48-4  | 31     | 250 ml | 33012924 | 18  | 2044       |
|         | Liquid, d. 0.909  |            | 58     | 500 ml |          |     | 3881       |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA2112  | EUDRAGIT (L-100) Extra Pure   | 25806-15-1 | 57     | 100 gm | 39069090 | 18  | 3802       |
|         | For Lab Use   |            | 108    | 250 gm |          |     | 7189       |
|         |   |            | 171    | 500 gm |          |     | 11396      |
| LA2113  | EUDRAGIT RL - 100 Extra Pure  | 33434-24-1 | 59     | 100 gm | 39069090 | 18  | 3908       |
|         | For Lab Use   |            | 129    | 500 gm |          |     | 8583       |
| LA2114  | EUDRAGIT (S-100) Extra Pure   |            | 60     | 100 gm | 39069090 | 18  | 4014       |
|         | For Lab Use   |            | 115    | 250 gm |          |     | 7629       |
|         |   |            | 190    | 500 gm |          |     | 12658      |
| LA2115  | EUDRAGIT RS - 100 Extra Pure  |            | 71     | 100 gm | 39069090 | 18  | 4702       |
|         |   |            | 136    | 500 gm |          |     | 9035       |
| LA2116  | EUGENOL 99%   | 97-53-0    | 29     | 100 ml | 29095090 | 18  | 1922       |
|         | C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W. 164.20, Liquid, d. 1.067  |            | 118    | 500 ml |          |     | 7851       |
| LA2117  | EUPAROL For Microscopy  |            | 20     | 100 ml | 38220090 | 12  | 1332       |
| LA2118  | EUROPIUM OXIDE 99.9% AR   | 1308-96-9  | 31     | 1 gm   | 28469090 | 18  | 2040       |
|         | Eu <sub>2</sub> O <sub>3</sub> M.W. 351.93  |            | 137    | 5 gm   |          |     | 9098       |
| LA2119  | EVAN'S BLUE For Microscopy  | 314-13-6   | 5      | 5 gm   | 32049000 | 18  | 310        |
|         | (C.I. No.23860)   |            | 19     | 25 gm  |          |     | 1235       |
|         | Dye Content: Min. 75% C <sub>34</sub> H <sub>24</sub> N <sub>6</sub> Na <sub>4</sub> O <sub>14</sub> S <sub>4</sub> M.W. 960.81 |            | 67     | 100 gm |          |     | 4439       |
| LA2120  | EVAN'S BLUE staining solution   |            | 3      | 125 ml | 38220019 | 12  | 222        |
|         |   |            | 10     | 500 ml |          |     | 668        |
| LA2121  | EXTEN'S REAGENT   |            | 6      | 125 ml | 38220019 | 12  | 418        |
|         |   |            | 19     | 500 ml |          |     | 1252       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2122  | FAST BLUE B SALT For Microscopy   | 14263-94-6 | 12     | 25 gm  | 32129090 | 18  | 808        |
|         | (C.I. No.37235)   |            | 40     | 100 gm |          |     | 2669       |
|         | Dye Content: Min. 95% $C_{14}H_{12}N_4O_2Cl_2 \cdot ZnCl$ M.W. 475.47     |            | 181    | 500 gm |          |     | 12018      |
| LA2123  | FAST BLUE BB SALT For Microscopy  | 5486-84-0  | 91     | 5 gm   | 32129090 | 18  | 6080       |
|         | (C.I. No.37175)   |            | 411    | 25 gm  |          |     | 27353      |
|         | Dye Content: Min. 80% $C_{17}H_{18}N_3O_3Cl \cdot 1/2 ZnCl_2$ M.W. 415.94 |            |        |        |          |     |            |
| LA2124  | FAST GARNET GBC SULFATE SALT (C.I.No.37210)                               | 101-89-3   | 15     | 5 gm   | 32049000 | 18  | 1009       |
|         | Dye Content: Min. 90% $C_{14}H_{14}N_4O_4S$ M.W. 334.35                   |            | 46     | 25 gm  |          |     | 3028       |
| LA2125  | FAST GREEN FCF (M.S.)   | 2353-45-9  | 9      | 5 gm   | 32041900 | 18  | 612        |
|         | (C.I. No.42053)   |            | 33     | 25 gm  |          |     | 2187       |
|         | Dye Content: Min. 85% $C_{37}H_{34}N_2O_{10}S_3Na_2$ M.W. 808.85          |            | 115    | 100 gm |          |     | 7660       |
| LA2126  | FAST GREEN FCF For Molecular Biology                                      | 2353-45-9  | 44     | 10 gm  | 32041900 | 18  | 2919       |
|         | Dye Content: Min. 85% $C_{37}H_{34}N_2O_{10}S_3Na_2$ M.W. 808.85          |            | 101    | 25 gm  |          |     | 6717       |
| LA2127  | FAST SULPHON BLACK F (C.I. No.26990)                                      | 3682-47-1  | 11     | 25 gm  | 32041490 | 18  | 733        |
|         | $C_{30}H_{20}N_4O_{11}S_3$ M.W. 708.695                                   |            | 42     | 100 gm |          |     | 2775       |
|         |   |            | 170    | 500 gm |          |     | 11326      |
| LA2128  | FEHLING SOLUTION 'A'  |            | 7      | 500 ml | 28332500 | 18  | 451        |
|         | (Fehling solution No.1) d. 1.038-1.060                                    |            | 51     | 5 Lt   |          |     | 3416       |
|         | <u>UN 3082 9/PG III</u>   |            |        |        |          |     |            |
| LA2129  | FEHLING SOLUTION 'B'  |            | 9      | 500 ml | 29319090 | 18  | 625        |
|         | (Fehling solution No.2) d. 1.23 - 1.25                                    |            | 75     | 5 Lt   |          |     | 5004       |
|         | <u>UN 3082 9/PG III</u>   |            |        |        |          |     |            |
| LA2130  | FENNEL OIL Extra Pure d. 0.963  |            | 127    | 500 ml | 33012925 | 18  | 8471       |
| LA2131  | FERRIC ACETATE [iron (III) acetate]                                       | 10450-55-2 | 60     | 500 gm | 29152990 | 18  | 3969       |
| LA2132  | FERRIC BORATE [iron (III) borate]   | 20542-97-6 | 73     | 500 gm | 28401900 | 18  | 4849       |
| LA2133  | FERRIC BROMIDE 98%  | 10031-26-2 | 44     | 100 gm | 28275990 | 18  | 2957       |
|         | [iron (III) bromide] $FeBr_3$ M.W. 295.56                                 |            | 107    | 250 gm |          |     | 7097       |
|         | <u>UN 3260 8/ PG II</u>   |            |        |        |          |     |            |
| LA2134  | FERRIC CHLORIDE 97% (anhydrous)   | 7705-08-0  | 5      | 500 gm | 28273990 | 18  | 303        |
|         | [iron (III) chloride] $FeCl_3$ M.W. 162.20                                |            | 36     | 5 Kg   |          |     | 2424       |
|         | <u>UN 1773 8 /PG III</u>  |            | 171    | 25 Kg  |          |     | 11398      |
| LA2135  | FERRIC CHLORIDE 98% AR (anhydrous)  | 7705-08-0  | 7      | 500 gm | 28273990 | 18  | 444        |
|         | [iron (III) chloride] $FeCl_3$ M.W. 162.20                                |            |        |        |          |     |            |
|         | <u>UN 1773 8 /PG III</u>  |            |        |        |          |     |            |
| LA2136  | FERRIC CHLORIDE 98.5% (hexahydrate)                                       | 10025-77-1 | 7      | 500 gm | 28273990 | 18  | 434        |
|         | $FeCl_3 \cdot 6H_2O$ M.W. 270.30  |            |        |        |          |     |            |
|         | <u>UN 3260 8 /PG III</u>  |            |        |        |          |     |            |
| LA2137  | FERRIC CHLORIDE 99% AR (hexahydrate)                                      | 10025-77-1 | 8      | 500 gm | 28273990 | 18  | 504        |
|         | $FeCl_3 \cdot 6H_2O$ M.W. 270.30  |            |        |        |          |     |            |
|         | <u>UN 3260 8 /PG III</u>  |            |        |        |          |     |            |
| LA2138  | FERRIC CHLORIDE 98% (lumps)   | 10025-77-1 | 5      | 500 gm | 28273990 | 18  | 334        |
|         | [iron (III) chloride 6-hydrate] $FeCl_3 \cdot 6H_2O$ M.W. 270.30          |            | 40     | 5 Kg   |          |     | 2672       |
|         | <u>UN 3260 8 /PG III</u>  |            | 332    | 50 Kg  |          |     | 22053      |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | RICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|-----------|
| LA2139  | FERRIC CHLORIDE 10% solution w/v                             |             | 3      | 500 ml | 38220090 | 12  | 212       |
|         | Liquid, d. 1.086   |             |        |        |          |     |           |
|         | <u>UN 2582 8/PG III</u>                                      |             |        |        |          |     |           |
| LA2140  | FERRIC CITRATE (tribasic) (monohydrate)                      | 2338-05-8   | 27     | 500 gm | 29181590 | 18  | 1786      |
|         | [iron (III) citrate] $C_6H_5FeO_7 \cdot H_2O$ M.W. 262.96    |             |        |        |          |     |           |
| LA2141  | FERRIC NITRATE 98%   | 7782-61-8   | 6      | 500 gm | 28342990 | 18  | 386       |
|         | $Fe(NO_3)_3 \cdot 9H_2O$ M.W. 404.00                         |             | 49     | 5 Kg   |          |     | 3282      |
|         | <u>UN 3260 8/PG II</u>                                       |             |        |        |          |     |           |
| LA2142  | FERRIC NITRATE 99% AR  | 7782-61-8   | 12     | 500 gm | 28342990 | 18  | 788       |
|         | [iron (III) nitrate] $Fe(NO_3)_3 \cdot 9H_2O$ M.W. 404.00    |             |        |        |          |     |           |
|         | <u>UN 3260 8/PG II</u>                                       |             |        |        |          |     |           |
| LA2143  | FERRIC OXALATE (hexahydrate)                                 | 166897-40-1 | 34     | 500 gm | 29171190 | 18  | 2259      |
|         | [iron (III) oxalate] $C_6Fe_2O_{12} \cdot 6H_2O$ M.W. 483.84 |             |        |        |          |     |           |
| LA2144  | FERRIC OXIDE 98% (black) (practical)                         | 1309-37-1   | 6      | 500 gm | 28211010 | 18  | 426       |
|         | [iron (III) oxide black] $Fe_2O_3$ M.W. 159.69               |             | 51     | 5 Kg   |          |     | 3402      |
| LA2145  | FERRIC OXIDE 95% (red) (practical)                           | 1309-37-1   | 6      | 500 gm | 28211010 | 18  | 393       |
|         | [iron (III) oxide red] $Fe_2O_3$ M.W. 159.69                 |             |        |        |          |     |           |
| LA2146  | FERRIC OXIDE (red) 95-98% Extra Pure                         | 1309-37-1   | 7      | 500 gm | 28211010 | 18  | 451       |
|         | [iron (III) oxide red] $Fe_2O_3$ M.W. 159.69                 |             | 58     | 5 Kg   |          |     | 3838      |
| LA2147  | FERRIC OXIDE YELLOW For Synthesis                            | 1309-37-1   | 13     | 500 gm | 28211010 | 18  | 876       |
|         | $Fe_2O_3 \cdot H_2O$ M.W. 177.71                             |             | 115    | 5 Kg   |          |     | 7671      |
| LA2148  | FERRIC PHOSPHATE   | 10045-86-0  | 43     | 500 gm | 28352990 | 18  | 2874      |
|         | [iron (III) phosphate] $FePO_4 \cdot 2H_2O$ M.W. 186.85      |             |        |        |          |     |           |
| LA2149  | FERRIC PYROPHOSPHATE PURE 97%                                | 10058-44-3  | 32     | 500 gm | 28353900 | 18  | 2145      |
|         | $Fe_4(P_2O_7)_3$ M.W. 745.21                                 |             |        |        |          |     |           |
| LA2150  | FERRIC SULPHATE hydrate                                      | 15244-10-7  | 7      | 500 gm | 28332990 | 18  | 494       |
|         | [iron (III) sulphate] $Fe_2(SO_4)_3 \cdot xH_2O$ M.W. 399.88 |             |        |        |          |     |           |
|         | <u>UN 3260 8/PG III</u>                                      |             |        |        |          |     |           |
| LA2151  | FERRIC SULPHATE AR hydrate                                   | 15244-10-7  |        | 500 gm | 28332990 | 18  |           |
|         | [iron (III) sulphate] $Fe_2(SO_4)_3 \cdot xH_2O$ M.W. 399.88 |             |        |        |          |     |           |
|         | <u>UN 3260 8 /PG III</u>                                     |             |        |        |          |     |           |
| LA2152  | FERRIC TARTRATE  | 2944-68-5   | 135    | 500 gm | 29181390 | 18  | 8955      |
|         | [iron (III) tartrate] $Fe_2(C_4H_4O_6)_3$ M.W. 555.90        |             |        |        |          |     |           |
| LA2153  | FERROCENE 98% For Synthesis                                  | 102-54-5    | 19     | 25 gm  | 29319090 | 18  | 1249      |
|         | (dicyclopentadienyliron) $C_{10}H_{10}Fe$ M.W. 186.03        |             | 56     | 100 gm |          |     | 3735      |
|         | <u>UN 1325 4.1/PG II</u>                                     |             |        |        |          |     |           |
| LA2154  | FERROIN SOLUTION AR (0.025 M) (redox indicator)              | 14634-91-4  | 15     | 100 ml | 38220090 | 12  | 1024      |
|         | $C_{36}H_{24}FeN_6SO_4$ M.W. 692.52, Liquid, d. 1.006        |             | 34     | 250 ml |          |     | 2245      |
| LA2155  | FERROUS BROMIDE 98%  | 7789-46-0   | 134    | 500 gm | 28275990 | 18  | 8927      |
|         | [iron (II) bromide] $FeBr_2$ M.W. 215.65                     |             |        |        |          |     |           |
| LA2156  | FERROUS CARBONATE  | 563-71-3    | 33     | 500 gm | 28369990 | 18  | 2225      |
|         | [iron (II) carbonate] $FeCO_3$ M.W. 115.86                   |             |        |        |          |     |           |
| LA2157  | FERROUS CHLORIDE 98% Practical (tetrahydrate)                | 13478-10-9  | 11     | 500 gm | 28274190 | 18  | 733       |
|         | [iron (II) chloride] $FeCl_2 \cdot 4H_2O$ M.W. 198.81        |             |        |        |          |     |           |
|         | <u>UN 3260 8/PG II</u>                                       |             |        |        |          |     |           |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2158  | FERROUS CHLORIDE 99% purified (tetrahydrate)<br>[iron (II) chloride] FeCl <sub>2</sub> .4H <sub>2</sub> O M.W. 198.81 | 13478-10-9 | 12     | 500 gm | 28274190 | 18  | 769        |
|         |   |            | 98     | 5 Kg   |          |     | 6527       |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA2159  | FERROUS FLUORIDE 98%<br>[iron (II) fluoride] FeF <sub>2</sub> M.W. 93.84  | 7789-28-8  | 38     | 100 gm | 28261910 | 18  | 2537       |
|         |   |            | 134    | 500 gm |          |     | 8888       |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA2160  | FERROUS FUMARATE 97%<br>[iron (II) fumarate] C <sub>4</sub> H <sub>2</sub> FeO <sub>4</sub> M.W. 169.90               | 141-01-5   | 12     | 500 gm | 29171940 | 18  | 785        |
|         |   |            |        |        |          |     |            |
| LA2161  | FERROUS GLUCONATE 98%<br>C <sub>12</sub> H <sub>22</sub> FeO <sub>14</sub> .2H <sub>2</sub> O M.W. 482.17             | 22830-45-1 | 80     | 500 gm | 29350090 | 18  | 5311       |
|         |   |            |        |        |          |     |            |
| LA2162  | FERROUS OXALATE 99%<br>[iron (II) oxalate] C <sub>2</sub> FeO <sub>4</sub> .2H <sub>2</sub> O M.W. 179.89             | 6047-25-2  | 47     | 500 gm | 29171190 | 18  | 3147       |
|         |   |            |        |        |          |     |            |
| LA2163  | FERROUS PHOSPHATE 98%<br>[iron (II) phosphate] Fe <sub>3</sub> O <sub>8</sub> P <sub>2</sub> M.W. 357.47              | 14940-41-1 | 21     | 500 gm | 28352900 | 18  | 1393       |
|         |   |            |        |        |          |     |            |
| LA2164  | FERROUS SULPHATE 98.5-104.5% (heptahydrate)<br>[iron (II) sulphate]   | 7782-63-0  | 5      | 500 gm | 28332910 | 18  | 312        |
|         | FeSO <sub>4</sub> .7H <sub>2</sub> O M.W. 278.01  |            | 34     | 5 Kg   |          |     | 2262       |
|         |   |            | 289    | 50 Kg  |          |     | 19226      |
| LA2165  | FERROUS SULPHATE 99% AR (heptahydrate)<br>[iron (II) sulphate] FeSO <sub>4</sub> .7H <sub>2</sub> O M.W. 278.01       | 7782-63-0  | 6      | 500 gm | 28332910 | 18  | 383        |
|         |   |            | 46     | 5 Kg   |          |     | 3063       |
|         |   |            | 189    | 25 Kg  |          |     | 12561      |
| LA2166  | FERROUS SULPHATE 97% (dried) (exsiccated white powder)<br>FeSO <sub>4</sub> .aq M.W. 151.91(anhy. Basis)              | 13463-43-9 | 4      | 500 gm | 28332990 | 18  | 284        |
|         |   |            | 33     | 5 Kg   |          |     | 2213       |
|         |   |            | 284    | 50 kg  |          |     | 18880      |
| LA2167  | FERROUS SULPHIDE POWDER<br>[iron (II) sulphide powder] FeS M.W. 87.91   | 1317-37-9  | 7      | 500 gm | 28309010 | 18  | 460        |
|         |   |            | 55     | 5 Kg   |          |     | 3676       |
| LA2168  | FERROUS SULPHIDE STICKS<br>[iron (II) sulphide sticks] (selected sticks for producing H <sub>2</sub> S)               | 1317-37-9  | 6      | 500 gm | 28309010 | 18  | 405        |
|         | FeS M.W. 87.91  |            | 12     | 1 Kg   |          |     | 770        |
|         |   |            | 51     | 5 Kg   |          |     | 3359       |
| LA2169  | FERROZINE Extra pure 97%<br>(3-(2-Pyridyl)-5,6-diphenyl-1,2,4-triazine-4',4"-disulphonic acid)                        | 69898-45-9 | 152    | 1 gm   | 29336990 | 18  | 10087      |
|         | monosodium salt C <sub>20</sub> H <sub>13</sub> N <sub>4</sub> O <sub>6</sub> S <sub>2</sub> Na M.W. 492.46           |            | 668    | 5 gm   |          |     | 44425      |
| LA2170  | FERULIC ACID Pure 99%<br>(4-Hydroxy-3-methoxycinnamic acid, Pure)   | 537-98-4   | 43     | 10 gm  | 29189900 | 18  | 2828       |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>4</sub> M.W. 194.18  |            | 100    | 25 gm  |          |     | 6648       |
| LA2171  | FIELD'S STAIN 'A' POWDER  |            | 4      | 25 gm  | 32041929 | 18  | 255        |
|         |   |            | 13     | 100 gm |          |     | 894        |
|         |   |            | 55     | 500 gm |          |     | 3688       |
| AL 2172 | FIELD'S STAIN 'A' solution<br>(microscopicAL staining), Liquid, d. 0.89   |            | 2      | 125 ml | 38220090 | 18  | 155        |
|         |   |            | 7      | 500 ml |          |     | 452        |
| LA2173  | FIELD'S STAIN 'B' POWDER  |            | 4      | 25 gm  | 32041929 | 18  | 272        |
|         |   |            | 14     | 100 gm |          |     | 911        |
|         |   |            | 57     | 500 gm |          |     | 3809       |
| LA2174  | FIELD'S STAIN 'B' solution<br>(microscopicAL staining), Liquid, d. 0.89   |            | 2      | 125 ml | 38220090 | 12  | 162        |
|         |   |            | 7      | 500 ml |          |     | 483        |
| LA2175  | FLORISIL POWDER (60-100 mesh)   | 1343-88-0  | 27     | 100 gm | 28399090 | 18  | 1817       |
|         |   |            | 133    | 500 gm |          |     | 8875       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2176  | FLUCONAZOLE 98%  | 86386-73-4 | 142    | 5 gm   | 29339900 | 18  | 9412       |
|         | C <sub>13</sub> H <sub>12</sub> F <sub>2</sub> N <sub>6</sub> O M.W. 306.27                                |            | 566    | 25 gm  |          |     | 37650      |
| LA2177  | FLUOBORIC ACID   | 16872-11-0 | 10     | 500 ml | 28111100 | 18  | 682        |
|         | (borofluoric acid) HBF <sub>4</sub> MW 87.81, Liquid, d. 1.38  |            | 44     | 2.5 Lt |          |     | 2895       |
|         | <u>UN 1775 8/PG II</u>   |            |        |        |          |     |            |
| LA2178  | FLUORENE 98%   | 86-73-7    | 69     | 100 gm | 29029090 | 18  | 4607       |
|         | (diphenylenene methane) C <sub>13</sub> H <sub>10</sub> M.W. 166.22  |            | 153    | 250 gm |          |     | 10205      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA2179  | 9-FLUORENONE 2-CARBOXYLIC ACID 98% For Synthesis   | 784-50-9   | 117    | 1 gm   | 29162000 | 18  | 7779       |
|         | C <sub>14</sub> H <sub>8</sub> O <sub>3</sub> M.W. 224.21  |            | 485    | 5 gm   |          |     | 32278      |
| LA2180  | FLUORESCIN 98% (M.S) (C. I. No.45350)  | 2321-07-5  | 5      | 25 gm  | 32049000 | 18  | 359        |
|         | C <sub>20</sub> H <sub>12</sub> O <sub>5</sub> M.W. 332.31   |            | 15     | 100 gm |          |     | 1010       |
|         |  |            | 63     | 500 gm |          |     | 4169       |
| LA2181  | FLUORESCIN SODIUM 98%  | 518-47-8   | 5      | 25 gm  | 32041211 | 18  | 340        |
|         | (C. I. No.45350)   |            | 16     | 100 gm |          |     | 1071       |
|         | C <sub>20</sub> H <sub>10</sub> Na <sub>2</sub> O <sub>5</sub> M.W. 376.28                                 |            | 74     | 500 gm |          |     | 4949       |
| LA2182  | 4-FLUORO ACETOPHENONE 98% For Synthesis  | 403-42-9   | 40     | 25 gm  | 29147990 | 18  | 2681       |
|         | C <sub>8</sub> H <sub>7</sub> FO M.W. 138.34, Liquid, d. 1.138   |            | 105    | 100 gm |          |     | 7015       |
| LA2183  | 2-FLUORO ANILINE 99% For Synthesis   | 348-54-9   | 31     | 100 ml | 29215990 | 18  | 2080       |
|         | C <sub>6</sub> H <sub>5</sub> FN M.W. 111.12, Liquid, d. 1.151   |            | 125    | 500 ml |          |     | 8316       |
|         | <u>UN 2941 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2184  | 4-FLUORO ANILINE 98% For Synthesis   | 371-40-4   | 26     | 100 ml | 29214190 | 18  | 1739       |
|         | C <sub>6</sub> H <sub>5</sub> FN M.W. 111.12, Liquid, d. 1.173   |            | 123    | 500 ml |          |     | 8159       |
|         | <u>UN 2941 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2185  | p-FLUROBENZALDEHYDE 98%  | 459-57-4   | 51     | 100 ml | 29130090 | 18  | 3418       |
|         | C <sub>7</sub> H <sub>5</sub> FO M.W. 124.11, Liquid, d.1.157  |            | 116    | 250 ml |          |     | 7694       |
|         | <u>UN 1989 3/PG III</u>  |            |        |        |          |     |            |
| LA2186  | FLUOROBENZENE For Synthesis 98%  | 462-06-6   | 61     | 500 ml | 29039910 | 18  | 4059       |
|         | C <sub>6</sub> H <sub>5</sub> F M.W. 96.10, Liquid, d.1.024  |            | 259    | 2.5 Lt |          |     | 17250      |
|         | <u>UN 2387 3/PG II</u>   |            |        |        |          |     |            |
| LA2187  | 4-FLUORO BENZOIC ACID 99%  | 456-22-4   | 63     | 100 gm | 29163990 | 18  | 4199       |
|         | C <sub>7</sub> H <sub>5</sub> FO <sub>2</sub> M. W. 140.11   |            | 265    | 500 gm |          |     | 17629      |
| LA2188  | 1-FLURO-4-NITROBENZENE 98% For Synthesis   | 350-46-9   | 53     | 100 ml | 29049990 | 18  | 3540       |
|         | C <sub>6</sub> H <sub>4</sub> FNO <sub>2</sub> M.W. 141.10, Liquid, d. 1.33                                |            | 128    | 250 ml |          |     | 8500       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2189  | 4-FLUOROPHENOL 98.5%   | 371-41-5   | 39     | 25 gm  | 29420011 | 18  | 2595       |
|         | C <sub>6</sub> H <sub>5</sub> FO M.W. 112.1  |            | 143    | 100 gm |          |     | 9494       |
| LA2190  | 1-(4-FLUOROPHENYL) PIPERAZINE 98%  | 2252-63-3  | 181    | 10 gm  | 29335990 | 18  | 12060      |
|         | C <sub>10</sub> H <sub>13</sub> FN <sub>2</sub> M.W. 180.22  |            | 351    | 25 gm  |          |     | 23348      |
| LA2191  | 5-FLUOROURACIL 99% Extra Pure For Biochemistry   | 51-21-8    | 7      | 1 gm   | 29335990 | 18  | 447        |
|         | (2,4-dihydroxy-5-fluorourimidine) C <sub>4</sub> H <sub>3</sub> FN <sub>2</sub> O <sub>2</sub> M.W. 130.08 |            | 27     | 5 gm   |          |     | 1805       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2192  | FOLIC ACID 97% For Biochemistry  | 59-30-3    | 21     | 25 gm  | 29362910 | 18  | 1418       |
|         | C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub> M.W. 441.40                                  |            | 73     | 100 gm |          |     | 4885       |
|         |  |            | 684    | 1 Kg   |          |     | 45470      |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA2193  | <b>GADOLINIUM (III) CARBONATE 99%</b>                                  | <b>38245-36-2</b> | 74     | 5 gm   | 28469090 | 18  | 4949       |
|         | <chem>C3Gd2O9.xH2O</chem> M.W 494.53 (anhy. basis)                     |                   | 335    | 25 gm  |          |     | 22266      |
| LA2193  | <b>GADOLINIUM (III) CHLORIDE 99.9% (hexahydrate)</b>                   | <b>13450-84-5</b> | 85     | 5 gm   | 28469030 | 18  | 5681       |
|         | <chem>GdCl3.6H2O</chem> M.W. 371.70                                    |                   | 376    | 25 gm  |          |     | 24994      |
| LA2194  | <b>GADOLINIUM (III) OXIDE 99.9%</b>                                    | <b>12064-62-9</b> | 24     | 5 gm   | 28469010 | 18  | 1625       |
|         | <chem>Gd2O3</chem> M.W. 362.50   |                   | 68     | 25 gm  |          |     | 4510       |
| LA2195  | <b>GADOLINIUM (III) SULPHATE 99%</b>                                   | <b>13450-87-8</b> | 133    | 5 gm   | 28469090 | 18  | 8865       |
|         | <chem>Gd2O12S3.8H2O</chem> M.W. 746.81                                 |                   | 493    | 25 gm  |          |     | 32807      |
| LA2196  | <b>D-(+)-GALACTOSE 99% For Molecular Biology</b>                       | <b>59-23-4</b>    | 9      | 25 gm  | 29400000 | 18  | 615        |
|         | <chem>C6H12O6</chem> M.W. 180.16                                       |                   | 31     | 100 gm |          |     | 2030       |
|         |  |                   | 145    | 500 gm |          |     | 9646       |
| LA2197  | <b>GALLIC ACID 98%</b>   | <b>5995-86-8</b>  | 49     | 250 gm | 29182910 | 18  | 3287       |
|         | (3, 4, 5-trihydroxybenzoic acid) <chem>C7H6O5.H2O</chem> M.W. 188.13   |                   | 94     | 500 gm |          |     | 6241       |
| LA2198  | <b>GALLIC ACID SOLUTION</b>  |                   | 7      | 100 ml | 38220090 | 12  | 496        |
| LA2199  | <b>GALLIUM (Metal) 99.99%</b>  | <b>7440-55-3</b>  | 171    | 5 gm   | 81129200 | 18  | 11395      |
|         | Ga M.W 69.72, Solid/Liquid, d. 5.904                                   |                   | 250    | 10 gm  |          |     | 16606      |
|         | <b>UN 2803 8/PG III</b>  |                   |        |        |          |     |            |
| LA2200  | <b>GALLIUM (Metal) 99.999%</b>   | <b>7440-55-3</b>  | 189    | 5 gm   | 81129200 | 18  | 12561      |
|         | Ga M.W 69.72, Solid/Liquid, d. 5.904                                   |                   | 281    | 10 gm  |          |     | 18718      |
|         | <b>UN 2803 8/PG III</b>  |                   |        |        |          |     |            |
| LA2201  | <b>GALLIUM (Ga) ICP STANDARD SOLUTION 1 GM/L IN 2% HNO<sub>3</sub></b> |                   | 86     | 50 ml  | 38220090 | 12  | 5690       |
|         |  |                   | 160    | 100 ml |          |     | 10627      |
| LA2202  | <b>GALLIUM (III) CHLORIDE 99.99%</b>                                   | <b>13450-90-3</b> | 65     | 1 gm   | 28273990 | 18  | 4313       |
|         | <chem>GaCl3</chem> M.W 176.08  |                   | 214    | 5 gm   |          |     | 14232      |
|         | <b>UN 3260 8/PG II</b>   |                   |        |        |          |     |            |
| LA2203  | <b>GALLOCYANINE (C.I.No.51030)</b>                                     | <b>1562-85-2</b>  | 231    | 5 gm   | 32129090 | 18  | 15362      |
|         | Dye Content: Min. 90% <chem>C15H13ClN2O5</chem> M.W. 336.73            |                   | 1027   | 25 gm  |          |     | 68270      |
| LA2204  | <b>GALLOCYANINE CHLORIDE AR</b>  | <b>524-26-5</b>   | 301    | 1 gm   | 29349990 | 18  | 20015      |
|         | <chem>C15H12N2O5</chem> M.W. 300.27                                    |                   |        |        |          |     |            |
| LA2205  | <b>GARLIC OIL Extra Pure</b>   | <b>8000-78-0</b>  | 108    | 100 ml | 33012947 | 18  | 7169       |
|         | Liquid, d. 1.073   |                   | 259    | 250 ml |          |     | 17202      |
|         | <b>UN 1993 3/PG III</b>  |                   |        |        |          |     |            |
| LA2206  | <b>GELATINEPOWDER For Bacteriology</b>                                 | <b>9000-70-8</b>  | 28     | 500 gm | 35030090 | 18  | 1871       |
|         |  |                   | 249    | 5 Kg   |          |     | 16589      |
| LA2207  | <b>GELLAN GUM Extra Pure</b>   | <b>71010-52-1</b> | 51     | 100 gm | 39139090 | 18  | 3367       |
|         | (agar substitute gelling agent) (phytagel)                             |                   | 217    | 500 gm |          |     | 14437      |
| LA2208  | <b>GENTAMYSIN SULPHATE Extra Pure</b>                                  | <b>1405-41-0</b>  | 51     | 5 gm   | 29419090 | 18  | 3380       |
|         | For Lab Use  |                   | 152    | 25 gm  |          |     | 10118      |
|         |  |                   | 495    | 100 gm |          |     | 32885      |
| LA2209  | <b>GENTIAN VIOLET SOLUTION</b>   |                   | 4      | 125 ml | 38220090 | 12  | 260        |
|         | (aqueous staining solution)  |                   | 12     | 500 ml |          |     | 786        |
| LA2210  | <b>GENTIAN VIOLET SOLUTION</b>   |                   | 4      | 125 ml | 38220090 | 12  | 286        |
|         | (alcoholic solution)   |                   | 13     | 500 ml |          |     | 857        |
| LA2211  | <b>GERANIUM OIL Extra Pure (synthetic)</b>                             | <b>8000-46-2</b>  | 32     | 100 ml | 33029012 | 18  | 2136       |
|         | Liquid, d. 0.887   |                   | 128    | 500 ml |          |     | 8543       |

| CAT No. | PRODUCT NAME  | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------------|--------|--------|----------|-----|------------|
| LA2212  | <b>FOLIN &amp; CIOCALTEU'S PHENOL REAGENT</b>                             |                   | 6      | 100 ml | 38220090 | 12  | 395        |
|         | (phenol reagent) d. 1.24  |                   | 22     | 500 ml |          |     | 1435       |
|         | <u>UN 3264 8 /PG III</u>  |                   |        |        |          |     |            |
| LA2213  | <b>FOLIN &amp; WU'S PHOSPHATE - MOLYBDATE SOLUTION</b>                    |                   | 9      | 500 ml | 38220090 | 12  | 615        |
|         | (phosphate molybdate solution)  |                   |        |        |          |     |            |
| LA2214  | <b>FORMALDEHYDE SOLUTION 37-41%</b>                                       | <b>50-00-0</b>    | 4      | 500 ml | 29121100 | 18  | 275        |
|         | (37-41% w/v H.CHO)  |                   | 15     | 2.5 Lt |          |     | 1005       |
|         | (formaline solution, methanol)  |                   | 25     | 5 Lt   |          |     | 1645       |
|         | HCHO M.W. 30.03 Liquid, d. 1.09   |                   | 111    | 25 Lt  |          |     | 7392       |
|         | <u>UN 2209 8 /PG III</u>  |                   | 789    | 200 Lt |          |     | 52446      |
| LA2215  | <b>FORMALDEHYDE SOLUTION 37-41% AR</b>                                    | <b>50-00-0</b>    | 5      | 500 ml | 29121100 | 18  | 360        |
|         | (formaline solution, methanol), HCHO M.W. 30.03, Liquid, 1.09             |                   | 18     | 2.5 Lt |          |     | 1182       |
|         | <u>UN 2209 8 /PG III</u>  |                   | 142    | 25 Lt  |          |     | 9460       |
| LA2216  | <b>FORMALDEHYDE SOLUTION 37% For Molecular Biology</b>                    | <b>50-00-0</b>    | 19     | 500 ml | 29121100 | 18  | 1242       |
|         | (formaline solution, methanol) CH <sub>2</sub> O M.W. 30.03, Liquid, 1.09 |                   |        |        |          |     |            |
|         | <u>UN 2209 8 /PG III</u>  |                   |        |        |          |     |            |
| LA2217  | <b>FORMAMIDE 98% For Synthesis</b>  | <b>75-12-7</b>    | 12     | 500 ml | 29241900 | 18  | 822        |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, 1.134                               |                   | 23     | 1 Lt   |          |     | 1541       |
|         |   |                   | 58     | 2.5 Lt |          |     | 3857       |
| LA2218  | <b>FORMAMIDE 99% AR</b>   | <b>75-12-7</b>    | 15     | 500 ml | 29241900 | 18  | 985        |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, 1.134                               |                   | 28     | 1 Lt   |          |     | 1875       |
|         |   |                   | 62     | 2.5 Lt |          |     | 4145       |
| LA2219  | <b>FORMAMIDE 99.5% For Molecular Biology</b>                              | <b>75-12-7</b>    | 44     | 500 ml | 29241900 | 18  | 2949       |
|         | Forms a clear colourless solution in water (10%)                          |                   | 82     | 1 Lt   |          |     | 5459       |
|         | CONH <sub>3</sub> M.W. 45.04, Liquid, 1.134                               |                   |        |        |          |     |            |
| LA2220  | <b>FORMIC ACID 85% For Synthesis</b>                                      | <b>64-18-6</b>    | 8      | 500 ml | 29151100 | 18  | 546        |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, 1.22                   |                   | 15     | 1 Lt   |          |     | 1004       |
|         | <u>UN 1779 8(3)/PG II</u>   |                   | 33     | 2.5 Lt |          |     | 2191       |
| LA2221  | <b>FORMIC ACID 90%</b>  | <b>64-18-6</b>    | 13     | 500 ml | 29151100 | 18  | 836        |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, 1.22                   |                   | 24     | 1 Lt   |          |     | 1578       |
|         | <u>UN 1779 8(3)/PG II</u>   |                   | 50     | 2.5 Lt |          |     | 3346       |
| LA2222  | <b>FORMIC ACID 90% AR</b>   | <b>64-18-6</b>    | 13     | 500 ml | 29151100 | 18  | 896        |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, 1.22                   |                   |        |        |          |     |            |
|         | <u>UN 1779 8(3)/PG II</u>   |                   |        |        |          |     |            |
| LA2223  | <b>FORMIC ACID 98-100%</b>  | <b>64-18-6</b>    | 14     | 500 ml | 29151100 | 18  | 942        |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, 1.22                   |                   |        |        |          |     |            |
|         | <u>UN 1779 8(3)/PG II</u>   |                   |        |        |          |     |            |
| LA2224  | <b>FORMIC ACID 98-100% AR</b>   | <b>64-18-6</b>    | 15     | 500 ml | 29151100 | 18  | 967        |
|         | CH <sub>2</sub> O <sub>2</sub> M.W. 46.03, Liquid, 1.22                   |                   |        |        |          |     |            |
|         | <u>UN 1779 8(3)/PG II</u>   |                   |        |        |          |     |            |
| LA2225  | <b>FOUCHET'S REAGENT</b>  |                   | 2      | 125 ml | 38220090 | 12  | 147        |
|         | (for bile pigment)  |                   | 7      | 500 ml |          |     | 434        |
| LA2226  | <b>FOUGLER'S REAGENT solution</b>   |                   | 11     | 500 ml | 38220090 | 12  | 754        |
| LA2227  | <b>FRENCH CHALK POWDER Extra Pure</b>                                     | <b>14807-96-6</b> | 3      | 500 gm | 25262000 | 5   | 198        |
|         | (talcum powder)   |                   | 24     | 5 Kg   |          |     | 1578       |
|         | MgO·4SiO <sub>2</sub> ·H <sub>2</sub> O M.W. 379.27                       |                   | 202    | 50 Kg  |          |     | 13412      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2228  | D-(-)-FRUCTOSE 98%<br>(levulose) C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16  | 57-48-7    | 3      | 100 gm | 17026010 | 18  | 212        |
|         |   |            | 7      | 250 gm |          |     | 498        |
|         |   |            | 14     | 500 gm |          |     | 910        |
| LA2229  | D-(-)-FRUCTOSE 99% AR (For Molecular Biology)<br>(levulose) C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16   | 57-48-7    | 4      | 100 gm | 17026010 | 18  | 273        |
|         |   |            | 9      | 250 gm |          |     | 617        |
|         |   |            | 17     | 500 gm |          |     | 1131       |
| LA2230  | D-FRUCTOSE-1,6-DIPHOSPHATE, TETRASODIUM SALT 99%<br>C <sub>6</sub> H <sub>10</sub> O <sub>12</sub> P <sub>2</sub> Na <sub>4</sub> M.W. 428.04   | 23784-19-2 | 216    | 5 gm   | 29190090 | 18  | 14334      |
| LA2231  | FUCHSIN ACID (M.S.) (C.I.No.42685)<br>(magenta acid) (acid fuchsin)<br>Dye Content: Min. 70% C <sub>20</sub> H <sub>17</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub> M.W. 585.54 | 3244-88-0  | 9      | 25 gm  | 32041216 | 18  | 632        |
|         |   |            | 33     | 100 gm |          |     | 2217       |
|         |   |            | 140    | 500 gm |          |     | 9309       |
| LA2232  | FUCHSIN ACID staining solution<br>(acid fuchsin solution)   |            | 3      | 125 ml | 38220090 | 12  | 201        |
|         |   |            | 9      | 500 ml |          |     | 602        |
| LA2233  | FULLER'S EARTH  | 8031-18-3  | 3      | 500 gm | 25059000 | 5   | 181        |
| LA2234  | FUMARIC ACID 99% For Synthesis<br>C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 116.07  | 110-17-8   | 11     | 500 gm | 29171950 | 18  | 753        |
|         |   |            | 103    | 5 Kg   |          |     | 6819       |
| LA2235  | FUMARIC ACID 99.5-100.5% AR<br>C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 116.07   | 110-17-8   | 15     | 500 gm | 29171950 | 18  | 1018       |
| LA2236  | D-(+)-FUCOSE 98%<br>C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> M.W. 164.16   | 3615-37-0  | 168    | 250 mg | 29399900 | 18  | 11200      |
|         |   |            | 419    | 1 gm   |          |     | 27845      |
| LA2237  | L-(-)-FUCOSE 99%<br>C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> M.W. 164.16   | 2438-80-4  | 141    | 1 gm   | 29400000 | 18  | 9389       |
| LA2238  | FURFURALDEHYDE 98%<br>(furfural) C <sub>5</sub> H <sub>4</sub> O <sub>2</sub> M.W. 96.09, Liquid, d. 1.16   | 98-01-1    | 16     | 500 ml | 29321200 | 18  | 1045       |
|         |   |            | 71     | 2.5 Lt |          |     | 4718       |
|         | <u>UN 1199 6.1 (3)/PG II</u>  |            |        |        |          |     |            |
| LA2239  | FURFURALDEHYDE 99% AR<br>(furfural) C <sub>5</sub> H <sub>4</sub> O <sub>2</sub> M.W. 96.09, Liquid, d. 1.16  | 98-01-1    | 18     | 500 ml | 29321200 | 18  | 1207       |
|         |   |            | 34     | 1 Lt   |          |     | 2258       |
|         | <u>UN 1199 6.1 (3)/PG II</u>  |            |        |        |          |     |            |
| LA2240  | FURFURYL ALCOHOL 98% For Synthesis<br>C <sub>5</sub> H <sub>6</sub> O <sub>2</sub> M.W. 98.10, Liquid, d. 1.135   | 98-00-0    | 14     | 500 ml | 29321300 | 18  | 936        |
|         |   |            | 65     | 2.5 Lt |          |     | 4311       |
|         | <u>UN 2874 6.1/PG III</u>   |            |        |        |          |     |            |
| LA2241  | FURAN<br>C <sub>4</sub> H <sub>6</sub> O M.W. 68.08 Liquid, d. 0.936  | 110-00-9   | 51     | 100 ml | 29321900 | 18  | 3390       |
|         |   |            | 257    | 500 ml |          |     | 17082      |
|         | <u>UN 2389 3/PG I</u>   |            |        |        |          |     |            |
| LA2242  | FURFURYALMINE 98% For Synthesis<br>C <sub>5</sub> H <sub>7</sub> NO M.W. 97.12, Liquid, d. 1.099  | 617-89-0   | 55     | 500 ml | 29321990 | 18  | 3631       |
|         |   |            | 219    | 2.5 Lt |          |     | 14530      |
|         | <u>UN 2526 3 (8)/PG III</u>   |            |        |        |          |     |            |
| LA2243  | 2-FUROYL CHLORIDE 98% For Synthesis<br>(Furan-2-carbonyl chloride) C <sub>5</sub> H <sub>3</sub> ClO <sub>2</sub> M.W. 130.53   | 527-69-5   | 62     | 100 ml | 29332990 | 18  | 4134       |
|         |   |            |        |        |          |     |            |
|         | <u>UN 3265 8/PG II</u>  |            |        |        |          |     |            |
| LA2244  | FUSION MIXTURE<br>(sodium potassium carbonate) K <sub>2</sub> CO <sub>3</sub> Na <sub>2</sub> CO <sub>3</sub> M.W. 244.19   | 10424-09-6 | 7      | 500 gm | 38220090 | 12  | 443        |
| LA2245  | FUSION MIXTURE AR<br>(sodium potassium carbonate) K <sub>2</sub> CO <sub>3</sub> Na <sub>2</sub> CO <sub>3</sub> M.W. 244.19  | 10424-09-6 | 8      | 500 gm | 38220090 | 12  | 512        |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA2246  | GERANYL ACETATE 98%  | 105-87-3    | 100    | 500 gm | 29153990 | 18  | 6641       |
|         | C <sub>12</sub> H <sub>20</sub> O <sub>2</sub> M.W. 196.29, Liquid, d. 0.916   |             |        |        |          |     |            |
| LA2247  | GERANYL BUTYRATE   | 106-29-6    | 114    | 500 gm | 29156010 | 18  | 7565       |
|         | C <sub>14</sub> H <sub>24</sub> O <sub>2</sub> M.W 224.34, Liquid, d. 0.896  |             |        |        |          |     |            |
| LA2248  | GERANYL FORMATE  | 105-86-2    | 124    | 500 gm | 29151300 | 18  | 8238       |
|         | C <sub>11</sub> H <sub>18</sub> O <sub>2</sub> M.W 182.26, Liquid, d. 0.915  |             |        |        |          |     |            |
| LA2249  | GERANYL PROPIONATE   | 105-90-8    | 137    | 500 gm | 29155000 | 18  | 9107       |
|         | C <sub>13</sub> H <sub>22</sub> O <sub>2</sub> M.W. 210.31, Liquid, d. 0.899   |             |        |        |          |     |            |
| LA2250  | GERMANIUM (Metal) LUMPS 99.999%  | 7440-56-4   | 107    | 1 gm   | 81129200 | 18  | 7135       |
|         | Ge M.W. 72.64  |             | 320    | 5 gm   |          |     | 21285      |
| LA2251  | GERMANIUM (Metal) POWDER 99.9%   | 7440-56-4   | 51     | 1 gm   | 81129200 | 18  | 3399       |
|         | Ge M.W. 72.64  |             | 210    | 5 gm   |          |     | 13969      |
| LA2252  | GERMANIUM DIOXIDE 99.999% (electronic grade)   | 1310-53-8   | 29     | 1 gm   | 28256010 | 18  | 1897       |
|         | (germanium (IV) oxide) GeO <sub>2</sub> M.W. 104.64  |             | 229    | 10 gm  |          |     | 15236      |
| LA2253  | GIEMSA'S STAIN   | 51811-82-6  | 12     | 25 gm  | 32049000 | 18  | 827        |
|         | For Microscopy   |             | 44     | 100 gm |          |     | 2949       |
|         | C <sub>14</sub> H <sub>14</sub> ClN <sub>3</sub> S M.W. 291.80   |             | 197    | 500 gm |          |     | 13120      |
| LA2254  | GIEMSA'S STAIN SOLUTION  |             | 6      | 125 ml | 38220090 | 12  | 398        |
|         | (azur-eosin-methylene blue staining solution)  |             | 18     | 500 ml |          |     | 1198       |
| LA2255  | GINGER OIL Extra Pure, Liquid, d. 0.871  | 8007-08-7   | 61     | 100 ml | 33012926 | 18  | 4060       |
|         |  |             | 291    | 500 ml |          |     | 19372      |
| LA2256  | GINSENG powder (purified)  | 50647-08-0  | 46     | 25 gm  | 13021914 | 18  | 3071       |
|         |  |             | 152    | 100 gm |          |     | 10095      |
| LA2257  | GINSENG extract (purified)   | 90045-38-8  | 133    | 25 gm  | 13021914 | 18  | 8842       |
|         |  |             | 388    | 100 gm |          |     | 25772      |
| LA2258  | GIRARD'S REAGENT P PAR 98%   | 1126-58-5   | 161    | 5 gm   | 29280090 | 18  | 10726      |
|         | C <sub>7</sub> H <sub>10</sub> ClN <sub>3</sub> O M.W. 187.63  |             | 306    | 10 gm  |          |     | 20382      |
| LA2259  | GALSS BEADS (drilled)  |             | 8      | 500 gm | 70189090 | 18  | 560        |
| LA2260  | GALSS BEADS (undrilled)  |             | 9      | 500 gm | 70189090 | 18  | 583        |
| LA2261  | GALSS WOOL   | 65997-19-3  | 7      | 250 gm | 70199010 | 18  | 448        |
|         | (low in lead)  |             | 12     | 500 gm |          |     | 791        |
| LA2262  | GLOBULIN 98% (y-) (bovine)   | 9007-83-4   | 170    | 500 mg | 30021020 | 12  | 11303      |
|         |  |             | 308    | 1 gm   |          |     | 20492      |
| LA2263  | GLUCONIC ACID (approx. 50%)  | 526-95-4    | 30     | 500 ml | 29181600 | 18  | 1980       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>7</sub> M.W 196.16, Liquid, d. 1.234   |             |        |        |          |     |            |
| LA2264  | GLUCOSE OXIDASE (vial of 10000 units)  | 9001-37-0   | 80     | VIAL   | 35079099 | 18  | 5322       |
|         | (from aspergillus nigar)   |             |        |        |          |     |            |
| LA2265  | GLUCOSE-1-PHOSPHATE DIPOTASSIUM SALT 99%   | 5996-14-5   | 86     | 1 gm   | 35079099 | 18  | 5699       |
|         | For Biochemistry (store in refrigerator)   |             | 246    | 5 gm   |          |     | 16337      |
|         | C <sub>6</sub> H <sub>11</sub> K <sub>2</sub> O <sub>9</sub> P <sub>x</sub> H <sub>2</sub> O M.W. 336.32 (anhy basis)        |             |        |        |          |     |            |
| LA2266  | GLUCOSE-1-PHOSPHATE DISODIUM SALT For Biochemistry   | 150399-99-8 | 51     | 1 gm   | 29400000 | 18  | 3399       |
|         | (store in refrigerator)  |             | 204    | 5 gm   |          |     | 13593      |
| LA2267  | GLUCOSE-6-PHOSPHATE DISODIUM SALT AR 98%   | 3671-99-6   | 50     | 1 gm   | 29400000 | 18  | 3334       |
|         | (store in refrigerator)  |             | 171    | 5 gm   |          |     | 11372      |
|         | C <sub>6</sub> H <sub>11</sub> Na <sub>2</sub> O <sub>9</sub> P <sub>x</sub> H <sub>2</sub> O M.W. 304.10 (Anhydrous. basis) |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA2268  | <b>GLYCOFUROL</b>  | <b>31692-85-0</b> | 166    | 100 ml | 39072010 | 18  | 11009      |
|         | (Tetraglycol ; Tetrahydrofurfuryl alcohol polyethyleneglycol ether)                              |                   | 397    | 250 ml |          |     | 26423      |
|         | Liquid, d. 1.09  |                   |        |        |          |     |            |
| LA2269  | <b>GLYCOGEN (From Oysters) Type II For Molecular Biology 90%</b>                                 | <b>9005-79-2</b>  | 15     | 1 gm   | 39139090 | 18  | 968        |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> )n  |                   | 50     | 5 gm   |          |     | 3296       |
| LA2270  | <b>GLYCOLIC ACID 70% For Synthesis (in water)</b>  | <b>79-14-1</b>    | 22     | 500 ml | 29181990 | 18  | 1473       |
|         | C <sub>2</sub> H <sub>4</sub> O <sub>3</sub> M.W. 76.05, Liquid, d. 1.25                         |                   | 100    | 2.5 Lt |          |     | 6627       |
|         | <u>UN 3261 8/PG II</u>   |                   |        |        |          |     |            |
| LA2271  | <b>GLYCYL GLYCINE 99% For Biochemistry</b>   | <b>556-50-3</b>   | 14     | 10 gm  | 29241900 | 18  | 962        |
|         | (Gly-Gly, diglycine) useful pH range 7.5-8.9   |                   | 32     | 25 gm  |          |     | 2160       |
|         | C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 132.12                          |                   | 110    | 100 gm |          |     | 7337       |
| LA2272  | <b>GLYOXAL 40% For Synthesis (liquid)</b>  | <b>107-22-2</b>   | 7      | 500 ml | 29121930 | 18  | 464        |
|         | C <sub>2</sub> H <sub>2</sub> O <sub>2</sub> M.W 58.04, Liquid, d. 1.265                         |                   | 29     | 2.5 Lt |          |     | 1948       |
| LA2273  | <b>GLYOXYLIC ACID solution 50%</b>   | <b>298-12-4</b>   | 29     | 250 ml | 29183090 | 18  | 1960       |
|         | C <sub>2</sub> H <sub>2</sub> O <sub>3</sub> M.W. 74.04, Liquid, d. 1.34                         |                   | 52     | 500 ml |          |     | 3444       |
|         | <u>UN 3265 8/ PG III</u>   |                   | 98     | 1 Lt   |          |     | 6534       |
| LA2274  | <b>GOLD AAS STANDARD SOLUTION</b>  |                   | 91     | 125 ml | 38220090 | 12  | 6046       |
|         | 1000mg/L in Hydrochloric Acid , Liquid, d. 1.033   |                   | 273    | 500 ml |          |     | 18131      |
| LA2275  | <b>GOLD ICP STANDARD SOLUTION 1000mg/L in Hydrochloric Acid</b>                                  |                   | 274    | 125 ml | 38220090 | 12  | 18223      |
|         | Liquid, d. 1.033   |                   |        |        |          |     |            |
| LA2276  | <b>GOLD POTASSIUM CYANIDE 40% (Au)</b>   | <b>13967-50-5</b> | 221    | 1 gm   | 28433000 | 18  | 14667      |
|         | (potassium gold cyanide) KAu(CN) <sub>2</sub> M.W. 288.10  |                   | 1048   | 5 gm   |          |     | 69673      |
|         | <u>UN 1588 6.1/PG I</u>  |                   |        |        |          |     |            |
| LA2277  | <b>GOWER'S SOLUTION (R.B.C. diluting fluid)</b>  |                   | 6      | 500 ml | 38220090 | 12  | 397        |
| LA2278  | <b>GRAM'S IODINE For Microscopy</b>  | <b>12298-68-9</b> | 24     | 25 gm  | 38220090 | 12  | 1584       |
|         |  |                   | 94     | 100 gm |          |     | 6260       |
| LA2278  | <b>GRAM'S IODINE staining solution</b>   |                   | 5      | 125 ml | 38220090 | 12  | 310        |
|         | Liquid, d. 1.027   |                   | 14     | 500 ml |          |     | 927        |
| LA2279  | <b>GRAM'S STAINING KIT (each 125ml stain solution)</b>   |                   | 16     | Kit    | 38220090 | 12  | 1042       |
| LA2280  | <b>GRAPHITE POWDER 99%</b>   | <b>7782-42-5</b>  | 6      | 500 gm | 38011000 | 18  | 382        |
|         | C M.W. 12.01   |                   | 49     | 5 Kg   |          |     | 3244       |
| LA2281  | <b>GROUNDNUT OIL</b> Liquid, d. 0.91   | <b>8002-03-7</b>  | 15     | 500 ml | 15162021 | 5   | 1011       |
| LA2282  | <b>GUAIACOL 99%</b>  | <b>90-05-1</b>    | 30     | 500 ml | 29095010 | 18  | 2016       |
|         | (o-methoxy phenol) C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> M.W. 124.14, Liquid, d. 1.129    |                   | 136    | 2.5 Lt |          |     | 9073       |
| LA2283  | <b>GUANIDINE CARBONATE 98%</b>   | <b>593-85-1</b>   | 11     | 100 gm | 29252990 | 18  | 742        |
|         | (Guanidinium carbonate) C <sub>3</sub> H <sub>12</sub> N <sub>6</sub> O <sub>3</sub> M.W. 180.17 |                   | 51     | 500 gm |          |     | 3411       |
| LA2284  | <b>GUANIDINE HYDROCHLORIDE 99% For Biochemistry</b>  | <b>50-01-1</b>    | 3      | 25 gm  | 29252990 | 18  | 232        |
|         | (guanidium chloride) CH <sub>5</sub> N <sub>3</sub> .HCl M.W. 95.53                              |                   | 11     | 100 gm |          |     | 723        |
|         |  |                   | 49     | 500 gm |          |     | 3255       |
| LA2285  | <b>GUANIDINE NITRATE 98%</b>   | <b>506-93-4</b>   | 4      | 100 gm | 29252910 | 18  | 280        |
|         | (guanidium nitrate) CH <sub>5</sub> N <sub>3</sub> .HNO <sub>3</sub> M.W. 122.08                 |                   | 10     | 250 gm |          |     | 657        |
|         | <u>UN 1467 5.1/PG III</u>  |                   | 18     | 500 gm |          |     | 1218       |
| LA2286  | <b>GUANIDINE THIOCYANATE 99% For Molecular Biology</b>   | <b>593-84-0</b>   | 22     | 100 gm | 29252990 | 18  | 1470       |
|         | (guanidine rhodanide) CH <sub>5</sub> N <sub>3</sub> .CHNS M.W. 118.16                           |                   | 103    | 500 gm |          |     | 6830       |
|         | <u>UN 1759 8/PG III</u>  |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2287  | GLUCOSE STANDARD STOCK SOLUTION (1% w/v)   |            | 3      | 100 ml | 38220090 | 12  | 223        |
|         | Liquid, d. 1.0   |            | 12     | 500 ml |          |     | 771        |
| LA2288  | DL-GLUTAMIC ACID 98% (monohydrate)   | 19285-83-7 | 43     | 5 gm   | 29224210 | 18  | 2848       |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> ·H <sub>2</sub> O M.W. 165.14                              |            | 171    | 25 gm  |          |     | 11399      |
| LA2289  | L-GLUTAMIC ACID 99% For Biochemistry   | 56-86-0    | 4      | 100 gm | 29224210 | 18  | 286        |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> M.W. 147.13  |            | 17     | 500 gm |          |     | 1119       |
|         |  |            | 147    | 5 Kg   |          |     | 9796       |
| LA2290  | L-GLUTAMINE 99% For Biochemistry   | 56-85-9    | 5      | 25 gm  | 29241900 | 18  | 313        |
|         | C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 146.15                                 |            | 16     | 100 gm |          |     | 1043       |
|         |  |            | 73     | 500 gm |          |     | 4829       |
| LA2291  | GLUTARALDEHYDE (25% aqueous solution)  | 111-30-8   | 13     | 500 ml | 29122990 | 18  | 840        |
|         | C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d. 1.06                                |            | 54     | 2.5 Lt |          |     | 3566       |
|         | <u>UN 1760 8/ PG II</u>  |            |        |        |          |     |            |
| LA2292  | GLUTARALDEHYDE 8% Solution   | 111-30-8   | 3      | 100 ml | 29122990 | 18  | 227        |
|         | In Water Fixing Agent , Liquid, d. 1.016   |            |        |        |          |     |            |
|         | <u>UN 1760 8/ PG II</u>  |            |        |        |          |     |            |
| LA2293  | GLUTARIC ACID 99% Extra Pure   | 110-94-1   | 26     | 100 gm | 29171990 | 18  | 1745       |
|         | (pentanedioic acid) C <sub>5</sub> H <sub>8</sub> O <sub>4</sub> M.W. 132.11                             |            | 105    | 500 gm |          |     | 6979       |
| LA2294  | GLUTARIC ANHYDRIDE 98%   | 108-55-4   | 33     | 25 gm  | 29171990 | 18  | 2227       |
|         | C <sub>5</sub> H <sub>6</sub> O <sub>3</sub> M.W. 114.1  |            | 120    | 100 gm |          |     | 7962       |
| LA2295  | L-GLUTATHIONE reduced 99% For Molecular Biology  | 70-18-8    | 3      | 1 gm   | 29309099 | 18  | 222        |
|         | C <sub>10</sub> H <sub>17</sub> N <sub>3</sub> O <sub>6</sub> S M.W. 307.33                              |            | 14     | 5 gm   |          |     | 941        |
|         | (Store at 2 - 8°C)   |            | 47     | 25 gm  |          |     | 3120       |
| LA2296  | GLYCERINE 98% purified   | 56-81-5    | 5      | 250 ml | 29054500 | 18  | 352        |
|         | (1,2,3-Propanetriol) (glycerol) C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25 |            | 10     | 500 ml |          |     | 660        |
|         |  |            | 19     | 1 Lt   |          |     | 1266       |
|         |  |            | 45     | 2.5 Lt |          |     | 3000       |
|         |  |            | 83     | 5 Lt   |          |     | 5510       |
| LA2297  | GLYCERINE 99% AR   | 56-81-5    | 11     | 500 ml | 29054500 | 18  | 734        |
|         | (1,2,3-Propanetriol) (glycerol)  |            | 21     | 1 Lt   |          |     | 1397       |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25                                 |            | 47     | 2.5 Lt |          |     | 3095       |
| LA2298  | GLYCERINE 99.5% For Molecular Biology  | 56-81-5    | 23     | 500 ml | 29054500 | 18  | 1500       |
|         | (1,2,3-Propanetriol) (glycerol) C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 92.09, Liquid, d. 1.25 |            |        |        |          |     |            |
| LA2299  | GLYCEROL MONO OLEATE 99%   | 111-03-5   | 65     | 500 gm | 29161590 | 18  | 4317       |
|         | C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.54   |            |        |        |          |     |            |
| LA2300  | GLYCEROL MONO STEARATE   | 123-94-4   | 7      | 500 gm | 29161590 | 18  | 477        |
|         | C <sub>21</sub> H <sub>42</sub> O <sub>4</sub> M.W. 358.56   |            | 57     | 5 Kg   |          |     | 3818       |
| LA2301  | GLYCEROL TRICETATE 99%   | 102-76-1   | 13     | 500 ml | 29153990 | 18  | 867        |
|         | (triacetin) C <sub>9</sub> H <sub>14</sub> O <sub>6</sub> M.W. 218.21, Liquid, d. 1.16                   |            | 50     | 2.5 Lt |          |     | 3297       |
| LA2302  | GLYCINE ANHYDRIDE 99%  | 106-57-0   | 129    | 25 gm  | 29224990 | 18  | 8611       |
|         | (2,5-piperazinediene) C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W 114.10             |            | 400    | 100 gm |          |     | 26601      |
| LA2303  | GLYCINE ETHYLESTER HYDROCHLORIDE 99% For Synthesis   | 623-33-6   | 9      | 100 gm | 29224910 | 18  | 587        |
|         | C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub> ·HCl M.W. 139.6  |            | 36     | 500 gm |          |     | 2412       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA2304  | GUANINE For Molecular Biology 98%   | 73-40-5     | 5      | 5 gm   | 29335990 | 18  | 310        |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O M.W. 151.13  |             | 15     | 25 gm  |          |     | 1007       |
| LA2305  | GUANINE HYDROCHLORIDE 99%   | 635-39-2    | 8      | 5 gm   | 29252990 | 18  | 518        |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O.HCl M.W. 187.59  |             | 31     | 25 gm  |          |     | 2046       |
|         |   |             | 114    | 100 gm |          |     | 7610       |
| LA2306  | GUANINE SULPHATE 99%  | 10333-92-3  | 157    | 5 gm   | 29309099 | 18  | 10461      |
|         | C <sub>5</sub> H <sub>7</sub> N <sub>5</sub> O <sub>5</sub> S M.W. 249.206  |             | 653    | 25 gm  |          |     | 43455      |
| LA2307  | GUANOSINE 99% For Biochemistry  | 118-00-3    | 11     | 5 gm   | 29349900 | 18  | 729        |
|         | C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>5</sub> M.W. 283.25   |             | 25     | 25 gm  |          |     | 1688       |
|         |   |             | 95     | 100 gm |          |     | 6329       |
| LA2308  | GUM GHATTI Extra Pure   | 9000-28-6   | 7      | 100 gm | 13019049 | 5   | 448        |
|         |   |             | 29     | 500 gm |          |     | 1931       |
| LA2309  | GUM GHATTI Solution   |             | 2      | 125 ml | 13019049 | 5   | 165        |
|         |   |             | 7      | 500 ml |          |     | 497        |
| LA2310  | GUM GUAR Extra Pure   | 9000-30-0   | 10     | 500 gm | 13023230 | 5   | 657        |
| LA2311  | GUM KARAYA Extra Pure   | 9000-36-6   | 44     | 500 gm | 13019016 | 5   | 2894       |
|         | (karaya gum)  |             | 170    | 2.5 Kg |          |     | 11319      |
| LA2312  | GUM LOCUST BEAN   | 9000-40-2   | 38     | 25 gm  | 13023900 | 18  | 2555       |
|         | (locust bean gum)   |             | 132    | 100 gm |          |     | 8780       |
|         |   |             | 290    | 250 gm |          |     | 19315      |
| LA2313  | GUM TRAGACANTH  | 9000-65-1   | 12     | 500 gm | 13019017 | 5   | 826        |
|         | (tragacanth gum powder)   |             | 106    | 5 Kg   |          |     | 7017       |
| LA2314  | GYPSUM POWDER (practical)   |             | 4      | 500 gm | 25201010 | 5   | 246        |
|         | (natural hydrated calcium sulphate)   |             | 31     | 5 Kg   |          |     | 2094       |
| LA2315  | HABA for automatic analysis 98%   | 1634-82-8   | 21     | 5 gm   | 29270090 | 18  | 1366       |
|         | [2-(4-hydroxybenzeneazo)-benzoic acid]  |             | 96     | 25 gm  |          |     | 6372       |
|         | C <sub>13</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> M.W. 242.23   |             |        |        |          |     |            |
| LA2316  | HAFNIUM OXIDE 99%   | 12055-23-1  | 379    | 25 gm  | 28259090 | 18  | 25172      |
|         | [hafnium (IV) oxide] HfO <sub>2</sub> M.W. 210.49   |             | 719    | 50 gm  |          |     | 47825      |
| LA2317  | HAGER'S REAGENT   |             | 6      | 125 ml | 38220090 | 12  | 391        |
|         | (for estimation of alkaloids)   |             | 17     | 500 ml |          |     | 1122       |
| LA2318  | HAIN'S FLUID  |             | 4      | 125 ml | 38249024 | 18  | 268        |
|         |   |             | 12     | 500 ml |          |     | 782        |
| LA2319  | HALOPERIDOL 98% For Lab Use   |             | 216    | 5 gm   | 29333990 | 18  | 14372      |
|         | C <sub>21</sub> H <sub>23</sub> ClFNO <sub>2</sub> M.W. 375.86  |             | 411    | 10 gm  |          |     | 27313      |
| LA2320  | HATU Extra Pure For Peptide Synthesis 97%   | 148893-10-1 | 14     | 1 gm   | 29339900 | 18  | 934        |
|         | [O-(7-Azobenzotriazol-1-Yl) N, N, N'N'-Tetramethyluronium   |             | 63     | 5 gm   |          |     | 4208       |
|         | Hexafluophosphate)] C <sub>10</sub> H <sub>15</sub> F <sub>6</sub> N <sub>6</sub> OP M.W. 380.23 (store at 2 - 8°C) |             |        |        |          |     |            |
|         | <u>UN 1325 4.1/PG II</u>  |             |        |        |          |     |            |
| LA2321  | HAYEM'S SOLUTION  |             | 2      | 125 ml | 38220090 | 12  | 139        |
|         | Liquid, d. 1.014  |             | 6      | 500 ml |          |     | 414        |
| LA2322  | HBTU For Peptide Synthesis 97%  | 94790-37-1  | 13     | 5 gm   | 29339900 | 18  | 894        |
|         | [O-(Benzotriazol-1-Yl) N, N, N'N'-Tetramethyluronium  |             | 61     | 25 gm  |          |     | 4064       |
|         | Hexafluophosphate)] C <sub>11</sub> H <sub>16</sub> F <sub>6</sub> N <sub>5</sub> OP M.W. 379.2 (store at 2 - 8°C)  |             | 208    | 100 gm |          |     | 13801      |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA2323  | HEMATOXYLIN STAIN For Microscopy (certified)                                  | 517-28-2    | 48     | 5 gm   | 32030090 | 18  | 3177       |
|         | (C.I.No.75290)  |             | 203    | 25 gm  |          |     | 13507      |
|         | Dye Content: Min. 95% $C_{16}H_{14}O_6 \cdot xH_2O$ M.W. 302.28 (anhys basis) |             | 782    | 100 gm |          |     | 52006      |
| LA2324  | HEMATOXYLIN (Delafield) staining solution                                     |             | 9      | 125 ml | 38220090 | 12  | 617        |
|         | Liquid, d. 1.00-1.04  |             | 28     | 500 ml |          |     | 1849       |
|         | <u>UN 1993 3/PG III</u>   |             |        |        |          |     |            |
| LA2325  | HEMATOXYLIN (Ehrlich) staining solution                                       |             | 10     | 125 ml | 38220090 | 12  | 676        |
|         | Liquid, d. 1.02   |             | 30     | 500 ml |          |     | 2023       |
|         | <u>UN 1170 3/PG II</u>  |             |        |        |          |     |            |
| LA2326  | HEMATOXYLIN (Harris) staining solution  |             | 12     | 125 ml | 38220090 | 12  | 770        |
|         | (papanicolaous solution 1 a)  |             | 34     | 500 ml |          |     | 2275       |
| LA2327  | HEMATOXYLIN (mayer's) staining solution                                       |             | 6      | 125 ml | 38220090 | 12  | 418        |
|         | (hemalum mayer's) Liquid, d. 1.044  |             | 14     | 500 ml |          |     | 956        |
| LA2328  | HEMICELLUALSE For Biochemistry  | 9025-56-3   | 134    | 1 gm   | 35079099 | 18  | 8914       |
|         |   |             | 541    | 5 gm   |          |     | 35968      |
| LA2329  | HEMOGLOBIN POWDER (as protease substrate)                                     | 9008-02-0   | 27     | 100 gm | 30021099 | 18  | 1769       |
|         |   |             | 128    | 500 gm |          |     | 8485       |
| LA2330  | HEPTALDEHYDE 97% For Synthesis  | 111-71-7    | 33     | 500 ml | 29121990 | 18  | 2228       |
|         | (1-HeptanAL, Enanthaldehyde)  |             | 143    | 2.5 Lt |          |     | 9491       |
|         | $CH_3(CH_2)_5CHO$ M.W. 114.19   |             |        |        |          |     |            |
|         | <u>UN 3056 3/PG III</u>   |             |        |        |          |     |            |
| LA2331  | HEPARIN SODIUM Extra Pure 20,000 IU/VIAL                                      | 9041-08-1   | 38     | ViAL   | 30019099 | 18  | 2526       |
|         | (store in refrigerator)   |             |        |        |          |     |            |
| LA2332  | HEPARIN SODIUM Extra Pure 1,00,000 IU/VIAL                                    | 9041-08-1   | 137    | ViAL   | 30019099 | 18  | 9139       |
|         | (store in refrigerator)   |             |        |        |          |     |            |
| LA2333  | HEPES 99% For Molecular Biology   | 7365-45-9   | 4      | 5 gm   | 29335990 | 18  | 249        |
|         | (good zwitterionic buffer substance)  |             | 12     | 25 gm  |          |     | 820        |
|         | [4-(2-hydroxyethyl)-1-piperazineethanesulphonic acid]                         |             | 41     | 100 gm |          |     | 2726       |
|         | $C_6H_{18}N_2O_5$ M.W. 238.30   |             | 188    | 500 gm |          |     | 12519      |
| LA2334  | HEPES BUFFER Solution   |             | 28     | 125 ml | 29335990 | 18  | 1885       |
|         | 1 M Solution In Water, Liquid, d. 1.070                                       |             | 77     | 500 ml |          |     | 5112       |
| LA2335  | HEPTANE 85% (fraction from petroleum)   | 142-82-5    | 9      | 500 ml | 29012990 | 18  | 587        |
|         | $C_7H_{16}$ M.W. 100.20, Liquid, d. 0.685                                     |             | 17     | 1 Lt   |          |     | 1101       |
|         | <u>UN 1206 3/PG II</u>  |             | 34     | 2.5 Lt |          |     | 2265       |
| LA2336  | n-HEPTANE 99% For Synthesis   | 142-82-5    | 12     | 500 ml | 29011000 | 18  | 785        |
|         | $C_7H_{16}$ M.W. 100.20, Liquid, d. 0.685                                     |             | 22     | 1 Lt   |          |     | 1470       |
|         | <u>UN 1206 3/PG II</u>  |             | 49     | 2.5 Lt |          |     | 3250       |
| LA2337  | n-HEPTANE 99% AR  | 142-82-5    | 13     | 500 ml | 29011000 | 18  | 846        |
|         | $C_7H_{16}$ M.W. 100.20, Liquid, d. 0.685                                     |             | 23     | 1 Lt   |          |     | 1543       |
|         | <u>UN 1206 3/PG II</u>  |             | 54     | 2.5 Lt |          |     | 3584       |
| LA2338  | n-HEPTANE 99.5% HPLC & SPECTROSCOPY   | 142-82-5    | 17     | 500 ml | 29011000 | 18  | 1112       |
|         | $C_7H_{16}$ M.W. 100.20, Liquid, d. 0.685                                     |             | 32     | 1 Lt   |          |     | 2116       |
|         | <u>UN 1206 3/PG II</u>  |             | 75     | 2.5 Lt |          |     | 4978       |
| LA2339  | 1-HEPTANESULPHONIC ACID SODIUM SALT AR & HPLC 99%                             | 22767-50-6  | 6      | 5 gm   | 29041090 | 18  | 420        |
|         | (anhydrous) (sodium-1-heptansulphonate)                                       |             | 19     | 25 gm  |          |     | 1253       |
|         | $C_7H_{15}O_3SNa$ M.W. 202.25   |             | 68     | 100 gm |          |     | 4538       |
| LA2340  | 1-HEPTANESULPHONIC ACID SODIUM SALT AR & HPLC 99%                             | 207300-90-1 | 6      | 5 gm   | 29041090 | 18  | 424        |
|         | (monohydrate) (sodium-1-heptansulphonate)                                     |             | 19     | 25 gm  |          |     | 1258       |
|         | $C_7H_{15}NaO_3S \cdot H_2O$ M.W. 220.26                                      |             | 68     | 100 gm |          |     | 4542       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA2341  | n-HEXANE 95% For Synthesis  | 110-54-3    | 10     | 500 ml | 29012990 | 18  | 643        |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659   |             | 18     | 1 Lt   |          |     | 1226       |
|         | <u>UN 1208 3/PG II</u>  |             | 40     | 2.5 Lt |          |     | 2674       |
| LA2342  | n-HEXANE 99% For Synthesis  | 110-54-3    | 10     | 500 ml | 29012990 | 18  | 680        |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659   |             | 20     | 1 Lt   |          |     | 1298       |
|         | <u>UN 1208 3/PG II</u>  |             | 48     | 2.5 Lt |          |     | 3180       |
| LA2343  | n-HEXANE 99% AR   | 110-54-3    | 12     | 500 ml | 29012990 | 18  | 788        |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659   |             | 22     | 1 Lt   |          |     | 1473       |
|         | <u>UN 1208 3/PG II</u>  |             | 53     | 2.5 Lt |          |     | 3538       |
| LA2344  | n-HEXANE 99.5% HPLC & SPECTROSCOPY  | 110-54-3    | 13     | 500 ml | 29012990 | 18  | 848        |
|         | C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.659   |             | 24     | 1 Lt   |          |     | 1613       |
|         | <u>UN 1208 3/PG II</u>  |             | 58     | 2.5 Lt |          |     | 3871       |
| LA2345  | 1-HEXANESULPHONIC ACID SODIUM SALT AR & HPLC 98%  | 2832-45-3   | 6      | 5 gm   | 29041090 | 18  | 395        |
|         | (anhydrous) (sodium-1-hexanesulphonate)   |             | 19     | 25 gm  |          |     | 1252       |
|         | C <sub>6</sub> H <sub>5</sub> NaO <sub>3</sub> S M.W. 188.22  |             | 68     | 100 gm |          |     | 4536       |
| LA2346  | 1-HEXANESULPHONIC ACID SODIUM SALT AR & HPLC 98%  | 207300-91-2 | 7      | 5 gm   | 29041090 | 18  | 434        |
|         | (monohydrate) (sodium-1-hexanesulphonate)   |             | 20     | 25 gm  |          |     | 1302       |
|         | C <sub>6</sub> H <sub>5</sub> NaO <sub>3</sub> S.H <sub>2</sub> O M.W. 206.24                               |             | 72     | 100 gm |          |     | 4769       |
| LA2347  | n-HEXANOL 98% For Synthesis   | 111-27-3    | 39     | 500 ml | 29051990 | 18  | 2593       |
|         | (n-hexyl alcohol) (hexan-1-ol) C <sub>6</sub> H <sub>14</sub> O M.W. 102.18, Liquid, d. 0.814               |             | 164    | 2.5 Lt |          |     | 10927      |
|         | <u>UN 2282 3/PG III</u>   |             |        |        |          |     |            |
| LA2348  | n-HEXANOL 99% AR  | 111-27-3    | 43     | 500 ml | 29051990 | 18  | 2857       |
|         | (hexan-1-ol) (n-hexyl alcohol) C <sub>6</sub> H <sub>14</sub> O M.W. 102.18, Liquid, d. 0.814               |             | 82     | 1 Lt   |          |     | 5423       |
|         | <u>UN 2282 3/PG III</u>   |             | 190    | 2.5 Lt |          |     | 12629      |
| LA2349  | 1-HEXENE 99%  | 592-41-6    | 64     | 100 ml | 29012990 | 18  | 4274       |
|         | C <sub>6</sub> H <sub>12</sub> C <sub>6</sub> H <sub>12</sub> M.W. 84.16, Liquid, d. 0.678                  |             | 131    | 250 ml |          |     | 8733       |
|         | <u>UN 2370 3/PG II</u>  |             |        |        |          |     |            |
| LA2350  | n-HEXYLAMINE 99% Extra Pure   | 111-26-2    | 171    | 250 ml | 29211990 | 18  | 11379      |
|         | (1-Aminohexane, Hexylamine )  |             |        |        |          |     |            |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> NH <sub>2</sub> M.W. 101.19                                 |             |        |        |          |     |            |
|         | <u>UN 2734 8(3)/PG I</u>  |             |        |        |          |     |            |
| LA2351  | n-HEXYLAMINE 99.50% For HPLC  | 111-26-2    | 79     | 100 ml | 29211990 | 18  | 5236       |
|         | (1-Aminohexane, Hexylamine )  |             |        |        |          |     |            |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> NH <sub>2</sub> M.W. 101.19                                 |             |        |        |          |     |            |
|         | <u>UN 2734 8(3)/PG I</u>  |             |        |        |          |     |            |
| LA2352  | HEXYLENE GLYCOL 99% For Synthesis   | 107-41-5    | 22     | 500 ml | 29053990 | 18  | 1475       |
|         | (2-methylpentane-2, 4-diol)   |             | 93     | 2.5 Lt |          |     | 6196       |
|         | C <sub>6</sub> H <sub>11</sub> O <sub>2</sub> M.W. 118.17, Liquid, d. 0.925                                 |             |        |        |          |     |            |
| LA2353  | 2-HEXYLTHIOPHENE 97%  | 18794-77-9  | 155    | 1 gm   | 29349900 | 18  | 10289      |
|         | C <sub>10</sub> H <sub>16</sub> S M.W. 168.30, Liquid, d. 0.932   |             | 564    | 5 gm   |          |     | 37536      |
| LA2354  | HIPPURIC ACID 99% (crystals)  | 495-69-2    | 9      | 100 gm | 29242990 | 18  | 602        |
|         | (benzoylglycine) C <sub>9</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 179.18                                  |             | 36     | 500 gm |          |     | 2416       |
| LA2355  | HIPPURIC ACID SODIUM SALT 99%   | 532-94-5    | 31     | 25 gm  | 29242990 | 18  | 2030       |
|         | (sodium hippurate) (N-benzoglycine sodium salt)   |             | 104    | 100 gm |          |     | 6899       |
|         | C <sub>9</sub> H <sub>8</sub> NNaO <sub>3</sub> .xH <sub>2</sub> O M.W.201.15 (anhy basis)                  |             |        |        |          |     |            |
| LA2356  | HISTAMINE ACID PHOSPHATE 99% (monohydrate)  | 23297-93-0  | 83     | 1 gm   | 29332990 | 18  | 5487       |
|         | (histamine diphosphate) (store in refrigerator)   |             | 165    | 5 gm   |          |     | 10949      |
|         | C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> .2H <sub>3</sub> PO <sub>4</sub> .H <sub>2</sub> O M.W. 325.15 |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2379  | <b>HEPTANOIC ACID 97%</b><br>(enanthic acid) C <sub>7</sub> H <sub>14</sub> O <sub>2</sub> M.W. 130.18, Liquid, d. 0.918  | 111-14-8   | 39     | 100 ml | 29159090 | 18  | 2571       |
|         |   |            | 97     | 500 ml |          |     | 6459       |
|         | <b>UN 3265 8/PG II</b>  |            |        |        |          |     |            |
| LA2380  | <b>n-HEPTANOL 99% For Synthesis</b><br>(n-heptyl alcohol) (heptan-1-ol)<br>C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.823   | 111-70-6   | 27     | 500 ml | 29051990 | 18  | 1809       |
|         |   |            | 126    | 2.5 Lt |          |     | 8411       |
| LA2381  | <b>n-HEPTANOL 99.5% AR</b><br>(heptan-1-ol) (n-heptyl alcohol) C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.823   | 111-70-6   | 33     | 500 ml | 29051990 | 18  | 2176       |
|         |   |            | 147    | 2.5 Lt |          |     | 9782       |
| LA2382  | <b>2-HEPTANOL 99%</b><br>(o-heptanol) C <sub>7</sub> H <sub>16</sub> O M.W. 116.20, Liquid, d. 0.817  | 543-49-7   | 70     | 25 ml  | 29051990 | 18  | 4630       |
|         |   |            | 227    | 100 ml |          |     | 15063      |
|         | <b>UN 1987 3/PG III</b>   |            |        |        |          |     |            |
| LA2383  | <b>4-HEPTANONE 98%</b><br>(p-heptanone) C <sub>7</sub> H <sub>14</sub> O M.W. 114.19, Liquid, d. 0.817  | 123-19-3   | 119    | 25 ml  | 33029090 | 18  | 7894       |
|         |   |            | 386    | 100 ml |          |     | 25656      |
|         | <b>UN 2710 3/PG III</b>   |            |        |        |          |     |            |
| LA2384  | <b>HESPERIDIN 80% For Lab Use</b><br>C <sub>28</sub> H <sub>34</sub> O <sub>15</sub> M.W. 610.56  | 520-26-3   | 10     | 5 gm   | 29389090 | 18  | 645        |
|         |   |            | 39     | 25 gm  |          |     | 2595       |
| LA2385  | <b>HEXACHLORO BENZENE 99% AR (crystalline)</b><br>C <sub>6</sub> Cl <sub>6</sub> M.W. 284.78  | 118-74-1   | 156    | 5 gm   | 29039210 | 18  | 10384      |
|         |   |            | 546    | 25 gm  |          |     | 36342      |
|         | <b>UN 2729 6.1/PG III</b>   |            |        |        |          |     |            |
| LA2386  | <b>HEXACHLORO ETHANE 98.5%</b><br>C <sub>2</sub> Cl <sub>6</sub> M.W. 236.74  | 67-72-1    | 10     | 100 gm | 29031990 | 18  | 674        |
|         |   |            | 40     | 500 gm |          |     | 2658       |
|         | <b>UN 3077 9/PG III</b>   |            |        |        |          |     |            |
| LA2387  | <b>1-HEXADECANE SULPHONIC ACID SODIUM SALT AR &amp; HPLC 98%</b><br>(anhydrous) (sodium 1-hexadecanesulphonate)<br>C <sub>16</sub> H <sub>33</sub> NaO <sub>3</sub> S M.W. 328.49 | 15015-81-3 | 19     | 5 gm   | 29041090 | 18  | 1246       |
|         |   |            | 73     | 25 gm  |          |     | 4838       |
|         |   |            | 273    | 100 gm |          |     | 18155      |
| LA2390  | <b>HEXAMETHYLDISIALZANE 98%</b><br>(bis(trimethylsilyl)amine) C <sub>6</sub> H <sub>19</sub> NSi <sub>2</sub> M.W. 161.39, Liquid, d. 0.774                                       | 999-97-3   | 25     | 100 ml | 29319090 | 18  | 1671       |
|         |   |            | 95     | 500 ml |          |     | 6300       |
|         | <b>UN 1992 3 (6.1)/PG II</b>  |            |        |        |          |     |            |
| LA2391  | <b>HEXAMETHYL DISILOXANE 99% For Synthesis</b><br>C <sub>6</sub> H <sub>18</sub> OSi <sub>2</sub> M.W. 162.38, Liquid, d. 0.764   | 107-46-0   | 14     | 100 ml | 29319090 | 18  | 933        |
|         |   |            | 50     | 500 ml |          |     | 3351       |
|         | <b>UN 1993 3/PG II</b>  |            |        |        |          |     |            |
| LA2392  | <b>HEXAMETHYLPHOSPHORIC ACID TRIAMIDE 98%</b><br>(HMPA) [(CH <sub>3</sub> ) <sub>2</sub> N] <sub>3</sub> PO M.W. 179.20, Liquid, d. 1.03  | 680-31-9   | 33     | 100 ml | 29299090 | 18  | 2213       |
|         |   |            | 152    | 500 ml |          |     | 10125      |
| LA2393  | <b>HEXAMINE 99%</b><br>(hexamethylene tetramine) C <sub>6</sub> H <sub>12</sub> N <sub>4</sub> M.W. 140.19  | 100-97-0   | 7      | 500 gm | 29212910 | 18  | 483        |
|         |   |            | 56     | 5 Kg   |          |     | 3744       |
|         | <b>UN 1328 4.1/PG III</b>   |            |        |        |          |     |            |
| LA2394  | <b>HEXAMINE AR 99.5%</b><br>(hexamethylene tetramine) C <sub>6</sub> H <sub>12</sub> N <sub>4</sub> M.W. 140.19   | 100-97-0   | 9      | 500 gm | 29212910 | 18  | 599        |
|         |   |            | 72     | 5 Kg   |          |     | 4783       |
|         | <b>UN 1328 4.1/PG III</b>   |            |        |        |          |     |            |
| LA2395  | <b>HEXANE 65-70°C 85% (fraction from petroleum)</b><br>C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.678  | 110-54-3   | 7      | 500 ml | 29012990 | 18  | 486        |
|         |   |            | 14     | 1 Lt   |          |     | 922        |
|         | <b>UN 1208 3/PG II</b>  |            |        |        |          |     | 2062       |
| LA2396  | <b>HEXANE 65-70°C 85% AR (fraction from petroleum)</b><br>C <sub>6</sub> H <sub>14</sub> M.W. 86.18, Liquid, d. 0.678   | 110-54-3   | 8      | 500 ml | 29012990 | 18  | 560        |
|         |   |            | 16     | 1 Lt   |          |     | 1062       |
|         | <b>UN 1208 3/PG II</b>  |            |        |        |          |     | 2489       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2397  | HISTAMINE DIHYDROCHLORIDE 99%  | 56-92-8    | 13     | 1 gm   | 29333990 | 18  | 838        |
|         | C <sub>5</sub> H <sub>9</sub> N <sub>3</sub> ·2HCl M.W. 184.07                               |            | 59     | 5 gm   |          |     | 3917       |
|         |  |            | 255    | 25 gm  |          |     | 16948      |
| LA2398  | L-HISTIDINE 99%  | 71-00-1    | 15     | 25 gm  | 29332990 | 18  | 1013       |
|         | For Biochemistry   |            | 50     | 100 gm |          |     | 3294       |
|         | C <sub>6</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub> M.W. 155.15                     |            | 240    | 500 gm |          |     | 15950      |
| LA2399  | L-HISTIDINE MONOHYDROCHLORIDE 99%  | 5934-29-2  | 13     | 25 gm  | 29332990 | 18  | 891        |
|         | For Biochemistry   |            | 48     | 100 gm |          |     | 3184       |
|         | C <sub>6</sub> H <sub>10</sub> ClN <sub>3</sub> O <sub>2</sub> ·H <sub>2</sub> O M.W. 209.63 |            | 211    | 500 gm |          |     | 14061      |
| LA2400  | HOLMIUM OXIDE 99.9%  | 12055-62-8 | 36     | 5 gm   | 28469090 | 18  | 2377       |
|         | [holmium (III) oxide] Ho <sub>2</sub> O <sub>3</sub> M.W. 377.88                             |            | 135    | 25 gm  |          |     | 9001       |
| LA2401  | HOMATROPINE HYDROBROMIDE 98.5% AR  | 51-56-9    | 61     | 1 gm   | 29420090 | 18  | 4089       |
|         | C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub> ·HBr M.W. 356.25                             |            | 277    | 5 gm   |          |     | 18409      |
| LA2402  | HOMATROPINE METHYL BROMIDE AR  | 80-49-9    | 436    | 5 gm   | 29392090 | 18  | 29001      |
|         | C <sub>17</sub> H <sub>24</sub> BrNO <sub>3</sub> M.W. 370.28                                |            |        |        |          |     |            |
| LA2403  | HUMIC ACID (Metal chelator)  | 1415-93-6  | 6      | 500 gm | 31059090 | 18  | 389        |
|         |  |            | 47     | 5 Kg   |          |     | 3103       |
| LA2404  | HUMIC ACID SODIUM SALT   | 68131-04-4 | 81     | 100 gm | 31059090 | 18  | 5385       |
| LA2405  | HYALURONIC ACID SODIUM SALT  | 9067-32-7  | 28     | 1 gm   | 39139090 | 18  | 1840       |
|         |  |            | 83     | 5 gm   |          |     | 5546       |
| LA2406  | HYAMINE 1622 (for tensile test) 99%  | 121-54-0   | 25     | 25 gm  | 29239000 | 18  | 1648       |
|         | (benzethonium chloride) C <sub>27</sub> H <sub>42</sub> ClNO <sub>2</sub> M.W. 448.08        |            | 78     | 100 gm |          |     | 5160       |
|         | <u>UN 2923 8 (6.1)/PG III</u>  |            |        |        |          |     |            |
| LA2407  | HYAMINE 1622 Solution 0.004M   |            | 12     | 500 ml | 29239000 | 18  | 819        |
|         | Liquid, d. 0.998 (Store at 2 - 8°C)  |            | 24     | 1 Lt   |          |     | 1606       |
| LA2408  | HYAMINE 1622 Solution 0.004M (0.004N) Standardized Solution                                  |            | 17     | 500 ml | 29239000 | 18  | 1130       |
|         | Liquid, d. 0.998 (Store at 2 - 8°C)  |            |        |        |          |     |            |
| LA2409  | HYAMINE 1622 Solution 0.04M (0.04N)  |            | 21     | 500 ml | 29239000 | 18  | 1393       |
|         | Standardized Solution, Liquid, d. 0.998 (Store at 2 - 8°C)                                   |            |        |        |          |     |            |
| LA2410  | HYDRAZINE HYDRATE 80% For Synthesis  | 7803-57-8  | 31     | 500 ml | 28251020 | 18  | 2079       |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |            | 59     | 1 Lt   |          |     | 3949       |
|         | <u>UN 2030 8 (6.1)/PG II</u>   |            | 139    | 2.5 Lt |          |     | 9274       |
| LA2411  | HYDRAZINE HYDRATE 80% AR   | 7803-57-8  | 35     | 500 ml | 28251020 | 18  | 2332       |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |            | 66     | 1 Lt   |          |     | 4419       |
|         | <u>UN 2030 8 (6.1)/PG II</u>   |            | 156    | 2.5 Lt |          |     | 10395      |
| LA2412  | HYDRAZINE HYDRATE 99% For Synthesis  | 7803-57-8  | 40     | 500 ml | 28251020 | 18  | 2644       |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |            | 75     | 1 Lt   |          |     | 5017       |
|         | <u>UN 2030 8 (6.1)/PG II</u>   |            | 176    | 2.5 Lt |          |     | 11676      |
| LA2413  | HYDRAZINE HYDRATE 99% AR   | 7803-57-8  | 44     | 500 ml | 28251020 | 18  | 2956       |
|         | H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 50.06, Liquid, d. 1.032                 |            | 84     | 1 Lt   |          |     | 5614       |
|         | <u>UN 2030 8 (6.1)/PG II</u>   |            | 197    | 2.5 Lt |          |     | 13082      |
| LA2414  | HYDRAZINE HYDROCHLORIDE 99%  | 5341-61-7  | 8      | 100 gm | 28251090 | 18  | 508        |
|         | (hydrazine chloride) (hydrazinium chloride) N <sub>2</sub> H <sub>4</sub> ·2HCl M.W. 104.97  |            | 33     | 500 gm |          |     | 2208       |
|         | <u>UN 3288 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2415  | HYDRAZINE SULPHATE 98%   | 10034-93-2 | 7      | 100 gm | 28251030 | 18  | 454        |
|         | (hydrazinium sulphate) N <sub>2</sub> H <sub>6</sub> SO <sub>4</sub> M.W. 130.12             |            | 26     | 500 gm |          |     | 1698       |
|         | <u>UN 2923 8 (6.1)/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD                   | UNIT                                      | HS CODE  | GST | PRICE(INR)                        |
|---------|--|------------|--------------------------|---|----------|-----|-----------------------------------|
| LA2416  | HYDRAZINE SULPHATE 99% AR<br>(hydrazinium sulphate) N <sub>2</sub> H <sub>5</sub> SO <sub>4</sub> M.W. 130.12<br><u>UN 2923 8 (6.1)/PG III</u> | 10034-93-2 | 8<br>29                  | 100 gm<br>500 gm                          | 28251030 | 18  | 514<br>1917                       |
| LA2417  | HYDRIODIC ACID AR (about 57% HI)<br>HI M.W. 127.91 Liquid, d. 1.701<br><u>UN 1787 8/PG II</u>  | 10034-85-2 | 73<br>171<br>330         | 100 ml<br>250 ml<br>500 ml                | 28111990 | 18  | 4849<br>11393<br>21928            |
| LA2418  | HYDROBROMIC ACID<br>(hydrogen bromide) HBr M.W. 80.91, Liquid, d. 1.490<br><u>UN 1788 8/PG II</u>  | 10035-10-6 | 19<br>89                 | 500 ml<br>2.5 Lt                          | 28111990 | 18  | 1261<br>5913                      |
| LA2419  | HYDROBROMIC ACID AR<br>(hydrogen bromide) HBr M.W. 80.91, Liquid, d. 1.490<br><u>UN 1788 8/PG II</u>   | 10035-10-6 | 21<br>92                 | 500 ml<br>2.5 Lt                          | 28111990 | 18  | 1378<br>6132                      |
| LA2420  | HYDROBROMIC ACID SOLUTION<br>(in glacialacetic acid 33% w/v HBr) Liquid, d. 1.040<br><u>UN 3265 8/PG II</u>                                    |            | 20<br>89                 | 500 ml<br>2.5 Lt                          | 38220090 | 12  | 1358<br>5907                      |
| LA2421  | HYDROCHLORIC ACID 35-38%<br>HCl M.W. 36.46, Liquid, d. 1.2<br><u>UN 1789 8 /PG II</u>  | 7647-01-0  | 5<br>9<br>12<br>17<br>66 | 500 ml<br>1 Lt<br>2.5 Lt<br>5 Lt<br>20 Lt | 28061000 | 18  | 334<br>598<br>792<br>1101<br>4419 |
| LA2422  | HYDROCHLORIC ACID 35.4% AR<br>HCl M.W. 36.46, Liquid, d. 1.2<br><u>UN 1789 8 /PG II</u>  | 7647-01-0  | 6<br>10<br>13<br>20      | 500 ml<br>1 Lt<br>2.5 Lt<br>5 Lt          | 28061000 | 18  | 374<br>649<br>890<br>1336         |
| LA2423  | HYDROCHLORIC ACID N/10 solution<br>(0.1N solution for volumetric analysis), Liquid, d. 1.0   |            | 3                        | 500 ml                                    | 38220090 | 12  | 198                               |
| LA2424  | HYDROCHLORIC ACID 0.01M SOLUTION, Liquid, d. 1.0   |            | 3                        | 500 ml                                    | 38220090 | 12  | 210                               |
| LA2425  | HYDROCHLORIC ACID 0.5N SOLUTION, Liquid, d. 1.01   |            | 3                        | 500 ml                                    | 38220090 | 12  | 200                               |
| LA2426  | HYDROCHLORIC ACID 1N SOLUTION, Liquid, d. 1.02   |            | 5                        | 500 ml                                    | 38220090 | 12  | 314                               |
| LA2427  | HYDROCHLORIC ACID 0.05M (0.05N), Standardized Solution<br>Liquid, d. 1.0   |            | 3                        | 500 ml                                    | 38220090 | 12  | 201                               |
| LA2428  | HYDROCHLORIC ACID 0.25M (0.25N), Standardized Solution<br>Liquid, d. 1.1   |            | 6                        | 500 ml                                    | 38220090 | 12  | 374                               |
| LA2429  | HYDROCHLORIC ACID 0.2M (0.2N), Standardized Solution<br>Liquid, d. 1.005   |            | 7                        | 500 ml                                    | 38220090 | 12  | 444                               |
| LA2430  | HYDROCHLORIC ACID 2M (2N), Standardized Solution<br>Liquid, d. 1.03  |            | 7                        | 500 ml                                    | 38220090 | 12  | 480                               |
| LA2431  | HYDROCHLORIC ACID 5M (5N), Standardized Solution<br>Liquid, d. 1.1   |            | 7                        | 500 ml                                    | 38220090 | 12  | 481                               |
| LA2432  | HYDROCHLORIC ACID 6M (6N) Standardized Solution  |            | 7                        | 500 ml                                    | 38220090 | 12  | 483                               |
| LA2433  | HYDROCHLORIC ACID 0.1 mol/L (0.1N) for 500ml Solution<br>(2x2 amps. Of set in a box)   |            | 12                       | 4 Amp                                     | 38220090 | 12  | 791                               |
| LA2434  | HYDROCHLORIC ACID 1 mol/L (1N) SOLUTION for 500ml Solution<br>(2x2 amps. Of set in a box)  |            | 15                       | 4 Amp                                     | 38220090 | 12  | 1020                              |
| LA2435  | HYDROCHLOROTHIAZIDE 99% Extra Pure<br>For Lab Use C <sub>7</sub> H <sub>8</sub> ClN <sub>3</sub> O <sub>4</sub> S <sub>2</sub> M.W. 297.74     | 58-93-5    | 249<br>934               | 100 gm<br>500 gm                          | 29359090 | 18  | 16559<br>62103                    |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA2461  | HYDROCORTISONE 99%<br>C <sub>21</sub> H <sub>30</sub> O <sub>5</sub> M.W. 362.46   | 50-23-7   | 24     | 1 gm   | 29372100 | 18  | 1583       |
|         |  |           | 99     | 5 gm   |          |     | 6600       |
| LA2462  | HYDROCORTISONE ACETATE 97% Extra Pure<br>C <sub>23</sub> H <sub>32</sub> O <sub>6</sub> M.W. 404.51  | 50-03-3   | 27     | 1 gm   | 29372900 | 18  | 1802       |
|         |  |           | 103    | 5 gm   |          |     | 6819       |
| LA2463  | HYDROFLUORIC ACID 40% (for gALss etching)<br>HF M.W. 20.01, Liquid, d. 1.15  | 7664-39-3 | 12     | 500 ml | 28111100 | 18  | 768        |
|         |  |           | 45     | 2.5 Lt |          |     | 3026       |
|         | <u>UN 1790 8 (6.1)/PG II</u>   |           | 82     | 5 Lt   |          |     | 5444       |
| LA2464  | HYDROFLUORIC ACID 60%<br>HF M.W. 20.01, Liquid, d. 1.15  | 7664-39-3 | 15     | 500 ml | 28111100 | 18  | 1021       |
|         |  |           | 130    | 2.5 Lt |          |     | 8672       |
|         | <u>UN 1790 8 (6.1)/PG II</u>   |           |        |        |          |     |            |
| LA2465  | HYDROFLUORIC ACID 48% AR<br>HF M.W. 20.01, Liquid, d. 1.15   | 7664-39-3 | 21     | 500 ml | 28111100 | 18  | 1389       |
|         |  |           | 84     | 2.5 Lt |          |     | 5608       |
|         | <u>UN 1790 8 (6.1)/PG II</u>   |           |        |        |          |     |            |
| LA2466  | HYDROFLUORIC ACID 48% (electronic grade)<br>HF M.W. 20.01, Liquid, d. 1.15   | 7664-39-3 | 22     | 500 ml | 28111100 | 18  | 1460       |
|         |  |           | 93     | 2.5 Lt |          |     | 6204       |
|         | <u>UN 1790 8 (6.1)/PG II</u>   |           |        |        |          |     |            |
| LA2467  | HYDROGEN PEROXIDE (20 Vol.) solution (6% w/v H <sub>2</sub> O <sub>2</sub> )<br>H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145   | 7722-84-1 | 3      | 500 ml | 28470000 | 18  | 198        |
|         |  |           | 5      | 1 Lt   |          |     | 324        |
|         | <u>UN 2014 5.1 (8)/PG II</u>   |           | 20     | 5 Lt   |          |     | 1305       |
| LA2468  | HYDROGEN PEROXIDE (100 Vol.) solution (30% w/v H <sub>2</sub> O <sub>2</sub> )<br>H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145 | 7722-84-1 | 7      | 500 ml | 28470000 | 18  | 451        |
|         |  |           | 13     | 1 Lt   |          |     | 840        |
|         | <u>UN 2014 5.1 (8)/PG II</u>   |           | 44     | 5 Lt   |          |     | 2905       |
| LA2469  | HYDROGEN PEROXIDE (100 Vol.) AR (30% w/v H <sub>2</sub> O <sub>2</sub> )<br>H <sub>2</sub> O <sub>2</sub> M.W. 34.01, Liquid, d. 1.135-1.145       | 7722-84-1 | 8      | 500 ml | 28470000 | 18  | 512        |
|         |  |           | 14     | 1 Lt   |          |     | 959        |
|         | <u>UN 2014 5.1 (8)/PG II</u>   |           | 45     | 5 Lt   |          |     | 3000       |
| LA2470  | HYDROGEN PEROXIDE 50% w/w solution, d. 1.20<br><u>UN 2014 5.1 (8)/PG II</u>  | 7722-84-1 | 10     | 500 ml | 28470000 | 18  | 665        |
| LA2471  | HYDROGEN SULPHIDE solution   |           | 14     | 500 ml | 38220090 | 12  | 905        |
| LA2472  | HYDROQUINONE 99-101% For Synthesis<br>(quinol) C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11  | 123-31-9  | 12     | 100 gm | 29072200 | 18  | 792        |
|         |  |           | 53     | 500 gm |          |     | 3529       |
|         | <u>UN 3077 9/PG III</u>  |           | 451    | 5 Kg   |          |     | 30001      |
| LA2473  | HYDROQUINONE 99% AR<br>(quinol) C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11   | 123-31-9  | 14     | 100 gm | 29072200 | 18  | 922        |
|         |  |           | 57     | 500 gm |          |     | 3772       |
|         | <u>UN 3077 9/PG III</u>  |           | 482    | 5 Kg   |          |     | 32058      |
| LA2474  | HYDROQUINONE DIMETHYL ETHER 99% For Synthesis<br>(1,4-dimethoxybenzene)<br>C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W. 138.17               | 150-78-7  | 27     | 250 gm | 29093090 | 18  | 1815       |
|         |  |           | 94     | 1 Kg   |          |     | 6251       |
| LA2475  | HYDROQUINONE MONOMETHYL ETHER 99% For Synthesis<br>(4-methoxyphenol) (MEHQ) C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> M.W. 124.14               | 150-76-5  | 16     | 100 gm | 29094900 | 18  | 1054       |
|         |  |           | 36     | 250 gm |          |     | 2411       |
| LA2476  | m-HYDROXY ACETOPHENONE 96%<br>(3-hydroxyacetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W 136.15                                      | 121-71-1  | 13     | 25 gm  | 29145000 | 18  | 850        |
|         |  |           | 37     | 100 gm |          |     | 2436       |
| LA2477  | o-HYDROXY ACETOPHENONE 98%<br>(2-hydroxy acetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W 136.15, Liquid, d. 1.131                   | 118-93-4  | 37     | 100 ml | 29143990 | 18  | 2472       |
|         |  |           | 130    | 500 ml |          |     | 8652       |
| LA2478  | p-HYDROXY ACETOPHENONE 98% For Synthesis<br>(4-hydroxy acetophenone) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W 136.15                       | 99-93-4   | 17     | 100 gm | 29145000 | 18  | 1118       |
|         |  |           | 71     | 500 gm |          |     | 4699       |
| LA2479  | p-HYDROXY AZOBENZENE 98%<br>C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O M.W. 198.22   | 1689-82-3 | 44     | 25 gm  | 29181190 | 18  | 2934       |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA2481  | m-HYDROXY BENZALDEHYDE 98%   | 100-83-4    | 42     | 100 gm | 29124999 | 18  | 2809       |
|         | (3-hydroxy benzaldehyde) C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W 122.12           |             |        |        |          |     |            |
|         | o-HYDROXY BENZALDEHYDE   |             |        |        |          |     |            |
| LA2482  | p-HYDROXY BENZALDEHYDE 98%   | 123-08-0    | 11     | 100 gm | 29124999 | 18  | 713        |
|         | (4-hydroxy benzaldehyde) C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> M.W. 122.12          |             | 43     | 500 gm |          |     | 2845       |
| LA2483  | 4-HYDROXY BENZAMIDE 98%  | 619-57-8    | 83     | 5 gm   | 29319090 | 18  | 5491       |
|         | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14                                  |             | 323    | 25 gm  |          |     | 21499      |
| LA2484  | m-HYDROXY BENZOIC ACID 98% For Synthesis   | 99-06-9     | 57     | 100 gm | 29182990 | 18  | 3795       |
|         | (3-hydroxy benzoic acid) C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 138.12          |             | 271    | 500 gm |          |     | 18036      |
| LA2485  | p-HYDROXY BENZOIC ACID 98% For Synthesis   | 99-96-7     | 6      | 100 gm | 29182990 | 18  | 378        |
|         | (4-hydroxy benzoic acid) C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W. 122.12          |             | 24     | 500 gm |          |     | 1611       |
| LA2486  | p-HYDROXYBENZOPHENONE 98%  | 1137-42-4   | 131    | 100 gm | 29145000 | 18  | 8737       |
|         | (p-Benzoylphenol) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W. 198.22               |             | 448    | 500 gm |          |     | 29771      |
| LA2487  | 1-HYDROXY BENZOTRIAZOLE 98% For Synthesis (anhydrous)                                      | 2592-95-2   | 26     | 100 gm | 29339900 | 18  | 1728       |
|         | C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 135.12                                 |             | 62     | 250 gm |          |     | 4112       |
|         | <u>UN 3380 4.1/PG I</u>  |             |        |        |          |     |            |
| LA2488  | 1-HYDROXY BENZOTRIAZOLE 98% For Synthesis (hydrate)  | 123333-53-9 | 26     | 100 gm | 29339900 | 18  | 1708       |
|         | (anhy. basis) C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> O·xH <sub>2</sub> O M.W. 135.12 |             | 101    | 500 gm |          |     | 6725       |
|         | <u>UN 3474 4.1/PG I</u>  |             |        |        |          |     |            |
| LA2489  | 6-HYDROXY-3-COUMARANONE 97%  | 6272-26-0   | 560    | 5 gm   | 29329900 | 18  | 37233      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>3</sub> M.W 150.13                                    |             |        |        |          |     |            |
| LA2490  | 4-HYDROXYCOUMARIN 98%  | 1076-38-6   | 90     | 100 gm | 29322090 | 18  | 5964       |
|         | C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> M.W. 162.14                                   |             | 354    | 500 gm |          |     | 23522      |
| LA2491  | p-HYDROXY DIPHENYL 97%   | 92-69-3     | 22     | 100 gm | 29072990 | 18  | 1441       |
|         | C <sub>12</sub> H <sub>10</sub> O M.W. 170.21  |             | 75     | 500 gm |          |     | 4965       |
|         | <u>UN 3077 9/PG III</u>  |             |        |        |          |     |            |
| LA2492  | HYDROXY ETHYL CELLULOSE (high viscosity) For Synthesis                                     | 9004-62-0   | 12     | 100 gm | 39123919 | 18  | 793        |
|         | (ethyl hydroxy cellulose)  |             | 44     | 500 gm |          |     | 2949       |
| LA2493  | HYDROXYETHYL CELLULOSE (Low Viscosity) (145 m Pas)   | 9004-62-0   | 51     | 500 gm | 39123919 | 18  | 3395       |
|         |  |             |        |        |          |     |            |
| LA2494  | 2-HYDROXY ETHYL METHACRYLATE 96.5% Extra Pure  | 868-77-9    | 67     | 500 ml | 29161320 | 18  | 4434       |
|         | C <sub>6</sub> H <sub>10</sub> O <sub>3</sub> M.W. 130.14, Liquid, d. 1.073                |             |        |        |          |     |            |
|         | (Store at 2-8°C)   |             |        |        |          |     |            |
| LA2495  | HYDROXYALMINE HYDROCHLORIDE 98% For Synthesis  | 5470-11-1   | 7      | 100 gm | 28251090 | 18  | 434        |
|         | (hydroxyl ammonium chloride) H <sub>4</sub> ClNO M.W. 69.49                                |             | 30     | 500 gm |          |     | 1963       |
|         | <u>UN 2923 8 (6.1)/PG III</u>  |             | 266    | 5 Kg   |          |     | 17662      |
| LA2496  | HYDROXYALMINE HYDROCHLORIDE 99% AR   | 5470-11-1   | 8      | 100 gm | 28251090 | 18  | 563        |
|         | (hydroxyl ammonium chloride) H <sub>4</sub> ClNO M.W. 69.49                                |             | 36     | 500 gm |          |     | 2423       |
|         | <u>UN 2923 8 (6.1)/PG III</u>  |             |        |        |          |     |            |
| LA2497  | HYDROXYALMINE SULPHATE 99%   | 10039-54-0  | 3      | 100 gm | 28251040 | 18  | 212        |
|         | (hydroxyl ammonium sulphate) H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 164.13    |             | 12     | 500 gm |          |     | 794        |
|         | <u>UN 2865 8/PG III</u>  |             | 103    | 5 Kg   |          |     | 6838       |
| LA2498  | HYDROXYALMINE SULPHATE 99.9% AR  | 10039-54-0  | 4      | 100 gm | 28251040 | 18  | 250        |
|         | (hydroxyl ammonium sulphate) H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 164.13    |             | 14     | 500 gm |          |     | 902        |
|         | <u>UN 2865 8/PG III</u>  |             | 119    | 5 Kg   |          |     | 7891       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2499  | HYPOBROMIDE solution, Liquid, d. 3.37<br>(sodium hypobromide solution)   |            | 21     | 500 ml | 28275110 | 18  | 1378       |
| LA2500  | HYPOBROMITE solution, Liquid, d. 1.0<br>(sodium hypobromite solution)  |            | 21     | 500 ml | 38220090 | 12  | 1401       |
| LA2501  | HYPOIODIDE solution, Liquid, d. 0.8<br>(sodium hypoiodide solution)  |            | 28     | 500 ml | 38220090 | 12  | 1893       |
| LA2502  | HYPOPHOSPHOROUS ACID<br>H <sub>3</sub> PO <sub>2</sub> M.W. 66.0, Liquid, d. 1.21-1.26                             | 6303-21-5  | 23     | 500 ml | 28111920 | 18  | 1507       |
|         | <u>UN 3264 8/PG II</u>   |            | 96     | 2.5 Lt |          |     | 6399       |
| LA2503  | HYPOXANTHINE 99% For Biochemistry<br>C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O M.W. 136.11                    | 68-94-0    | 5      | 5 gm   | 29335990 | 18  | 313        |
|         |  |            | 21     | 25gm   |          |     | 1385       |
| LA2504  | IBUPROFEN (powder) 98% Extra Pure<br>For Lab Use   | 15687-27-1 | 31     | 25 gm  | 29163990 | 18  | 2059       |
|         | C <sub>13</sub> H <sub>18</sub> O <sub>2</sub> M.W. 206.28   |            | 105    | 100 gm |          |     | 6996       |
| LA2505  | ICHTHAMMOL Extra Pure<br>(ammonium bituminosulfonate) For Lab Use  | 8029-68-3  | 80     | 250 gm | 30049099 | 18  | 5334       |
|         |  |            | 148    | 500 gm |          |     | 9828       |
| LA2506  | IMIDAZOLE 99%<br>(glyoxaline) C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08                              | 288-32-4   | 9      | 100 gm | 29332990 | 18  | 595        |
|         |  |            | 37     | 500 gm |          |     | 2466       |
|         | <u>UN 3263 8/PG III</u>  |            | 324    | 5 Kg   |          |     | 21574      |
| LA2507  | IMIDAZOLE 99.5% AR (For Molecular Biology)<br>(glyoxaline) C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08 | 288-32-4   | 11     | 100 gm | 29332990 | 18  | 701        |
|         |  |            | 41     | 500 gm |          |     | 2754       |
|         | <u>UN 3263 8/PG III</u>  |            |        |        |          |     |            |
| LA2508  | IMINODIACETIC ACID 98% For Synthesis<br>C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub> M.W. 133.10                  | 142-73-4   | 33     | 250 gm | 29224990 | 18  | 2185       |
|         |  |            | 62     | 500 gm |          |     | 4102       |
| LA2509  | IMINO DIBENZYL 97% For Synthesis<br>C <sub>14</sub> H <sub>13</sub> N M.W 195.26                                   | 494-19-9   | 74     | 25 gm  | 29339900 | 18  | 4924       |
|         |  |            | 259    | 100 gm |          |     | 17238      |
| LA2510  | INDIAN INK<br>(Used As Stain For Proteins On Nitrocellulose Blotting Membranes)                                    |            | 6      | 100 ml | 38220090 | 12  | 401        |
|         | Liquid, d. 0.90-1.00   |            | 24     | 500 ml |          |     | 1600       |
| LA2511  | INDICATOR PAPER (specific ange) pH 2.0-4.5 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 370        |
| LA2512  | INDICATOR PAPER (specific ange) pH 3.5-6.0 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 371        |
| LA2513  | INDICATOR PAPER (specific ange) pH 5.0-7.5 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 371        |
| LA2514  | INDICATOR PAPER (specific ange) pH 6.5-9.0 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 372        |
| LA2515  | INDICATOR PAPER (specific ange) pH 8.0-10.5 (with colour scale)  |            | 6      | 10 bks | 38220090 | 12  | 374        |
| LA2516  | INDICATOR PAPER (wide range) pH 2.0-10.5 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 375        |
| LA2517  | INDICATOR PAPER (full range) pH 1.0-14.0 (with colour scale)   |            | 6      | 10 bks | 38220090 | 12  | 377        |
| LA2518  | INDIGO CARMINE AR<br>(C.I. No.73015)   | 860-22-0   | 5      | 25 gm  | 32049000 | 18  | 333        |
|         | C <sub>16</sub> H <sub>8</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> M.W. 466.35            |            | 17     | 100 gm |          |     | 1121       |
| LA2519  | INDIGO CARMINE staining solution   |            | 3      | 125 ml | 32041219 | 18  | 200        |
|         |  |            | 9      | 500 ml |          |     | 599        |
| LA2520  | INDIUM AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d. 1.02   |            | 17     | 125 ml | 38220090 | 12  | 1125       |
|         |  |            | 51     | 500 ml |          |     | 3384       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST      | PRICE(INR) |     |
|---------|---|-------------|--------|--------|----------|----------|------------|-----|
| LA2521  | 1-HYDROXY NAPHTHALENE-2-CARBOXYLIC ACID 96% For Synthesis   | 92-70-6     | 30     | 5 gm   | 29182990 | 18       | 1965       |     |
|         | C <sub>11</sub> H <sub>8</sub> O <sub>3</sub> M.W. 188.18   |             | 133    | 25 gm  |          |          | 8828       |     |
| LA2522  | HYDROXY NAPHTHOL BLUE AR  | 63451-35-4  | 6      | 5 gm   | 29270090 | 18       | 416        |     |
|         | (indicator for calcium determination)   |             | 24     | 25 gm  |          |          | 1625       |     |
|         | C <sub>20</sub> H <sub>11</sub> N <sub>2</sub> Na <sub>3</sub> O <sub>11</sub> S <sub>3</sub> M.W. 620.48 |             | 76     | 100 gm |          |          | 5069       |     |
| LA2523  | N-(2-HYDROXYETHYL) PHTHALIMIDE 99% For Synthesis  | 3891-07-4   | 34     | 100 gm | 29251900 |          | 2267       |     |
|         | (2-PhthAlimidoethanol) C <sub>10</sub> H <sub>9</sub> NO <sub>3</sub> M.W 191.18                          |             | 154    | 500 gm |          |          | 10248      |     |
| LA2524  | 1-(2-HYDROXYETHYL) PIPERIDINE 98.5% For Synthesis   | 3040-44-6   | 17     | 100 ml | 29333200 |          | 1118       |     |
|         | (1-Piperidineethanol, 2-Piperidinoethanol)  |             | 55     | 500 ml |          |          | 3673       |     |
|         | C <sub>7</sub> H <sub>15</sub> NO M.W. 129.20   |             |        |        |          |          | 0          |     |
| LA2525  | N-(HYDROXYMETHYL) PHTHALIMIDE 96%   | 118-29-6    | 51     | 100 gm | 29251900 |          | 3412       |     |
|         | (PhthAlimidomethanol) C <sub>9</sub> H <sub>10</sub> NO <sub>3</sub> M.W. 177.16                          |             |        |        |          |          | 0          |     |
| LA2526  | (2-Hydroxypropyl)- $\beta$ -cyclodextrin (HPBCD)  | 128446-35-5 | 88     | 25 gm  | 29400000 |          | 5876       |     |
|         | powder, BioReagent, suitable for cell culture   |             | 272    | 100 gm |          |          | 18086      |     |
| LA2527  | L-HYDROXY PROLINE 99% For Biochemistry  | 51-35-4     | 8      | 5 gm   | 29339900 | 18       | 531        |     |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub> M.W. 131.13   |             | 25     | 25 gm  |          |          | 1695       |     |
|         |   |             | 84     | 100 gm |          |          | 5584       |     |
| LA2528  | HYDROXY PROPYL CELLULOSE Extra Pure   | 9004-64-2   | 23     | 100 gm | 39123929 | 18       | 1515       |     |
|         | (propyl hydroxy cellulose) (klucel)   |             | 66     | 500 gm |          |          | 4379       |     |
| LA2529  | HYDROXY PROPYL METHYL CELLULOSE (HPMC) (15Cps)  | 9004-65-3   | 23     | 250 gm | 39123929 | 18       | 1518       |     |
|         |   |             | 42     | 500 gm |          |          | 2785       |     |
| LA2530  | HYDROXY PROPYL METHYL CELLULOSE (HPMC)  | 9004-65-3   | 90     | 1 Kg   | 39123929 | 18       | 5956       |     |
|         | E 50 Lv Premium (Confrming to USP)  |             |        |        |          |          | 0          |     |
| LA2531  | HYDROXY PROPYL METHYL CELLULOSE (HPMC)  | 9004-65-3   | 83     | 1 Kg   | 39123929 | 18       | 5535       |     |
|         | E 15 Lv Premium (Confirming to USP)   |             |        |        |          |          | 0          |     |
| LA2532  | HYDROXY PROPYL METHYL CELLULOSE K 100 (HPMC)  | 9004-65-3   | 11     | 100 gm | 39123929 | 18       | 713        |     |
|         |   |             | 48     | 500 gm |          |          | 3188       |     |
| LA2533  | HYDROXY PROPYL METHYL CELLULOSE K 4M (HPMC)   | 9004-65-3   | 15     | 100 gm | 39123929 | 18       | 1013       |     |
|         |   |             | 65     | 500 gm |          |          | 4308       |     |
| LA2534  | HYDROXY PROPYL METHYL CELLULOSE K 15M (HPMC)  | 9004-65-3   | 15     | 100 gm | 39123929 | 18       | 1004       |     |
|         |   |             | 67     | 500 gm |          |          | 4425       |     |
| LA2535  | 8-HYDROXYQUINOLINE 98.5% (oxine)  | 148-24-3    | 19     | 100 gm | 29333990 | 18       | 1246       |     |
|         | C <sub>9</sub> H <sub>7</sub> NO M.W. 145.16  |             | 82     | 500 gm |          |          | 5454       |     |
| LA2536  | 8-HYDROXYQUINOLINE 99-101% AR (oxine)   | 148-24-3    | 22     | 100 gm | 29333990 | 18       | 1442       |     |
|         | C <sub>9</sub> H <sub>7</sub> NO M.W. 145.16  |             | 88     | 500 gm |          |          | 5832       |     |
| LA2537  | n-HYDROXY SUCCINIMIDE 98%   | 6066-82-6   | 15     | 25 gm  | 29251900 | 18       | 1022       |     |
|         | (reagent for peptide synthesis) (1-hydroxy-2,5-pyrrolidinedione)  |             | 51     | 100 gm |          |          | 3384       |     |
|         | C <sub>4</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 115.09   |             | 222    | 500 gm |          |          | 14796      |     |
| LA2538  | 5-L-HYDROXY TRYPTOPHANE 98%   | 4350-09-8   | 103    | 1 gm   | 29339900 | 18       | 6818       |     |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 220.22                                 |             | 436    | 5 gm   |          |          | 28969      |     |
|         | <u>UN 2811 6.1/PG III</u>   |             |        |        |          |          | 0          |     |
| LA2539  | 9-HYDROXYXANTHENE 98%   | 90-46-0     | 300    | 5 gm   | 29329900 | 18       | 19977      |     |
|         | (xanthydrol) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W 198.22                                    |             | 973    | 25 gm  |          |          | 64688      |     |
| LA2540  | HYFLO SUPER-CEL (filter aid)  |             |        | 7      | 500 gm   | 25120090 | 5          | 450 |
| LA2541  | HYOSCYAMINE HYDROBROMIDE 99%  | 306-03-6    | 83     | 1 gm   | 29399900 | 18       | 5513       |     |
|         | For Lab Use C <sub>17</sub> H <sub>23</sub> NO <sub>3</sub> <sup>·</sup> HBr M.W. 370.28                  |             | 364    | 5 gm   |          |          | 24187      |     |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA2541  | INDIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid   |             | 103    | 125 ml | 38220090 | 12  | 6839       |
|         | Liquid, d. 1.02  |             |        |        |          |     |            |
| LA2542  | INDIUM (Metal) INGOTS 99.9% AR   | 7440-74-6   | 63     | 10 gm  | 81129900 | 18  | 4196       |
|         | In M.W. 114.82   |             | 151    | 25 gm  |          |     | 10068      |
| LA2543  | INDIUM NITRATE 99.99% (hydrate)  | 207398-97-8 | 79     | 10 gm  | 28342990 | 18  | 5225       |
|         | InN <sub>3</sub> O <sub>9</sub> . xH <sub>2</sub> O M.W. 300.83 (anhy. basis)                              |             | 196    | 25 gm  |          |     | 13058      |
|         | <u>UN 1477 5.1/PG II</u>   |             |        |        |          |     |            |
| LA2544  | INDIUM OXIDE 99.5%   | 1312-43-2   | 72     | 10 gm  | 28259090 | 18  | 4782       |
|         | In <sub>2</sub> O <sub>3</sub> M.W. 277.63   |             | 171    | 25 gm  |          |     | 11395      |
| LA2545  | INDIUM SULPHATE 99.99% (hydrate)   | 304655-87-6 | 41     | 10 gm  | 28332990 | 18  | 2721       |
|         | In <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .xH <sub>2</sub> O M.W. 517.82 (on anhydr.basis)           |             | 98     | 25 gm  |          |     | 6530       |
| LA2546  | INDIUM TRICHLORIDE 98%   | 10025-82-8  | 100    | 10 gm  | 28152000 | 18  | 6645       |
|         | InCl <sub>3</sub> M.W. 221.18  |             | 200    | 25 gm  |          |     | 13271      |
|         | <u>UN 3260 8/PG III</u>  |             |        |        |          |     |            |
| LA2547  | INDOLE (crystalline) 99% AR  | 120-72-9    | 3      | 10 gm  | 29339900 | 18  | 207        |
|         | (2, 3-benzopyrrole) C <sub>8</sub> H <sub>7</sub> N M.W. 117.15  |             | 22     | 100 gm |          |     | 1474       |
|         | <u>UN 2811 6.1 /PG III</u>   |             | 105    | 500 gm |          |     | 6982       |
| LA2547A | INDOLE SOLUTION  |             | 6      | 100 ml | 38220090 | 12  | 428        |
| LA2548  | INDOLE-3-ACETIC ACID (IAA) 99% For Biochemistry  | 87-51-4     | 6      | 5 gm   | 29339900 | 18  | 428        |
|         | (Plant growth hormone)   |             | 25     | 25 gm  |          |     | 1672       |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.19   |             | 98     | 100 gm |          |     | 6508       |
| LA2549  | INDOLE-3-BUTYRIC ACID 99% For Biochemistry (IBA)   | 133-32-4    | 7      | 5 gm   | 29339900 | 18  | 466        |
|         | (Plant growth hormone)   |             | 28     | 25 gm  |          |     | 1871       |
|         | C <sub>12</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 203.24  |             | 109    | 100 gm |          |     | 7275       |
|         | <u>UN 2811 6.1 /PG III</u>   |             |        |        |          |     |            |
| LA2550  | INDOLE-3-CARBOXYLIC ACID 99% AR (For Biochemistry)   | 771-50-6    | 13     | 1 gm   | 29339900 | 18  | 882        |
|         | C <sub>9</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 161.16  |             | 58     | 5 gm   |          |     | 3858       |
| LA2551  | INDOLE-5-CARBOXYLIC ACID 98%   | 1670-81-1   | 72     | 1 gm   | 29339900 | 18  | 4817       |
|         | C <sub>9</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 161.16  |             | 340    | 5 gm   |          |     | 22579      |
| LA2552  | INDOLE-3-PROPIONIC ACID 99% AR (For Biochemistry)  | 830-96-6    | 29     | 5 gm   | 29339900 | 18  | 1957       |
|         | C <sub>11</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 189.22  |             | 118    | 25 gm  |          |     | 7830       |
| LA2553  | INDOMETHACIN 99%   | 53-86-1     | 226    | 25 gm  | 29349900 | 18  | 15036      |
|         | C <sub>19</sub> H <sub>16</sub> ClNO <sub>4</sub> M.W. 357.79  |             | 671    | 100 gm |          |     | 44598      |
|         | <u>UN 2811 6.1/ PG I</u>   |             |        |        |          |     |            |
| LA2554  | 3-INDOXYL ACETATE 97%  | 608-08-2    | 315    | 1 gm   | 29339980 | 18  | 20955      |
|         | (3-acetoxyindole) C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.18                               |             | 1082   | 5 gm   |          |     | 71938      |
| LA2555  | INOSINE 99% (For Biochemistry)   | 58-63-9     | 5      | 5 gm   | 29349900 | 18  | 335        |
|         | (hypoxanthine-9-d-ribofurnoside) C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>5</sub> M.W. 268.23 |             | 22     | 25 gm  |          |     | 1465       |
| LA2556  | meso-INOSITOL  | 87-89-8     | 5      | 25 gm  | 29061390 | 18  | 314        |
|         | (myo-inositol)   |             | 12     | 100 gm |          |     | 817        |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16  |             | 55     | 500 gm |          |     | 3669       |
| LA2557  | I.N.T. 95% For Molecular Biology   | 146-68-9    | 39     | 1 gm   | 29036990 | 18  | 2610       |
|         | [2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride]  |             | 188    | 5 gm   |          |     | 12495      |
|         | C <sub>19</sub> H <sub>13</sub> ClIN <sub>5</sub> O <sub>2</sub> M.W. 505.70                               |             |        |        |          |     |            |
|         | <u>UN 1325 4.1/PG II</u>   |             |        |        |          |     |            |
| LA2558  | INULIN (For Biochemistry)  | 9005-80-5   | 17     | 25 gm  | 11082000 | 18  | 1119       |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>  |             | 56     | 100 gm |          |     | 3732       |

| CAT No. | PRODUCT NAME                                    | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2559  | IODIC ACID 99.5% AR                             | 7782-68-5  | 30     | 25 gm  | 28111990 | 18  | 2000       |
|         | HIO <sub>3</sub> M.W. 175.91                    |            | 89     | 100 gm |          |     | 5888       |
|         | <u>UN 3085 5.1 (8)/PG II</u>                    |            |        |        |          |     |            |
| LA2560  | IODINE 98.5% (crystals) (resublimed)            | 7553-56-2  | 15     | 25 gm  | 28012000 | 18  | 1010       |
|         | I <sub>2</sub> M.W. 253.81                      |            | 51     | 100 gm |          |     | 3405       |
|         | <u>UN 3495 8 (6.1)/PG III</u>                   |            | 238    | 500 gm |          |     | 15833      |
|         |   |            | 2286   | 5 Kg   |          |     | 151995     |
|         |   |            |        |        |          |     |            |
| LA2561  | IODINE 99.5% AR (crystals) (resublimed)         | 7553-56-2  | 16     | 25 gm  | 28012000 | 18  | 1073       |
|         | I <sub>2</sub> M.W. 253.81                      |            | 54     | 100 gm |          |     | 3570       |
|         | <u>UN 3495 8 (6.1)/PG III</u>                   |            | 250    | 500 gm |          |     | 16625      |
|         |   |            | 2400   | 5 Kg   |          |     | 159593     |
| LA2562  | IODINE N/10 SOLUTION                            |            | 3      | 125 ml | 38220090 | 12  | 222        |
|         | (iodine 0.1N solution), Liquid, d. 1.02         |            | 17     | 500 ml |          |     | 1112       |
| LA2563  | IODINE 0.02365M (0.0473N) Standardized Solution |            | 4      | 125 ml | 38220090 | 12  | 293        |
|         |   |            | 13     | 500 ml |          |     | 887        |
| LA2564  | IODINE 0.5M (1N), Standardized Solution         |            | 17     | 125 ml | 38220090 | 12  | 1128       |
|         | Liquid, d. 1.22                                 |            | 55     | 500 ml |          |     | 3672       |
| LA2565  | IODINE 0.05 Mol/L (0.1N) SOLUTION               |            | 6      | 125 ml | 38220090 | 12  | 378        |
|         | Liquid, d. 1.22                                 |            | 17     | 500 ml |          |     | 1132       |
| LA2566  | IODINE 0.025 Mol/L (0.05N) SOLUTION             |            | 5      | 125 ml | 38220090 | 12  | 313        |
|         | Liquid, d. 1.02                                 |            | 15     | 500 ml |          |     | 998        |
| LA2567  | IODINE 0.005 Mol/L (0.01N) SOLUTION             |            | 4      | 125 ml | 38220090 | 12  | 292        |
|         | Liquid, d. 1.03                                 |            | 14     | 500 ml |          |     | 931        |
| LA2568  | IODINE 0.01 Normal Volumetric Solution          |            | 4      | 125 ml | 38220090 | 12  | 249        |
|         | Liquid, d. 1.00                                 |            | 12     | 500 ml |          |     | 786        |
| LA2569  | IODINE 1N (0.5M) SOLUTION                       |            | 19     | 125 ml | 38220090 | 12  | 1278       |
|         | Liquid, d. 1.22                                 |            | 61     | 500 ml |          |     | 4083       |
| LA2570  | IODINE SOLUTION 0.05 mol/L (0.1N) SOLUTION      |            | 57     | 04 Amp | 38220090 | 12  | 3811       |
|         | For 500 ml solution (2x2 amps. Of set in a box) |            |        |        |          |     |            |
| LA2571  | IODINE MONOBROMIDE 99% For Synthesis            | 7789-33-5  | 120    | 50 gm  | 28129000 | 18  | 7962       |
|         | (iodine bromide) IBr M.W. 206.81                |            | 233    | 100 gm |          |     | 15476      |
|         | <u>UN 3260 8/PG II</u>                          |            |        |        |          |     |            |
| LA2572  | IODINE MONOCHLORIDE 98% For Synthesis           | 7790-99-0  | 31     | 50 gm  | 28121990 | 18  | 2036       |
|         | (iodine chloride) ICl M.W. 162.36               |            | 58     | 100 gm |          |     | 3872       |
|         | <u>UN 1792 8/PG II</u>                          |            |        |        |          |     |            |
| LA2573  | IODINE PENTOXIDE 99% AR                         | 12029-98-0 | 42     | 25 gm  | 28112990 | 18  | 2791       |
|         | I <sub>2</sub> O <sub>5</sub> M.W. 333.81       |            | 151    | 100 gm |          |     | 10054      |
|         | <u>UN 3085 5.1 (8)/PG II</u>                    |            |        |        |          |     |            |
| LA2574  | IODINE PHOSPHORIC ACID SOLUTION                 |            | 17     | 25 ml  | 38220090 | 12  | 1118       |
|         | (MAGNINE REAGENT)                               |            |        |        |          |     |            |
| LA2575  | IODINE TRICHLORIDE 97% For Synthesis            | 865-44-1   | 73     | 25 gm  | 28121990 | 18  | 4847       |
|         | ICl <sub>3</sub> M.W. 233.26                    |            | 277    | 100 gm |          |     | 18415      |
|         | <u>UN 3260 8/PG II</u>                          |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2576  | 4-IODOBENZAMIDE 97%<br>C <sub>7</sub> H <sub>5</sub> INO M.W. 247.03  | 3956-07-8  | 722    | 5 gm   | 29242990 | 18  | 48022      |
| LA2577  | IODOBENZENE 98% For Synthesis<br>C <sub>6</sub> H <sub>5</sub> I M.W. 204.01                                | 591-50-4   | 73     | 100 gm | 29039990 | 18  | 4862       |
| LA2578  | 2-IODOBENZOIC ACID 98%<br>(o-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02    | 88-67-5    | 34     | 25 gm  | 29163110 | 18  | 2231       |
| LA2579  | 3-IODOBENZOIC ACID 98%<br>(m-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02    | 618-51-9   | 78     | 10 gm  | 29163990 | 18  | 5220       |
| LA2580  | 4-IODOBENZOIC ACID 98%<br>(p-iodobenzoic acid) C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub> M.W. 248.02    | 619-58-9   | 85     | 10 gm  | 29163990 | 18  | 5679       |
| LA2581  | 1-IODODECANE 98% Extra Pure<br>(Decyl iodide) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> I M.W. 268.18 | 2050-77-3  | 47     | 25 gm  | 29033990 | 18  | 3140       |
| LA2582  | ODOFORM 99-100.5% Extra Pure<br>CHI <sub>3</sub> M.W. 393.73  | 75-47-8    | 22     | 25 gm  | 29033990 | 18  | 1454       |
|         |   |            | 78     | 100 gm |          |     | 5172       |
|         |   |            | 169    | 250 gm |          |     | 11239      |
|         |   |            | 324    | 500 gm |          |     | 21579      |
| LA2583  | IODOPHOR, Liquid, d. 1.01   |            | 99     | 5 Lt   | 38089400 | 18  | 6567       |
| LA2584  | IODOSUCCINIMIDE 95% For Synthesis<br>C <sub>4</sub> H <sub>4</sub> INO <sub>2</sub> M.W. 224.98             | 516-12-1   | 52     | 25 gm  | 29251900 | 18  | 3445       |
|         | <u>UN 3077 9/ PG III</u>  |            | 171    | 100 gm |          |     | 11392      |
| LA2585  | b-IONONE 96%<br>C <sub>13</sub> H <sub>20</sub> O M.W. 192.30, Liquid, d. 0.945                             | 14901-07-6 | 201    | 100 ml | 29181190 | 18  | 13388      |
|         |   |            | 473    | 250 ml |          |     | 31458      |
|         | <u>UN 3082 9/ PG III</u>  |            |        |        |          |     |            |
| LA2586  | IRIDIUM (Metal) POWDER 99.9%<br>Ir M.W 192.22   | 7439-88-5  | 1395   | 1 gm   | 71104100 | 3   | 92757      |
|         |   |            | 13251  | 10 gm  |          |     | 881193     |
|         | <u>UN 3089 4.1/PG II</u>  |            |        |        |          |     |            |
| LA2587  | IRIDIUM TRICHLORIDE 46%<br>(iridium content approx. 46%)<br>IrCl <sub>3</sub> M.W. 298.58                   | 10025-83-9 | 507    | 1 gm   | 28439019 | 18  | 33697      |
| LA2588  | IRON AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d. 1.015                                     |            | 34     | 125 ml | 38220090 | 12  | 2268       |
| LA2589  | IRON ICP STANDARD SOLUTION 1000 mg/L in Nitric Acid<br>Liquid, d. 1.015                                     |            | 56     | 500 ml |          |     | 3695       |
| LA2590  | IRON ICP STANDARD SOLUTION 10000 mg/L in Nitric Acid<br>Liquid, d. 1.082                                    |            | 78     | 125 ml | 38220090 | 12  | 5166       |
| LA2591  | IRON (Metal) FILLING 99.5% (small pieces)<br>Fe A.W. 55.85  | 7439-89-6  | 7      | 500 gm | 72051019 | 18  | 449        |
|         |   |            | 56     | 5 Kg   |          |     | 3745       |
|         | <u>UN 3089 4.1/PG III</u>   |            |        |        |          |     |            |
| LA2592  | IRON (Metal) POWDER 99%<br>(electrolytic grade, 250-300 mesh) Fe A.W. 55.85                                 | 7439-89-6  | 9      | 500 gm | 72051019 | 18  | 622        |
|         |   |            | 76     | 5 Kg   |          |     | 5058       |
|         | <u>UN 3089 4.1/PG III</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2593  | IRON WIRE 99% AR  | 7439-89-6  | 21     | 100 gm | 72179099 | 18  | 1423       |
|         | Fe A.W. 55.85   |            | 50     | 250 gm |          |     | 3351       |
|         | <u>UN 3089 4.1/PG III</u>   |            |        |        |          |     |            |
| LA2594  | IRON (II) SULPHATE 0.1M (0.1N) Standardized Solution  |            | 15     | 500 ml | 38220090 | 12  | 1004       |
|         | Liquid, d. 1.30   |            |        |        |          |     |            |
| LA2595  | ISATIN AR 98%   | 91-56-5    | 16     | 25 gm  | 29349900 | 18  | 1074       |
|         | C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 147.14   |            | 51     | 100 gm |          |     | 3367       |
| LA2596  | ISATOIC ANHYDRIDE 96%   | 118-48-9   | 4      | 25 gm  | 29349900 | 18  | 256        |
|         | (4H-3,1-benzoxazine-2,4(1H)-dione)  |            | 11     | 100 gm |          |     | 713        |
|         | C <sub>8</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 163.13   |            | 31     | 500 gm |          |     | 2081       |
| LA2597  | ISO BUTYRALDEHYDE 99% For Synthesis   | 78-84-2    | 10     | 100 ml | 29121990 | 18  | 680        |
|         | (2-methyl propanal) C <sub>4</sub> H <sub>8</sub> O M.W. 72.10, Liquid, d. 0.79                           |            | 31     | 500 ml |          |     | 2039       |
|         | <u>UN 2045 3/PG II</u>  |            | 135    | 2.5 Lt |          |     | 8971       |
| LA2598  | iso-BUTYLCHLOROFORMATE 98% For Synthesis  | 543-27-1   | 44     | 100 ml | 29159020 | 18  | 2942       |
|         | ClCOOCH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub> M.W. 136.58  |            | 199    | 500 ml |          |     | 13215      |
|         | <u>UN 2742 6.1(3,8)/PG II</u>   |            |        |        |          |     |            |
| LA2599  | DL-ISOCITRIC ACID TRISODIUM SALT HYDRATE 94% For Synthesis  | 1637-73-6  | 54     | 500 mg | 29181990 | 18  | 3595       |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> · xH <sub>2</sub> O M.W. 258.07              |            | 103    | 1 gm   |          |     | 6822       |
|         |   |            |        |        |          |     |            |
| LA2600  | ISONIAZIDE 99%  | 54-85-3    | 14     | 100 gm | 29333999 | 18  | 906        |
|         | (isonicotinic acid hydrazide) C <sub>6</sub> H <sub>7</sub> N <sub>3</sub> O M.W. 137.14                  |            | 60     | 500 gm |          |     | 3974       |
| LA2601  | ISONICOTINIC ACID 99%   | 55-22-1    | 15     | 100 gm | 29333919 | 18  | 1011       |
|         | (4-picolinic acid) (pyridine-4-carboxylic acid) C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11 |            | 56     | 500 gm |          |     | 3749       |
| LA2602  | ISOPAR G FLUID  | 64742-48-9 | 390    | 1 Lt   | 38220090 | 12  | 25945      |
| LA2603  | ISOPHORONE 99% For Synthesis  | 78-59-1    | 10     | 500 ml | 29141910 | 18  | 662        |
|         | (3,5,5-trimethyl-2-cyclohexane-1-one)   |            | 40     | 2.5 Lt |          |     | 2658       |
|         | C <sub>9</sub> H <sub>14</sub> O M.W 138.21, Liquid, d. 0.923   |            |        |        |          |     |            |
| LA2604  | ISOPHTHALALDEHYDE 98% For Synthesis   | 626-19-7   | 151    | 100 gm | 29122990 | 18  | 10013      |
|         | C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.13  |            |        |        |          |     |            |
| LA2605  | ISOPHTHALIC ACID 99% For Synthesis  | 121-91-5   | 14     | 500 gm | 29173960 | 18  | 940        |
|         | (Benzene-1,3-dicarboxylic acid)   |            |        |        |          |     |            |
|         | C <sub>6</sub> H <sub>4</sub> -1,3-(CO <sub>2</sub> H) <sub>2</sub> M.W. 166.13                           |            |        |        |          |     |            |
| LA2606  | 4-ISOPROPOXY ANILINE 99%  | 7664-66-6  | 216    | 5 gm   | 29225090 | 18  | 14358      |
|         | C <sub>9</sub> H <sub>13</sub> NO M.W 151.21  |            |        |        |          |     |            |
| LA2607  | ISOPROPYL IODIDE 98% Extra Pure   | 75-30-9    | 159    | 100 ml | 29039990 |     | 10586      |
|         | (2-iodopropane) (CH <sub>3</sub> ) <sub>2</sub> CHI M.W. 169.99   |            | 756    | 500 ml |          |     | 50282      |
|         | <u>UN 2392 3/PG I</u>   |            |        |        |          |     |            |
| LA2608  | 1-ISOPROPYL PIPERAZINE 97%  | 4318-42-7  | 301    | 5 gm   | 29335990 | 18  | 20017      |
|         | C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> M.W. 128.22, Liquid, d. 0.89                                |            | 572    | 10 gm  |          |     | 38041      |
|         | <u>UN 1992 3(6.1)/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2609  | ISO PROPYL b-D-1THIOLACTOPYRANOSIDE 99%  | 367-93-1   | 4      | 250 mg | 29329900 | 18  | 252        |
|         | For Molecular Biology (IPTG) non metabolizable galactose analog                          |            | 11     | 1 gm   |          |     | 754        |
|         | C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S M.W. 238.30                              |            | 54     | 5 gm   |          |     | 3583       |
| LA2610  | ISOSORBIDE DINITRATE 99%   | 87-33-2    | 126    | 25 gm  | 29329900 | 18  | 8350       |
|         | For Lab Use C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> M.W. 236.14      |            | 402    | 100 gm |          |     | 26716      |
|         | <u>UN 2907 4.1/PG II</u>   |            |        |        |          |     |            |
| LA2611  | 3-(ISOTHIOCYANATO METHYL) PYRIDINE 95%   | 36810-90-9 | 421    | 10 gm  | 29333990 | 18  | 28005      |
|         | C <sub>7</sub> H <sub>7</sub> BrN <sub>2</sub> S M.W. 231.11                             |            | 990    | 25 gm  |          |     | 65820      |
| LA2612  | ISO VALERALDEHYDE 98% For Synthesis  | 590-86-3   | 33     | 100 ml | 29121910 | 18  | 2221       |
|         | C <sub>5</sub> H <sub>10</sub> O M.W.86.13, Liquid, d. 0.803                             |            | 105    | 500 ml |          |     | 6999       |
|         | <u>UN 1989 3/PG II</u>   |            | 478    | 2.5 Lt |          |     | 31784      |
| LA2613  | ISOVANILINE Pure 98%   | 621-59-0   | 44     | 25 gm  | 29124900 | 18  | 2932       |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.2                                   |            | 147    | 100 gm |          |     | 9762       |
| LA2614  | ITACONIC ACID 99% For Synthesis  | 97-65-4    | 13     | 500 gm | 29171960 | 18  | 883        |
|         | (methylene succinic acid) C <sub>5</sub> H <sub>6</sub> O <sub>4</sub> M.W. 130.10       |            |        |        |          |     |            |
| LA2615  | ITRACONAZOLE 98% (PELLETS)   | 84625-61-6 | 218    | 25 gm  | 29349900 | 18  | 14472      |
|         | C <sub>35</sub> H <sub>38</sub> Cl <sub>2</sub> N <sub>8</sub> O <sub>4</sub> M.W 705.63 |            | 707    | 100 gm |          |     | 47032      |
| LA2616  | JACK BEAN MEAL   | 9002-13-5  | 9      | 100 gm | 35079069 | 18  | 578        |
|         | (urease active meal)   |            | 31     | 500 gm |          |     | 2039       |
| LA2617  | JAM ROSA OIL Extra Pure Liquid, d. 0.870   | 90106-38-0 | 117    | 500 ml | 33012990 | 18  | 7797       |
| LA2618  | JANUS GREEN B (M.S.)   | 2869-83-2  | 15     | 5 gm   | 32041399 | 18  | 1004       |
|         | (C.I. No.11050)  |            | 23     | 10 gm  |          |     | 1530       |
|         | Dye Content: Min. 65% C <sub>30</sub> H <sub>31</sub> ClN <sub>6</sub> M.W. 511.06       |            | 39     | 25 gm  |          |     | 2614       |
| LA2619  | JANUS GREEN B solution   |            | 8      | 125 ml | 38220090 | 12  | 506        |
|         | Liquid, d. 1.0   |            | 23     | 500 ml |          |     | 1522       |
| LA2620  | JASMINE OIL Extra Pure Liquid, d. 0.947  | 8022-96-6  | 78     | 500 ml | 33012200 | 18  | 5205       |
| LA2621  | JENNER'S STAIN For Microscopy  | 62851-42-7 | 9      | 25 gm  | 32041399 | 18  | 589        |
| LA2622  | JOJOBA OIL Liquid, d. 0.86-0.87  | 61789-91-1 | 91     | 500 ml | 15151990 | 5   | 6063       |
| LA2623  | J.S.B. STAIN solution 1  |            | 2      | 125 ml | 38220090 | 12  | 159        |
|         |  |            | 7      | 500 ml |          |     | 480        |
| LA2624  | J.S.B. STAIN solution 2  |            | 2      | 125 ml | 38220090 | 12  | 162        |
|         |  |            | 7      | 500 ml |          |     | 483        |
| LA2625  | JUNIPER BERRY OIL Extra Pure Liquid, d. 0.863  | 8002-68-4  | 107    | 500 ml | 33012590 | 18  | 7130       |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA2626  | KALIGNOST 99.5% AR   | 143-66-8   | 19     | 10 gm  | 29319090 | 18  | 1237       |
|         | (sodium tetra phenyl boron) (sodium tetra phenyl borate)                                 |            | 45     | 25 gm  |          |     | 2971       |
|         | C24H20BNa M.W. 342.23  |            | 162    | 100 gm |          |     | 10758      |
|         | <u>UN 2811 6.1 /PG III</u>   |            |        |        |          |     | 0          |
| LA2627  | KAISER'S GLYCEROL-GEALTIN  |            | 5      | 100 gm | 38220090 | 12  | 306        |
| LA2628  | KANAMYCIN SULPHATE For Molecular Biology   | 25389-94-0 | 23     | 1 gm   | 29419090 | 18  | 1561       |
|         | Potency: Min. 750 units/mg C18H36N4O11·H2O4S M.W. 582.58                                 |            | 99     | 5 gm   |          |     | 6613       |
| LA2629  | KAOLIN Extra Pure (heavy powder)   | 1332-58-7  | 3      | 500 gm | 25070029 | 5   | 219        |
|         |  |            | 28     | 5 Kg   |          |     | 1851       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT     | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|----------|----------|-----|------------|
| LA2630  | KAOLIN Extra Pure (light powder)   | 1332-58-7  | 3      | 500 gm   | 25070029 | 5   | 221        |
|         |  |            | 28     | 5 Kg     |          |     | 1853       |
| LA2631  | KARANJA OIL, Liquid, d. 0.98   |            | 51     | 500 ml   | 15159020 | 18  | 3404       |
| LA2632  | KARL FISCHER REAGENT<br>(pyridine free, single solution), Liquid, d. 0.93  |            | 51     | 2x250 ml | 38220090 | 12  | 3405       |
| LA2633  | a-KETOGLUTARIC ACID 99% For Molecular Biology<br>(2-oxoglutaric acid) (Store at 2 - 8°C)   | 328-50-7   | 12     | 25 gm    | 29183090 | 18  | 796        |
|         |  |            | 36     | 100 gm   |          |     | 2393       |
|         | C <sub>5</sub> H <sub>6</sub> O <sub>5</sub> M.W. 146.10   |            | 167    | 500 gm   |          |     | 11127      |
| LA2634  | KETOPROFEN Extra Pure 98%<br>For Lab Use C <sub>16</sub> H <sub>14</sub> O <sub>3</sub> M.W. 254.28  | 22071-15-4 | 212    | 5 gm     | 29183090 | 18  | 14104      |
|         |  |            | 403    | 10 gm    |          |     | 26794      |
|         | <u>UN 2811 6.1/PG III</u>  |            | 906    | 25 gm    |          |     | 60277      |
| LA2635  | KIESELGUHR (purified white)  |            | 6      | 500 gm   | 25120010 | 5   | 405        |
| LA2636  | KIESELGUHR G (for TLC)   |            | 15     | 500 gm   | 25120010 | 5   | 1010       |
| LA2637  | KINETINE 99.5% AR<br>(6-furfuryl aminopurine)  | 525-79-1   | 7      | 1 gm     | 29349900 | 18  | 452        |
|         | C <sub>10</sub> H <sub>9</sub> N <sub>5</sub> O M.W. 215.21  |            | 65     | 10 gm    |          |     | 4319       |
| LA2638  | KOJIC ACID 98% For Biochemistry<br>[5-hydroxy-2-(hydroxymethyl)-4H-pyran-4-one]  | 501-30-4   | 10     | 25 gm    | 29329900 | 18  | 639        |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>4</sub> M.W 142.11  |            | 37     | 100 gm   |          |     | 2430       |
| LA2639  | KOJIC ACID DIPALMITATE<br><u>UN 2920 8(3)/ PG II</u>   | 79725-98-7 | 15     | 1 gm     | 30049039 | 18  | 1019       |
|         |  |            | 54     | 5 gm     |          |     | 3585       |
| LA2640  | KOVAC'S INDOLE REAGENT Liquid, d. 0.920  |            | 4      | 125 ml   | 32049000 | 18  | 269        |
|         | <u>UN 2920 8(3)/ PG II</u>   |            | 12     | 500 ml   |          |     | 806        |
| LA2641  | LABOCLINOL'RL (Laboratory Detergent) Liquid, d. 1.280<br>(for cleaning ALL Laboratory equipment,non-hazardous neutral<br>liquid detergent) |            | 8      | 500 ml   | 38220019 | 18  | 511        |
|         |  |            | 34     | 2.5 Lt   |          |     | 2279       |
|         |  |            | 63     | 5 Lt     |          |     | 4196       |
| LA2642  | LAB SOLVENT (practical)<br>(suitable for school & college practical)   |            | 10     | 500 ml   | 38220090 | 12  | 675        |
|         | Liquid, d. 0.785   |            | 43     | 2.5 Lt   |          |     | 2877       |
|         |  |            | 86     | 5 Lt     |          |     | 5750       |
|         |  |            | 389    | 25 Lt    |          |     | 25872      |
| LA2643  | ALCMOID (pH indicator)   | 33869-21-5 | 15     | 5 gm     | 32049000 | 18  | 964        |
|         | C <sub>24</sub> H <sub>16</sub> N <sub>2</sub> O <sub>6</sub> M.W. 428.39  |            | 65     | 25 gm    |          |     | 4317       |
| LA2644  | ALCTIC ACID 88%  | 79-33-4    | 15     | 500 ml   | 29181110 | 18  | 1001       |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.209  |            | 56     | 2.5 Lt   |          |     | 3750       |
|         |  |            | 107    | 5 Lt     |          |     | 7126       |
| LA2645  | ALCTIC ACID 88% AR   | 79-33-4    | 16     | 500 ml   | 29181110 | 18  | 1074       |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>3</sub> M.W. 90.08, Liquid, d. 1.209  |            | 61     | 2.5 Lt   |          |     | 4085       |
| LA2646  | ALCTIC ACID 0.1N Solution<br>Liquid, d. 1.00   |            | 2      | 125 ml   | 38220090 | 12  | 142        |
|         |  |            | 6      | 500 ml   |          |     | 428        |
| LA2647  | ALCTOPHENOL solution<br>(For Microscopy)   |            | 2      | 125 ml   | 38220090 | 12  | 132        |
|         |  |            | 6      | 500 ml   |          |     | 372        |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2648  | LEAD BROMIDE 99% AR  | 10031-22-8 | 51     | 500 gm | 28275990 | 18  | 3405       |
|         | PbBr <sub>2</sub> M.W. 367.01  |            |        |        |          |     |            |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2649  | LEAD CARBONATE 98% (basic)   | 598-63-0   | 15     | 500 gm | 28369990 | 18  | 1024       |
|         | [lead (II) carbonate basic] PbCO <sub>3</sub> M.W. 267.21                                      |            | 137    | 5 Kg   |          |     | 9108       |
|         | <u>UN 3077 9 /PG III</u>   |            |        |        |          |     |            |
| LA2650  | LEAD CARBONATE 99% AR  | 598-63-0   | 51     | 250 gm | 28369990 | 18  | 3398       |
|         | [lead (II) carbonate basic] PbCO <sub>3</sub> M.W. 267.21                                      |            | 94     | 500 gm |          |     | 6283       |
|         | <u>UN 3077 9 /PG III</u>   |            |        |        |          |     |            |
| LA2651  | EAD CHLORIDE 98% (anhydrous)   | 7758-95-4  | 14     | 500 gm | 28273990 | 18  | 904        |
|         | (lead (II) chloride) PbCl <sub>2</sub> M.W. 278.11   |            | 120    | 5 kg   |          |     | 7973       |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2652  | LEAD CHLORIDE 99% AR (anhydrous)   | 7758-95-4  | 25     | 500 gm | 28273990 | 18  | 1647       |
|         | (lead (II) chloride) PbCl <sub>2</sub> M.W. 278.11   |            |        |        |          |     |            |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2653  | LEAD CHROMATE 98%  | 7758-97-6  | 17     | 500 gm | 28415090 | 18  | 1135       |
|         | [lead (II) chromate] CrO <sub>4</sub> Pb M.W. 323.18   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA2654  | LEAD CHROMATE 99% AR   | 7758-97-6  | 10     | 100 gm | 28415090 | 18  | 645        |
|         | [lead (II) chromate] CrO <sub>4</sub> Pb M.W. 323.18   |            | 18     | 250 gm |          |     | 1170       |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA2655  | LEAD CITRATE 95% tribasic, trihydrate  | 6107-83-1  | 83     | 500 gm | 29181590 | 18  | 5527       |
|         | C <sub>12</sub> H <sub>10</sub> Pb <sub>3</sub> O <sub>14</sub> .3H <sub>2</sub> O M.W 1053.85 |            |        |        |          |     |            |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2656  | LEAD DIOXIDE 95%   | 1309-60-0  | 31     | 500 gm | 28249000 | 18  | 2085       |
|         | (lead peroxide) [lead (IV) oxide]  |            | 282    | 5 Kg   |          |     | 18777      |
|         | PbO <sub>2</sub> M.W. 239.20   |            | 1313   | 25 Kg  |          |     | 87315      |
|         | <u>UN 1872 5.1/PG III</u>  |            |        |        |          |     |            |
| LA2657  | LEAD DIOXIDE 97% AR  | 1309-60-0  | 38     | 250 gm | 28249000 | 18  | 2535       |
|         | (lead peroxide) [lead (IV) oxide] PbO <sub>2</sub> M.W. 239.20                                 |            |        |        |          |     |            |
|         | <u>UN 1872 5.1/PG III</u>  |            |        |        |          |     |            |
| LA2658  | LEAD FERROCYANIDE 97%  | 14402-61-0 | 23     | 100 gm | 28372090 | 18  | 1510       |
|         | [lead (II) hexacyanoferrate(III)] C <sub>6</sub> FeN <sub>6</sub> Pb <sub>2</sub> M.W. 626.35  |            | 95     | 500 gm |          |     | 6299       |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2659  | LEAD FLUOBORATE 49%  | 13814-96-5 | 6      | 500 gm | 28269000 | 18  | 394        |
|         | B <sub>2</sub> F <sub>8</sub> Pb M.W. 380.80, Liquid, d. 1.615                                 |            |        |        |          |     |            |
|         | <u>UN 2922 8(6.1)/PG II</u>  |            |        |        |          |     |            |
| LA2660  | LEAD FLUORIDE 99.9%  | 7783-46-2  | 46     | 500 gm | 28261990 | 18  | 3029       |
|         | PbF <sub>2</sub> M.W 245.20  |            |        |        |          |     |            |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2661  | LEAD HYDROXIDE 98% For Synthesis   | 19783-14-3 | 17     | 500 gm | 28241000 | 18  | 1138       |
|         | Pb(OH) <sub>2</sub> M.W. 241.21  |            | 154    | 5 Kg   |          |     | 10236      |
| LA2662  | LEAD IODIDE 99%  | 10101-63-0 | 74     | 25 gm  | 28276090 | 18  | 4949       |
|         | PbI <sub>2</sub> M.W 461.01  |            | 268    | 100 gm |          |     | 17809      |
|         | <u>UN 2291 6.1/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD          | UNIT                      | HS CODE  | GST | PRICE(INR)           |
|---------|--|------------|-----------------|---------------------------|----------|-----|----------------------|
| LA2663  | ALCOPHENOL PICRIC ACID solution<br>(For Microscopy)  |            | 3<br>9          | 125 ml<br>500 ml          | 38220090 | 12  | 215<br>569           |
| LA2664  | ALCTOSE 98% Extra Pure<br>(monohydrate)<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.31                         | 64044-51-5 | 9<br>83<br>383  | 500 gm<br>5 Kg<br>25 Kg   | 17021110 | 18  | 617<br>5542<br>25494 |
| LA2665  | ALCTOSE 98.5% AR<br>(monohydrate)<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O M.W. 360.31                               | 64044-51-5 | 10<br>89<br>410 | 500 gm<br>5 Kg<br>25 Kg   | 17021110 | 18  | 655<br>5934<br>27275 |
| LA2666  | ALNETTE WAX Extra Pure   | 8038-90-2  | 34              | 500 gm                    | 34049039 | 18  | 2265                 |
| LA2667  | ALNOLIN (anhydrous) (wool fat)   | 8006-54-0  | 27              | 500 gm                    | 15050020 | 18  | 1811                 |
| LA2668  | LANTHANUM AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid<br>Liquid, d. 1.013   |            | 15<br>45        | 125 ml<br>500 ml          | 38220090 | 12  | 1002<br>2999         |
|         | <u>UN 3264 8/PG III</u>  |            |                 |                           |          |     |                      |
| LA2669  | LANTHANUM ICP STANDARD SOLUTION<br>1000mg/L in Nitric Acid<br>Liquid, d. 1.013   |            | 101             | 125 ml                    | 38220090 | 12  | 6717                 |
|         | <u>UN 3264 8/PG III</u>  |            |                 |                           |          |     |                      |
| LA2670  | LANTHANUM ACETATE 99.9% AR (sesquihydrate)<br>C <sub>6</sub> H <sub>9</sub> ALO <sub>6</sub> ·1.5H <sub>2</sub> O M.W. 343.05                    | 25721-92-0 | 13<br>46        | 25 gm<br>100 gm           | 28469090 | 18  | 870<br>3060          |
| LA2671  | LANTHANUM CARBONATE 99.5% AR (hydrate)<br>C <sub>3</sub> LA <sub>2</sub> O <sub>9</sub> ·xH <sub>2</sub> O M.W. 457.94 (anhy basis)              | 54451-24-0 | 18<br>59        | 25 gm<br>100 gm           | 28469090 | 18  | 1226<br>3894         |
| LA2672  | LANTHANUM CHLORIDE 99% AR (heptahydrate)<br>ALCl <sub>3</sub> ·7H <sub>2</sub> O M.W. 371.37   | 10025-84-0 | 10<br>39        | 25 gm<br>100 gm           | 28469030 | 18  | 680<br>2609          |
|         | <u>UN 3077 9/ PG III</u>   |            | 167             | 500 gm                    |          |     | 11091                |
| LA2673  | LANTHANUM FLUORIDE 99.99% AR (anhydrous)<br>ALF <sub>3</sub> M.W. 195.90   | 13709-38-1 | 73<br>266       | 25 gm<br>100 gm           | 28469020 | 18  | 4846<br>17683        |
| LA2674  | LANTHANUM HYDROXIDE 99.9% AR<br>AL(OH) <sub>3</sub> M.W. 189.93  | 14507-19-8 | 132<br>483      | 25 gm<br>100 gm           | 28469090 | 18  | 8805<br>32130        |
|         | <u>UN 3262 8/PG II</u>   |            |                 |                           |          |     |                      |
| LA2675  | LANTHANUM NITRATE 99% purified (hexahydrate)<br>ALN <sub>3</sub> O <sub>9</sub> ·6H <sub>2</sub> O M.W. 433.02                                   | 10277-43-7 | 15<br>41        | 25 gm<br>100 gm           | 28469090 | 18  | 1009<br>2731         |
|         | <u>UN 1477 5.1/PG II</u>   |            | 163             | 500 gm                    |          |     | 10815                |
| LA2676  | LANTHANUM NITRATE 99.9% AR (hexahydrate)<br>ALN <sub>3</sub> O <sub>9</sub> ·6H <sub>2</sub> O M.W. 433.02                                       | 10277-43-7 | 16<br>43        | 25 gm<br>100 gm           | 28469090 | 18  | 1058<br>2872         |
|         | <u>UN 1477 5.1/PG II</u>   |            | 171             | 500 gm                    |          |     | 11355                |
| LA2677  | LANTHANUM OXALATE 99.5% AR (hydrate)<br>LA <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W 541.87 (anhy basis) | 79079-18-8 | 26<br>98        | 25 gm<br>100 gm           | 28469090 | 18  | 1735<br>6502         |
| LA2678  | LANTHANUM OXIDE 99.5%<br>(Lanthanum (III) oxide)<br>LA <sub>2</sub> O <sub>3</sub> M.W. 325.81   | 1312-81-8  | 6<br>16<br>66   | 25 gm<br>100 gm<br>500 gm | 28469010 | 18  | 404<br>1055<br>4373  |
| LA2679  | LANTHANUM OXIDE 99.9% AR<br>(Lanthanum (III) oxide)<br>LA <sub>2</sub> O <sub>3</sub> M.W. 325.81  | 1312-81-8  | 7<br>17<br>68   | 25 gm<br>100 gm<br>500 gm | 28469010 | 18  | 441<br>1138<br>4548  |
| LA2680  | LANTHANUM SULPHATE 99% (hydrate)<br>LA <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 566.00 (anhy basis)                  | 57804-25-8 | 147<br>528      | 25 gm<br>100 gm           | 28273990 | 18  | 9759<br>35125        |
| LA2681  | LANTHANUM SULPHATE 99.9% AR (hydrate)<br>LA <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O M.W. 566.00 (anhy basis)             | 57804-25-8 | 154<br>555      | 25 gm<br>100 gm           | 28273990 | 18  | 10241<br>36884       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|---|-------------|--------|--------|----------|-----|---------------|
| LA2682  | LEAD TETRAACETATE 95% AR<br>C <sub>8</sub> H <sub>12</sub> O <sub>8</sub> Pb M.W. 443.38  | 546-67-8    | 49     | 100 gm | 29152990 | 18  | 3237<br>13065 |
|         | <u>UN 2923 8(6.1)/PG II</u>   |             | 196    | 500 gm |          |     |               |
| LA2683  | LEAD THIOCYANATE 98%<br>C <sub>2</sub> N <sub>2</sub> PbS <sub>2</sub> M.W. 323.36  | 592-87-0    | 93     | 500 gm | 28429090 | 18  | 6215          |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     |               |
| LA2684  | LEAD THIOSULPHATE 97%<br>O <sub>3</sub> PbS <sub>2</sub> M.W. 319.32  | 13478-50-7  | 102    | 100 gm | 28323000 | 18  | 6753<br>27011 |
|         | <u>UN 2291 6.1/PG III</u>   |             | 406    | 500 gm |          |     |               |
| LA2685  | LECITHIN SOYA (purified)<br>(l-a-phosphatidyl choline)  | 8002-43-5   | 33     | 100 gm | 29232010 | 18  | 2172<br>5102  |
| LA2686  | LECITHIN SOYA LIQUID (practical)  |             | 77     | 250 gm |          |     |               |
| LA2687  | LEISHMAN'S STAIN For Microscopy<br>(eosin methylene blue compound)  | 12627-53-1  | 27     | 500 gm | 32041959 | 18  | 1809<br>762   |
|         |   |             | 11     | 25 gm  | 32041959 | 18  |               |
|         |   |             | 41     | 100 gm |          |     | 2724          |
|         |   |             | 191    | 500 gm |          |     | 12678         |
| LA2688  | LEISHMAN'S STAIN solution Liquid, d. 0.79<br>(eosin methylene blue compound ready mixed)  |             | 2      | 125 ml | 38220090 | 12  | 150<br>277    |
| LA2689  | LEMONGRASS OIL Extra Pure Liquid, d. 0.887  |             | 4      | 250 ml |          |     |               |
| LA2690  | LEMON OIL Extra Pure Liquid, d. 0.850   |             | 55     | 500 ml | 33012942 | 18  | 3687          |
| LA2691  | L-iso-LEUCINE 99% For Biochemistry<br>C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.18                                | 73-32-5     | 32     | 500 ml | 33011300 | 18  | 2115<br>508   |
| LA2692  | L-LEUCINE 99% For Biochemistry<br>C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W. 131.18                                    | 61-90-5     | 8      | 25 gm  | 29224990 | 18  | 374           |
| LA2693  | DL-nor-LEUCINE 99% For Biochemistry<br>C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> M.W 131.17                                | 616-06-8    | 26     | 100 gm |          |     | 1706          |
| LA2694  | LEVOFLOXACIN 98% (anhydrous)<br>(ofl xacin) C <sub>18</sub> H <sub>20</sub> FN <sub>3</sub> O <sub>4</sub> M.W. 361.37          | 100986-85-4 | 31     | 10 gm  | 29224990 | 18  | 2042<br>4621  |
| LA2695  | LIGHT GREEN (For Microscopy) (C.I. No.42095)<br>(light green SF yellowish)  | 5141-20-8   | 244    | 25 gm  | 29349900 | 18  | 16250<br>1864 |
|         | Dye Content : Min. 80% C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>5</sub> S <sub>3</sub> M.W. 792.85 |             | 95     | 100 gm |          |     | 6322          |
| LA2696  | LIGHT GREEN SF yellowish (For Microscopy)<br>(For Molecular Biology)  | 5141-20-8   | 442    | 500 gm |          |     | 29397         |
|         | (C.I.No.42095) Animal Tissue Staining   |             | 32     | 25 gm  | 32041229 | 18  | 2141          |
| LA2697  | LIGHT GREEN Solution 0.1%   |             | 2      | 125 ml | 32041200 | 18  | 149           |
|         |   |             | 7      | 500 ml |          |     | 447           |
| LA2698  | LIGNOCAINE base 98%<br>C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O M.W 234.34  | 137-58-6    | 15     | 25 gm  | 29242990 | 18  | 1018<br>3755  |
| LA2699  | LIGNOCAINE HYDROCHLORIDE 99% (monohydrate)<br>C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O.HCl.H <sub>2</sub> O M.W. 288.81 | 6108-05-0   | 56     | 100 gm |          |     | 5148          |
|         | <u>UN 2811 6.1/PG III</u>   |             | 21     | 25 gm  | 29242990 | 18  |               |
| LA2700  | LIME OIL Extra Pure Liquid, d. 0.861<br><u>UN 1993 3/ PG III</u>  | 8008-26-2   | 77     | 100 gm | 33011990 | 18  | 5559          |
| LA2701  | LIME WATER (for testing carbonates)   |             | 84     | 500 ml |          |     |               |
|         |   |             | 2      | 500 ml | 28259040 | 18  | 135           |
|         |   |             | 14     | 5 Lt   |          |     | 945           |
| LA2702  | D (+) LIMONENE 94% For Synthesis<br>((+)-Dipentene; (R)-(+)-Limonene) C <sub>10</sub> H <sub>16</sub> M.W. 136.23               | 5989-27-5   | 61     | 500 ml | 29021900 | 18  | 4071          |
|         | <u>UN 2052 3/ PG III</u>  |             |        |        |          |     |               |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)            |
|---------|---|------------|--------|--------|----------|-----|-----------------------|
| LA2703  | LEAD MONOXIDE 99-100.5% (litharge)<br>(lead oxide yellow)<br>PbO M.W 223.20                                     | 1317-36-8  | 13     | 500 gm | 28241010 | 18  | 836<br>7517<br>34958  |
|         | <u>UN 2291 6.1/PG III</u>   |            |        |        |          |     |                       |
| LA2704  | LEAD MONOXIDE 99.9% AR (litharge)<br>(lead oxide yellow) PbO M.W 223.20   | 1317-36-8  | 39     | 250 gm | 28241010 | 18  | 2606                  |
|         | <u>UN 2291 6.1/PG III</u>   |            |        |        |          |     |                       |
| LA2705  | LEAD NAPHTHENATE 24% solution<br>C <sub>14</sub> H <sub>22</sub> O <sub>4</sub> Pb M.W 461.52, Liquid, d. 1.131 | 61790-14-5 | 21     | 500 gm | 38249090 | 18  | 1421                  |
| LA2706  | LEAD NITRATE 99%<br>(lead (II) nitrate) N <sub>2</sub> O <sub>6</sub> Pb M.W. 331.21                            | 10099-74-8 | 11     | 500 gm | 28342990 | 18  | 728<br>6828           |
|         | <u>UN 1469 5.1 (6.1) /PG II</u>   |            | 472    | 25 Kg  |          |     | 31419                 |
| LA2707  | LEAD NITRATE 99.5% AR<br>(lead (II) nitrate) N <sub>2</sub> O <sub>6</sub> Pb M.W. 331.21                       | 10099-74-8 | 13     | 500 gm | 28342990 | 18  | 868<br>7813           |
|         | <u>UN 1469 5.1 (6.1) /PG II</u>   |            | 117    | 5 Kg   |          |     |                       |
| LA2708  | LEAD (II) NITRATE 0.01M (0.02N) Standardized Solution   |            | 7      | 500 ml | 38220090 | 12  | 495                   |
| LA2709  | LEAD (II) NITRATE 0.5M (1N) Standardized Solution   |            | 8      | 500 ml | 38220090 | 12  | 507                   |
| LA2710  | LEAD OXALATE 99%<br>C <sub>2</sub> O <sub>4</sub> Pb M.W. 295.23  | 814-93-7   | 29     | 500 gm | 29171190 | 18  | 1922                  |
|         | <u>UN 2291 6.1/PG III</u>   |            |        |        |          |     |                       |
| LA2711  | LEAD OXIDE RED 95%<br>(red lead) [lead (II, IV) oxide]<br>Pb <sub>3</sub> O <sub>4</sub> M.W. 685.60            | 1314-41-6  | 16     | 500 gm | 28249000 | 18  | 1091<br>9825<br>44220 |
|         | <u>UN 1479 5.1/PG II</u>  |            | 148    | 5 Kg   |          |     |                       |
| LA2712  | LEAD PHOSPHATE 98%<br>O <sub>8</sub> P <sub>2</sub> Pb <sub>3</sub> M.W. 811.54                                 | 7446-27-7  | 22     | 500 gm | 28351090 | 18  | 1437                  |
|         | <u>UN 3288 6.1/PG III</u>   |            |        |        |          |     |                       |
| LA2713  | LEAD STEARATE (anhydrous)<br>C <sub>36</sub> H <sub>70</sub> O <sub>4</sub> Pb M. W. 774.14                     | 1072-35-1  | 10     | 500 gm | 29157090 | 18  | 675                   |
| LA2714  | LEAD SULPHATE 98.5%<br>PbSO <sub>4</sub> M.W. 303.26  | 7446-14-2  | 14     | 500 gm | 28332990 | 18  | 904<br>8122           |
|         | <u>UN 3077 9/PG III</u>   |            | 122    | 5 Kg   |          |     |                       |
| LA2715  | LEAD SULPHATE 99% AR<br>PbSO <sub>4</sub> M.W. 303.26   | 7446-14-2  | 67     | 500 gm | 28332990 | 18  | 4440                  |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |                       |
| LA2716  | LEAD SULPHIDE 99.9%<br>PbS M.W 239.27   | 1314-87-0  | 57     | 500 gm | 28309010 | 18  | 3803                  |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |                       |
| LA2717  | LEAD SULPHITE   |            | 57     | 500 gm | 28332950 | 18  | 3804                  |
| LA2718  | LEAD TARTRATE 99%<br>C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Pb M.W. 355.27                                | 815-84-9   | 107    | 500 gm | 29181300 | 18  | 7112                  |
|         | <u>UN 2291 6.1/PG III</u>   |            |        |        |          |     |                       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2719  | LITHIUM FLUORIDE 98%   | 7789-24-4  | 55     | 100 gm | 28261990 | 18  | 3677       |
|         | LiF M.W. 25.94   |            | 133    | 250 gm |          |     | 8831       |
|         | <u>UN 3288 6.1/PG III</u>  |            |        |        |          |     |            |
| LA2720  | LITHIUM HYDROXIDE 99% (monohydrate)  | 1310-66-3  | 73     | 250 gm | 28252000 | 18  | 4843       |
|         | LiOH.H <sub>2</sub> O M.W. 41.96   |            | 138    | 500 gm |          |     | 9210       |
|         | <u>UN 2680 8/PG II</u>   |            |        |        |          |     |            |
| LA2721  | LITHIUM HYDROXIDE 99.5% AR (monohydrate)   | 1310-66-3  | 33     | 100 gm | 28252000 | 18  | 2224       |
|         | LiOH.H <sub>2</sub> O M.W. 41.96   |            | 143    | 500 gm |          |     | 9532       |
|         | <u>UN 2680 8/PG II</u>   |            |        |        |          |     |            |
| AL 2722 | LITHIUM IODIDE 99% For Synthesis   | 10377-51-2 | 233    | 100 gm | 28276090 | 18  | 15462      |
|         | LiI M.W. 133.85  |            | 558    | 250 gm |          |     | 37100      |
| LA2723  | LITHIUM ALCTATE 98%  | 867-55-0   | 34     | 100 gm | 29181190 | 18  | 2263       |
|         | (Alctic acid lithium salt) C <sub>3</sub> H <sub>5</sub> LiO <sub>3</sub> M.W. 96.01 |            | 145    | 500 gm |          |     | 9617       |
| LA2724  | LITHIUM METABORATE 98% (anhydrous)   | 13453-69-5 | 55     | 100 gm | 28402090 | 18  | 3667       |
|         | LiBO <sub>2</sub> M.W. 49.75   |            | 131    | 250 gm |          |     | 8685       |
| LA2725  | LITHIUM METABORATE 99% AR (anhydrous)  | 13453-69-5 | 58     | 100 gm | 28402090 | 18  | 3852       |
|         | LiBO <sub>2</sub> M.W. 49.75   |            | 137    | 250 gm |          |     | 9098       |
| LA2726  | LITHIUM NITRATE 98% (anhydrous)  | 7790-69-4  | 57     | 250 gm | 28342990 | 18  | 3787       |
|         | LiNO <sub>3</sub> M.W. 68.95   |            | 108    | 500 gm |          |     | 7197       |
|         | <u>UN 2722 5.1/PG III</u>  |            |        |        |          |     |            |
| LA2727  | LITHIUM OXALATE 99%  | 553-91-3   | 17     | 100 gm | 29171190 | 18  | 1133       |
|         | C <sub>2</sub> O <sub>4</sub> Li <sub>2</sub> M.W. 101.90                            |            | 77     | 500 gm |          |     | 5102       |
|         | <u>UN 1759 8/PG II</u>   |            |        |        |          |     |            |
| LA2728  | LITHIUM PERCHLORATE 99% AR (trihydrate)  | 13453-78-6 | 43     | 25 gm  | 28291990 | 18  | 2879       |
|         | LiClO <sub>4</sub> .3H <sub>2</sub> O M.W. 160.44                                    |            | 142    | 100 gm |          |     | 9447       |
|         | <u>UN 1481 5.1/PG II</u>   |            |        |        |          |     |            |
| LA2729  | LITHIUM SULPHATE 98% (monohydrate)   | 10102-25-7 | 63     | 250 gm | 28332990 | 18  | 4159       |
|         | Li <sub>2</sub> SO <sub>4</sub> .H <sub>2</sub> O M.W. 127.96                        |            | 119    | 500 gm |          |     | 7911       |
| LA2730  | LITHIUM SULPHATE 99% AR (monohydrate)  | 10102-25-7 | 31     | 100 gm | 28332990 | 18  | 2087       |
|         | Li <sub>2</sub> SO <sub>4</sub> .H <sub>2</sub> O M.W. 127.96                        |            | 74     | 250 gm |          |     | 4904       |
| LA2731  | LITMUS (pH indicator)  | 1393-92-6  | 6      | 10 gm  | 32030090 | 18  | 380        |
|         | pH 5.0-8.0 red to blue   |            | 12     | 25 gm  |          |     | 826        |
|         | (litmus granular)  |            | 46     | 100 gm |          |     | 3061       |
|         |  |            | 193    | 500 gm |          |     | 12854      |
| LA2732  | LITMUS BLUE indicator papers   |            | 3      | Pkt    | 38220090 | 12  | 179        |
|         | (one Pkt. contains 100 leaves)   |            | 54     | 24 Pkt |          |     | 3578       |
| LA2733  | LITMUS RED indicator papers  |            | 3      | Pkt    | 38220090 | 12  | 181        |
|         | (one Pkt. contains 100 leaves)   |            | 54     | 24 Pkt |          |     | 3581       |
| LA2734  | LITMUS BLUE indicator solution   |            | 3      | 125 ml | 38220090 | 12  | 184        |
|         |  |            | 8      | 500 ml |          |     | 551        |
| LA2735  | LITMUS RED indicator solution  |            | 3      | 125 ml | 38220090 | 12  | 187        |
|         |  |            | 8      | 500 ml |          |     | 553        |
| LA2736  | LIVER EXTRACT POWDER (for bacteriology)  |            | 25     | 500 gm | 30012020 | 18  | 1694       |
|         | (liver hydrolysate enzymatic)  |            |        |        |          |     |            |
| LA2737  | LOPERAMIDE Extra Pure (for Lab use)  | 53179-11-6 | 70     | 25 gm  | 29333990 | 18  | 4625       |
|         |  |            | 231    | 100 gm |          | 18  | 15331      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA2738  | LINOLEIC ACID 95% (liquid)<br>C <sub>18</sub> H <sub>32</sub> O <sub>2</sub> M.W. 280.45, Liquid, d. 0.902   | 60-33-3    | 26     | 100 gm | 29161590 | 18  | 1735       |
|         |  |            | 98     | 500 gm |          |     | 6502       |
| LA2739  | LINOLEIC ACID 99% Free acid<br>C <sub>18</sub> H <sub>32</sub> O <sub>2</sub> M.W. 280.45, Liquid, d. 0.902  | 60-33-3    | 105    | 1 gm   | 29161590 | 18  | 6982       |
| LA2740  | LINOLEIC ACID METHYL ESTER 99%<br>C <sub>19</sub> H <sub>34</sub> O <sub>2</sub> M.W. 294.47   | 112-63-0   | 153    | 1 gm   | 29161930 | 18  | 10163      |
|         |  |            | 291    | 5 gm   |          |     | 19341      |
| LA2740A | LINSEED OIL Extra Pure Liquid, d. 0.93   | 8001-26-1  | 25     | 500 ml | 15151900 | 5   | 1661       |
| LA2741  | LIPASE   | 9001-62-1  | 7      | 25 gm  | 35079099 | 18  | 454        |
|         |  |            | 26     | 100 gm |          |     | 1732       |
| LA2742  | L-a-LIPOIC ACID 98%<br>(DL-thioctic acid) C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub> M.W. 206.33                                     | 1077-28-7  | 154    | 5 gm   | 29349900 | 18  | 10215      |
|         |  |            | 477    | 25 gm  |          |     | 31751      |
| LA2743  | LISSAMINE GREEN B (C.I. No.44090)<br>Dye Content : Min. 60% C <sub>27</sub> H <sub>25</sub> N <sub>2</sub> NaO <sub>7</sub> S <sub>2</sub> M.W. 576.62 | 3087-16-9  | 17     | 25 gm  | 32049000 | 18  | 1132       |
|         |  |            | 66     | 100gm  |          |     | 4360       |
| LA244   | LITHIUM AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d.1.017  |            | 24     | 125 ml | 38220090 | 12  | 1579       |
| LA2745  | LITHIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.017  |            | 71     | 500 ml |          |     | 4738       |
| LA2746  | LITHIUM (Metal) 99% (coated)<br>Li M.W. 6.94   | 7439-93-2  | 68     | 25 gm  | 28051900 | 18  | 4547       |
|         |  |            | 263    | 100 gm |          | 18  | 17509      |
|         | <u>UN 1415 4.3/PG_I</u>  |            |        |        |          |     |            |
| LA2747  | LITHIUM ACETATE 97.5% (dihydrate)<br>(acetic acid lithium salt) C <sub>2</sub> H <sub>3</sub> LiO <sub>2</sub> .2H <sub>2</sub> O M.W. 102.02          | 6108-17-4  | 39     | 250 gm | 29152990 | 18  | 2600       |
|         |  |            | 74     | 500 gm |          |     | 4938       |
| LA2748  | LITHIUM ACETATE 98% AR (dihydrate)<br>(acetic acid lithium salt) C <sub>2</sub> H <sub>3</sub> LiO <sub>2</sub> .2H <sub>2</sub> O M.W. 102.02         | 6108-17-4  | 25     | 250 gm | 29152990 | 18  | 1668       |
| LA2749  | LITHIUM ALUMINIUM HYDRIDE 96% For Synthesis<br>LiAlH <sub>4</sub> M.W. 37.95   | 16853-85-3 | 73     | 25 gm  | 28500010 | 18  | 4861       |
|         |  |            | 274    | 100 gm |          |     | 18200      |
|         | <u>UN 1410 4.3/PG_I</u>  |            |        |        |          |     |            |
| LA2750  | di-LITHIUM BORATE tetra 99% AR<br>(di-lithium tetraborate) Li <sub>2</sub> B <sub>4</sub> O <sub>7</sub> M.W 169.12                                    | 12007-60-2 | 41     | 100 gm | 28402090 | 18  | 2708       |
|         |  |            | 179    | 500 gm |          |     | 11898      |
| LA2751  | LITHIUM BROMIDE 99% (anhydrous)<br>LiBr M.W. 86.85   | 7550-35-8  | 21     | 100 gm | 28275990 | 18  | 1423       |
|         |  |            | 82     | 500 gm |          |     | 5460       |
| LA2752  | LITHIUM CARBONATE 98.5%<br>Li <sub>2</sub> CO <sub>3</sub> M.W. 73.89  | 554-13-2   | 73     | 250 gm | 28369100 | 18  | 4857       |
|         |  |            | 139    | 500 gm |          |     | 9225       |
| LA2753  | LITHIUM CARBONATE 99.5% AR<br>Li <sub>2</sub> CO <sub>3</sub> M.W. 73.89   | 554-13-2   | 32     | 100 gm | 28369100 | 18  | 2136       |
|         |  |            | 77     | 250 gm |          |     | 5123       |
| LA2754  | LITHIUM CHLORIDE 98% (anhydrous)<br>LiCl M.W. 42.39  | 7447-41-8  | 83     | 250 gm | 28273990 | 18  | 5512       |
|         |  |            | 157    | 500 gm |          |     | 10472      |
| LA2755  | LITHIUM CHLORIDE 99% AR (anhydrous)<br>LiCl M.W. 42.39   | 7447-41-8  | 36     | 100 gm | 28273990 | 18  | 2424       |
|         |  |            | 88     | 250 gm |          |     | 5824       |
| LA2756  | LITHIUM CHLORIDE 99% For Molecular Biology<br>LiCl M.W. 42.39  | 7447-41-8  | 45     | 100 gm | 28273990 | 18  | 2986       |
|         |  |            | 191    | 500 gm |          |     | 12689      |
| LA2757  | tri-LITHIUM CITRATE 98% (tetrahydrate)<br>C <sub>6</sub> H <sub>5</sub> Li <sub>3</sub> O <sub>7</sub> .4H <sub>2</sub> O M.W. 281.99                  | 6080-58-6  | 42     | 100 gm | 29181590 | 18  | 2761       |
|         |  |            | 85     | 250 gm |          |     | 5681       |
| LA2758  | tri-LITHIUM CITRATE 99% AR (tetrahydrate)<br>C <sub>6</sub> H <sub>5</sub> Li <sub>3</sub> O <sub>7</sub> .4H <sub>2</sub> O M.W. 281.99               | 6080-58-6  | 46     | 100 gm | 29181590 | 18  | 3037       |
|         |  |            | 98     | 250 gm |          |     | 6527       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA2759  | LUCAS REAGENT solution  |            | 4      | 100 ml | 38220090 | 12  | 261        |
|         |   |            | 14     | 500 ml |          |     | 902        |
| LA2760  | LUGOL'S IODINE indicator solution   |            | 7      | 125 ml | 38220090 | 12  | 435        |
|         |   |            | 23     | 500 ml |          |     | 1543       |
| LA2761  | LUMINOL 97% For Synthesis   | 521-31-3   | 26     | 5 gm   | 29333990 | 18  | 1738       |
|         | C <sub>8</sub> H <sub>7</sub> N <sub>3</sub> O <sub>2</sub> M.W.177.16                    |            | 98     | 25 gm  |          |     | 6527       |
| LA2762  | 2,3-LUTIDINE 99% For Synthesis  | 583-61-9   | 99     | 250 ml | 29333918 | 18  | 6596       |
|         | C <sub>7</sub> H <sub>9</sub> N M.W.107.15, Liquid, d. 0.945                              |            |        |        |          |     |            |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA2763  | 2,6-LUTIDINE 98%  | 108-48-5   | 17     | 100 ml | 29333918 | 18  | 1125       |
|         | (2,6-dimethylpyridine) C <sub>7</sub> H <sub>9</sub> N M.W.107.15, Liquid, d. 0.92        |            | 68     | 500 ml |          |     | 4490       |
|         | <u>UN 1993 3/PG III</u>   |            |        |        |          |     |            |
| LA2764  | 3,4-LUTIDINE 97.5% For Synthesis  | 583-58-4   | 119    | 250 ml | 29333918 | 18  | 7911       |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.15, Liquid, d. 0.954                             |            |        |        |          |     |            |
|         | <u>UN 2929 6.1 (3)/PG II</u>  |            |        |        |          |     |            |
| LA2765  | 3,5-LUTIDINE 99%  | 591-22-0   | 28     | 100 ml | 29333918 | 18  | 1882       |
|         | (3,5-dimethylpyridine) C <sub>7</sub> H <sub>9</sub> N M.W. 107.15, Liquid, d. 0.939      |            | 119    | 500 ml |          |     | 7902       |
|         | <u>UN 2920 8(3)/PG II</u>   |            |        |        |          |     |            |
| LA2766  | LYCOPODIUM (powder) Practical   | 8023-70-9  | 19     | 100 gm | 14049090 | 5   | 1235       |
|         | <u>(End Use Certificate Required)</u>   |            | 57     | 500 gm |          |     | 3767       |
|         | <u>UN 1325 4.1/PG II</u>  |            |        |        |          |     |            |
| LA2767  | L-LYSINE (Base) Monohydrate 99% Extra Pure  | 39665-12-8 | 57     | 10 gm  | 29224100 | 18  | 3779       |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> ·H <sub>2</sub> O M.W.164.21 |            | 115    | 25 gm  |          |     | 7622       |
|         | (store at 2 - 8°C)  |            | 396    | 100 gm |          |     | 26319      |
| LA2768  | L-LYSINE MONOHYDROCHLORIDE 99% For Biochemistry   | 657-27-2   | 6      | 100 gm | 29224100 | 18  | 409        |
|         | C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> ·HCl M.W. 182.65             |            | 22     | 500 gm |          |     | 1470       |
|         |   |            | 199    | 5 Kg   |          |     | 13259      |
| LA2769  | LYSOL (cresol soap solution), Liquid, d. 0.748  | 12772-68-8 | 10     | 500 ml | 38089990 | 18  | 652        |
| LA2770  | LYSOZYME For Molecular Biology  | 12650-88-3 | 41     | 1 gm   | 35079099 | 18  | 2717       |
|         | (muramidase) (from chicken egg white)   |            | 171    | 5 gm   |          |     | 11393      |
|         | M.W. 14600 Daltons (Average)  |            |        |        |          |     |            |
| LA2771  | LYSOZYME CHLORIDE For Biochemistry  | 9066-59-5  | 235    | 1 gm   | 35079079 | 18  | 15624      |
|         |   |            | 837    | 5 gm   |          |     | 55650      |
| LA2772  | D-LYXOSE For Biochemistry   | 1114-34-7  | 79     | 1 gm   | 29400090 | 18  | 5286       |
| LA2773  | MACE OIL , Liquid, d. 0.88  | 8007-12-3  | 63     | 100 ml | 33012950 | 18  | 4171       |
|         |   |            | 150    | 250 ml |          |     | 10008      |
| LA28774 | MAGNESIUM AAS STANDARD SOLUTION   |            | 23     | 125 ml | 38220090 | 12  | 1529       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.016   |            | 55     | 500 ml |          |     | 3673       |
|         | <u>UN 3264 8/PG III</u>   |            |        |        |          |     |            |
| LA2775  | MAGNESIUM ICP STANDARD SOLUTION   |            | 159    | 125 ml | 38220090 | 12  | 10549      |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.016 <u>UN 3264 8/PG III</u>                         |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT     | HS CODE  | GST | PRICE(INR)    |
|---------|---|------------|--------|----------|----------|-----|---------------|
| LA2776  | MAGNESIUM ICP STANDARD SOLUTION<br>10000mg/L in Nitric Acid, Liquid, d. 1.058   |            | 168    | 125 ml   | 38220090 | 12  | 11200         |
|         | <u>UN 2031 8/ PG II</u>   |            |        |          |          |     |               |
| LA2777  | MAGNESIUM (Metal) POWDER 99%<br>Mg M.W. 24.31   | 7439-95-4  | 14     | 100 gm   | 81041100 | 18  | 963<br>4532   |
|         | <u>UN 1418 4.3(4.2)/ PG II</u>  |            | 68     | 500 gm   |          |     |               |
| LA2778  | MAGNESIUM (Metal) RIBBON 99.5%<br>Mg M.W. 24.31   | 7439-95-4  | 8      | 25 gm    | 81049090 | 18  | 532<br>11387  |
|         | <u>UN 1418 4.3(4.2)/ PG II</u>  |            | 171    | 25x25 gm |          |     |               |
| LA2779  | MAGNESIUM (Metal) TURNINGS 99.9% (acc. grignard reactions)<br>Mg M.W. 24.31   | 7439-95-4  | 17     | 250 gm   | 81041100 | 18  | 1116<br>2144  |
|         | <u>UN 1418 4.3(4.2)/ PG II</u>  |            | 32     | 500 gm   |          |     |               |
| LA2780  | MAGNESIUM ACETATE 98-102% (tetrahydrate)<br>C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45                   | 16674-78-5 | 18     | 500 gm   | 29152920 | 18  | 1165<br>10184 |
| LA2781  | MAGNESIUM ACETATE 99.5-102% AR (tetrahydrate)<br>C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45              | 16674-78-5 | 20     | 500 gm   | 29152920 | 18  | 1327          |
| LA2782  | MAGNESIUM ACETATE 99% For Molecular Biology<br>(tetrahydrate) C <sub>4</sub> H <sub>6</sub> MgO <sub>4</sub> .4H <sub>2</sub> O M.W. 214.45 | 16674-78-5 | 21     | 100 gm   | 29152920 | 18  | 1374<br>4122  |
| LA2783  | MAGNESIUM BORATE<br>B <sub>2</sub> O <sub>4</sub> Mg M.W. 109.92  | 13703-82-7 | 17     | 500 gm   | 28402010 | 18  | 1125          |
| LA2784  | MAGNESIUM BROMIDE 99%<br>MgBr <sub>2</sub> .6H <sub>2</sub> O M.W. 292.20   | 13446-53-2 | 36     | 500 gm   | 28275910 | 18  | 2392          |
| LA2785  | MAGNESIUM BROMIDE 99.5% AR<br>MgBr <sub>2</sub> .6H <sub>2</sub> O M.W. 292.20  | 13446-53-2 | 41     | 500 gm   | 28275910 | 18  | 2712          |
| LA2786  | MAGNESIUM CARBONATE MgO (light)<br>(magnesium hydroxide carbonate)  | 39409-82-0 | 11     | 250 gm   | 28369920 | 18  | 708<br>1245   |
|         | MgCO <sub>3</sub> M.W 84.31   |            | 19     | 500 gm   |          |     | 4416          |
| LA2787  | MAGNESIUM CARBONATE AR (light)<br>(magnesium hydroxide carbonate) MgCO <sub>3</sub> M.W 84.31   | 39409-82-0 | 15     | 250 gm   | 28369920 | 18  | 997<br>1579   |
| LA2788  | MAGNESIUM CARBONATE (practical) (heavy)<br>(magnesium hydroxide carbonate) MgCO <sub>3</sub> M.W 84.31                                      | 39409-82-0 | 12     | 500 gm   | 28369920 | 18  | 782<br>6813   |
| LA2789  | MAGNESIUM CARBONATE purified (he vy)<br>(magnesium hydroxide carbonate)   | 39409-82-0 | 13     | 500 gm   | 28369920 | 18  | 876<br>7854   |
|         | MgCO <sub>3</sub> M.W 84.31   |            | 118    | 5 Kg     |          |     |               |
| LA2790  | MAGNESIUM CHLORIDE 98% (crystals) (hexahydrate)<br>MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30   | 7791-18-6  | 4      | 500 gm   | 28273100 | 18  | 286<br>2031   |
| LA2791  | MAGNESIUM CHLORIDE 99% AR (crystals) (hexahydrate)<br>MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30                                      | 7791-18-6  | 6      | 500 gm   | 28273100 | 18  | 380<br>2376   |
| LA2792  | MAGNESIUM CHLORIDE 99.5% (hexahydrate)<br>For Molecular Biology<br>MgCl <sub>2</sub> .6H <sub>2</sub> O M.W. 203.30                         | 7791-18-6  | 7      | 100 gm   | 28273100 | 18  | 439<br>1078   |
| LA2793  | MAGNESIUM CHLORIDE 0.01M (0.02N)<br>Standardized Solution   |            | 8      | 500 ml   | 38220090 | 12  | 532           |
| LA2794  | MAGNESIUM CHROMATE 99.8% (hydrate)<br>MgCrO <sub>4</sub> .xH <sub>2</sub> O M.W. 14.30 (anhydr. basis)                                      | 16569-85-0 | 65     | 500 gm   | 28415090 | 18  | 4319          |
|         | <u>UN 2923 8(6.1)/PG II</u>   |            |        |          |          |     |               |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA2795  | <b>MAGNESIUM CITRATE</b>                                 | <b>3344-18-1</b>  | 16     | 500 gm | 29181590 | 18  | 1082       |
|         | <chem>C12H10Mg3O14</chem> M.W. 451.11                    |                   | 145    | 5 Kg   |          |     | 9623       |
| LA2796  | <b>MAGNESIUM FLUORIDE 97%</b>                            | <b>7783-40-6</b>  | 17     | 500 gm | 28261910 | 18  | 1108       |
|         | <chem>MgF2</chem> M.W. 62.30                             |                   | 146    | 5 Kg   |          |     | 9694       |
| LA2797  | <b>MAGNESIUM HYDROXIDE Extra Pure</b>                    | <b>1309-42-8</b>  | 7      | 500 gm | 28161010 | 18  | 449        |
|         | <chem>Mg(OH)2</chem> M.W. 58.32                          |                   | 59     | 5 Kg   |          |     | 3905       |
| LA2798  | <b>MAGNESIUM IODIDE 98%</b>                              | <b>10377-58-9</b> | 126    | 100 gm | 28276090 | 18  | 8408       |
|         | <chem>MgI2</chem> M.W. 278.11                            |                   | 297    | 250 gm |          |     | 19764      |
| LA2799  | <b>MAGNESIUM NITRATE 98% (hexahydrate)</b>               | <b>13446-18-9</b> | 5      | 500 gm | 28342920 | 18  | 340        |
|         | <chem>Mg(NO3)2.6H2O</chem> M.W. 256.41                   |                   | 46     | 5 Kg   |          |     | 3054       |
| LA2800  | <b>MAGNESIUM NITRATE 99% AR (hexahydrate)</b>            | <b>13446-18-9</b> | 7      | 500 gm | 28342920 | 18  | 446        |
|         | <chem>Mg(NO3)2.6H2O</chem> M.W. 256.41                   |                   | 59     | 5 Kg   |          |     | 3912       |
| LA2801  | <b>MAGNESIUM OXALATE 98.5%</b>                           | <b>547-66-0</b>   | 17     | 500 gm | 29171100 | 18  | 1132       |
|         | <chem>MgC2O4.2H2O</chem> M.W. 148.36                     |                   |        |        |          |     |            |
|         | <b><u>UN 3288 6.1/PG III</u></b>                         |                   |        |        |          |     |            |
| LA2802  | <b>MAGNESIUM OXIDE 97% (light)</b>                       | <b>1309-48-4</b>  | 24     | 500 gm | 25199010 | 5   | 1578       |
|         | <chem>MgO</chem> M.W. 40.30                              |                   | 101    | 2.5 Kg |          |     | 6698       |
| LA2803  | <b>MAGNESIUM OXIDE 98% AR (light)</b>                    | <b>1309-48-4</b>  | 32     | 500 gm | 25199010 | 5   | 2138       |
|         | <chem>MgO</chem> M.W. 40.30                              |                   |        |        |          |     |            |
| LA2804  | <b>MAGNESIUM OXIDE 98% Extra Pure (heavy)</b>            | <b>1309-48-4</b>  | 31     | 500 gm | 25199010 | 5   | 2037       |
|         | <chem>MgO</chem> M.W. 40.30                              |                   | 276    | 5 Kg   |          |     | 18329      |
| LA2805  | <b>MAGNESIUM PERCHLORATE 99% AR (hydrate)</b>            | <b>64010-42-0</b> | 92     | 100 gm | 28299030 | 18  | 6087       |
|         | <chem>Mg(ClO4)2.xH2O</chem> M.W. 223.21 (anhy basis)     |                   | 380    | 500 gm |          |     | 25263      |
|         | <b><u>UN 1475 5.1 /PG II</u></b>                         |                   |        |        |          |     |            |
| LA2806  | <b>MAGNESIUM PHOSPHATE 98-102% (dibasic, trihydrate)</b> | <b>7782-75-4</b>  | 24     | 500 gm | 28352920 | 18  | 1564       |
|         | <chem>MgHPO4.3H2O</chem> M.W. 174.33                     |                   |        |        |          |     |            |
| LA2807  | <b>MAGNESIUM SILICATE</b>                                | <b>1343-88-0</b>  | 15     | 500 gm | 28399090 | 18  | 1018       |
|         | <chem>MgO3Si</chem> M.W. 100.39                          |                   |        |        |          |     |            |
| LA2808  | <b>MAGNESIUM STEARATE</b>                                | <b>557-04-0</b>   | 9      | 500 gm | 29157090 | 18  | 609        |
|         | (precipitated)   |                   | 80     | 5 Kg   |          |     | 5330       |
|         | <chem>C36H70MgO4</chem> M.W. 591.24                      |                   | 369    | 25 Kg  |          |     | 24517      |
| LA2809  | <b>MAGNESIUM SULPHATE 99% (heptahydrate)</b>             | <b>10034-99-8</b> | 4      | 500 gm | 28332100 | 18  | 258        |
|         | <chem>MgSO4.7H2O</chem> M.W. 246.47                      |                   | 27     | 5 Kg   |          |     | 1811       |
|         |  |                   | 218    | 50 Kg  |          |     | 14488      |
| LA2810  | <b>MAGNESIUM SULPHATE 99.5% AR (heptahydrate)</b>        | <b>10034-99-8</b> | 5      | 500 gm | 28332100 | 18  | 332        |
|         | <chem>MgSO4.7H2O</chem> M.W. 246.47                      |                   | 34     | 5 Kg   |          |     | 2259       |
|         |  |                   | 272    | 50 Kg  |          |     | 18073      |
| LA2811  | <b>MAGNESIUM SULPHATE 99% For Molecular Biology</b>      | <b>10034-99-8</b> | 38     | 500 gm | 28332100 | 18  | 2558       |
|         | (heptahydrate) <chem>MgSO4.7H2O</chem> M.W. 246.47       |                   |        |        |          |     |            |
| LA2812  | <b>MAGNESIUM SULPHATE (dried)</b>                        | <b>7487-88-9</b>  | 7      | 500 gm | 28332100 | 18  | 485        |
|         | <chem>MgSO4</chem> M.W. 120.37                           |                   | 215    | 25 Kg  |          |     | 14291      |
| LA2813  | <b>MAGNESIUM SULPHATE 0.1M SOLUTION</b>                  |                   | 4      | 500 ml | 38220090 | 12  | 236        |
|         |  |                   | 6      | 1 Lt   |          |     | 431        |
|         |  |                   | 10     | 2.5 Lt |          |     | 649        |
| LA2814  | <b>MAGNESIUM SULPHIDE 98%</b>                            | <b>12032-36-9</b> | 148    | 500 gm | 28309010 | 18  | 9851       |
|         | <chem>MgS</chem> M.W. 56.38                              |                   |        |        |          |     |            |
| LA2815  | <b>MAGNESIUM SULPHITE</b>                                | <b>7757-88-2</b>  | 126    | 500 gm | 28323000 | 18  | 8381       |
|         | <chem>MgO3S</chem> M.W. 104.37                           |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD          | UNIT                       | HS CODE  | GST                | PRICE(INR)           |
|---------|---|------------|-----------------|----------------------------|----------|--------------------|----------------------|
| LA2816  | <b>MAGNESIUM TARTRATE</b><br><br><chem>C4H14MgO11</chem> M.W. 262.45  | 20752-56-1 | 77              | 500 gm                     | 29224990 | 18                 | 5088                 |
| LA2817  | <b>MAGNESIUM THIOSULPHATE 99% AR (hexahydrate)</b><br><br><chem>MgS2O3.6H2O</chem> M.W. 244.52                                    | 13446-30-5 | 43              | 100 gm                     | 28323000 | 18                 | 2878                 |
| LA2818  | <b>MAGNESIUM TRISILICATE</b><br><br>(hydrate) (powder)<br><br><chem>2MgO.3SiO2.aq</chem> M.W. 260.86 (anhy basis)                 | 14987-04-3 | 6<br>47<br>171  | 500 gm<br>5 Kg<br>25 Kg    | 28399010 | 18<br>393<br>11385 | 3119                 |
| LA2819  | <b>MAGNESON I AR</b><br><br>[4-(4-nitrophenylazo) resorcinol]<br><br>Dye Content : Min. 90% <chem>C12H9N3O4</chem> M.W. 259.22    | 74-39-5    | 9<br>30<br>141  | 25 gm<br>100 gm<br>500 gm  | 29270090 | 18                 | 568<br>1994<br>9372  |
| LA2820  | <b>MAGNESON II AR</b><br><br>(reagent for magnesium) [4-(4-nitrophenylazo)-1-naphthol]<br><br><chem>C16H11N3O3</chem> M.W. 293.28 | 5290-62-0  | 11<br>37<br>158 | 25 gm<br>100 gm<br>500 gm  | 29270090 | 18                 | 732<br>2466<br>10481 |
| LA2821  | <b>MALACHITE GREEN (M.S.) (C.I. No.42000)</b><br><br>(malachite green oxalate) <chem>C52H54N4O12</chem> M.W. 927.02               | 2437-29-8  | 3<br>9<br>30    | 25 gm<br>100 gm<br>500 gm  | 32041361 | 18                 | 211<br>565<br>2025   |
| LA2822  | <b>MALACHITE GREEN indicator solution</b>   |            | 3<br>8          | 125 ml<br>500 ml           | 38220090 | 12                 | 169<br>501           |
| LA2823  | <b>MALEIC ACID 99% For Synthesis</b><br><br><chem>C4H4O4</chem> M.W. 116.07   | 110-16-7   | 14<br>119       | 500 gm<br>5 Kg             | 29171910 | 18                 | 902<br>7891          |
| LA2824  | <b>MALEIC ACID 99.5% AR</b><br><br><chem>C4H4O4</chem> M.W. 116.07  | 110-16-7   | 4<br>17         | 100 gm<br>500 gm           | 29171910 | 18                 | 277<br>1122          |
| LA2825  | <b>MALEIC ANHYDRIDE 95%</b><br><br><chem>C4H2O3</chem> M.W. 98.06   | 108-31-6   | 9<br>79         | 500 gm<br>5 Kg             | 29171400 | 18                 | 621<br>5285          |
| LA2826  | <b>MALEIC HYDRAZIDE 98%</b><br><br><chem>C4H4N2O2</chem> M.W. 112.09  | 123-33-1   | 10<br>42        | 100 gm<br>500 gm           | 29339900 | 18                 | 657<br>2814          |
| LA2827  | <b>DL-MALIC ACID 99%</b><br><br><chem>C4H6O5</chem> M.W. 134.09   | 6915-15-7  | 15<br>133       | 500 gm<br>5 Kg             | 29181990 | 18                 | 1014<br>8870         |
| LA2828  | <b>DL-MALIC ACID 99% For Molecular Biology</b><br><br><chem>C4H6O5</chem> M.W. 134.09   | 6915-15-7  | 39              | 500 gm                     | 29181990 | 18                 | 2567                 |
| LA2829  | <b>MALONIC ACID 99% AR</b><br><br><chem>C3H4O4</chem> M.W. 104.06   | 141-82-2   | 10<br>23<br>44  | 100 gm<br>250 gm<br>500 gm | 29171920 | 18                 | 665<br>1555<br>2947  |
| LA2830  | <b>MALONONITRILE 98% For Synthesis</b><br><br>(dicyanomethane) <chem>C3H2N2</chem> M.W. 66.06                                     | 109-77-3   | 15<br>65        | 100 gm<br>500 gm           | 29269000 | 18                 | 964<br>4328          |
| LA2831  | <b>MALT EXTRACT powder For Bacteriology</b>   | 8002-48-0  | 17              | 500 gm                     | 19019010 | 18                 | 1138                 |
| LA2832  | <b>MALTO DEXTRINE POWDER</b>  | 9050-36-6  | 5<br>20         | 500 gm<br>2.5 Kg           | 35051010 | 18                 | 307<br>1301          |
| LA2833  | <b>MALTOSE 95% For Bacteriology (monohydrate)</b><br><br><chem>C12H22O11.H2O</chem> M.W. 360.32                                   | 6363-53-7  | 6<br>27<br>240  | 100 gm<br>500 gm<br>5 Kg   | 17029020 | 18                 | 424<br>1816<br>15988 |
| LA2834  | <b>MALTOSE AR (monohydrate)</b><br><br>(NRC grade for Vaccine production)<br><br><chem>C12H22O11.H2O</chem> M.W. 360.32           | 6363-53-7  | 7<br>30<br>264  | 100 gm<br>500 gm<br>5 Kg   | 17029020 | 18                 | 473<br>2002<br>17586 |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD          | UNIT                    | HS CODE  | GST | PRICE(INR)           |
|---------|--|------------|-----------------|-------------------------|----------|-----|----------------------|
| LA2835  | VANILLIN FOR (Synthesis)<br>C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15  | 121-33-5   | 85              | 500 gm                  |          |     | 5676<br>0            |
| LA2836  | R (-) MANDELIC ACID 99%<br>C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15   | 611-71-2   | 37<br>161       | 100 gm<br>500 gm        | 29181990 | 18  | 2486<br>10684        |
| LA2837  | S (+) MANDELIC ACID 99%<br>C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W.152.15   | 17199-29-0 | 38<br>162       | 100 gm<br>500 gm        | 29181990 | 18  | 2500<br>10744        |
| LA2838  | MANGANESE AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d. 1.014   |            | 26<br>56        | 125 ml<br>500 ml        | 38220090 | 12  | 1704<br>3746         |
| LA2839  | MANGANESE ICP STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.014  |            | 90              | 125 ml                  | 38220090 | 12  | 6015<br>0            |
| LA2840  | MANGANESE ICP STANDARD SOLUTION<br>10000mg/L in Nitric Acid<br>Liquid, d. 1.036  |            | 154             | 125 ml                  | 38220090 | 12  | 10247<br>0<br>0      |
| LA2841  | MANGANESE (Metal) FLAKES 99%<br>Mn M.W. 54.94<br><u>UN 3208 4.3/ PG I</u>  | 7439-96-5  | 34              | 500 gm                  | 81110090 | 18  | 2245<br>0<br>0       |
| LA2842  | MANGANESE (Metal) POWDER 99%<br>Mn M.W. 54.94<br><u>UN 3089 4.1/ PG III</u>  | 7439-96-5  | 8<br>20         | 100 gm<br>250 gm        | 81110090 | 18  | 548<br>1313<br>0     |
| LA2843  | MANGANESE (II) ACETATE 99% (tetrahydrate)<br>(manganous acetate) (CH <sub>3</sub> COO) <sub>2</sub> Mn.4H <sub>2</sub> O M.W. 245.09                 | 6156-78-1  | 16<br>136       | 500 gm<br>5 Kg          | 29152930 | 18  | 1064<br>9045         |
| LA2844  | MANGANESE (II) ACETATE AR 99.5% (tetrahydrate)<br>(manganous acetate)<br>(CH <sub>3</sub> COO) <sub>2</sub> Mn.4H <sub>2</sub> O M.W. 245.09         | 6156-78-1  | 20<br>167       | 500 gm<br>5 Kg          | 29152930 | 18  | 1305<br>11099<br>0   |
| LA2845  | MANGANESE (II) BORATE<br>B <sub>4</sub> O <sub>7</sub> .Mn M.W. 210.18   | 12228-91-0 | 22              | 500 gm                  | 28402000 | 18  | 1444<br>0            |
| LA2846  | MANGANESE (II) BROMIDE 98%<br>MnBr <sub>2</sub> M.W. 214.75  | 13446-03-2 | 19<br>66        | 100 gm<br>500 gm        | 28275900 | 18  | 1264<br>4422         |
| LA2847  | MANGANESE (II) CARBONATE (hydrate)<br>MnCO <sub>3</sub> . xH <sub>2</sub> O M.W. 114.95  | 34156-69-9 | 9<br>76         | 500 gm<br>5 Kg          | 28369990 | 18  | 594<br>5041          |
| LA2848  | MANGANESE (II) CHLORIDE 97% (tetrahydrate)<br>(manganous chloride) MnCl <sub>2</sub> .4H <sub>2</sub> O M.W. 197.90<br><u>UN 3288 6.1/ PG III</u>    | 13446-34-9 | 10<br>88<br>397 | 500 gm<br>5 Kg<br>25 Kg | 28273990 | 18  | 654<br>5876<br>26385 |
| LA2849  | MANGANESE (II) CHLORIDE 98% AR (tetrahydrate)<br>(manganous chloride) MnCl <sub>2</sub> .4H <sub>2</sub> O M.W. 197.90<br><u>UN 3288 6.1/ PG III</u> | 13446-34-9 | 11<br>103       | 500 gm<br>5 Kg          | 28273990 | 18  | 759<br>6825<br>0     |
| LA2850  | MANGANESE (II) CHROMATE<br>MnCrO <sub>4</sub> M.W. 170.93  | 55392-76-2 | 56              | 500 gm                  | 26020040 | 18  | 3749                 |
| LA2851  | MANGANESE (II) CITRATE (10H <sub>2</sub> O)<br>C <sub>12</sub> H <sub>10</sub> Mn <sub>3</sub> O <sub>14</sub> M.W. 543.01                           | 10024-66-5 | 42              | 500 gm                  | 29181590 | 18  | 2769                 |
| LA2852  | MANGANESE DIOXIDE (Practical)<br>[manganese (IV) oxide]<br>MnO <sub>2</sub> M.W. 86.94   | 1313-13-9  | 4<br>37<br>323  | 500 gm<br>5 Kg<br>50 Kg | 28201000 | 18  | 286<br>2487<br>21504 |
| LA2853  | MANGANESE DIOXIDE Extra Pure (precipitated)<br>[manganese (IV) oxide] MnO <sub>2</sub> M.W. 86.94  | 1313-13-9  | 5<br>39         | 500 gm<br>5 Kg          | 28201000 | 18  | 301<br>2616          |
| LA2854  | MANGANESE DIOXIDE AR<br>[manganese (IV) oxide] MnO <sub>2</sub> M.W. 86.94   | 1313-13-9  | 12<br>101       | 500 gm<br>5 Kg          | 28201000 | 18  | 793<br>6745          |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA2855  | MANGANESE (II) FLUORIDE 98%  | 7782-64-1   | 26     | 100 gm | 28261910 | 18  | 1731       |
|         | MnF <sub>2</sub> M.W. 92.93  |             | 50     | 250 gm |          |     | 3294       |
| LA2856  | MANGANESE GLUCONATE DIHYDRATE 98% Extra Pure   | 6485-39-8   | 42     | 1 Kg   | 29181690 | 18  | 2794       |
|         | C <sub>12</sub> H <sub>22</sub> MnO <sub>14</sub> M.W. 445.24                                    |             |        |        |          |     |            |
| LA2857  | MANGANESE (II) IODIDE 98% (tetrahydrate)   | 13446-37-2  | 137    | 100 gm | 28276090 | 18  | 9099       |
|         | MnI <sub>2</sub> .4H <sub>2</sub> O M.W. 380.81 (anhyd. basis)                                   |             | 328    | 250 gm |          |     | 21835      |
| LA2858  | MANGANESE (II) NITRATE solution (45-50%)   | 10377-66-9  | 11     | 500 ml | 28276090 | 18  | 757        |
|         | (solution in dilute Nitric Acid) Mn(NO <sub>3</sub> ) <sub>2</sub> M.W. 178.95, Liquid, d. 1.536 |             |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>  |             |        |        |          |     |            |
| LA2859  | MANGANESE (II) OXALATE   | 6556-16-7   | 20     | 500 gm | 29171100 | 18  | 1328       |
|         | MnC <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 178.99                                   |             |        |        |          |     |            |
| LA2860  | MANGANESE (II) PHOSPHATE 99%   | 104663-56-1 | 27     | 500 gm | 28352920 | 18  | 1762       |
|         | MnPO <sub>4</sub> .xH <sub>2</sub> O M.W. 149.91 (anhyd.)  |             |        |        |          |     |            |
| LA2861  | MANGANESE (II) SULPHATE 98% (monohydrate)  | 10034-96-5  | 8      | 500 gm | 28332940 | 18  | 543        |
|         | (manganous sulphate)   |             | 63     | 5 Kg   |          |     | 4216       |
|         | MnSO <sub>4</sub> .H <sub>2</sub> O M.W. 169.02  |             | 570    | 50 Kg  |          |     | 37881      |
|         | <u>UN 3077 9 /PG III</u>   |             |        |        |          |     |            |
| LA2862  | MANGANESE (II) SULPHATE 99% AR (monohydrate)   | 10034-96-5  | 14     | 500 gm | 28332940 | 18  | 959        |
|         | (manganous sulphate) MnSO <sub>4</sub> .H <sub>2</sub> O M.W. 169.02                             |             | 122    | 5 Kg   |          |     | 8142       |
|         | <u>UN 3077 9 /PG III</u>   |             |        |        |          |     |            |
| LA2863  | MANGANESE (II) SULPHATE 99% (monohydrate)  | 10034-96-5  | 21     | 500 gm | 28332940 | 18  | 1406       |
|         | For Molecular Biology  |             |        |        |          |     |            |
|         | MnSO <sub>4</sub> .H <sub>2</sub> O M.W. 169.02  |             |        |        |          |     |            |
|         | <u>UN 3077 9 /PG III</u>   |             |        |        |          |     |            |
| LA2864  | MANGANESE (II) SULPHIDE Practical  | 18820-29-6  | 50     | 500 gm | 28309010 | 18  | 3299       |
|         | MnS M.W. 87.00   |             |        |        |          |     |            |
| LA2865  | MANGANESE (II) SULPHITE  | 13568-71-3  | 34     | 500 gm | 28322090 | 18  | 2263       |
|         | MnO <sub>3</sub> S M.W. 135.00   |             |        |        |          |     |            |
| LA2866  | MANGANESE (II) TARTRATE (monohydrate)  | 36680-83-8  | 51     | 500 gm | 29181390 | 18  | 3392       |
|         | C <sub>4</sub> H <sub>4</sub> MnO <sub>6</sub> .H <sub>2</sub> O M.W. 221.02                     |             |        |        |          |     |            |
| LA2867  | D (-) MANNITOL 99% For Biochemistry  | 69-65-8     | 15     | 250 gm | 29054300 | 18  | 1022       |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17  |             | 27     | 500 gm |          |     | 1822       |
|         |  |             | 247    | 5 Kg   |          |     | 16404      |
| LA2868  | D (-) MANNITOL 99.5% AR (For Molecular Biology)  | 69-65-8     | 18     | 250 gm | 29054300 | 18  | 1164       |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17  |             | 32     | 500 gm |          |     | 2134       |
| LA2869  | D (+) MANNOSE 99% AR (For Molecular Biology)   | 3458-28-4   | 7      | 10 gm  | 29400000 | 18  | 494        |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16  |             | 17     | 25 gm  |          |     | 1111       |
|         |  |             | 60     | 100 gm |          |     | 3984       |
| LA2870  | MARBLE CHIPS 98% (practical)   | 471-34-1    | 4      | 500 gm | 28365000 | 18  | 280        |
|         | CaCO <sub>3</sub> M.W. 100.09  |             |        |        |          |     |            |
| LA2871  | MARTIUS YELLOW (M.S.) (C.I. No.10315)  | 605-69-6    | 39     | 25 gm  | 32049000 | 18  | 2595       |
|         | Dye Content : Min. 85% C <sub>10</sub> H <sub>6</sub> N <sub>2</sub> O <sub>5</sub> M.W. 234.17  |             | 150    | 100 gm |          |     | 9996       |
| LA2872  | MAYER'S REAGENT indicator solution   |             | 5      | 125 ml | 38220090 | 12  | 318        |
|         |  |             | 14     | 500 ml |          |     | 959        |
| LA2873  | MAY AND GRUNWALD'S STAIN   |             | 9      | 25 gm  | 32129090 | 18  | 629        |
|         | For Microscopy   |             | 35     | 100 gm |          |     | 2329       |
|         |  |             | 152    | 500 gm |          |     | 10128      |

| CAT No. | PRODUCT NAME  | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------------|--------|--------|----------|-----|------------|
| LA2874  | <b>MERCURY (Metal) 99% Extra Pure</b>   | <b>7439-97-6</b>  | 103    | 100 gm | 28054000 | 18  | 6828       |
|         | Hg M.W. 200.59  |                   | 248    | 250 gm |          |     | 16463      |
|         | Liquid, d. 13.55  |                   | 478    | 500 gm |          |     | 31774      |
|         | <u>UN 2809 8(6.1)/PG III</u>  |                   | 4587   | 5 Kg   |          |     | 305045     |
| LA2875  | <b>MERCURY (Metal) 99.5% AR</b>   | <b>7439-97-6</b>  | 108    | 100 gm | 28054000 | 18  | 7164       |
|         | (triple distilled) (for polarography)   |                   | 260    | 250 gm |          |     | 17288      |
|         | Hg M.W. 200.59, Liquid, d. 13.55  |                   | 502    | 500 gm |          |     | 33363      |
|         | <u>UN 2809 8(6.1)/PG III</u>  |                   |        |        |          |     |            |
| LA2876  | <b>MERCURIC ACETATE 98.5%</b>   | <b>1600-27-7</b>  | 26     | 25 gm  | 28521000 | 18  | 1706       |
|         | [mercury (II) acetate]  |                   | 98     | 100 gm |          |     | 6485       |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Hg M.W. 318.68   |                   | 448    | 500 gm |          |     | 29764      |
|         | <u>UN 1629 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA2877  | <b>MERCURIC ACETATE 99% AR</b>  | <b>1600-27-7</b>  | 27     | 25 gm  | 28521000 | 18  | 1814       |
|         | [mercury (II) acetate]  |                   | 103    | 100 gm |          |     | 6831       |
|         | (CH <sub>3</sub> COO) <sub>2</sub> Hg M.W. 318.68   |                   | 479    | 500 gm |          |     | 31844      |
|         | <u>UN 1629 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA2878  | <b>MERCURIC AMMONIUM CHLORIDE 98.3-100%</b>   | <b>10124-48-8</b> | 22     | 25 gm  | 28529000 | 18  | 1464       |
|         | (ammoniated mercury) (ammonium mercuric chloride)   |                   | 76     | 100 gm |          |     | 5056       |
|         | (mercury (II) amido chloride)   |                   | 318    | 500 gm |          |     | 21142      |
|         | HgNH <sub>2</sub> Cl M.W. 252.07  |                   |        |        |          |     |            |
|         | <u>UN 1630 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA2879  | <b>MERCURIC AMMONIUM THIOCYANATE</b>  | <b>84665-61-2</b> | 32     | 25 gm  | 28529000 | 18  | 2151       |
|         | [mercury (II) ammonium thiocyanate]   |                   | 125    | 100 gm |          |     | 8286       |
|         | (ammonium mercuric thiocyanate) C <sub>4</sub> H <sub>8</sub> HgN <sub>6</sub> S <sub>4</sub> M.W. 468.98 |                   | 425    | 500 gm |          |     | 28248      |
| LA2880  | <b>MERCURIC AMMONIUM THIOCYANATE solution</b>   |                   | 34     | 500 ml | 38220090 | 12  | 2258       |
|         | (ammonium mercuric thiocyanate solution)  |                   |        |        |          |     |            |
|         |   |                   |        |        |          |     |            |
| LA2881  | <b>MERCURIC BROMIDE 99% AR</b>  | <b>7789-47-1</b>  | 32     | 25 gm  | 28521000 | 18  | 2100       |
|         | [mercury (II) bromide]  |                   | 118    | 100 gm |          |     | 7870       |
|         | HgBr <sub>2</sub> M.W. 360.40   |                   | 506    | 500 gm |          |     | 33635      |
|         | <u>UN 1634 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA2882  | <b>MERCURIC BROMIDE 98% Extra Pure</b>  | <b>7789-47-1</b>  | 34     | 25 gm  | 28521000 | 18  | 2252       |
|         | [mercury (II) bromide]  |                   | 127    | 100 gm |          |     | 8420       |
|         | HgBr <sub>2</sub> M.W. 360.40   |                   | 541    | 500 gm |          |     | 35986      |
|         | <u>UN 1634 6.1/PG II</u>  |                   |        |        |          |     |            |
| LA2883  | <b>MERCURIC CHLORIDE 99%</b>  | <b>7487-94-7</b>  | 21     | 25 gm  | 28520000 | 18  | 1423       |
|         | [mercury (II) chloride]   |                   | 81     | 100 gm |          |     | 5414       |
|         | HgCl <sub>2</sub> M.W. 271.50   |                   | 195    | 250 gm |          |     | 12986      |
|         | <u>UN 1624 6.1/PG II</u>  |                   | 371    | 500 gm |          |     | 24672      |
|         |   |                   | 1714   | 2.5 Kg |          |     | 113981     |
| LA2884  | <b>MERCURIC CHLORIDE 99.5% AR</b>   | <b>7487-94-7</b>  | 23     | 25 gm  | 28520000 | 18  | 1521       |
|         | (reagent for zinc) [mercury (II) chloride]  |                   | 87     | 100 gm |          |     | 5797       |
|         | HgCl <sub>2</sub> M.W. 271.50   |                   | 209    | 250 gm |          |     | 13892      |
|         | <u>UN 1624 6.1/PG II</u>  |                   | 397    | 500 gm |          |     | 26399      |
| LA2885  | <b>MERCURIC CHLORIDE 5% solution</b>  |                   | 7      | 125 ml | 38220090 | 12  | 466        |
|         |   |                   | 21     | 500 ml |          |     | 1401       |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA2886  | <b>MAY AND GRUNWALD'S SOLUTION</b>                                 |                   | 4      | 125 ml | 32129090 | 18  | 268        |
|         | (microscopical solution), Liquid, d. 0.79                          |                   | 12     | 500 ml |          |     | 793        |
| LA2887  | <b>MEAT EXTRACT powder For Bacteriology</b>                        |                   | 20     | 500 gm | 16030010 | 18  | 1353       |
| LA2888  | <b>MEAT EXTRACT paste For Bacteriology</b>                         |                   | 17     | 500 gm | 16030010 | 18  | 1138       |
| LA2889  | <b>MEAT INFUSION POWDER (for vaccine production)</b>               |                   | 51     | 500 gm | 16030010 | 18  | 3408       |
| LA2890  | <b>MEBENDAZOLE 98% Extra Pure</b>                                  | <b>31431-39-7</b> | 61     | 5 gm   | 29332930 | 18  | 4048       |
|         | For Lab Use  |                   | 199    | 25 gm  |          |     | 13215      |
|         | <chem>C16H13N3O3</chem> M.W. 295.29                                |                   | 589    | 100 gm |          |     | 39140      |
| LA2891  | <b>MEFENAMIC ACID 98%</b>  | <b>61-68-7</b>    | 154    | 25 gm  | 29420090 | 18  | 10219      |
|         | For Lab Use <chem>C15H15NO2</chem> M.W. 241.29                     |                   | 552    | 100 gm |          |     | 36691      |
| LA2892  | <b>MEALMINE 99%</b>  | <b>108-78-1</b>   | 11     | 500 gm | 29336100 | 18  | 748        |
|         | <chem>C3H6N6</chem> M.W. 126.12                                    |                   | 90     | 5 Kg   |          |     | 5981       |
| LA2893  | <b>D (+) MELIBIOSE 98% For Bacteriology</b>                        | <b>66009-10-7</b> | 212    | 5 gm   | 29400000 | 18  | 14066      |
|         | <chem>C12H22O11</chem> M.W. 342.30                                 |                   | 920    | 25 gm  |          |     | 61149      |
| LA2894  | <b>MENADIONE 98.5-101%</b>   | <b>58-27-5</b>    | 26     | 25 gm  | 29362990 | 18  | 1757       |
|         | (vitamin K) <chem>C11H8O2</chem> M.W. 172.19                       |                   | 99     | 100 gm |          |     | 6580       |
| LA2895  | <b>MENADIONE SODIUM BISULPHITE 95% (trihydrate)</b>                | <b>130-37-0</b>   | 29     | 25 gm  | 29147090 | 18  | 1896       |
|         | (vitamin K3 sodium bisulphite) <chem>C11H9NaO5S</chem> M.W. 276.24 |                   | 100    | 100 gm |          |     | 6640       |
|         | <b><u>UN 3077 9 /PG III</u></b>                                    |                   |        |        |          |     |            |
| LA2896  | <b>MENTHA CITRATA OIL Extra Pure</b> , Liquid, d. 0.916            | <b>68917-15-7</b> | 135    | 500 ml | 33012540 | 18  | 8978       |
| LA2897  | <b>MENTHA PEPPRITA OIL Extra Pure</b> , Liquid, d. 0.898           | <b>8006-90-4</b>  | 97     | 500 ml | 33012400 | 18  | 6436       |
| LA2898  | <b>MENTHOL 99% (crystals) (natural white)</b>                      | <b>2216-51-5</b>  | 25     | 100 gm | 29061100 | 18  | 1695       |
|         | <chem>C10H20O</chem> M.W. 156.27                                   |                   | 115    | 500 gm |          |     | 7636       |
|         |  |                   | 534    | 2.5 Kg |          |     | 35510      |
| LA2899  | <b>MEPYRAMINE MALEATE 99%</b>                                      | <b>59-33-6</b>    | 121    | 25 gm  | 29333990 | 18  | 8038       |
|         | For Lab Use <chem>C17H23N3O·C4H4O4</chem> M.W. 401.46              |                   | 343    | 100 gm |          |     | 22779      |
| LA2900  | <b>2-MERCAPTOBENZIMIDAZOLE 98% For Synthesis</b>                   | <b>583-39-1</b>   | 15     | 250 gm | 29339900 | 18  | 1018       |
|         | (benzimidazole-2-thiol) <chem>C7H6N2S</chem> M.W. 150.20           |                   | 54     | 1 Kg   |          |     | 3573       |
|         | <b><u>UN 2811 6.1/PG III</u></b>                                   |                   |        |        |          |     |            |
| LA2901  | <b>2-MERCAPTOBENZOIC ACID 99% AR</b>                               | <b>147-93-3</b>   | 89     | 100 gm | 29309099 | 18  | 5945       |
|         | (thiosalicylic acid) <chem>C7H6O3S</chem> M.W. 154.19              |                   | 317    | 500 gm |          |     | 21108      |
| LA2902  | <b>2-MERCAPTOBENZOTHIAZOLE 99% AR</b>                              | <b>149-30-4</b>   | 3      | 25 gm  | 29342000 | 18  | 224        |
|         | <chem>C7H5NS2</chem> M.W. 167.25                                   |                   | 12     | 100 gm |          |     | 796        |
|         | <b><u>UN 3077 9 /PG III</u></b>                                    |                   | 38     | 500 gm |          |     | 2496       |
| LA2903  | <b>MERCAPTOBENZOTHIAZOLE SOLUTION</b>                              |                   | 15     | 100 ml | 38220090 | 12  | 981        |
| LA2904  | <b>2-MERCAPTO ETHANOL 98% For Synthesis</b>                        | <b>60-24-2</b>    | 10     | 100 ml | 29309099 | 18  | 675        |
|         | <chem>HS.CH2CH2OH</chem> M.W. 78.13, Liquid, d. 1.114              |                   | 43     | 500 ml |          |     | 2831       |
|         | <b><u>UN 2966 6.1/PG II</u></b>                                    |                   |        |        |          |     |            |
| LA2905  | <b>2-MERCAPTO ETHANOL 99% AR (For Molecular Biology)</b>           | <b>60-24-2</b>    | 15     | 100 ml | 29309099 | 18  | 1008       |
|         | <chem>HS.CH2CH2OH</chem> M.W. 78.13, Liquid, d. 1.114              |                   | 31     | 250 ml |          |     | 2046       |
|         | <b><u>UN 2966 6.1/PG II</u></b>                                    |                   |        |        |          |     |            |
| LA2906  | <b>MERCURY AAS STANDARD SOLUTION</b>                               |                   | 45     | 125 ml | 38220090 | 12  | 2993       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.054                          |                   | 66     | 500 ml |          |     | 4362       |
|         | <b><u>UN 2031 8/ PG II</u></b>                                     |                   |        |        |          |     |            |
| LA2907  | <b>MERCURY ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>       |                   | 129    | 125 ml | 38220090 | 12  | 8582       |
|         | Liquid, d. 1.054   |                   |        |        |          |     |            |
|         | <b><u>UN 2031 8/ PG II</u></b>                                     |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD                  | UNIT                                | HS CODE  | GST | PRICE(INR)                     |
|---------|---|------------|-------------------------|-------------------------------------|----------|-----|--------------------------------|
| LA2908  | MERCURIC CHLORIDE PAPERS<br>(one Pkt. contains 100 leaves)  |            | 7<br>135                | Pkt<br>24 Pkt                       | 38220090 | 12  | 446<br>8985                    |
| LA2909  | MERCURIC IODIDE RED 99-100.5%<br>[mercury (II) iodide red]<br>HgI <sub>2</sub> M.W. 454.40<br><u>UN 1638 6.1/PG II</u>  | 7774-29-0  | 24<br>94<br>428         | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1623<br>6241<br>28494          |
| LA2910  | MERCURIC IODIDE RED 99% AR<br>[mercury (II) iodide red]<br>HgI <sub>2</sub> M.W. 454.40<br><u>UN 1638 6.1/PG II</u>   | 7774-29-0  | 26<br>100<br>458        | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1739<br>6677<br>30482          |
| LA2911  | MERCURIC NITRATE 98% (monohydrate)<br>[mercury (II) nitrate]<br>Hg(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 342.62<br><u>UN 1625 6.1 /PG II</u>      | 7783-34-8  | 24<br>94<br>228<br>434  | 25 gm<br>100 gm<br>250 gm<br>500 gm | 28521000 | 18  | 1618<br>6237<br>15187<br>28857 |
| LA2912  | MERCURIC NITRATE 98.5% AR (monohydrate)<br>[mercury (II) nitrate]<br>Hg(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 342.62<br><u>UN 1625 6.1 /PG II</u> | 7783-34-8  | 26<br>100<br>245<br>464 | 25 gm<br>100 gm<br>250 gm<br>500 gm | 28521000 | 18  | 1726<br>6675<br>16263<br>30879 |
| LA2913  | MERCURIC NITRATE 0.01M (0.02N) Standardized Solution  |            | 15                      | 500 ml                              | 38220090 | 12  | 1013                           |
| LA2914  | MERCURIC NITRATE 0.05M (0.1N) Standardized Solution   |            | 15                      | 500 ml                              | 38220090 | 12  | 1014                           |
| LA2915  | MERCURIC OXIDE RED 99%<br>[mercury (II) oxide red]<br>HgO M.W. 216.59<br><u>UN 1641 6.1/PG II</u>   | 21908-53-2 | 26<br>98<br>458         | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1745<br>6546<br>30476          |
| LA2916  | MERCURIC OXIDE RED 99-100.5% AR<br>[mercury (II) oxide red]<br>HgO M.W. 216.59<br><u>UN 1641 6.1/PG II</u>  | 21908-53-2 | 28<br>105<br>490        | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1863<br>7005<br>32611          |
| LA2917  | MERCURIC OXIDE YELLOW 99%<br>[mercury (II) oxide yellow]<br>HgO M.W. 216.59<br><u>UN 1641 6.1/PG II</u>   | 21908-53-2 | 26<br>99<br>458         | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1740<br>6553<br>30483          |
| LA2918  | MERCURIC OXIDE YELLOW 99.3-100.5% AR<br>[mercury (II) oxide yellow]<br>HgO M.W. 216.59<br><u>UN 1641 6.1/PG II</u>  | 21908-53-2 | 28<br>105<br>490        | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 1871<br>7002<br>32608          |
| LA2919  | MERCURIC PHENYL ACETATE 98% For Synthesis<br>(phenyl mercuric acetate) C <sub>8</sub> H <sub>8</sub> HgO <sub>2</sub> M.W. 336.74<br><u>UN 1674 6.1/PG II</u>     | 62-38-4    | 67<br>244<br>1132       | 25 gm<br>100 gm<br>500 gm           | 28521000 | 18  | 4474<br>16194<br>75304         |
| LA2920  | MERCURIC PHENYL CHLORIDE 96%<br>(phenyl mercuric chloride) C <sub>6</sub> H <sub>5</sub> HgCl M.W. 313.15   | 100-56-1   | 58<br>196               | 25 gm<br>100 gm                     | 28521000 | 18  | 3838<br>13051                  |
| LA2921  | MERCURIC POTASSIUM IODIDE Extra Pure<br>(potassium mercuric iodide) (potassium tetraiodo mercurate)<br>HgI4K <sub>2</sub> M.W. 786.40                             | 7783-33-7  | 67<br>247               | 25 gm<br>100 gm                     | 28520000 | 18  | 4456<br>16451                  |
| LA2922  | MERCURIC POTASSIUM IODIDE solution<br>(potassium mercuric iodide solution)  |            | 10<br>30                | 125 ml<br>500 ml                    | 38220090 | 12  | 663<br>2022                    |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA2923  | <b>MERCURIC SULPHATE 99-100% AR</b>  | <b>7783-35-9</b>  | 25     | 25 gm  | 28521000 | 18  | 1669       |
|         | [mercury (II) sulphate]  |                   | 96     | 100 gm |          |     | 6378       |
|         | HgSO <sub>4</sub> M.W. 296.65  |                   | 230    | 250 gm |          |     | 15283      |
|         | <b>UN 1645 6.1/PG II</b>   |                   | 437    | 500 gm |          |     | 29043      |
| LA2924  | <b>MERCURIC SULPHATE 98% Extra Pure</b>  | <b>7783-35-9</b>  | 24     | 25 gm  | 28521000 | 18  | 1571       |
|         | [mercury (II) sulphate]  |                   | 90     | 100 gm |          |     | 5961       |
|         | HgSO <sub>4</sub> M.W. 296.65  |                   | 215    | 250 gm |          |     | 14285      |
|         | <b>UN 1645 6.1/PG II</b>   |                   | 408    | 500 gm |          |     | 27157      |
|         |  |                   | 1885   | 2.5 Kg |          |     | 125381     |
| LA2925  | <b>MERCURIC SULPHIDE RED 99%</b>   | <b>1344-48-5</b>  | 58     | 25 gm  | 28521000 | 18  | 3835       |
|         | [mercury (II) sulphide red]  |                   | 166    | 100 gm |          |     | 11041      |
|         | HgS M.W 232.66   |                   | 648    | 500 gm |          |     | 43110      |
| LA2926  | <b>MERCURIC THIOCYANATE 97%</b>  | <b>592-85-8</b>   | 39     | 25 gm  | 28521000 | 18  | 2561       |
|         | [mercury (II) thiocyanate]   |                   | 135    | 100 gm |          |     | 8959       |
|         | Hg(SCN) <sub>2</sub> M.W. 316.75   |                   | 509    | 500 gm |          |     | 33823      |
|         | <b>UN 1646 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2927  | <b>MERCURIC THIOCYANATE 99% AR</b>   | <b>592-85-8</b>   | 40     | 25 gm  | 28521000 | 18  | 2691       |
|         | [mercury (II) thiocyanate]   |                   | 141    | 100 gm |          |     | 9407       |
|         | Hg(SCN) <sub>2</sub> M.W. 316.75   |                   | 534    | 500 gm |          |     | 35515      |
|         | <b>UN 1646 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2928  | <b>MERCUROCHROME 97.5% (Granular)</b>  | <b>129-16-8</b>   | 19     | 25 gm  | 28521000 | 18  | 1247       |
|         | (mercury dibromofluorescein)   |                   | 70     | 100 gm |          |     | 4680       |
|         | C <sub>20</sub> H <sub>8</sub> Br <sub>2</sub> HgNa <sub>2</sub> O <sub>6</sub> .3H <sub>2</sub> O M.W. 804.75 |                   |        |        |          |     |            |
|         | <b>UN 2025 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2929  | <b>MERCUROUS CHLORIDE 99% (anhydrous)</b>  | <b>10112-91-1</b> | 25     | 25 gm  | 28521000 | 18  | 1694       |
|         | [mercury (I) chloride] (calomel)   |                   | 98     | 100 gm |          |     | 6494       |
|         | Hg <sub>2</sub> Cl <sub>2</sub> M.W. 472.09  |                   | 454    | 500 gm |          |     | 30197      |
|         | <b>UN 2025 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA2930  | <b>MERCUROUS CHLORIDE AR 99.5% (anhydrous)</b>   | <b>10112-91-1</b> | 27     | 25 gm  | 28521000 | 18  | 1789       |
|         | [mercury (I) chloride] (calomel)   |                   | 103    | 100 gm |          |     | 6818       |
|         | Hg <sub>2</sub> Cl <sub>2</sub> M.W. 472.09  |                   | 477    | 500 gm |          |     | 31705      |
|         | <b>UN 2025 6.1/PG III</b>  |                   |        |        |          |     |            |
| LA2931  | <b>MERCUROUS NITRATE 95% (dihydrate)</b>   | <b>14836-60-3</b> | 30     | 25 gm  | 28521000 | 18  | 1999       |
|         | [mercury (I) nitrate]  |                   | 115    | 100 gm |          |     | 7631       |
|         | Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> .2H <sub>2</sub> O M.W. 561.22                                 |                   | 514    | 500 gm |          |     | 34194      |
|         | <b>UN 1627 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2932  | <b>MERCUROUS NITRATE 98% AR (dihydrate)</b>  | <b>14836-60-3</b> | 32     | 25 gm  | 28521000 | 18  | 2104       |
|         | [mercury (I) nitrate]  |                   | 119    | 100 gm |          |     | 7896       |
|         | Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> .2H <sub>2</sub> O M.W. 561.22                                 |                   | 539    | 500 gm |          |     | 35840      |
|         | <b>UN 1627 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2933  | <b>MERCUROUS NITRATE 0.1M (0.1N) Standardized Solution</b>   |                   | 43     | 500 ml | 38220090 | 12  | 2883       |
|         |  |                   |        |        |          |     |            |
| LA234   | <b>MERCUROUS SULPHATE 96% Extra Pure</b>   | <b>7783-36-0</b>  | 42     | 25 gm  | 28521000 | 18  | 2760       |
|         | Hg <sub>2</sub> SO <sub>4</sub> M.W. 497.24  |                   |        |        |          |     |            |
|         | <b>UN 1645 6.1/PG II</b>   |                   |        |        |          |     |            |
| LA2935  | <b>MESITYLENE 98% For Synthesis</b>  | <b>108-67-8</b>   | 33     | 500 ml | 29029090 | 18  | 2225       |
|         | (1,3,5-trimethyl benzene) C <sub>9</sub> H <sub>12</sub> M.W. 120.20, Liquid, d. 0.864                         |                   | 135    | 2.5 Lt |          |     | 8964       |
|         | <b>UN 2325 3/PG III</b>  |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA2936  | MESITYL OXIDE 90%   | 141-79-7  | 12     | 100 ml | 29141990 | 18  | 769        |
|         | (4-methyl-3-penten-2-one) C <sub>6</sub> H <sub>10</sub> O M.W. 98.14, Liquid, d. 0.868             |           | 27     | 250 ml |          |     | 1807       |
|         | <u>UN 1229 3 /PG III</u>  |           |        |        |          |     |            |
| LA2937  | METANILIC ACID 97%  | 121-47-1  | 11     | 250 gm | 29214290 | 18  | 736        |
|         | C <sub>6</sub> H <sub>7</sub> NO <sub>3</sub> S M.W. 173.19   |           | 38     | 500 gm |          |     | 2538       |
| LA2938  | METANIL YELLOW AR   | 587-98-4  | 3      | 25 gm  | 32049000 | 18  | 192        |
|         | (C.I. No.13065)   |           | 7      | 100 gm |          |     | 444        |
|         | Dye Content: Min. 70% C <sub>18</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 375.38 |           | 31     | 500 gm |          |     | 2076       |
| LA2939  | METANIL YELLOW solution   |           | 2      | 125 ml | 38220090 | 12  | 139        |
|         | indicator solution  |           | 6      | 500 ml |          |     | 414        |
| LA2940  | METFORMIN HYDROCHLORIDE 97% Extra Pure  | 1115-70-4 | 125    | 25 gm  | 29252990 | 18  | 8281       |
|         | (For Lab Use) C <sub>4</sub> H <sub>11</sub> N <sub>5</sub> .HCl M.W. 165.62                        |           | 373    | 100 gm |          |     | 24835      |
| LA2941  | METHACRYLIC ACID 99% For Synthesis  | 79-41-4   | 16     | 500 ml | 29161310 | 18  | 1078       |
|         | (2-methyl propanoic acid)   |           | 72     | 2.5 Lt |          |     | 4773       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 1.01                            |           |        |        |          |     |            |
|         | <u>UN 2531 8/PG II</u>  |           |        |        |          |     |            |
| LA2942  | METHANE SULPHONIC ACID 98%  | 75-75-2   | 28     | 500 ml | 29041090 | 18  | 1856       |
|         | CH <sub>4</sub> O <sub>3</sub> S M.W. 96.11, Liquid, d. 1.481                                       |           | 54     | 1 Lt   |          |     | 3624       |
|         | <u>UN 3265 8/PG II</u>  |           | 134    | 2.5 Lt |          |     | 8882       |
| LA2943  | METHANE SULPHONIC ACID SODIUM SALT AR & HPLC 98%  | 2386-57-4 | 10     | 5 gm   | 29041090 | 18  | 663        |
|         | (sodium methane sulphonate)   |           | 41     | 25 gm  |          |     | 2706       |
|         | CH <sub>3</sub> SO <sub>3</sub> Na M.W 118.09   |           | 147    | 100 gm |          |     | 9763       |
| LA2944  | METHANE SULPHONYL CHLORIDE 98% Liquid, d. 1.48  | 124-63-0  | 19     | 500 ml | 29049990 | 18  | 1248       |
|         | (mesyl chloride) CH <sub>3</sub> ClO <sub>2</sub> S M.W. 114.55,                                    |           | 36     | 1 Lt   |          |     | 2378       |
|         | <u>UN 3246 6.1(8)/PG I</u>  |           | 84     | 2.5 Lt |          |     | 5582       |
| LA2945  | METHANOL 99% Extra Pure   | 67-56-1   | 5      | 500 ml | 29051100 | 18  | 340        |
|         | (methyl Alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                    |           | 9      | 1 Lt   |          |     | 626        |
|         | (End Use Certificate required)  |           | 14     | 2.5 Lt |          |     | 900        |
|         | <u>UN 1230 3 (6.1) /PG II</u>   |           | 23     | 5 Lt   |          |     | 1551       |
|         |   |           | 103    | 25 Lt  |          |     | 6819       |
| LA2946  | METHANOL 99.9% AR   | 67-56-1   | 6      | 500 ml | 29051100 | 18  | 403        |
|         | (methyl Alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                    |           | 11     | 1 Lt   |          |     | 746        |
|         | (End Use Certificate required)  |           | 16     | 2.5 Lt |          |     | 1077       |
|         | <u>UN 1230 3 (6.1) /PG II</u>   |           | 28     | 5 Lt   |          |     | 1865       |
| LA2947  | METHANOL 99.8% HPLC & SPECTROSCOPY  | 67-56-1   | 6      | 500 ml | 29051100 | 18  | 429        |
|         | (methyl Alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                    |           | 12     | 1 Lt   |          |     | 796        |
|         | (End Use Certificate required)  |           | 29     | 2.5 Lt |          |     | 1914       |
|         | <u>UN 1230 3 (6.1) /PG II</u>   |           |        |        |          |     |            |
| LA2948  | METHANOL 99.9% For Molecular Biology  | 67-56-1   | 6      | 100 ml | 29051100 | 18  | 400        |
|         | (methyl Alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                    |           | 17     | 500 ml |          |     | 1131       |
|         | (End Use Certificate required)  |           |        |        |          |     |            |
|         | <u>UN 1230 3 (6.1) /PG II</u>   |           |        |        |          |     |            |
| LA2949  | METHANOL SPECIALLY DRIED  | 67-56-1   | 9      | 500 ml | 29051100 | 18  | 597        |
|         | (methyl Alcohol) CH <sub>3</sub> OH M.W. 32.04, Liquid, d. 0.791                                    |           | 17     | 1 Lt   |          |     | 1133       |
|         | (End Use Certificate required)  |           | 34     | 2.5 Lt |          |     | 2263       |
|         | <u>UN 1230 3 (6.1) /PG II</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA2950  | DL-METHIONINE 99% For Biochemistry   | 59-51-8   | GB     | 100 gm | 29304000 | 18  | 443        |
|         | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S M.W. 149.21                                 |           | PB     | 500 gm |          |     | 1707       |
| LA2951  | L-METHIONINE 98% For Biochemistry  | 63-68-3   | GB     | 25 gm  | 29304000 | 18  | 283        |
|         | C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S M.W. 149.21                                 |           | PB     | 100 gm |          |     | 987        |
|         |  |           | PB     | 500 gm |          |     | 4504       |
| LA2952  | 2'-METHOXYACETOPHENONE 99%   | 579-74-8  | GB     | 25 gm  | 29145000 | 18  | 6129       |
|         | (2-acetylAnisole) (o-methoxyacetophenone)  |           | GB     | 100 gm |          |     | 20865      |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17                                    |           |        |        |          |     |            |
| LA2953  | 3'-METHOXYACETOPHENONE 99%   | 586-37-8  | GB     | 25 gm  | 29145000 | 18  | 2217       |
|         | (3-acetylAnisole) C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17, Liquid, d. 1.09 |           | GB     | 100 gm |          |     | 5353       |
| LA2954  | 4-METHOXYACETOPHENONE 99%  | 100-06-1  | PB     | 100 gm | 29145000 | 18  | 680        |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17                                    |           | PB     | 500 gm |          |     | 2743       |
| LA2955  | 4-METHOXYPHENYLCETONE 98.5% For Synthesis  | 122-84-9  | PB     | 10 gm  | 29143990 | 18  | 1328       |
|         | CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> COCH <sub>3</sub> M.W. 164.20 |           | PB     | 50 gm  |          |     | 4740       |
|         |  |           | PB     | 100 gm |          |     | 7496       |
| LA2956  | 4-METHOXYBENZENETHIOL 97%  | 696-63-9  | GB     | 25 gm  | 29309099 | 18  | 33024      |
|         | C <sub>7</sub> H <sub>8</sub> OS M.W. 140.2, Liquid, d. 1.14                                 |           |        |        |          |     |            |
|         | <u>UN 3334 9/ PG III</u>   |           |        |        |          |     |            |
| LA2957  | 3-METHOXYBENZYALMINE 98%   | 5071-96-5 | GB     | 5 gm   | 29222990 | 18  | 6263       |
|         | C <sub>8</sub> H <sub>11</sub> NO M.W. 137.18, Liquid, d. 1.072                              |           | GB     | 25 gm  |          |     | 17085      |
|         | <u>UN 2735 8/PG III</u>  |           |        |        |          |     |            |
| LA2958  | 2-METHOXYETHANOL 99%   | 109-86-4  | GB     | 500 ml | 29094400 | 18  | 613        |
|         | (ethylene glycol monomethyl ether) (methyl cellosolve)                                       |           | GB     | 1 Lt   |          |     | 1165       |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 0.965                    |           | GB     | 2.5 Lt |          |     | 2657       |
|         | <u>UN 1188 3/PG III</u>  |           |        |        |          |     |            |
| LA2959  | 2-METHOXYETHANOL 99.9% AR  | 109-86-4  | GB     | 500 ml | 29094400 | 18  | 682        |
|         | (ethylene glycol monomethyl ether) (methyl cellosolve)                                       |           | GB     | 1 Lt   |          |     | 1301       |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 0.965                    |           | GB     | 2.5 Lt |          |     | 3060       |
|         | <u>UN 1188 3/PG III</u>  |           |        |        |          |     |            |
| LA2960  | 4-METHOXYPHENYLCETIC ACID 98% For Synthesis  | 104-01-8  | PB     | 100 gm | 29189900 | 18  | 1731       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.18                                    |           | PB     | 500 gm |          |     | 7973       |
| LA2961  | 2-METHOXYPROPENE (STABILIZED) 97% Extra Pure   | 116-11-0  | GB     | 250 ml | 29091900 | 18  | 6055       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11   |           |        |        |          |     |            |
|         | <u>UN 1993 3/PG I</u>  |           |        |        |          |     |            |
| LA2962  | METHYL ACETATE 99% For Synthesis   | 79-20-9   | GB     | 500 ml | 29153940 | 18  | 651        |
|         | (acetic acid methyl ester)   |           | GB     | 1 Lt   |          |     | 1231       |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.93                     |           | GB     | 2.5 Lt |          |     | 2648       |
|         | <u>UN 1231 3/PG II</u>   |           | PC     | 5 Lt   |          |     | 5024       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3000  | METHYL ACETATE 99.9% AR  | 79-20-9    | 13     | 500 ml | 29153940 | 18  | 888        |
|         | (acetic acid methyl ester) $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.93 |            | 59     | 2.5 Lt |          |     | 3923       |
|         | <u>UN 1231 3/PG II</u>   |            |        |        |          |     |            |
| LA3001  | METHYL ACETOACETATE 98%  | 105-45-3   | 12     | 500 ml | 29183040 | 18  | 788        |
|         | (acetoacetic ester methyl)   |            | 22     | 1 Lt   |          |     | 1495       |
|         | $C_5H_8O_3$ M.W. 116.12, Liquid, d. 1.076                          |            | 55     | 2.5 Lt |          |     | 3629       |
| LA3002  | 4-METHYL ACETOPHENONE 95%  | 122-00-9   | 24     | 100 gm | 29141990 | 18  | 1567       |
|         | $C_9H_{10}O$ M.W. 134.18, Liquid, d. 1.005                         |            | 100    | 500 gm |          |     | 6652       |
| LA3003  | METHYL ACRYALTE 99% For Synthesis                                  | 96-33-3    | 10     | 500 ml | 29161400 | 18  | 668        |
|         | $C_4H_6O_2$ M.W. 86.09, Liquid, d. 0.956                           |            | 48     | 2.5 Lt |          |     | 3165       |
|         | <u>UN 1919 3 /PG II</u>  |            |        |        |          |     |            |
|         | METHYL ALCOHOL   |            |        |        |          |     |            |
| LA3004  | METHYALMINE solution (di) 40%                                      | 124-40-3   | 4      | 500 ml | 29211990 | 18  | 295        |
|         | (dimethylamine) $C_2H_5N$ M.W. 45.08, Liquid, d. 0.89              |            | 17     | 2.5 Lt |          |     | 1139       |
|         | <u>UN 1160 3(8)/ PG II</u>   |            | 32     | 5 Lt   |          |     | 2121       |
| LA3005  | METHYALMINE solution (mono) 40%                                    | 74-89-5    | 4      | 500 ml | 29211990 | 18  | 253        |
|         | (monomethylamine) $CH_3N$ M.W. 31.06, Liquid, d. 0.897             |            | 17     | 2.5 Lt |          |     | 1098       |
|         | <u>UN 1235 3(8)/PG II</u>  |            |        |        |          |     |            |
| LA3006  | METHYALMINE solution (tri) 30%                                     | 75-50-3    | 4      | 500 ml | 29211990 | 18  | 267        |
|         | (trimethylamine) $C_3H_9N$ M.W. 59.11, Liquid, d. 0.932            |            | 17     | 2.5 Lt |          |     | 1134       |
|         | <u>UN 1297 3(8)/PG II</u>  |            |        |        |          |     |            |
| LA3007  | METHYALMINE HYDROCHLORIDE 99%                                      | 593-51-1   | 8      | 250 gm | 29211990 | 18  | 520        |
|         | (methylammonium chloride) $CH_3ClN$ M.W. 67.52                     |            | 15     | 500 gm |          |     | 977        |
| LA3008  | METHYL-4-AMINOBENZOATE 95%   | 619-45-4   | 85     | 25 gm  | 29224990 | 18  | 5653       |
|         | $C_8H_9NO_2$ M.W. 151.17   |            | 260    | 100 gm |          |     | 17316      |
| LA3009  | METHYL 2-AMINO-5-BROMOBENZOATE 96%                                 | 52727-57-8 | 221    | 25 gm  | 29163190 | 18  | 14696      |
|         | $C_8H_8BrNO_2$ M.W. 230.06   |            |        |        |          |     |            |
| LA3010  | 2-(METHYLAMINO) ETHANOL 98% For Synthesis                          | 109-83-1   | 11     | 500 ml | 29221990 | 18  | 732        |
|         | (N-methylethanolamine) $C_3H_9NO$ M.W. 75.11, Liquid, d. 0.935     |            | 50     | 2.5 Lt |          |     | 3333       |
|         | <u>UN 2735 8/PG II</u>   |            |        |        |          |     |            |
|         | 4-(METHYLAMINO) PHENOL SULPHATE                                    |            |        |        |          |     |            |
|         | METHYLAMMONIUM CHLORIDE  |            |        |        |          |     |            |
| LA3011  | METHYL ANILINE 98% (mono)  | 100-61-8   | 19     | 500 ml | 29214290 | 18  | 1293       |
|         | (N-methyl aniline) $C_7H_9N$ M.W. 107.16, Liquid, d. 0.989         |            | 85     | 2.5 Lt |          |     | 5683       |
|         | <u>UN 2294 6.1/PG III</u>  |            |        |        |          |     |            |
| LA3012  | METHYL ANTHRANIALTE 98% For Synthesis                              | 134-20-3   | 40     | 500 ml | 29225012 | 18  | 2651       |
|         | $C_8H_9NO_2$ M.W. 151.16, Liquid, d. 1.168                         |            | 169    | 2.5 Lt |          |     | 11271      |
| LA3013  | METHYL BENZOATE 98%  | 93-58-3    | 17     | 500 ml | 29163130 | 18  | 1161       |
|         | $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.088                          |            | 79     | 2.5 Lt |          |     | 5232       |
|         | 3-METHYLBENZOIC ACID   |            |        |        |          |     |            |
|         | 2-METHYLBENZOIC ACID   |            |        |        |          |     |            |
|         | 4-METHYLBENZOIC ACID   |            |        |        |          |     |            |
| LA3014  | 3-METHYL-2-BENZOTHIAZOLINONE HYDRAZONE                             | 38894-11-0 | 106    | 10 gm  | 29342000 | 18  | 7046       |
|         | HYDROCHLORIDE 99% AR (MBTH)  |            | 243    | 25 gm  |          |     | 16179      |
|         | $C_9H_{10}ClN_3S.H_2O$ M.W. 233.72                                 |            |        |        |          |     |            |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3015  | 2-METHYL BENZYL AMINE 96%  | 89-93-0    | 210    | 5 gm   | 29214990 | 18  | 13935      |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.977  |            | 628    | 25 gm  |          |     | 41752      |
|         | <u>UN 2735 8/PG II</u>   |            |        |        |          |     |            |
| LA3016  | 3-METHYL BENZYL AMINE 98%  | 100-81-2   | 106    | 1 gm   | 29214990 | 18  | 7017       |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.966  |            | 206    | 5 gm   |          |     | 13709      |
|         | <u>UN 2735 8/PG III</u>  |            |        |        |          |     |            |
| LA3017  | 4-METHYL BENZYL AMINE 97%  | 104-84-7   | 54     | 5 ml   | 29214990 | 18  | 3564       |
|         | C <sub>8</sub> H <sub>11</sub> N M.W 121.18, Liquid, d. 0.952  |            | 241    | 25 ml  |          |     | 16049      |
|         | <u>UN 2735 8/PG II</u>   |            |        |        |          |     |            |
| LA3018  | METHYL BLUE  | 28983-56-4 | 10     | 25 gm  | 32041990 | 18  | 672        |
|         | (C.I. No.42780)  |            | 37     | 100 gm |          |     | 2441       |
|         | C <sub>37</sub> H <sub>21</sub> N <sub>3</sub> O <sub>9</sub> S <sub>3</sub> Na <sub>2</sub> M.W. 799.80 |            | 169    | 500 gm |          |     | 11220      |
| LA3019  | METHYL BLUE stain solution   |            | 6      | 125 ml | 32049000 | 18  | 403        |
|         |  |            | 18     | 500 ml |          |     | 1190       |
| LA3020  | METHYL 4-BROMOBENZOATE 98%   | 619-42-1   | 51     | 25 gm  | 29163990 | 18  | 3414       |
|         | C <sub>8</sub> H <sub>7</sub> BrO <sub>2</sub> M.W. 215.04   |            |        |        |          |     |            |
| LA3021  | 3-METHYL-4-BROMO PHENOL 98%  | 14472-14-1 | 68     | 1 gm   | 29081900 | 18  | 4544       |
|         | C <sub>7</sub> H <sub>7</sub> BrO M.W. 187.03  |            | 231    | 5 gm   |          |     | 15386      |
|         | 2-METHYL BUTANE  |            |        |        |          |     |            |
|         | METHYL TERT-BUTYL ETHER  |            |        |        |          |     |            |
| LA3022  | METHYL BUTYRATE 99%  | 623-42-7   | 68     | 500 ml | 29156010 | 18  | 4547       |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W 102.13, Liquid, d. 0.898                               |            |        |        |          |     |            |
|         | <u>UN 1237 3/PG II</u>   |            |        |        |          |     |            |
|         | METHYL CARBITOL  |            |        |        |          |     |            |
|         | METHYL CELLOSOLVE  |            |        |        |          |     |            |
| LA3023  | METHYL CELLULOSE   | 9004-67-5  | 26     | 250 gm | 39123922 | 18  | 1698       |
|         | (methoxy contents 28.32%)  |            | 49     | 500 gm |          |     | 3239       |
| LA3024  | METHYL CHLORO ACETATE 99% (mono)   | 96-34-4    | 17     | 500 ml | 29154010 | 18  | 1119       |
|         | C <sub>3</sub> H <sub>5</sub> ClO <sub>2</sub> M.W. 108.52, liquid, d. 1.238                             |            | 72     | 2.5 Lt |          |     | 4758       |
|         | <u>UN 2295 6.1(3)/PG I</u>   |            |        |        |          |     |            |
| LA3025  | METHYL CHLORO FORMATE 99%  | 79-22-1    | 17     | 500 ml | 29159090 | 18  | 1111       |
|         | C <sub>2</sub> H <sub>3</sub> ClO <sub>2</sub> M.W. 94.50, Liquid, d. 1.223                              |            | 73     | 2.5 Lt |          |     | 4885       |
|         | <u>UN 1238 6.1(3,8)/PG I</u>   |            |        |        |          |     |            |
| LA3026  | METHYL CINNAMATE 99%   | 1754-62-7  |        | 500 gm | 29163990 | 18  |            |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>2</sub> M.W. 162.19   |            |        |        |          |     |            |
| LA3027  | METHYL CYCLOHEXANE 99% For Synthesis   | 108-87-2   | 13     | 500 ml | 29061200 | 18  | 897        |
|         | C <sub>7</sub> H <sub>14</sub> M.W. 98.19, Liquid, d. 0.77   |            | 61     | 2.5 Lt |          |     | 4034       |
|         | <u>UN 2296 3/PG II</u>   |            |        |        |          |     |            |
|         | METHYL DIGOL   |            |        |        |          |     |            |
| LA3028  | METHYL EICOSANOATE 99%   | 1120-28-1  | 457    | 1 gm   | 29159010 | 18  | 30391      |
|         | C <sub>21</sub> H <sub>42</sub> O <sub>2</sub> M.W 326.56  |            |        |        |          |     |            |
| LA3029  | N, N-METHYLENE BISACRYLAMIDE 99% AR  | 110-26-9   | 10     | 25 gm  | 29241900 | 18  | 651        |
|         | (For Molecular Biology)  |            | 37     | 100 gm |          |     | 2487       |
|         | (for electrophoresis) C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 154.17           |            | 88     | 250 gm |          |     | 5852       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA3030  | 4,4-METHYLENEBIS 98%   | 101-68-8   | 117    | 25 gm  | 29291090 | 18  | 7791       |
|         | (Phenyl isocyanate) (4,4-diphenylmethane diisocyanate)   |            | 422    | 100 gm |          |     | 28050      |
|         | C <sub>15</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 250.25                                |            | 1363   | 500 gm |          |     | 90637      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3047  | METHYLENE BLUE (M.S.) (C.I. No.52015)                                | 61-73-4    | 7      | 25 gm  | 32041351 | 18  | 498        |
|         | Dye Content: Min. 82%  |            | 27     | 100 gm |          |     | 1811       |
|         | $C_{16}H_{18}ClN_3S \cdot xH_2O$ M.W 319.85 (anhydr. basis)          |            | 118    | 500 gm |          |     | 7876       |
| LA3048  | METHYLENE BLUE 95-101% AR (M.S.)                                     | 61-73-4    | 8      | 25 gm  | 32041351 | 18  | 548        |
|         | (C.I. No.52015)  |            | 31     | 100 gm |          |     | 2031       |
|         | $C_{16}H_{18}ClN_3S \cdot xH_2O$ M.W 319.85 (anhydr. basis)          |            | 135    | 500 gm |          |     | 8987       |
| LA3049  | METHYLENE BLUE (alkaline)  |            | 3      | 125 ml | 38220090 | 12  | 176        |
|         | (loc'ler's staining solution) Liquid, d. 0.930                       |            | 8      | 500 ml |          |     | 530        |
|         | <u>UN 1993 3/PG III</u>  |            |        |        |          |     |            |
| LA3050  | METHYLENE BLUE (aqueous)   |            | 2      | 125 ml | 38220090 | 12  | 155        |
|         | (staining solution), Liquid, d. 0.970                                |            | 7      | 500 ml |          |     | 452        |
| LA3051  | METHYLENE BLUE Solution 0.5%   |            | 2      | 125 ml | 38220090 | 12  | 101        |
|         | For Microscopy   |            | 4      | 500 ml |          |     | 284        |
| LA3052  | METHYLENE BLUE-FUCHSIN (GRAY)  |            | 11     | 100 ml | 32041351 | 18  | 753        |
|         |  |            |        |        |          |     |            |
|         | METHYLENE BLUE POLYCHROME For Microscopy                             |            | 10     | 25 gm  | 32041351 | 18  | 675        |
| LA3053  | METHYLENE BLUE TABLETS (for milk testing)                            |            | 25     | 50 tab | 38220090 | 12  | 1668       |
|         | METHYLENE CHLORIDE   |            |        |        |          |     |            |
| LA3054  | N-METHYLDIETHANOALMINE 98% For Synthesis                             | 105-59-9   | 5      | 100 ml | 29221990 | 18  | 313        |
|         | $CH_3N(CH_2CH_2OH)_2$ M.W. 119.16                                    |            | 11     | 250 ml |          |     | 724        |
| LA3055  | 3,4-(METHYLENEDIOXY) ANILINE 98%                                     | 14268-66-7 | 263    | 25 gm  | 29329910 | 18  | 17483      |
|         | $C_7H_9NO_2$ M.W. 137.14   |            |        |        |          |     |            |
|         | METHYLENE IODIDE   |            |        |        |          |     |            |
|         | METHYL ETHYL KETONE  |            |        |        |          |     |            |
| LA3056  | METHYL EUGENOL 98% For Synthesis                                     | 93-15-2    | 25     | 100 ml | 29093090 | 18  | 1638       |
|         | $C_{11}H_{14}O_2$ M.W. 178.23  |            |        | 500 ml |          |     |            |
|         | <u>UN 3082 9/ PG III</u>   |            |        |        |          |     |            |
| LA3057  | METHYL FORMATE 97%   | 107-31-3   | 12     | 500 ml | 29151300 | 18  | 831        |
|         | $C_2H_4O_2$ M.W. 60.05, Liquid, d. 0.974                             |            | 58     | 2.5 Lt |          |     | 3854       |
|         | <u>UN 1243 3/PG I</u>  |            |        |        |          |     |            |
| LA3058  | 1-METHYL-3-FORMYLINDOLE 98%  | 19012-03-4 | 56     | 10 gm  | 29339900 | 18  | 3718       |
|         | $C_{10}H_9NO$ M.W 159.18   |            | 839    | 25 gm  |          |     | 55807      |
| LA3059  | METHYL GREEN (M.S.)  | 7114-03-6  | 13     | 5 gm   | 32049000 | 18  | 871        |
|         | (C.I. No.42590)  |            | 25     | 25 gm  |          |     | 1647       |
|         | Dye Content: Min. 65% $C_{27}H_{35}BrClN_3 \cdot ZnCl_2$ M.W. 653.24 |            | 56     | 100 gm |          |     | 3746       |
| LA3060  | METHYL GREEN stain solution  |            | 11     | 125 ml | 38220090 | 12  | 714        |
|         |  |            | 22     | 500 ml |          |     | 1469       |
| LA3061  | METHYL HYDRAZINE SULPHATE 98%  | 302-15-8   | 86     | 25 gm  | 29280090 | 18  | 5688       |
|         | $CH_5N_2O_4S$ M.W. 144.15  |            | 316    | 100 gm |          |     | 21045      |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA3062  | METHYL-P-HYDROXY BENZOATE  |            |        |        |          |     |            |
| LA3063  | METHYL-P-HYDROXY BENZOATE SODIUM SALT                                |            |        |        |          |     |            |
| LA3064  | 1-METHYLIMIDAZOLE 99%  | 616-47-7   | 44     | 100 gm | 29332990 | 18  | 2955       |
|         | $C_4H_6N_2$ M.W. 82.10, Liquid, d. 1.03                              |            | 213    | 500 gm |          |     | 14185      |
|         | <u>UN 2922 8(6.1)/PG II</u>  |            |        |        |          |     |            |
| LA3065  | 2-METHYLIMIDAZOLE 98%  | 693-98-1   | 9      | 100 gm | 29332990 | 18  | 632        |
|         | $C_4H_6N_2$ M.W. 82.10   |            | 38     | 500 gm |          |     | 2502       |
|         | <u>UN 3259 8/PG II</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA3066  | METHYL INDOLE-5-CARBOXYALTE 99%   | 1011-65-0 | 102    | 1 gm   | 29339900 | 18  | 6778       |
|         | C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 175.18  |           | 370    | 5 gm   |          |     | 24632      |
| LA3067  | METHYL IODIDE 99% For Synthesis   | 74-88-4   | 101    | 100 ml | 29039990 | 18  | 6747       |
|         | (iodomethane) CH <sub>3</sub> I M.W. 141.94, Liquid, d. 2.28  |           | 244    | 250 ml |          |     | 16198      |
|         | <u>UN 2644 6.1/PG I</u>   |           | 2192   | 2.5 Lt |          |     | 145784     |
|         | METHYL ISOBUTYL KETONE (MIBK)   |           |        |        |          |     |            |
| LA3068  | METHYL ISOTHIOCYANATE 98%   | 556-61-6  | 66     | 10 gm  | 29309090 | 18  | 4402       |
|         | C <sub>2</sub> H <sub>3</sub> NS M.W. 73.12   |           | 149    | 25 gm  |          |     | 9899       |
|         | <u>UN 2477 6.1(3)/PG I</u>  |           |        |        |          |     |            |
| LA3069  | METHYL METHACRYLATE 99%   | 80-62-6   | 11     | 500 ml | 29161400 | 18  | 757        |
|         | (monomer) C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> M.W. 100.12, Liquid, d. 0.944                |           | 51     | 2.5 Lt |          |     | 3403       |
|         | <u>UN 1247 3/PG II</u>  |           |        |        |          |     |            |
| LA3070  | N-METHYL MORPHOLINE 98% Extra Pure  | 109-02-4  | 27     | 500 ml | 29343000 | 18  | 1774       |
|         | C <sub>5</sub> H <sub>11</sub> NO M.W. 101.15, Liquid, d. 0.92                                      |           | 51     | 1 Lt   |          |     | 3359       |
|         | <u>UN 2535 3 (8)/PG II</u>  |           | 119    | 2.5 Lt |          |     | 7933       |
| LA3071  | METHYL-2-NAPHTHYL ETHER 98%   | 93-04-9   | 15     | 250 gm | 29093090 | 18  | 1014       |
|         | (2-methoxynaphthalene, yara yara) C <sub>11</sub> H <sub>10</sub> O M.W. 158.2                      |           | 29     | 500 gm |          |     | 1928       |
|         | <u>UN 3077 9 /PG III</u>  |           |        |        |          |     |            |
| LA3022  | METHYL NICOTINATE 98.5%   | 93-60-7   | 40     | 100 gm | 29339900 | 18  | 2681       |
|         | C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14   |           | 171    | 500 gm |          |     | 11381      |
| LA3073  | METHYL-5-NITRO-2-FUROATE 98%  | 1874-23-3 | 65     | 1 gm   | 29321990 | 18  | 4325       |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>5</sub> M.W. 171.11   |           | 192    | 5 gm   |          |     | 12785      |
| LA3074  | METHYL ORANGE pH indicator  | 547-58-0  | 3      | 25 gm  | 29270090 | 18  | 200        |
|         | (C.I. No.13025)   |           | 9      | 100 gm |          |     | 623        |
|         | Dye Content: Min. 95% C <sub>14</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W. 327.33 |           | 40     | 500 gm |          |     | 2654       |
|         | <u>UN 3143 6.1/PG III</u>   |           |        |        |          |     |            |
| LA3075  | METHYL ORANGE indicator solution  |           | 2      | 125 ml | 38220090 | 12  | 136        |
|         | Liquid, d. 1.000  |           | 6      | 500 ml |          |     | 411        |
| LA3076  | METHYL PARABEN 99%  | 99-76-3   | 23     | 500 gm | 29182990 | 18  | 1530       |
|         | (methyl-p-hydroxy benzoate) (nipagin M) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15    |           | 205    | 5 Kg   |          |     | 13638      |
| LA3077  | METHYL PARABEN SODIUM SALT 99.7%  | 5026-62-0 | 27     | 500 gm | 29183090 | 18  | 1806       |
|         | (methyl-p-hydroxy benzoate sodium salt)   |           | 240    | 5 Kg   |          |     | 15954      |
|         | C <sub>8</sub> H <sub>7</sub> NaO <sub>3</sub> M.W. 174.13  |           |        |        |          |     |            |
|         | 2-METHYL PENTAN-2, 4-DIOL   |           |        |        |          |     |            |
|         | 4-METHYL PENTANE-2-ONE  |           |        |        |          |     |            |
| LA3078  | N-METHYLPHENAZONIUM METHOSULPHATE 90%   | 299-11-6  | 15     | 1 gm   | 29339900 | 18  | 1010       |
|         | For Molecular Biology   |           | 60     | 5 gm   |          |     | 3963       |
|         | (PMS) (phenazine methosulphate)   |           |        |        |          |     |            |
|         | C <sub>14</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 306.34                         |           |        |        |          |     |            |
| LA3079  | 3-METHYLPHENOXY ACETIC ACID 98%   | 578-02-0  | 68     | 5 gm   | 29189900 | 18  | 4490       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> M.W. 166.18   |           | 128    | 10 gm  |          |     | 8538       |
| LA3080  | METHYL PHENYL ACETATE 99%   | 101-41-7  | 62     | 500 ml | 29163990 | 18  | 4128       |
|         | C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> M.W. 150.17   |           |        |        |          |     |            |
| LA3081  | N-METHYL-1,2-PHENYLENEDIAMINE 97%   | 4760-34-3 | 341    | 25 ml  | 29215190 | 18  | 22677      |
|         | CH <sub>3</sub> NHC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 122.17, Liquid, d. 1.075       |           | 1142   | 100 ml |          |     | 75962      |
| LA3082  | 1-(2-METHYLPHENYL) PIPERAZINE 97%   | 5271-27-2 | 301    | 5 gm   | 29335990 | 18  | 20012      |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26  |           | 572    | 10 gm  |          |     | 38025      |
|         | <u>UN 2923 8 (6.1)/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3083  | 1-(4-METHYLPHENYL) PIPERAZINE 98%  | 39593-08-3  | 217    | 5 gm   | 29335990 | 18  | 14405      |
|         | C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> M.W. 176.26   |             | 412    | 10 gm  |          |     | 27368      |
| LA3084  | 3-METHYL-1-PHENYL PYRAZOLE 98%   | 1128-54-7   | 287    | 1 gm   | 29062990 | 18  | 19059      |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> M.W. 158.20   |             | 1189   | 5 gm   |          |     | 79092      |
|         | <u>UN 3261 8/PG II</u>   |             |        |        |          |     |            |
| LA3085  | 3-METHYL-1-PHENYL 5-PYRAZOLONE 99% For Synthesis   | 89-25-8     | 46     | 100 gm | 29331990 | 18  | 3033       |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> O M.W 174.20  |             | 171    | 500 gm |          |     | 11391      |
| LA3086  | METHYL PHENYL SULFONE  | 125562-53-0 | 220    | 5 gm   | 29309099 | 18  | 14641      |
|         | Isotopic purity : 99 atom% <sup>13</sup> C C <sub>6</sub> H <sub>5</sub> SO <sub>2</sub> CH <sub>3</sub> M.W. 157.19 |             | 418    | 10 gm  |          |     | 27821      |
| LA3087  | METHYL PHENYL SULFOXIDE 98%  | 1193-82-4   | 508    | 25 gm  | 29309099 | 18  | 33750      |
|         | C <sub>7</sub> H <sub>8</sub> SO M.W 140.20  |             |        |        |          |     |            |
| LA3088  | 1-METHYL PIPERAZINE 99% For Synthesis  | 109-01-3    | 18     | 100 ml | 29339900 | 18  | 1226       |
|         | C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> M.W. 100.16, Liquid, d. 0.903  |             | 80     | 500 ml |          |     | 5331       |
|         | <u>UN 2734 8 (3)/PG II</u>   |             |        |        |          |     |            |
| LA3089  | 4-(4-METHYLPIPERAZINO) ANILINE 97%   | 16153-81-4  | 377    | 1 gm   | 29221290 | 18  | 25078      |
|         | C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> M.W. 191.27   |             | 1131   | 5 gm   |          |     | 75239      |
|         | <u>UN 3259 8/PG III</u>  |             |        |        |          |     |            |
| LA3090  | METHYL PURPLE pH indicator (purple green)  | 1340-02-9   | 88     | 5 gm   | 32041341 | 18  | 5861       |
|         | C <sub>67</sub> H <sub>62</sub> N <sub>8</sub> Na <sub>4</sub> O <sub>14</sub> S <sub>3</sub> M.W. 1391.41           |             | 167    | 10 gm  |          |     | 11128      |
| LA3091  | METHYL PURPLE pH indicator solution  |             | 4      | 125 ml | 38220090 | 12  | 255        |
|         | (0.1% indicator solution), Liquid, d. 1.001  |             | 7      | 250 ml |          |     | 461        |
|         | 2-METHYL PYRIDINE  |             |        |        |          |     |            |
|         | 3-METHYL PYRIDINE  |             |        |        |          |     |            |
| LA3092  | 4-METHYL PYRIDINE  |             |        |        |          |     |            |
| LA3093  | 1-METHYLPYRROL-2-CARBOXYLIC ACID 97%   | 6973-60-0   | 339    | 10 gm  | 29339900 | 18  | 22555      |
|         | C <sub>6</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 125.13  |             | 797    | 25 gm  |          |     | 53005      |
| LA3094  | N-METHYL-2-PYRROLIDONE 99%   | 872-50-4    | 29     | 500 ml | 29337900 | 18  | 1923       |
|         | (N-methyl pyrrolidone)   |             | 55     | 1 Lt   |          |     | 3658       |
|         | C <sub>5</sub> H <sub>9</sub> NO M.W. 99.13, Liquid, d. 1.028  |             | 130    | 2.5 Lt |          |     | 8662       |
| LA3095  | METHYL RED indicator AR (acid base indicator)  | 493-52-7    | 5      | 25 gm  | 29270090 | 18  | 330        |
|         | (C.I.No.13020)   |             | 15     | 100 gm |          |     | 1016       |
|         | C <sub>15</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub> M.W. 269.31  |             | 68     | 500 gm |          |     | 4551       |
| LA3096  | METHYL RED indicator solution  |             | 2      | 125 ml | 38220090 | 12  | 163        |
|         |  |             | 7      | 500 ml |          |     | 484        |
| LA3097  | METHYL RED 2% SOLUTION For Microscopy  |             | 2      | 125 ml | 38220090 | 12  | 165        |
| LA3098  | METHYL RED SODIUM SALT (Water Soluble)   | 845-10-3    | 6      | 25 gm  | 29270090 | 18  | 371        |
|         | Dye Content : Min. 95% C <sub>15</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>2</sub> M.W. 291.29                   |             | 163    | 1 Kg   |          |     | 10815      |
| LA3099  | METHYL SALICYLATE 99% For Synthesis  | 119-36-8    | 17     | 500 ml | 29182310 | 18  | 1138       |
|         | (wintergreen oil) C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15, Liquid, d. 1.174                         |             | 82     | 2.5 Lt |          |     | 5471       |
| LA3100  | N-METHYL SUCCINIMIDE 99%   | 1121-07-9   | 796    | 25 gm  | 29251900 | 18  | 52943      |
|         | C <sub>5</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 113.11  |             |        |        |          |     |            |
| LA3101  | METHYL SUCCINYL CHLORIDE 97% Extra Pure  | 1490-25-1   | 61     | 100 ml | 29171990 | 18  | 4026       |
|         | C <sub>5</sub> H <sub>7</sub> ClO <sub>3</sub> M.W. 150.56   |             |        |        |          |     |            |
|         | <u>UN 3265 8/PG III</u>  |             |        |        |          |     |            |
| LA3102  | 2-METHYLtetrahydrofuran 99% For Synthesis  | 96-47-9     | 14     | 100 ml | 29321990 | 18  | 950        |
|         | C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.86   |             | 51     | 500 ml |          |     | 3402       |
|         | <u>UN 2536 3/PG II</u>   |             | 205    | 2.5 Lt |          |     | 13606      |

| CAT No. | PRODUCT NAME  | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------------|--------|--------|----------|-----|------------|
| LA3103  | <b>4-(METHYLTHIO) BENZALDEHYDE 97%</b><br>(4-thioanisaldehyde) C <sub>8</sub> H <sub>8</sub> O <sub>5</sub> M.W. 152.21                             | <b>3446-89-7</b>  | 151    | 25 gm  | 29309020 | 18  | 10027      |
|         |   |                   | 425    | 100 gm |          |     | 28268      |
|         | <b>UN 3334 9/PG III</b>   |                   |        |        |          |     |            |
| LA3104  | <b>METHYL THYMOL BLUE AR</b><br>(pH indicator) (methyl red thymol blue)   | <b>4310-80-9</b>  | 6      | 5 gm   | 32049000 | 18  | 420        |
|         |   |                   | 25     | 25 gm  |          |     | 1686       |
|         |   |                   | 80     | 100 gm |          |     | 5291       |
| LA3105  | <b>METHYL THYMOL BLUE COMPLEXONE</b><br>(methyl thymol blue sodium salt) (indicator for Metal titration)  | <b>1945-77-3</b>  | 16     | 1 gm   | 32049000 | 18  | 1074       |
|         | Dye Content : Min. 70% C <sub>37</sub> H <sub>40</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>13</sub> S M.W. 844.76                                 |                   | 65     | 5 gm   |          |     | 4302       |
| LA3106  | <b>METHYL VIOLET (M.S.) (C.I. No.42535)</b><br>Dye Content : Min. 75% C <sub>24</sub> H <sub>27</sub> N <sub>3</sub> ·HCl M.W. 393.96               | <b>8004-87-3</b>  | 3      | 25 gm  | 32041341 | 18  | 211        |
|         |   |                   | 9      | 100 gm |          |     | 565        |
|         | <b>UN 3077 9 /PG III</b>  |                   | 28     | 500 gm |          |     | 1854       |
| LA3107  | <b>METHYL VIOLET indicator solution</b>   |                   | 2      | 125 ml | 38220090 | 12  | 146        |
|         |   |                   | 6      | 500 ml |          |     | 432        |
| LA3108  | <b>METOL 99% (photographic grade)</b><br>(p-METHYLAMINOphenol sulphate) C <sub>14</sub> H <sub>20</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 344.39 | <b>55-55-0</b>    | 25     | 100 gm | 29222931 | 18  | 1631       |
|         |   |                   | 109    | 500 gm |          |     | 7230       |
|         | <b>UN 3077 9 /PG III</b>  |                   |        |        |          |     | 0          |
| LA3109  | <b>METRONIDAZOLE</b><br>For Lab Use C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub> M.W. 171.15   | <b>443-48-1</b>   | 435    | 25 gm  | 29332990 | 18  | 28914      |
|         |   |                   | 1536   | 100 gm |          |     | 102115     |
| LA3110  | <b>MICA powder (Tech) Practical</b>   | <b>12001-26-2</b> | 9      | 500 gm | 25252090 | 5   | 599        |
| LA3111  | <b>MICONAZOLE (BASE)</b><br>For Lab Use   | <b>22916-47-8</b> | 94     | 25 gm  | 29332990 | 18  | 6231       |
| LA3112  | <b>MICONAZOLE NITRATE 98%</b><br>For Lab Use C <sub>18</sub> H <sub>14</sub> Cl <sub>4</sub> N <sub>2</sub> O·HNO <sub>3</sub> M.W 479.14           | <b>22832-87-7</b> | 109    | 25 gm  | 29332990 | 18  | 7249       |
|         | MICROCOSMIC SALT  |                   | 342    | 100 gm |          |     | 22765      |
|         | MICROCRYSTALLINE CELLULOSE  |                   |        |        |          |     |            |
| LA3112  | <b>MICROCRYSTALLINE WAX</b>   | <b>63231-60-7</b> | 10     | 500 gm | 27129010 | 18  | 662        |
| LA3113  | <b>MILLER'S REAGENT (for fluorine)</b>  |                   | 15     | 125 ml | 38220090 | 12  | 1005       |
|         |   |                   | 45     | 500 ml |          |     | 3013       |
| LA3114  | <b>MILLION'S REAGENT (reagent for protein test)</b><br>Liquid, d. 1.40  |                   | 15     | 125 ml | 38220090 | 12  | 1019       |
|         |   |                   | 55     | 500 ml |          |     | 3677       |
| LA3115  | <b>MINERAL OIL</b>  |                   |        |        |          |     |            |
| LA3116  | <b>MINOXIDIL 99%</b><br>For Lab Use C <sub>9</sub> H <sub>15</sub> N <sub>5</sub> O M.W. 209.25   | <b>38304-91-5</b> | 94     | 25 gm  | 29335990 | 18  | 6265       |
|         |   |                   | 311    | 100 gm |          |     | 20653      |
| LA3117  | <b>MOLECULAR SIEVES 3Ax1.5mm</b><br>(potassium alumino silicate)  | <b>1327-44-2</b>  | 12     | 250 gm | 38249015 | 18  | 773        |
|         |   |                   | 145    | 5 Kg   |          |     | 9621       |
| LA3118  | <b>MOLECULAR SIEVES 4Ax1.5mm</b><br>(sodium alumino silicate)   | <b>1344-00-9</b>  | 11     | 250 gm | 38249015 | 18  | 731        |
|         |   |                   | 136    | 5 Kg   |          |     | 9054       |
| LA3119  | <b>MOLECULAR SIEVES 5Ax1.5mm</b><br>(calcium alumino silicate)  | <b>1327-39-5</b>  | 11     | 250 gm | 38249015 | 18  | 733        |
|         |   |                   | 136    | 5 Kg   |          |     | 9056       |
| LA3120  | <b>MOLECULAR SIEVES 13X x 1.5 mm</b><br>(sodium alumino silicate)   | <b>63231-69-6</b> | 16     | 250 gm | 38249015 | 18  | 1077       |
|         |   |                   | 162    | 5 Kg   |          |     | 10757      |
| LA3121  | <b>MOLISH REAGENT</b>   |                   | 6      | 125 ml | 38220090 | 12  | 395        |
|         | <b>UN 1170 3/PG II</b>  |                   | 18     | 500 ml |          |     | 1172       |
| LA3122  | <b>MOLYBDENUM AAS STANDARD SOLUTION</b><br>1000mg/L in Nitric Acid, Liquid, d. 1.000  |                   | 24     | 125 ml | 38220090 | 12  | 1572       |
|         |   |                   | 63     | 500 ml |          |     | 4185       |

| CAT No. | PRODUCT NAME  | CAS No.            | \$ USD | UNIT   | HS CODE  | GST      | PRICE(INR) |      |
|---------|---|--------------------|--------|--------|----------|----------|------------|------|
| LA3123  | <b>MOLYBDENUM ICP STANDARD SOLUTION</b>   |                    | 142    | 125 ml | 38220090 | 12       | 9441       |      |
|         | 1000mg/L in Nitric Acid   |                    |        |        |          |          |            |      |
|         | Liquid, d. 1.000  |                    |        |        |          |          |            |      |
| LA3124  | <b>MOLYBDENUM (Metal) POWDER 99.9% Extra Pure</b>   | <b>7439-98-7</b>   | 78     | 25 gm  | 81021000 | 18       | 5202       |      |
|         | Mo M.W. 95.94   |                    | 303    | 100 gm |          |          | 20183      |      |
| LA3125  | <b>MOLYBDENUM DISULPHIDE 98% Extra Pure (powder)</b>  | <b>1317-33-5</b>   | 29     | 100 gm | 28309010 | 18       | 1921       |      |
|         | MoS <sub>2</sub> M.W. 160.06  |                    | 137    | 500 gm |          |          | 9138       |      |
| LA3126  | <b>MOLYBDENUM TRIOXIDE 99% (molybdic anhydride)</b>   | <b>1313-27-5</b>   | 27     | 100 gm | 28257010 | 18       | 1820       |      |
|         | MoO <sub>3</sub> M.W. 143.94  |                    | 128    | 500 gm |          |          | 8537       |      |
| LA3127  | <b>MOLYBDENUM TRIOXIDE 99.5% AR</b>   | <b>1313-27-5</b>   | 30     | 100 gm | 28257010 | 18       | 2017       |      |
|         | (molybdic anhydride) MoO <sub>3</sub> M.W. 143.94   |                    | 143    | 500 gm |          |          | 9509       |      |
| LA3128  | <b>MOLYBDIC ACID 85% Extra Pure</b>   | <b>7782-91-4</b>   | 30     | 100 gm | 28257020 | 18       | 2020       |      |
|         |   |                    | 136    | 500 gm |          |          | 9067       |      |
|         |   |                    | 613    | 2.5 Kg |          |          | 40794      |      |
| LA3129  | <b>MOLYBDIC ACID 85% AR</b>   | <b>7782-91-4</b>   | 32     | 100 gm | 28257020 | 18       | 2149       |      |
|         |   |                    | 145    | 500 gm |          |          | 9651       |      |
|         | MOLYBDIC ANHYDRIDE  |                    |        |        |          |          |            |      |
|         | MONOCHLORO ACETIC ACID  |                    |        |        |          |          |            |      |
|         | MONOCHLOROBENZENE   |                    |        |        |          |          |            |      |
|         | MONOETHANOALMINE  |                    |        |        |          |          |            |      |
|         | MONOETHYALMINE  |                    |        |        |          |          |            |      |
|         | MONOETHYALNILINE  |                    |        |        |          |          |            |      |
|         | MONOMETHYLAMINE   |                    |        |        |          |          |            |      |
| LA3130  | <b>MONOTHIOGLYCEROL 98%</b>   | <b>96-27-5</b>     | 58     | 100 ml | 29055900 | 18       | 3861       |      |
|         | (1-thioglycerol) (3-mercaptop-1,2-propanediol)  |                    | 110    | 250 ml |          |          | 7340       |      |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> S M.W. 108.16, Liquid, d. 1.25                   |                    | 212    | 500 ml |          |          | 14078      |      |
|         | <b>UN 2810 6.1/PG III</b>   |                    |        |        |          |          |            |      |
| LA3131  | <b>MONTAN WAX</b>   | <b>8002-53-7</b>   | 27     | 500 gm | 34049090 | 28       | 1802       |      |
| LA3132  | <b>MOPSO BUFFER 99% For Molecular Biology</b>   | <b>68399-77-9</b>  | 34     | 25 gm  | 29349900 | 18       | 2248       |      |
|         | (3-morpholino-2-hydroxypropane sulphonic acid)  |                    | 64     | 50 gm  |          |          | 4267       |      |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>3</sub> S M.W. 225.26                                  |                    | 298    | 250 gm |          |          | 19841      |      |
|         | MORDANT BLACK 11  |                    |        |        |          |          |            |      |
| LA3133  | <b>MORIN (hydrate) 85% AR</b>   | <b>654055-01-3</b> | 75     | 1 gm   | 29329900 | 18       | 4965       |      |
|         | C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> ·xH <sub>2</sub> O M.W. 302.24 (anhydr. basis) |                    | 317    | 5 gm   |          |          | 21097      |      |
| LA3134  | <b>MORNER'S REAGENT solution</b>  |                    |        | 17     | 500 ml   | 38220090 | 12         | 1136 |
| LA3135  | <b>MORPHOLINE 98.5% For Synthesis</b>   | <b>110-91-8</b>    | 14     | 500 ml | 29333917 | 18       | 956        |      |
|         | C <sub>4</sub> H <sub>9</sub> NO M.W. 87.12, Liquid, d. 0.996 - 1.01                          |                    | 65     | 2.5 Lt |          |          | 4308       |      |
|         | <b>UN 2054 8 (3)/PG I</b>   |                    |        |        |          |          |            |      |
| LA3136  | <b>MORPHOLINOETHANE SULPHONIC ACID 99%</b>  | <b>145224-94-8</b> | 25     | 25 gm  | 29349900 | 18       | 1654       |      |
|         | For Molecular Biology   |                    |        |        |          |          |            |      |
|         | (MES) (monohydrate)   |                    | 85     | 100 gm |          |          | 5679       |      |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> S.H <sub>2</sub> O M.W. 213.25                 |                    |        |        |          |          |            |      |
| LA3137  | <b>MORPHOLINOPROPANE SULPHONIC ACID 99%</b>   | <b>1132-61-2</b>   | 29     | 25 gm  | 29349900 | 18       | 1919       |      |
|         | For Molecular Biology   |                    |        |        |          |          |            |      |
|         | (MOPS)  |                    | 101    | 100 gm |          |          | 6719       |      |
|         | C <sub>7</sub> H <sub>15</sub> NO <sub>4</sub> S M.W. 209.26                                  |                    | 435    | 500 gm |          |          | 28939      |      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3138  | M.T.T. TETRAZOLIUM 99% AR (For Molecular Biology)                           | 298-93-1   | 13     | 100 mg | 29339900 | 18  | 850        |
|         | <chem>C18H16BrN5S</chem> M.W. 414.32  |            | 29     | 250 mg |          |     | 1934       |
|         |   |            | 108    | 1 gm   |          |     | 7169       |
| LA3139  | MUCIC ACID 99%  | 526-99-8   | 124    | 100 gm | 29181990 | 18  | 8275       |
|         | (Galactonic acid; Tetrahydroxyadipic acid) <chem>C6H10O8</chem> M.W. 210.14 |            |        |        |          |     |            |
| LA3140  | MUCICARMINE (Mayer) Staining Solution                                       |            | 6      | 125 ml | 32049000 | 18  | 400        |
|         | <u>UN 2581 8/PG III</u>   |            | 17     | 500 ml |          |     | 1131       |
| LA3141  | MUCIN (From Pig Stomach Mucosa)   | 84082-64-4 | 169    | 10 gm  | 35040099 | 18  | 11233      |
| LA3142  | MUREXIDE  |            |        |        |          |     |            |
| LA3143  | MUSTARD OIL   | 8007-40-7  | 77     | 250 ml | 15149120 | 18  | 5112       |
|         | Liquid, d. 1.013  |            | 144    | 500 ml |          |     | 9605       |
| LA3144  | MYRISTIC ACID 98% For Synthesis   | 544-63-8   | 11     | 500 gm | 29159090 | 18  | 713        |
|         | (tetra decanoic acid) <chem>C14H28O2</chem> M.W. 228.37                     |            | 87     | 5 Kg   |          |     | 5765       |
| LA3145  | MYRISTYL ALCOHOL 98% For Synthesis  | 112-72-1   | 6      | 100 ml | 29051990 | 18  | 374        |
|         | (Tetradecyl alcohol) <chem>CH3(CH2)13OH</chem> M.W. 214.39                  |            | 25     | 500 ml |          |     | 1686       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
|         | NAD, DPN  |            |        |        |          |     |            |
|         | NADH, DPNH  |            |        |        |          |     |            |
|         | NADP, TPN   |            |        |        |          |     |            |
| LA3146  | NAGARMOTHA OIL, Liquid, d. 1.013  | 91771-62-9 | 117    | 100 ml | 33011990 | 18  | 7810       |
|         |   |            | 510    | 500 ml |          |     | 33928      |
| LA3147  | NALIDIXIC ACID 98%  | 389-08-2   | 11     | 5 gm   | 29339900 | 18  | 756        |
|         | <chem>C12H12N2O3</chem> M.W 232.24  |            | 45     | 25 gm  |          |     | 3026       |
| LA3148  | 1-NAPHTHALDEHYDE 97% For Synthesis  | 66-77-3    | 39     | 25 ml  | 29122990 | 18  | 2605       |
|         | (1-naphthalene carboxaldehyde)  |            | 95     | 100 ml |          |     | 6288       |
|         | <chem>C11H8O</chem> M.W. 156.18, Liquid, d. 1.15                            |            | 368    | 250 ml |          |     | 24461      |
|         | <u>UN 3334 9/ PG III</u>  |            |        |        |          |     |            |
| LA3149  | NAPHTHALENE balls 99% For Synthesis   | 91-20-3    | 8      | 500 gm | 29029040 | 18  | 523        |
|         | <chem>C10H8</chem> M.W. 128.17  |            | 66     | 5 Kg   |          |     | 4422       |
|         | <u>UN 1334 4.1/PG III</u>   |            |        |        |          |     |            |
| LA3150  | NAPHTHALENE flakes 99% For Synthesis  | 91-20-3    | 8      | 500 gm | 29029040 | 18  | 548        |
|         | <chem>C10H8</chem> M.W. 128.17  |            | 68     | 5 Kg   |          |     | 4528       |
|         | <u>UN 1334 4.1/PG III</u>   |            |        |        |          |     |            |
|         | NAPHTHALENE ACETIC ACID   |            |        |        |          |     |            |
|         | NAPHTHALENE BLACK 12B   |            |        |        |          |     |            |
| LA3151  | 5,12-NAPHTHCENEQUINONE 97% (Electronic grade)                               | 1090-13-7  | 542    | 5 gm   | 29146990 | 18  | 36028      |
|         | <chem>C18H10O2</chem> M.W. 258.27   |            | 1029   | 10 gm  |          |     | 68450      |
| LA3152  | a-NAPHTHOL 98%  | 90-15-3    | 8      | 100 gm | 29071510 | 18  | 553        |
|         | (1-naphthol) <chem>C10H8O</chem> M.W. 144.17                                |            | 37     | 500 gm |          |     | 2492       |
|         | <u>UN 2811 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA3153  | a-NAPHTHOL 99% AR   | 90-15-3    | 10     | 100 gm | 29071510 | 18  | 680        |
|         | (1-naphthol) <chem>C10H8O</chem> M.W. 144.17                                |            | 40     | 500 gm |          |     | 2643       |
|         | <u>UN 2811 6.1 /PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD    | UNIT             | HS CODE  | GST | PRICE(INR)    |      |
|---------|---|------------|-----------|------------------|----------|-----|---------------|------|
| LA3154  | <b>b-NAPHTHOL 98% For Synthesis</b><br>(2-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17<br><u>UN 3077 9 /PG III</u>              | 135-19-3   | 3<br>13   | 100 gm<br>500 gm | 29071510 | 18  | 204<br>845    |      |
| LA3155  | <b>b-NAPHTHOL 99% AR</b><br>(2-naphthol) C <sub>10</sub> H <sub>8</sub> O M.W. 144.17<br><u>UN 3077 9 /PG III</u>                         | 135-19-3   | 4<br>16   | 100 gm<br>500 gm | 29071520 | 18  | 287<br>1087   |      |
| LA3156  | <b>a-NAPHTHOLBENZEIN (pH indicator)</b><br>C <sub>27</sub> H <sub>18</sub> O <sub>2</sub> M.W. 374.43                                     | 145-50-6   | 14<br>56  | 5 gm<br>25 gm    | 29145000 | 18  | 905<br>3745   |      |
| LA3157  | <b>a-NAPHTHOLBENZEIN indicator solution</b>   |            | 6<br>19   | 125 ml<br>500 ml | 38220090 | 12  | 428<br>1284   |      |
| LA3158  | <b>NAPHTHOL BLUE BLACK</b>  |            |           |                  |          |     |               |      |
| LA3159  | <b>NAPHTHOL GREEN B (M.S.)</b><br>(C.I. No.10020) (water soluble)   | 19381-50-1 | 5<br>14   | 25 gm<br>100 gm  | 32049000 | 18  | 340<br>900    |      |
|         | C <sub>30</sub> H <sub>15</sub> FeN <sub>3</sub> Na <sub>3</sub> O <sub>15</sub> S <sub>3</sub> M.W. 878.46                               |            | 63        | 500 gm           |          |     | 4162          |      |
| LA3160  | <b>a-NAPHTHOLPHTHALEIN</b><br>(1-naphtholphthalein) C <sub>28</sub> H <sub>18</sub> O <sub>4</sub> M.W. 418.45                            | 596-01-0   | 19<br>57  | 1 gm<br>5 gm     | 32041979 | 18  | 1233<br>3811  |      |
| LA3161  | <b>a-NAPHTHOLPHTHALEIN REAGENT solution</b><br>(1-naphtholphthalein reagent solution)   |            | 8<br>25   | 125 ml<br>500 ml | 38220090 | 12  | 563<br>1693   |      |
| LA3162  | <b>b-NAPHTHOL VIOLET AR</b><br>C <sub>16</sub> H <sub>9</sub> N <sub>3</sub> O <sub>9</sub> S <sub>2</sub> Na <sub>2</sub> M.W. 497.37    | 7143-21-7  | 15<br>51  | 25 gm<br>100 gm  | 32041213 | 18  | 998<br>3405   |      |
| LA3163  | <b>1,4-NAPHTHOQUINONE 97% For Synthesis</b><br>C <sub>10</sub> H <sub>6</sub> O <sub>2</sub> M.W. 158.15<br><u>UN 2811 6.1 /PG I</u>      | 130-15-4   | 27<br>116 | 100 gm<br>500 gm | 29146990 | 18  | 1811<br>7694  |      |
| LA3164  | <b>1,2-NAPHTHOQUINONE-4- SULPHONIC ACID</b><br>SODIUM SALT 97% AR<br>C <sub>10</sub> H <sub>5</sub> NaO <sub>3</sub> S M.W. 260.20        | 521-24-4   | 7<br>31   | 5 gm<br>25 gm    | 29147990 | 18  | 480<br>2031   |      |
| LA3165  | <b>NAPHTHORESORCINOL 98% AR</b><br>(1,3-dihydroxy naphthalene) C <sub>10</sub> H <sub>8</sub> O <sub>2</sub> M.W. 160.17                  | 132-86-5   | 70<br>321 | 1 gm<br>5 gm     | 29072990 | 18  | 4632<br>21380 |      |
| LA3166  | <b>2-NAPHTHOXYACETIC ACID 97% For Synthesis</b><br>(b-naphthoxyacetic acid) C <sub>12</sub> H <sub>10</sub> O <sub>3</sub> M.W.202.21     | 120-23-0   | 15<br>51  | 25 gm<br>100 gm  | 29189900 | 18  | 1009<br>3404  |      |
| LA3167  | <b>1-NAPHTHYALCETATE 99.5% AR</b><br>C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W. 186.21   | 830-81-9   | 21<br>48  | 10 gm<br>25 gm   | 29153990 | 18  | 1364<br>3179  |      |
| LA3168  | <b>2-NAPHTHYALCETATE 99.5%</b><br>(acetic acid-b-naphthylester) C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W. 186.21                | 1523-11-1  | 32<br>102 | 5 gm<br>25 gm    | 29153990 | 18  | 2119<br>6784  |      |
| LA3169  | <b>a-NAPHTHYL ACETIC ACID 95%</b><br>(naphthalene acetic acid)  | 86-87-3    | 4<br>12   | 25 gm<br>100 gm  | 29163990 | 18  | 264<br>768    |      |
|         | C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> M.W 186.21   |            | 49        | 500 gm           |          |     | 3254          |      |
| LA3170  | <b>a-NAPHTHYLAMINE 98% For Synthesis</b><br>(1-naphthylamine) C <sub>10</sub> H <sub>9</sub> N M.W. 143.19<br><u>UN 2077 6.1/PG III</u>   | 134-32-7   | 22        | 500 gm           | 29214511 | 18  | 1476          |      |
| LA3171  | <b>a-NAPHTHYLAMINE 99% AR</b><br>(1-naphthylamine) C <sub>10</sub> H <sub>9</sub> N M.W. 143.19<br><u>UN 2077 6.1/PG III</u>              | 134-32-7   | 14<br>65  | 100 gm<br>500 gm | 29214511 | 18  | 907<br>4317   |      |
| LA3172  | <b>b-NAPHTHYLAMINE 98% AR</b><br>(2-naphthylamine) C <sub>10</sub> H <sub>7</sub> NH <sub>2</sub> M.W. 143.19<br><u>UN 1650 6.1/PG II</u> | 91-59-8    | 394       | 1 gm             | 29214590 | 18  | 26207         |      |
| LA3173  | <b>a-NAPHTHYLAMINE HYDROCHLORIDE 98%</b><br>(1-naphthylamine hydrochloride) C <sub>10</sub> H <sub>10</sub> ClN M.W. 179.65               | 552-46-5   | 13<br>44  | 25 gm<br>100 gm  | 29215990 | 18  |               | 2919 |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3174  | N-1-NAPHTHYL ETHYLENE DIAMINE DIHYDROCHLORIDE 98% AR<br>(reagent for nitrate)  | 1465-25-4   | 12     | 5 gm   | 29215990 | 18  | 823        |
|         |  |             | 22     | 10 gm  |          |     | 1474       |
|         | C <sub>12</sub> H <sub>14</sub> N·2HCl M.W. 259.17   |             | 46     | 25 gm  |          |     | 3060       |
| LA3175  | 1-NAPHTHYL PHOSPHATE SODIUM SALT 98%<br>(sodium-1-naphthyl phosphate) (monohydrate)  | 81012-89-7  | 82     | 5 gm   | 29199090 | 18  | 5455       |
|         |  |             | 357    | 25 gm  |          |     | 23730      |
|         | C <sub>10</sub> H <sub>8</sub> NaO <sub>4</sub> P·H <sub>2</sub> O M.W 264.15  |             |        |        |          |     |            |
| LA3176  | NAPROXEN SODIUM SALT 98-102%<br>For Lab Use  | 26159-34-2  | 38     | 5 gm   | 29189900 | 18  | 2550       |
|         | C <sub>14</sub> H <sub>13</sub> NaO <sub>3</sub> M.W 252.24  |             | 154    | 25 gm  |          |     | 10213      |
| LA3177  | NEEM SEED OIL , Liquid, d. 0.922<br>NEISSEER'S STAIN A For Microscopical Staining LA 3188A   | 8002-65-1   | 27     | 500 ml | 15159020 | 5   | 1779       |
|         | NEISSEER'S STAIN B For Microscopical Staining LA 3188B   |             | 2      | 125 ml | 32041310 | 18  | 150        |
| LA3178  | NEOCUPROINE 99% AR<br>(2, 9-dimethyl-1, 10-phenanthroline) C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> M.W. 208.26  | 484-11-7    | 24     | 1 gm   | 29339900 | 18  | 1578       |
|         |  |             | 106    | 5 gm   |          |     | 7017       |
| LA3179  | NEOCUPROINE HYDROCHLORIDE 99% AR<br>(2, 9-dimethyl-1, 10-phenanthroline hydrochloride)   | 303136-82-5 | 26     | 1 gm   | 29339900 | 18  | 1751       |
|         | C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> ·HCl·H <sub>2</sub> O M.W. 262.73   |             | 117    | 5 gm   |          |     | 7794       |
| LA3180  | NEODYMIUM CHLORIDE 99.99% AR (anhydrous)<br>[neodymium (III) chloride] NdCl <sub>3</sub> M.W 250.60  | 10024-93-8  | 649    | 5 gm   | 28121090 | 18  | 43147      |
|         |  |             | 1233   | 10 gm  |          |     | 81988      |
| LA3181  | NEODYMIUM CHLORIDE 99.9% (hexahydrate)<br>[neodymium (III) chloride] NdCl <sub>3</sub> ·6H <sub>2</sub> O M.W. 358.69  | 13477-89-9  | 90     | 10 gm  | 28469090 | 18  | 5952       |
|         |  |             | 134    | 25 gm  |          |     | 8894       |
| LA3182  | NEODYMIUM NITRATE 99.9% (hexahydrate)<br>[neodymium (III) nitrate] Nd(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O M.W. 438.35  | 16454-60-7  | 29     | 10 gm  | 28469090 | 18  | 1930       |
|         |  |             | 65     | 25 gm  |          |     | 4348       |
|         | <u>UN 1465 5.1/PG III</u>  |             |        |        |          |     |            |
| LA3183  | NEODYMIUM OXIDE 99.9% AR<br>Nd <sub>2</sub> O <sub>3</sub> M.W. 336.48   | 1313-97-9   | 15     | 10 gm  | 28469090 | 18  | 1020       |
|         |  |             | 34     | 25 gm  |          |     | 2264       |
| LA3184  | NEOMYCIN SULPHATE For Bacteriology<br>C <sub>23</sub> H <sub>46</sub> N <sub>6</sub> O <sub>13</sub> ·3H <sub>2</sub> SO <sub>4</sub> ·xH <sub>2</sub> O M.W. 908.88 (anhydr. basis) | 1405-10-3   | 5      | 5 gm   | 29419050 | 18  | 315        |
|         |  |             | 17     | 25 gm  |          |     | 1138       |
| LA3185  | NEOPENTYL GLYCOL 98% For Synthesis<br>C <sub>5</sub> H <sub>12</sub> O <sub>2</sub> M.W. 104.15  | 126-30-7    | 9      | 500 gm | 29053990 | 18  | 580        |
|         |  |             | 74     | 5 Kg   |          |     | 4937       |
| LA3186  | NEOTETRAZOLIUM CHLORIDE 97% AR<br>[4,4'-biphenyl di (2,5-diphenyl tetrazolium chloride) GT]  | 298-95-3    | 56     | 1 gm   | 29339900 | 18  | 3696       |
|         | C <sub>38</sub> H <sub>28</sub> N <sub>8</sub> Cl <sub>2</sub> M.W. 667.60   |             | 221    | 5 gm   |          |     | 14664      |
| LA3187  | NEOTHORINE AR  |             |        |        |          |     |            |
| LA3188  | NEROLI OIL Extra Pure<br>Liquid, d. 0.868  | 8016-38-4   | 34     | 100 ml | 33012990 | 18  | 2262       |
|         |  |             | 153    | 500 ml |          |     | 10175      |
| LA3189  | NESSLER'S REAGENT (for ammonia), Liquid, d. 1.097<br>(solution for testing ammonium salts)   |             | 5      | 125 ml | 38220090 | 12  | 326        |
|         |  |             | 15     | 500 ml |          |     | 977        |
|         | <u>UN 2922 8 (6.1)/PG II</u>   |             |        |        |          |     |            |
| LA3190  | NESSLER'S REAGENT (King's), Liquid, d. 1.16<br>(for testing serum urea nitrogen)   |             | 6      | 125 ml | 38220090 | 12  | 409        |
|         |  |             | 18     | 500 ml |          |     | 1230       |
| LA3191  | NEUTRAL RED indicator AR<br>(neutral red chloride)   | 553-24-2    | 9      | 10 gm  | 32049000 | 18  | 617        |
|         | (C.I. No.50040)  |             | 19     | 25 gm  |          |     | 1279       |
|         | Dye Content: Min. 90% C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub> M.W. 288.78   |             | 66     | 100 gm |          |     | 4370       |
| LA3192  | NEUTRAL RED indicator solution   |             | 270    | 500 gm |          |     | 17983      |
|         |  |             | 2      | 125 ml | 38220090 | 12  | 143        |
|         |  |             | 6      | 500 ml |          |     | 428        |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3193  | NEW FUCHSIN (M.S.) (C.I. No.42520)<br>C <sub>22</sub> H <sub>24</sub> ClN M.W. 365.91   | 3248-91-7  | 5      | 25 gm  | 32049000 | 18  | 327        |
| LA3194  | NEWMAN'S STAIN solution, Liquid, d. 1.15<br>(for bacteria and bovine cell in milk)  |            | 22     | 100 gm |          |     | 1457       |
| LA3195  | NEW METHYLENE BLUE (certified)<br>(basic blue 24) (C.I. No.52030)   | 6856-05-6  | 80     | 5 gm   | 32041351 | 18  | 5314       |
|         | Dye Content: Min. 90% C <sub>18</sub> H <sub>22</sub> ClN <sub>3</sub> S.1/2ZnCl <sub>2</sub> M.W. 416.05   |            | 259    | 25 gm  |          |     | 17229      |
|         | NIACIN  |            | 731    | 100 gm |          |     | 48603      |
|         | NIACINAMIDE   |            |        |        |          |     |            |
| LA3196  | NICKEL AAS STANDARD SOLUTION<br>1000mg/L in Nitric Acid, Liquid, d. 1.014   |            | 27     | 125 ml | 38220090 | 12  | 1784       |
|         | <u>UN 3264 8/PG III</u>   |            | 54     | 500 ml |          |     | 3620       |
| LA3197  | NICKEL ICP STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.014  |            | 91     | 125 ml | 38220090 | 12  | 6027       |
|         | <u>UN 3264 8/PG III</u>   |            |        |        |          |     |            |
| LA3198  | NICKEL (Metal) POWDER 99.8% (150-200 mesh)<br>Ni M.W. 58.69   | 7440-02-0  | 24     | 100 gm | 75040000 | 18  | 1594       |
|         | <u>UN 3089 4.1 /PG II</u>   |            | 113    | 500 gm |          |     | 7512       |
| LA3199  | NICKEL (Metal) FOIL 99.9%<br>Ni M.W. 58.71  | 7440-02-0  | 95     | 250 gm | 75040000 | 18  | 6339       |
|         | <u>UN 3089 4.1 /PG II</u>   |            |        |        |          |     |            |
| LA3200  | NICKEL ACETATE 98% (tetrahydrate)<br>C <sub>4</sub> H <sub>6</sub> NiO <sub>4</sub> .4H <sub>2</sub> O M.W. 248.84                                    | 6018-89-9  | 31     | 250 gm | 29152990 | 18  | 2031       |
|         | <u>UN 3077 9 /PG III</u>  |            | 53     | 500 gm |          |     | 3504       |
| LA3201  | NICKEL ALUMINIUM ALLOY powder (Ex Ni) (Ex Al)<br>(raney nickel catalyst alloy) (aluminium nickel alloy powder)  | 12635-27-7 | 61     | 500 gm | 75022030 | 18  | 4086       |
|         | <u>UN 3089 4.1 /PG II</u>   |            |        |        |          |     |            |
|         | NICKEL AMMONIUM SULPHATE  |            |        |        |          |     |            |
| LA3202  | NICKEL BORATE hydrate 98%<br>Ni(BO <sub>2</sub> ) <sub>2</sub> .xH <sub>2</sub> O M.W 143.33 (anhy. basis)  | 51142-85-9 | 63     | 250 gm | 28254000 | 18  | 4201       |
|         | <u>UN 3077 9 /PG III</u>  |            | 120    | 500 gm |          |     | 7964       |
| LA3203  | NICKEL BROMIDE 98%<br>Br <sub>2</sub> Ni M.W. 218.50  | 13462-88-9 | 68     | 250 gm | 28275990 | 18  | 4545       |
|         | <u>UN 3077 9 /PG III</u>  |            | 128    | 500 gm |          |     | 8537       |
| LA3204  | NICKEL CARBONATE (basic) (hydrate)<br>(nickel hydroxide carbonate)<br>NiCO <sub>3</sub> .2Ni(OH) <sub>2</sub> .4H <sub>2</sub> O M.W. 376.23          | 39430-27-8 | 56     | 500 gm | 28369990 | 18  | 3715       |
|         | <u>UN 3077 9 /PG III</u>  |            | 475    | 5 Kg   |          |     | 31579      |
| LA3205  | NICKEL CARBONATE 99.9% AR (basic) (hydrate)<br>(nickel hydroxide carbonate)<br>NiCO <sub>3</sub> .2Ni(OH) <sub>2</sub> .xH <sub>2</sub> O M.W. 304.12 | 39430-27-8 | 61     | 250 gm | 28369990 | 18  | 4083       |
|         | <u>UN 3077 9 /PG III</u>  |            | 117    | 500 gm |          |     | 7756       |
| LA3206  | NICKEL CHLORIDE 97% (hexahydrate)<br>NiCl <sub>2</sub> .6H <sub>2</sub> O M.W. 237.69   | 7791-20-0  | 32     | 500 gm | 28273500 | 18  | 2125       |
|         | <u>UN 3288 6.1/PG III</u>   |            | 288    | 5 Kg   |          |     | 19124      |
| LA3207  | NICKEL CHLORIDE 98% AR (hexahydrate)<br>NiCl <sub>2</sub> .6H <sub>2</sub> O M.W. 237.69  | 7791-20-0  | 41     | 500 gm | 28273500 | 18  | 2697       |
|         | <u>UN 3288 6.1/PG III</u>   |            | 365    | 5 Kg   |          |     | 24278      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3208  | <b>NICKEL CHROMATE</b><br>CrNiO <sub>4</sub> M.W. 174.69   | 14721-18-7 | 111    | 500 gm | 75052200 | 18  | 7397       |
| LA3209  | <b>NICKEL FLUOBORATE</b><br>Ni(BF <sub>4</sub> ) <sub>2</sub> M.W 232.30   | 14708-14-6 | 66     | 500 gm | 28269000 | 18  | 4399       |
| LA3210  | <b>NICKEL FLUORIDE 97%</b><br>NiF <sub>2</sub> M.W 96.69   | 10028-18-9 | 27     | 100 gm | 28259090 | 18  | 1802       |
| LA3211  | <b>NICKEL FORMATE 97%</b><br>Ni(HCO <sub>3</sub> ) <sub>2</sub> .2H <sub>2</sub> O M.W. 184.77<br><u>UN 3077 9 /PG III</u><br>NICKEL HYDROXIDE CARBONATE | 15694-70-9 | 130    | 500 gm | 29151200 | 18  | 8622       |
| LA3212  | <b>NICKEL IODIDE 99.5%</b><br>NiI <sub>2</sub> M.W. 312.50<br><u>UN 3260 8/PG II</u>   | 13462-90-3 | 159    | 100 gm | 28273990 | 18  | 10573      |
| LA3213  | <b>NICKEL NITRATE 98% (hexahydrate)</b><br>Ni(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O M.W. 290.80<br><u>UN 2725 5.1/PG III</u>                 | 13478-00-7 | 29     | 500 gm | 28342990 | 18  | 1922       |
| LA3214  | <b>NICKEL NITRATE 99% AR (hexahydrate)</b><br>Ni(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O M.W. 290.80<br><u>UN 2725 5.1/PG III</u>              | 13478-00-7 | 38     | 500 gm | 28342990 | 18  | 2518       |
| LA3215  | <b>NICKEL OXALATE 99% (dihydrate)</b><br>NiC <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 182.74<br><u>UN 3077 9/PG III</u>                       | 6018-94-6  | 98     | 500 gm | 29171190 | 18  | 6533       |
| LA3216  | <b>NICKEL OXIDE black</b><br>Ni <sub>2</sub> O <sub>3</sub> M.W. 165.39  | 1314-06-3  | 42     | 250 gm | 28254000 | 18  | 2818       |
| LA3217  | <b>NICKEL OXIDE green</b><br>NiO M.W. 74.69  | 1313-99-1  | 57     | 250 gm | 28254000 | 18  | 3824       |
| LA3218  | <b>NICKEL PHOSPHATE (heptahydrate)</b>   | 14396-43-1 | 206    | 500 gm | 28351090 | 18  | 13721      |
| LA3219  | <b>NICKEL SULPHAMATE solution</b><br>Ni(SO <sub>3</sub> NH <sub>2</sub> ) <sub>2</sub> M.W. 250.87, Liquid, d. 1.55<br><u>UN 3077 9/PG III</u>           | 13770-89-3 | 46     | 500 ml | 28429090 | 18  | 3051       |
| LA3220  | <b>NICKEL SULPHATE 98% (hexahydrate)</b><br>NiSO <sub>4</sub> .6H <sub>2</sub> O M.W. 262.85<br><u>UN 3077 9 /PG III</u>                                 | 10101-97-0 | 29     | 500 gm | 28332400 | 18  | 1936       |
| LA3221  | <b>NICKEL SULPHATE 99% AR (hexahydrate)</b><br>NiSO <sub>4</sub> .6H <sub>2</sub> O M.W. 262.85<br><u>UN 3077 9 /PG III</u>                              | 10101-97-0 | 38     | 500 gm | 28332400 | 18  | 2543       |
| LA3222  | <b>NICKEL SULPHIDE 99%</b><br>NiS M.W. 90.75<br><u>UN 3077 9/PG III</u>  | 16812-54-7 | 137    | 500 gm | 28309020 | 18  | 9101       |
| LA3223  | <b>NICKEL SULPHITE 98%</b><br>NiO <sub>3</sub> S M.W. 138.76   | 7757-95-1  | 164    | 500 gm | 28332400 | 18  | 10926      |
| LA3224  | <b>NICKEL TARTRATE 98%</b><br>C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Ni M.W. 206.79  | 52022-10-3 | 169    | 500 gm | 29181390 | 18  | 11269      |
| LA3225  | <b>NICKEL THIOCYANATE 98%</b><br>C <sub>2</sub> N <sub>2</sub> NiS <sub>2</sub> M.W. 174.85  | 13689-92-4 | 25     | 100 gm | 29309099 | 18  | 1660       |
| LA3226  | <b>NICOTINAMIDE 99.5% For Biochemistry</b><br>(niacinamide) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O M.W. 122.12                                   | 98-92-0    | 8      | 100 gm | 29362920 | 18  | 557        |
|         |  |            | 32     | 500 gm |          |     | 2142       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3227  | NICOTINAMIDE ADENINE DINUCLEOTIDE 95% For Biochemistry<br>(trihydrate) (NAD, DPN)<br>C <sub>21</sub> H <sub>27</sub> N <sub>7</sub> O <sub>14</sub> P <sub>2</sub> M.W. 663.43                                | 53-84-9    | 7      | 100 mg | 29349900 | 18  | 491        |
|         |   |            | 51     | 1 gm   |          |     | 3411       |
|         |   |            | 210    | 5 gm   |          |     | 13992      |
| LA3228  | NICOTINAMIDE ADENINE DINUCLEOTIDE DISODIUM SALT 97%<br>(NADH, DPNH) (reduced)<br>C <sub>21</sub> H <sub>27</sub> N <sub>7</sub> O <sub>14</sub> P <sub>2</sub> Na <sub>2</sub> .xH <sub>2</sub> O M.W. 709.40 | 606-68-8   | 17     | 100 mg | 29349900 | 18  | 1133       |
|         |   |            | 128    | 1 gm   |          |     | 8533       |
|         |   |            | 591    | 5 gm   |          |     | 39302      |
| LA3229  | NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE<br>SODIUM SALT 95% For Biochemistry (NADP, TPN)<br>C <sub>21</sub> H <sub>26</sub> N <sub>7</sub> Na <sub>2</sub> O <sub>17</sub> P <sub>3</sub> M.W. 787.37      | 24292-60-2 | 28     | 25 mg  | 29349900 | 18  | 1877       |
|         |   |            | 51     | 100 mg |          |     | 3407       |
|         |   |            | 299    | 1 gm   |          |     | 19915      |
| LA3230  | NICOTINIC ACID 99.5%<br>(niacin)<br>C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11   | 59-67-6    | 6      | 100 gm | 29362920 | 18  | 411        |
|         |   |            | 24     | 500 gm |          |     | 1587       |
|         |   |            | 215    | 5 Kg   |          |     | 14277      |
| LA3231  | NIFEDIPINE 98%<br>For Lab Use C <sub>17</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> M.W 346.33  | 21829-25-4 | 69     | 5 gm   | 29333990 | 18  | 4576       |
|         |   |            | 275    | 25 gm  |          |     | 18303      |
| LA3232  | NIGROSINE (C.I. No.50415)<br>(spirit soluble) (solvent black 5)   | 11099-03-9 | 3      | 25 gm  | 32041990 | 18  | 189        |
|         |   |            | 8      | 100 gm |          |     | 555        |
|         |   |            | 35     | 500 gm |          |     | 2312       |
| LA3233  | NIGROSINE (C.I. No.50420)<br>(water soluble)  | 8005-03-6  | 3      | 25 gm  | 32041231 | 18  | 181        |
|         |   |            | 8      | 100 gm |          |     | 537        |
|         |   |            | 32     | 500 gm |          |     | 2145       |
| LA3234  | NIGROSINE stain 10% w/v<br>(solution for negative staining)   |            | 2      | 125 ml | 32041231 | 18  | 118        |
|         |   |            | 5      | 500 ml |          |     | 347        |
| LA3235  | NILE BLUE CHLORIDE (C.I. No.51180)<br>Dye Content: Min. 90% C <sub>20</sub> H <sub>20</sub> ClN <sub>3</sub> O M.W. 353.85  | 2381-85-3  | 20     | 25 gm  | 32041359 | 18  | 1340       |
|         |   |            | 64     | 100 gm |          |     | 4282       |
| LA3236  | NILE BLUE SULPHATE (M.S.) (C.I. No.51180)<br>(nile blue A) Dye Content: Min. 90% C <sub>40</sub> H <sub>40</sub> N <sub>6</sub> O <sub>6</sub> S M.W. 732.85  | 3625-57-8  | 11     | 10 gm  | 32049000 | 18  | 703        |
|         |   |            | 22     | 25 gm  |          |     | 1435       |
| LA3237  | NIMESULIDE 98%<br>For Lab Use C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> O <sub>5</sub> S M.W. 308.31   | 51803-78-2 | 40     | 25 gm  | 29359090 | 18  | 2644       |
|         |   |            | 119    | 100 gm |          |     | 7935       |
|         | <u>UN 2811 6.1/PG III</u>   |            | 447    | 500 gm |          |     | 29745      |
| LA3238  | NINHYDRIN 99% AR<br>(indanetrione hydrate)<br>C <sub>9</sub> H <sub>6</sub> O <sub>4</sub> M.W. 178.14  | 485-47-2   | 13     | 10 gm  | 29143990 | 18  | 870        |
|         |   |            | 25     | 25 gm  | 29143990 |     | 1681       |
|         |   |            | 79     | 100 gm |          |     | 5227       |
|         |   |            | 190    | 250 gm |          |     | 12626      |
| LA3239  | NINHYDRIN solution<br>Liquid, d. 0.79   |            | 7      | 125 ml | 38220090 | 12  | 452        |
|         |   |            | 21     | 500 ml |          |     | 1366       |
| LA3240  | NIOBIUM ICP STANDARD SOLUTION 1000mg/L in water<br>Liquid, d. 1.00  |            | 107    | 125 ml | 38220090 | 12  | 7147       |
| LA3241  | NIOBIUM 99.5% (Metal)<br>Nb M.W 92.91   | 7440-03-1  | 19     | 5 gm   | 81129900 | 18  | 1232       |
|         |   |            | 35     | 10 gm  |          |     | 2339       |
| LA3242  | NIOBIUM PENTOXIDE 99.9% AR<br>[niobium (V) oxide]<br>Nb <sub>2</sub> O <sub>5</sub> M.W. 265.81   | 1313-96-8  | 12     | 10 gm  | 28259090 | 18  | 790        |
|         |   |            | 23     | 25 gm  |          |     | 1544       |
|         |   |            | 85     | 100 gm |          |     | 5660       |
| LA3243  | NITRAZINE YELLOW used as indicator (C.I. No.14890)<br>C <sub>16</sub> H <sub>8</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>11</sub> S <sub>2</sub> M.W. 542.36  | 5423-07-4  | 65     | 5 gm   | 32041329 | 18  | 4327       |
|         |   |            | 273    | 25 gm  |          |     | 18179      |
| LA3244  | NITRIC ACID 69-72%<br>HNO <sub>3</sub> M.W. 63.01, Liquid, d. 1.41  | 7697-37-2  | 7      | 500 ml | 28080010 | 18  | 488        |
|         |   |            | 14     | 1 Lt   |          |     | 934        |
|         | <u>UN 2031 8(5.1) /PG II</u>  |            | 33     | 2.5 Lt |          |     | 2190       |
|         |   |            | 198    | 20 Lt  |          |     | 13180      |

| CAT No. | PRODUCT NAME   | CAS No.          | \$ USD     | UNIT          | HS CODE         | GST       | PRICE(INR)   |
|---------|--|------------------|------------|---------------|-----------------|-----------|--------------|
| LA3245  | <b>NITRIC ACID 69-72% AR</b>   | <b>7697-37-2</b> | <b>8</b>   | <b>500 ml</b> | <b>28080010</b> | <b>18</b> | <b>528</b>   |
|         | HNO <sub>3</sub> M.W. 63.01, Liquid, d. 1.41   |                  | 15         | 1 Lt          |                 |           | 997          |
|         | <b>UN 2031 8(5.1) /PG II</b>   |                  | 35         | 2.5 Lt        |                 |           | 2343         |
| LA3246  | <b>NITRIC ACID N/10 solution (0.1Mol/L) (0.1N) Liquid, d. 1.004</b>                                |                  | 3          | 500 ml        | 38220090        | 12        | 212          |
| LA3247  | <b>NITRIC ACID 0.01M (0.01N) Standardized Solution</b>   |                  | 6          | 500 ml        | 38220090        | 12        | 407          |
| LA3248  | <b>NITRIC ACID 1M (1N)</b>   |                  | 6          | 500 ml        | 38220090        | 12        | 409          |
|         | Standardized Solution, Liquid, d. 1.38   |                  |            |               |                 |           |              |
| LA3249  | <b>NITRIC ACID 2M (2N)</b>   |                  | 6          | 500 ml        | 38220090        | 12        | 409          |
|         | Standardized Solution, Liquid, d. 1.07   |                  |            |               |                 |           |              |
| LA3250  | <b>NITRIC ACID 4M (4N) Standardized Solution</b>   |                  | 6          | 500 ml        | 38220090        | 12        | 411          |
| LA3251  | <b>NITRIC ACID 8M (8N) Standardized Solution</b>   |                  | 6          | 500 ml        | 38220090        | 12        | 412          |
| LA3252  | <b>NITRILIO TRIACETIC ACID 99% (NTA)</b>   | <b>139-13-9</b>  | <b>4</b>   | <b>100 gm</b> | <b>29181190</b> | <b>18</b> | <b>277</b>   |
|         | (complexometric indicator and reagent)   |                  | 15         | 500 gm        |                 |           | 985          |
|         | C <sub>6</sub> H <sub>9</sub> NO <sub>6</sub> M.W. 191.14  |                  | 133        | 5 Kg          |                 |           | 8864         |
| LA3253  | <b>NITRIN 99% AR</b>   | <b>553-74-2</b>  | <b>273</b> | <b>25 mg</b>  | <b>29280000</b> | <b>18</b> | <b>18144</b> |
|         | (2-Aminobenzaldehyde phenylhydrazone) C <sub>13</sub> H <sub>13</sub> N <sub>3</sub> M.W. 211.26   |                  | 982        | 100 mg        |                 |           | 65295        |
| LA3254  | <b>p-NITROACETANILIDE 98%</b>  | <b>104-04-1</b>  | <b>39</b>  | <b>100 gm</b> | <b>29242990</b> | <b>18</b> | <b>2563</b>  |
|         | (4-nitroacetanilide) C <sub>8</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> M.W. 180.16       |                  | 127        | 500 gm        |                 |           | 8446         |
| LA3255  | <b>m-NITRO ACETOPHENONE 98% For Synthesis</b>  | <b>121-89-1</b>  | <b>15</b>  | <b>100 gm</b> | <b>29147990</b> | <b>18</b> | <b>1004</b>  |
|         | (3-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 165.15                   |                  | 61         | 500 gm        |                 |           | 4026         |
| LA3256  | <b>o-NITRO ACETOPHENONE 95% For Synthesis</b>  | <b>577-59-3</b>  | <b>439</b> | <b>10 gm</b>  | <b>29147990</b> | <b>18</b> | <b>29165</b> |
|         | (2-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 165.15                   |                  |            |               |                 |           |              |
| LA3257  | <b>p-NITRO ACETOPHENONE 98% For Synthesis</b>  | <b>100-19-6</b>  | <b>47</b>  | <b>250 gm</b> | <b>29147990</b> | <b>18</b> | <b>3151</b>  |
|         | (4-nitro acetophenone) C <sub>8</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 165.15                   |                  | 90         | 500 gm        |                 |           | 5991         |
| LA3258  | <b>m-NITRO ANILINE 98%</b>   | <b>99-09-2</b>   | <b>30</b>  | <b>250 gm</b> | <b>29214200</b> | <b>18</b> | <b>2024</b>  |
|         | (3-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | 58         | 500 gm        |                 |           | 3849         |
|         | <b>UN 1661 6.1/PG II</b>   |                  |            |               |                 |           |              |
| LA3259  | <b>o-NITRO ANILINE 98%</b>   | <b>88-74-4</b>   | <b>24</b>  | <b>250 gm</b> | <b>29214225</b> | <b>18</b> | <b>1583</b>  |
|         | (2-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | 45         | 500 gm        |                 |           | 3009         |
|         | <b>UN 1661 6.1/PG II</b>   |                  |            |               |                 |           |              |
| LA3260  | <b>p-NITRO ANILINE 98.5%</b>   | <b>100-01-6</b>  | <b>25</b>  | <b>250 gm</b> | <b>29214226</b> | <b>18</b> | <b>1677</b>  |
|         | (4-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | 48         | 500 gm        |                 |           | 3183         |
|         | <b>UN 1661 6.1/PG II</b>   |                  |            |               |                 |           |              |
| LA3261  | <b>p-NITRO ANILINE 99% AR</b>  | <b>100-01-6</b>  | <b>8</b>   | <b>25 gm</b>  | <b>29214226</b> | <b>18</b> | <b>505</b>   |
|         | (4-nitro aniline) C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> M.W. 138.12          |                  | 28         | 100 gm        |                 |           | 1840         |
|         | <b>UN 1661 6.1/PG II</b>   |                  | 112        | 500 gm        |                 |           | 7427         |
| LA3262  | <b>2-NITROANISOLE 98% For Synthesis</b>  | <b>91-23-6</b>   | <b>25</b>  | <b>500 ml</b> | <b>29093012</b> | <b>18</b> | <b>1648</b>  |
|         | (2-methoxynitrobenzene) C <sub>7</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 153.14 Liquid, d. 1.254 |                  | 90         | 2.5 Lt        |                 |           | 5970         |
|         | <b>UN 2730 6.1/PG III</b>  |                  |            |               |                 |           |              |
| LA3263  | <b>m-NITRO BENZALDEHYDE 99%</b>  | <b>99-61-6</b>   | <b>14</b>  | <b>100 gm</b> | <b>29130090</b> | <b>18</b> | <b>910</b>   |
|         | (3-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | 56         | 500 gm        |                 |           | 3750         |
|         | <b>UN 3077 9/ PG III</b>   |                  |            |               |                 |           |              |
| LA3264  | <b>o-NITRO BENZALDEHYDE 99%</b>  | <b>552-89-6</b>  | <b>6</b>   | <b>10 gm</b>  | <b>29130090</b> | <b>18</b> | <b>423</b>   |
|         | (2-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | 12         | 25 gm         |                 |           | 777          |
| LA3265  | <b>p-NITRO BENZALDEHYDE 99% For Synthesis</b>  | <b>555-16-8</b>  | <b>13</b>  | <b>25 gm</b>  | <b>29130090</b> | <b>18</b> | <b>870</b>   |
|         | (4-nitro benzaldehyde) C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 151.12                   |                  | 49         | 100 gm        |                 |           | 3277         |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA3266  | <b>NITROBENZENE 98% For Synthesis</b>  | 98-95-3   | 12     | 500 ml | 29042010 | 18  | 770        |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11, Liquid, d. 1.196  |           | 22     | 1 Lt   |          |     | 1454       |
|         | <b>UN 1662 6.1/PG II</b>   |           | 51     | 2.5 Lt |          |     | 3416       |
|         |  |           | 92     | 5 Lt   |          |     | 6143       |
| LA3267  | <b>NITROBENZENE 99% AR</b>   | 98-95-3   | 13     | 500 ml | 29042010 | 18  | 843        |
|         | C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11, Liquid, d. 1.196  |           | 52     | 2.5 Lt |          |     | 3478       |
|         | <b>UN 1662 6.1/PG II</b>   |           |        |        |          |     |            |
| LA3268  | <b>m-NITROBENZENE SULPHONIC ACID SODIUM SALT 95%</b>   | 127-68-4  | 9      | 100 gm | 29309090 | 18  | 583        |
|         | C <sub>6</sub> H <sub>4</sub> NNaO <sub>5</sub> S M.W. 225.16  |           | 25     | 500 gm |          |     | 1680       |
| LA3269  | <b>m-NITRO BENZOIC ACID 98% For Synthesis</b>  | 121-92-6  | 8      | 100 gm | 29163990 | 18  | 506        |
|         | (3-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                    |           | 18     | 250 gm |          |     | 1191       |
| LA3270  | <b>o-NITRO BENZOIC ACID 96% For Synthesis</b>  | 552-16-9  | 171    | 25 gm  | 29163990 | 18  | 11384      |
|         | (2-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                    |           | 421    | 100 gm |          |     | 28017      |
| LA3271  | <b>p-NITRO BENZOIC ACID 99% For Synthesis</b>  | 62-23-7   | 23     | 500 gm | 29163990 | 18  | 1526       |
|         | (4-nitrobenzoic acid) C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 167.12                                    |           |        |        |          |     |            |
| LA3272  | <b>6-NITROBENZOTHIAZOLE 96%</b>  | 2942-06-5 | 78     | 5 gm   | 29342000 | 18  | 5163       |
|         | C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S M.W 180.18   |           | 148    | 10 gm  |          |     | 9828       |
| LA3273  | <b>4-NITROBENZYL ALCOHOL 98% Extra Pure</b>  | 619-73-8  | 10     | 25 gm  | 29062990 | 18  | 675        |
|         | O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 153.14                                       |           | 29     | 100 gm |          |     | 1930       |
| LA3274  | <b>4-NITRO BENZYL BROMIDE 99% For Synthesis</b>  | 100-11-8  | 55     | 100 gm | 29049090 | 18  | 3664       |
|         | (alpha-bromo-4-nitrotoluene) C <sub>7</sub> H <sub>5</sub> BrNO <sub>2</sub> M.W. 216.03                           |           |        |        |          |     |            |
| LA3275  | <b>4-(4-NITROBENZYL) PYRIDINE 98% AR</b>   | 1083-48-3 | 50     | 5 gm   | 29333990 | 18  | 3346       |
|         | C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 214.22  |           | 211    | 25 gm  |          |     | 14051      |
| LA3276  | <b>NITRO B. T. 98% AR (M.S.) For Molecular Biology</b>   | 298-83-9  | 10     | 100 mg | 32041990 | 18  | 669        |
|         | (nitro blue tetrazolium chloride)  |           | 16     | 250 mg |          |     | 1081       |
|         | C <sub>40</sub> H <sub>30</sub> N <sub>10</sub> O <sub>6</sub> Cl <sub>2</sub> M.W. 817.65                         |           | 54     | 1 gm   |          |     | 3601       |
| LA3277  | <b>4-NITROCATECHOL 97% AR</b>  | 3316-09-4 | 135    | 5 gm   | 29089990 | 18  | 8961       |
|         | (3,4-dihydroxynitrobenzene) C <sub>6</sub> H <sub>5</sub> NO <sub>4</sub> M.W. 155.11                              |           |        |        |          |     |            |
|         | <b>NITRO CELLULOSE</b>   |           |        |        |          |     |            |
|         | <b>o-NITRO CHLOROBENZENE</b>   |           |        |        |          |     |            |
|         | <b>p-NITRO CHLOROBENZENE</b>   |           |        |        |          |     |            |
| LA3278  | <b>NITROETHANE 99%</b>   | 79-24-3   | 61     | 250 ml | 29181190 | 18  | 4060       |
|         | C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 75.07, Liquid, d. 1.046 ( <b>End Use Certificate Required</b> ) |           | 116    | 500 ml |          |     | 7710       |
|         | <b>UN 2842 3/PG III</b>  |           | 429    | 2.5 Lt |          |     | 28562      |
| LA3279  | <b>NITROFURAZONE 97% Extra Pure</b>  | 59-87-0   | 51     | 5 gm   | 29321990 | 18  | 3403       |
|         | For Lab Use  |           | 171    | 25 gm  |          |     | 11372      |
|         | C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> O <sub>4</sub> M.W 198.14   |           | 493    | 100 gm |          |     | 32783      |
| LA3280  | <b>NITROMETHANE 98%</b>  | 75-52-5   | 18     | 500 ml | 29042090 | 18  | 1207       |
|         | CH <sub>3</sub> NO <sub>2</sub> M.W. 61.04, Liquid, d. 1.130   |           | 34     | 1 Lt   |          |     | 2279       |
|         | <b>UN 1261 3/PG II</b>   |           | 82     | 2.5 Lt |          |     | 5450       |
| LA3281  | <b>4-NITRO-3-METHOXYBENZOIC ACID 98%</b>   | 5081-36-7 | 221    | 5 gm   | 29189900 | 18  | 14674      |
|         | C <sub>8</sub> H <sub>7</sub> NO <sub>5</sub> M.W. 197.14  |           |        |        |          |     |            |
| LA3282  | <b>NITRON 97% AR (reagent for nitrate)</b>   | 2218-94-2 | 57     | 1 gm   | 29181190 | 18  | 3800       |
|         | C <sub>20</sub> H <sub>16</sub> N <sub>4</sub> M.W. 312.37   |           | 240    | 5 gm   |          |     | 15953      |
| LA3283  | <b>1-NITRO NAPHTHALENE 99%</b>   | 86-57-7   | 91     | 100 gm | 29042090 | 18  | 6071       |
|         | (a-nitro naphthalene) C <sub>10</sub> H <sub>7</sub> NO <sub>2</sub> M.W.173.17                                    |           | 379    | 500 gm |          |     | 25201      |
|         | <b>UN 2538 4.1/PG III</b>  |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3284  | m-NITROPHENOL 99% AR (pH indicator)                                  | 554-84-7    | 38     | 25 gm  | 29089990 | 18  | 2538       |
|         | (3-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                             |             | 145    | 100 gm |          |     | 9654       |
|         | <u>UN 1663 6.1 /PG III</u>   |             |        |        |          |     |            |
| LA3285  | o-NITROPHENOL 99%  | 88-75-5     | 28     | 500 gm | 29089990 | 18  | 1857       |
|         | (2-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                             |             |        |        |          |     |            |
|         | <u>UN 1663 6.1 /PG III</u>   |             |        |        |          |     |            |
| LA3286  | p-NITROPHENOL 98%  | 100-02-7    | 17     | 500 gm | 29089990 | 18  | 1130       |
|         | (4-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                             |             |        |        |          |     |            |
|         | <u>UN 1663 6.1 /PG III</u>   |             |        |        |          |     |            |
| LA3287  | p-NITROPHENOL 99.5% AR (pH indicator)                                | 100-02-7    | 4      | 25 gm  | 29089990 | 18  | 264        |
|         | (4-nitrophenol) $C_6H_5NO_3$ M.W. 139.11                             |             | 12     | 100 gm |          |     | 790        |
|         | <u>UN 1663 6.1 /PG III</u>   |             | 50     | 500 gm |          |     | 3299       |
| LA3288  | p-NITROPHENYL ACETIC ACID 98% For Synthesis                          | 104-03-0    | 46     | 25 gm  | 29181190 | 18  | 3061       |
|         | (4-nitrophenyl acetic acid) $C_8H_7NO_4$ M.W. 181.15                 |             | 151    | 100 gm |          |     | 10073      |
|         | <u>UN 3077 9/PG III</u>  |             |        |        |          |     |            |
|         | 4-(4-NITROPHENYLZO)1-NAPHTHOL  |             |        |        |          |     |            |
| LA3289  | o-NITRO PHENYL b-D-GAALCTOPYARANOSIDE 98% Extra Pure                 | 369-07-3    | 31     | 1 gm   | 29400000 | 18  | 2082       |
|         | (For Biochemistry)   |             | 145    | 5 gm   |          |     | 9665       |
|         | $C_{12}H_{15}NO_8$ M.W. 301.25                                       |             |        |        |          |     |            |
|         | 1-(4-NITROPHENYL)-3-(PHENYLZOPHENYL)-TRIAZINE                        |             |        |        |          |     |            |
|         | 4-(4-NITROPHENYLZO) RESORCINOL                                       |             |        |        |          |     |            |
| LA3290  | p-NITRO PHENYL HYDRAZINE 96%   | 100-16-3    | 52     | 25 gm  | 29280090 | 18  | 3453       |
|         | (4-nitro phenyl hydrazine) $C_6H_7N_3O_2$ M.W. 153.14                |             | 195    | 100 gm |          |     | 12940      |
|         | <u>UN 3376 4.1/PG I</u>  |             |        |        |          |     |            |
| LA3291  | p-NITRO PHENYL HYDRAZINE 98.5% AR                                    | 100-16-3    | 24     | 10 gm  | 29280090 | 18  | 1587       |
|         | (4-nitro phenyl hydrazine) $C_6H_7N_3O_2$ M.W. 153.14                |             | 57     | 25 gm  |          |     | 3800       |
|         | <u>UN 3376 4.1/PG I</u>  |             |        |        |          |     |            |
| LA3292  | p-NITRO PHENYL PHOSPHATE DISODIUM SALT 99% AR                        | 333338-18-4 | 9      | 5 gm   | 29199090 | 18  | 609        |
|         | (For Molecular Biology)  |             | 41     | 25 gm  |          |     | 2719       |
|         | (4-nitrophenyl phosphate disodium salt) (hexahydrate)                |             | 147    | 100 gm |          |     | 9765       |
|         | $C_6H_4NNa_2O_6P_6H_2O$ M.W. 371.15 (Store at 2 - 8°C)               |             |        |        |          |     |            |
| LA3293  | 4-NITROPHENYL PIPERAZINE 97%   | 6269-89-2   | 179    | 10 gm  | 29335990 | 18  | 11921      |
|         | $C_{10}H_{13}N_3O_2$ M.W. 207.23                                     |             | 404    | 25 gm  |          |     | 26845      |
| LA3294  | 3-NITROPHthalic ACID 98% For Synthesis                               | 603-11-2    | 22     | 100 gm | 29173990 | 18  | 1447       |
|         | $C_8H_5NO_6$ M.W. 211.13   |             | 94     | 500 gm |          |     | 6225       |
| LA3295  | 4-NITROPHthalic ACID For Synthesis                                   | 610-27-5    | 23     | 100 gm | 29173990 | 18  | 1507       |
|         | $C_8H_5NO_6$ M.W. 211.13   |             | 97     | 500 gm |          |     | 6456       |
| LA3296  | 1-NITROSO-2-NAPHTHOL 97%   | 131-91-9    | 24     | 100 gm | 29089990 | 18  | 1589       |
|         | (a-nitroso-b-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                   |             | 96     | 500 gm |          |     | 6367       |
| LA3297  | 1-NITROSO-2-NAPHTHOL 98% AR  | 131-91-9    | 18     | 25 gm  | 29089990 | 18  | 1226       |
|         | (a-nitroso-b-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                   |             | 70     | 100 gm |          |     | 4625       |
| LA3298  | 2-NITROSO-1-NAPHTHOL 98% AR  | 132-53-6    | 13     | 5 gm   | 29089990 | 18  | 876        |
|         | (b-nitroso-a-naphthol) $C_{10}H_7NO_2$ M.W. 173.17                   |             | 51     | 25 gm  |          |     | 3408       |
| LA3299  | NITROSO-R-SALT 90% AR  | 525-05-3    | 6      | 25 gm  | 29089990 | 18  | 377        |
|         | (2-hydroxy-1-nitroso-3,6-naphthalene disulphonic acid disodium salt) |             | 19     | 100 gm |          |     | 1233       |
|         | $C_{10}H_5O_8NS_2Na_2$ M.W. 377.26                                   |             | 80     | 500 gm |          |     | 5305       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3300  | m-NITRO TOLUENE 99% For Synthesis Liquid, d. 1.157<br>(3-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14 | 99-08-1    | 17     | 500 ml | 29042040 | 18  | 1122       |
|         | <u>UN 1664 6.1/PG II</u>   |            |        |        |          |     |            |
| LA3301  | o-NITRO TOLUENE 99% For Synthesis Liquid, d. 1.163<br>(2-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14 | 88-72-2    | 8      | 500 ml | 29042030 | 18  | 507        |
|         | <u>UN 1664 6.1/PG II</u>   |            | 34     | 2.5 Lt |          |     | 2275       |
| LA3302  | p-NITRO TOLUENE 98%<br>(4-nitro toluene) C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W.137.14                                | 99-99-0    | 8      | 500 gm | 29042040 | 18  | 543        |
|         | <u>UN 3446 6.1/PG II</u>   |            |        |        |          |     |            |
| LA3303  | 5-NITRO-m-XYLENE 99%<br>C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 151.16  | 99-12-7    | 74     | 5 gm   | 29042090 | 18  | 4934       |
|         | <u>UN 3447 6.1/PG II</u>   |            | 141    | 10 gm  |          |     | 9381       |
| LA3304  | n-NONANE 99% For Synthesis<br>C <sub>9</sub> H <sub>20</sub> M.W.128.26, Liquid, d. 0.72   | 111-84-2   | 114    | 100 ml | 29011000 | 18  | 7548       |
|         | <u>UN 1920 3/PG III</u>  |            | 352    | 500 ml |          |     | 23395      |
| LA3305  | 1-NONANE SULPHONIC ACID SODIUM SALT 98% AR & HPLC<br>(sodium-1-nonane sulphonate)  | 35192-74-6 | 107    | 5 gm   | 29041090 | 18  | 7140       |
|         | C <sub>9</sub> H <sub>19</sub> NaO <sub>3</sub> S M.W. 230.30  |            | 491    | 25 gm  |          |     | 32632      |
|         | <u>UN 3082 9/PG III</u>  |            | 1595   | 100 gm |          |     | 106049     |
| LA3306  | NONIDET P40<br>(Nonyl Phenyl Polyethylene Glycol) Liquid, d. 1.06  | 9016-45-9  | 19     | 100 ml | 34021300 | 18  | 1295       |
|         | <u>UN 3145 8/PG II</u>   |            | 75     | 500 ml |          |     | 4967       |
| LA3307  | NONYL ALCOHOL For Synthesis 98%<br>(1-nonanol) C <sub>9</sub> H <sub>20</sub> O M.W. 144.26, Liquid, d. 0.827                    | 143-08-8   | 78     | 100 ml | 29051990 | 18  | 5174       |
|         | <u>UN 1993 3/PG III</u>  |            | 187    | 250 ml |          |     | 12425      |
| LA3308  | NONYL PHENOL ETHOXYALTE (9.5 moles)  | 104-40-5   | 9      | 500 ml | 29094900 | 18  | 617        |
|         | <u>UN 1262 3 /PG II</u>  |            | 40     | 2.5 Lt |          |     | 2658       |
| LA3309  | NORFLOXACINE 98% Extra Pure<br>For Lab Use C <sub>16</sub> H <sub>18</sub> FN <sub>3</sub> O <sub>3</sub> M.W. 319.33            | 70458-96-7 | 48     | 25 gm  | 29335990 | 18  | 3207       |
|         | <u>UN 1262 3 /PG II</u>  |            | 180    | 100 gm |          |     | 11952      |
| LA3310  | NUTMEG OIL Extra Pure Liquid, d. 0.89  | 8008-45-5  | 83     | 500 ml | 33012932 | 18  | 5523       |
|         | <u>UN 1824 8/PG II</u>   |            |        |        |          |     |            |
| LA3312  | OCTADECANEDIOIC ACID 98%<br>C18H34O4 M.W. 314.47   | 871-70-5   | 189    | 1 gm   | 29171990 | 18  | 12595      |
|         | <u>UN 1104 3/PG III</u>  |            | 805    | 5 gm   |          |     | 53533      |
| LA3313  | iso-OCTANE 99.5%<br>(2,2,4-trimethylpentane) C8H18 M.W.114.23, Liquid, d. 0.692  | 540-84-1   | 19     | 500 ml | 29011000 | 18  | 1289       |
|         | <u>UN 1262 3 /PG II</u>  |            | 37     | 1 Lt   |          |     | 2442       |
| LA3314  | n-OCTANE 98% For Synthesis<br>C8H18 M.W.114.23, Liquid, d. 0.703   | 111-65-9   | 22     | 100 ml | 29011000 | 18  | 1453       |
|         | <u>UN 1262 3 /PG II</u>  |            | 98     | 500 ml |          |     | 6492       |
| LA3315  | n-OCTANE 98% AR<br>C8H18 M.W.114.23, Liquid, d. 0.703  | 111-65-9   | 26     | 100 ml | 29011000 | 18  | 1705       |
|         | <u>UN 1262 3 /PG II</u>  |            | 111    | 500 ml |          |     | 7395       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD           | UNIT                    | HS CODE  | GST | PRICE(INR)             |
|---------|---|-------------|------------------|-------------------------|----------|-----|------------------------|
| LA3316  | 1-OCTANESULPHONIC ACID SODIUM SALT 99% AR & HPLC<br>(anhydrous) (sodium-1-octanesulphonate)<br><chem>C8H17NaO3S</chem> M.W. 216.28          | 5324-84-5   | 10<br>19<br>68   | 5 gm<br>25 gm<br>100 gm | 29041090 | 18  | 637<br>1253<br>4538    |
| LA3317  | 1-OCTANESULPHONIC ACID SODIUM SALT 99% AR & HPLC<br>(monohydrate) (sodium-1-octanesulphate)<br><chem>C8H17NaO3S.H2O</chem> M.W. 234.29      | 5324-84-5   | 9<br>19<br>68    | 5 gm<br>25 gm<br>100 gm | 29041090 | 18  | 572<br>1235<br>4542    |
| LA3318  | 2-OCTANOL 97%<br>(2-capryl alcohol) <chem>C8H18O</chem> M.W. 130.23, Liquid, d. 0.819   | 123-96-6    | 37<br>125        | 100 ml<br>500 ml        | 29181190 | 18  | 2457<br>8317           |
| LA3319  | OCTANOYL CHLORIDE 99% Extra Pure<br>(Capryloyl chloride) <chem>CH3(CH2)6COCl</chem> M.W. 162.66   | 111-64-8    | 51<br>94         | 100 ml<br>250 ml        | 29159090 |     | 3405<br>6268           |
|         | <u>UN 2927 6.1(8)/PG II</u>   |             |                  |                         |          |     |                        |
| LA3320  | OCTYL ACETATE 99%<br><chem>C10H20O2</chem> M.W 172.26, Liquid, d. 0.867   | 112-14-1    | 68<br>284        | 500 ml<br>2.5 Lt        | 29153990 | 18  | 4548<br>18879          |
| LA3321  | n-OCTYL ALCOHOL 99%<br>(octan-1-OL, capryl alcohol) (n-octanol)<br><chem>C8H18O</chem> M.W. 130.23, Liquid, d. 0.827                        | 111-87-5    | 15<br>63         | 500 ml<br>2.5 Lt        | 29051690 | 18  | 1017<br>4188           |
| LA3322  | n-OCTYALMINE 98% For Synthesis<br>(1-amino octane, caprylamine) <chem>C8H19N</chem> M.W. 129.24 Liquid, d. 0.782                            | 111-86-4    | 60<br>114        | 250 ml<br>500 ml        | 29211990 | 18  | 4006<br>7610           |
|         | <u>UN 2734 8 (3)/PG I</u>   |             | 217              | 1 Lt                    |          |     | 14462                  |
| LA3323  | n-OCTYL BROMIDE 99% For Synthesis<br>(1-bromo octane) <chem>C8H17Br</chem> M.W. 193.12, Liquid, d. 1.112                                    | 111-83-1    | 29<br>119        | 100 ml<br>500 ml        | 29033990 | 18  | 1957<br>7887           |
|         | <u>UN 3082 9/PG III</u>   |             |                  |                         |          |     |                        |
| LA3324  | 4-OCTYLPHENOL 99%<br>(4-n-octylphenol) <chem>C14H22O</chem> M.W. 206.32   | 1806-26-4   | 137<br>676       | 1 gm<br>5 gm            | 29071300 | 18  | 9108<br>44963          |
| LA3325  | 4-tert-OCTYLPHENOL 97% For Synthesis<br><chem>C14H22O</chem> M.W. 206.33  | 140-66-9    | 45               | 500 gm                  | 29209099 | 18  | 3023                   |
|         | <u>UN 3077 9 /PG III</u>  |             |                  |                         |          |     |                        |
| LA3326  | n-OCTYL SULPHATE SODIUM SALT 99%<br>(sodium n-octyl sulphate) (for HPLC for ion-pair chromatography)<br><chem>C8H17NaO3S</chem> M.W. 232.27 | 142-31-4    | 40<br>186<br>705 | 5 gm<br>25 gm<br>100 gm | 29209099 | 18  | 2683<br>12340<br>46894 |
| LA3327  | OIL RED O for electrophoresis (C.I.No.26125)<br>Dye Content : Min. 75% <chem>C26H24N4O</chem> M.W. 408.49, Liquid d. 2.07                   | 1320-06-5   | 4<br>8           | 10 gm<br>25 gm          | 32049000 | 18  | 257<br>532             |
| LA3328  | OLEIC ACID 99%<br><chem>C17H33COOH</chem> M.W. 282.46, Liquid, d. 0.897   | 112-80-1    | 11<br>46         | 500 ml<br>2.5 Lt        | 38231200 | 18  | 728<br>3066            |
| LA3329  | OLIVE OIL Extra Pure , Liquid, d. 0.91  | 8001-25-0   | 32               | 500 ml                  | 15091000 | 5   | 2099                   |
| LA3330  | ONDANSETRON HYDROCHLORIDE 98% (dihydrate)<br>For Lab Use <chem>C18H19N3O.HCl.2H2O</chem> M.W. 365.85  | 103639-04-9 | 120<br>480       | 5 gm<br>25 gm           | 29332990 | 18  | 7971<br>31901          |
| LA3331  | ORACET BLUE B Indicator<br><chem>C21H16N2O2</chem> M.W. 328.36  | 12769-16-3  | 68<br>290        | 5 gm<br>25 gm           | 32041975 | 18  | 4542<br>19260          |
| LA3332  | ORACET BLUE indicator solution  |             | 20<br>58         | 125 ml<br>500 ml        | 38220090 | 12  | 1329<br>3872           |
| LA3333  | ORACET BLUE 2R (C.I. 61110)<br>(Indicator for titration in Non-Aqueous Solvent)<br><chem>C20H14N2O2</chem> M.W. 314.34                      | 4395-65-7   | 111<br>510       | 1 gm<br>5 gm            | 32041975 | 18  | 7397<br>33948          |

|        |  |             |      |        |          |    |        |
|--------|--|-------------|------|--------|----------|----|--------|
| LA3334 | ORANGE G (M.S.)<br>(C.I.No.16230), Liquid, d. 0.83   | 1936-15-8   | 5    | 25 gm  | 32049000 | 18 | 309    |
|        |  |             | 15   | 100 gm |          |    | 1017   |
| LA3335 | PALALDIUM AAS STANDARD SOLUTION,<br>1000mg/L in Hydrochloric Acid, Liquid, d. 1.025        |             | 89   | 125 ml | 38220090 | 12 | 5886   |
|        | UN 1789 8/ PG III  |             | 171  | 500 ml |          |    | 11382  |
| LA3336 | PALALDIUM ICP STANDARD SOLUTION,<br>1000mg/L in Hydrochloric Acid, Liquid, d. 1.032        |             | 169  | 125 ml | 38220090 | 12 | 11212  |
|        | UN 1789 8/ PG III  |             |      |        |          |    |        |
| LA3337 | PALALDIUM (Metal) POWDER 99% AR<br>Pd M.W 106.42   | 7740-05-3   | 462  | 1 gm   | 71101900 | 3  | 30741  |
|        | UN 3089 4.1/ PG II   |             | 4392 | 10 gm  |          |    | 292041 |
| LA3338 | PALALDIUM 5% On Charcoal Assay<br>UN 3089 4.1/ PG II                                       |             | 229  | 10 gm  | 38151210 | 18 | 15240  |
| LA3339 | PALALDIUM 10% On Charcoal Assay  |             | 458  | 10 gm  | 38151210 | 18 | 30471  |
| LA3340 | PALALDIUM 5% On Asbestos   |             | 229  | 10 gm  | 38151210 | 18 | 15243  |
| LA3341 | PALALDIUM 10% On Asbestos  |             | 459  | 10 gm  | 38151210 | 18 | 30497  |
| LA3342 | PALALDIUM ACETATE 98%  | 3375-31-3   | 223  | 1 gm   | 28439019 | 18 | 14801  |
|        | C4H6O4Pd M.W.224.51  |             | 2114 | 10 gm  |          |    | 140601 |
| LA3343 | PALALDIUM BROMIDE 98%  | 13444-94-5  | 210  | 1 gm   | 28433000 | 18 | 13948  |
|        | PdBr2 M.W 266.23   |             | 1993 | 10 gm  |          |    | 132520 |
| LA3344 | PALALDIUM CHLORIDE Purified<br>Pd content: 59-60% PdCl2 M.W. 177.33                        | 7647-10-1   | 274  | 1 gm   | 28439019 | 18 | 18225  |
|        | UN 3262 8/ PG III  |             | 1261 | 5 gm   |          | 18 | 83845  |
| LA3345 | PALALDIUM NITRATE (hydrate)<br>% Pd With Dimethylglyoxime: 37.0 - 42.0 %                   | 207596-32-5 | 205  | 1 gm   | 28439019 | 18 | 13658  |
|        | Pd(NO3)2·xH2O M.W 230.43   |             | 1951 | 10 gm  |          |    | 129745 |
|        | UN 1477 5.1/PG II  |             |      |        |          |    |        |
| LA3346 | PALALDIUM OXIDE 98%  | 1314-08-5   | 377  | 1 gm   | 28439019 | 18 | 25072  |
|        | OPd M.W. 122.42  |             | 3582 | 10 gm  |          |    | 238185 |
|        | UN 1479 5.1/ PG II   |             |      |        |          |    |        |
| LA3347 | PALALDIUM SULPHATE 98%   | 13566-03-5  | 238  | 1 gm   | 28439019 | 18 | 15852  |
|        | PdSO4 M.W 202.48   |             | 2265 | 10 gm  |          |    | 150589 |
|        | UN 3260 8/PG II  |             |      |        |          |    |        |
| LA3348 | PALMAROSA OIL Extra Pure Liquid, d. 0.887  | 8014-19-5   | 148  | 500 ml | 33012933 | 18 | 9812   |
| LA3349 | PALMITIC ACID 98% For Synthesis<br>(hexa-decanoic acid) C16H32O2 M.W. 256.42               | 57-10-3     | 8    | 500 gm | 29157010 | 18 | 500    |
|        |  |             | 68   | 5 Kg   |          |    | 4502   |
| LA3350 | PALMITIC ACID 99% For Biochemistry (purified)<br>(hexa-decanoic acid) C16H32O2 M.W. 256.42 | 57-10-3     | 8    | 25 gm  | 29157010 | 18 | 560    |
|        |  |             | 31   | 100 gm |          |    | 2031   |
| LA3351 | PALM OIL , Liquid, d. 0.8875   | 8002-75-3   | 51   | 500 ml | 15110000 | 5  | 3401   |
| LA3352 | PANCREATIN (from Pig pancreas)<br>activity equivalent to N.F.                              | 8049-47-6   | 10   | 100 gm | 35079020 | 18 | 677    |
|        |  |             | 46   | 500 gm |          |    | 3050   |
| LA3353 | PANDAY'S REAGENT solution (saturated phenol solution)<br>Liquid, d. 1.071                  |             | 2    | 125 ml | 38220090 | 12 | 143    |
|        |  |             | 6    | 500 ml |          |    | 429    |

| CAT No.     | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST   |
|-------------|--|------------|--------|--------|----------|-------|
| PRICE (INR) |  |            |        |        |          |       |
| LA3354      | ORANGE G For Molecular Biology (C.I.No.16230)  | 1936-15-8  | 36     | 10 gm  | 32049000 | 18    |
|             | Dye Content: Min. 80% C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>5</sub> S <sub>2</sub> M.W. 452.37 |            | 119    | 50 gm  |          | 2399  |
| LA3355      | ORANGE G (OG 6 solution) aqueous solution  |            | 5      | 125 ml | 32049000 | 18    |
|             | Liquid, d. 0.83  |            | 14     | 500 ml |          | 303   |
| LA3356      | ORANGE OIL Extra Pure Liquid, d. 0.843   | 8008-57-9  | 50     | 500 ml | 33011200 | 18    |
|             | <u>UN 1993 3/PG III</u>  |            |        |        |          | 3293  |
| LA3357      | ORCEIN For Microscopy  | 1400-62-0  | 46     | 5 gm   | 32030090 | 18    |
|             |  |            | 87     | 10 gm  |          | 3066  |
| LA3358      | ORCINOL 99% (monohydrate)  | 6153-39-5  | 16     | 10 gm  | 29071190 | 18    |
|             | (3,5-dihydroxytoluene)   |            | 37     | 25 gm  |          | 1074  |
|             | C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> .H <sub>2</sub> O M.W. 142.16   |            | 122    | 100 gm |          | 2455  |
| LA3359      | ORCINOL REAGENT solution   |            | 6      | 100 ml | 38220090 | 12    |
| LA3360      | L-ORNITHINE MONOHYDROCHLORIDE 99% For Biochemistry   | 3184-13-2  | 4      | 5 gm   | 29224990 | 18    |
|             | C <sub>9</sub> H <sub>13</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 168.62   |            | 12     | 25 gm  |          | 235   |
|             |  |            | 46     | 100 gm |          | 794   |
|             |  |            |        |        |          | 3065  |
|             | ORTHOPHOSPHORIC ACID   |            |        |        |          |       |
| LA3361      | OSMIC ACID 99.9% AR  | 20816-12-0 | 137    | 1 gm   | 28439019 | 18    |
|             | (osmium tetroxide) OsO <sub>4</sub> M.W. 254.23  |            | 1301   | 10 gm  |          | 9108  |
|             | <u>UN 2471 6.1/PG I</u>  |            |        |        |          | 86516 |
| LA3362      | OSMIC ACID solution 2% w/v For Microscopy  |            | 54     | 5 ml   | 28439020 | 18    |
|             | Liquid, d. 1.01  |            | 101    | 10 ml  |          | 3593  |
| LA3363      | OXACILLIN SODIUM SALT monohydrate  | 7240-38-2  | 212    | 5 gm   | 29411000 | 18    |
|             | Potency: 815-950 µg/mg C <sub>19</sub> H <sub>18</sub> N <sub>3</sub> O <sub>5</sub> SNa·H <sub>2</sub> O M.W. 441.43          |            |        |        |          | 14107 |
| LA3364      | OXAALCETIC ACID 98%  | 328-42-7   | 23     | 1 gm   | 29183090 | 18    |
|             | (Oxobutanedioic acid) C <sub>4</sub> O <sub>5</sub> H <sub>4</sub> M.W. 132.07   |            | 92     | 5 gm   |          | 1522  |
| LA3365      | OXALIC ACID 99%  | 6153-56-6  | 6      | 500 gm | 29171110 | 18    |
|             | (ethanedioic acid)   |            | 55     | 5 Kg   |          | 407   |
|             | C <sub>2</sub> H <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 126.07  |            | 497    | 50 Kg  |          | 3669  |
| LA3366      | OXALIC ACID 99.5% AR   | 6153-56-6  | 7      | 500 gm | 29171110 | 18    |
|             | (ethanedioic acid) C <sub>2</sub> H <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 126.07                                 |            | 66     | 5 Kg   |          | 491   |
| LA3367      | OXALIC ACID 99% For Molecular Biology (dihydrate)  | 6153-56-6  | 10     | 500 gm | 29171110 | 18    |
|             | C <sub>2</sub> H <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 126.07  |            |        |        |          | 665   |
| LA3368      | OXALIC ACID 0.1 N (N/10) SOLUTION, Liquid, d. 0.99   |            | 3      | 500 ml | 38220090 | 12    |
| LA3369      | OXALIC ACID 0.025M (0.05N)   |            | 7      | 500 ml | 38220090 | 12    |
|             | Standardized Solution, Liquid, d. 1.00   |            |        |        |          | 450   |
| LA3370      | OXALIC ACID 0.5M (1N) Standardized Solution, Liquid, d. 1.00   |            | 5      | 500 ml | 38220090 | 12    |
| LA3371      | OXALIC ACID DIHYDRAZIDE 98%  | 996-98-5   | 28     | 25 gm  | 29280090 | 18    |
|             | (oxalyl dihydrazide) C <sub>2</sub> H <sub>6</sub> N <sub>4</sub> O <sub>2</sub> M.W. 118.09                                   |            |        |        |          | 1843  |
| LA3372      | OX-BILE DRIED POWDER for Microbiology  |            | 44     | 100 gm | 5100020  | 5     |
|             |  |            | 171    | 500 gm |          | 2951  |
|             |  |            |        |        |          | 11376 |
| LA3373      | OX GALL powder Bacteriological Grade   | 8008-63-7  | 43     | 100 gm | 5100020  | 5     |
|             |  |            | 153    | 500 gm |          | 2885  |
| LA3374      | OXICONAZOLE NITRATE  | 64211-46-7 | 38     | 5 gm   | 29332990 | 18    |
|             | For Lab Use  |            | 143    | 25 gm  |          | 2523  |
|             | OXINE  |            |        |        |          | 9535  |
| LA3375      | OXONE Extra Pure (Potassium Peroxy Monosulphate)   | 70693-62-8 | 19     | 250 gm | 28334000 | 18    |
|             | HKO <sub>5</sub> S · 0.5HKO <sub>4</sub> S · 0.5K <sub>2</sub> O <sub>4</sub> S M.W. 307.38                                    |            | 66     | 1 Kg   |          | 1248  |
|             | <u>UN 3260 8/PG II</u>   |            |        |        |          | 4361  |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3376  | PAN indicator 99% AR   | 85-85-8    | 18     | 1 gm   | 29333990 | 18  | 1172       |
|         | [1-(2-pyridyALzo)-2-naphthol]  |            | 77     | 5 gm   |          |     | 5095       |
|         | C <sub>15</sub> H <sub>11</sub> N <sub>3</sub> O M.W. 249.27   |            | 343    | 25 gm  |          |     | 22778      |
| LA3377  | PAN 0.1% w/v INDICATOR SOLUTION IN METHANOL  |            | 2      | 100 ml | 38220090 | 12  | 127        |
| LA3378  | PAN 1% w/v INDICATOR SOLUTION IN METHANOL  |            | 6      | 100 ml | 38220090 | 12  | 369        |
| LA3379  | PAN 0.1% w/v INDICATOR SOLUTION IN ETHANOL   |            | 4      | 100 ml | 38220090 | 12  | 256        |
| LA3380  | PAN 1% w/v INDICATOR SOLUTION IN ETHANOL   |            | 7      | 100 ml | 38220090 | 12  | 450        |
| LA3381  | D-PANTHENOL 99% Extra Pure   | 81-13-0    | 45     | 100 gm | 29241900 | 18  | 2971       |
|         | (provitamin B) For Lab Use C <sub>9</sub> H <sub>19</sub> NO <sub>4</sub> M.W. 205.25, Liquid, d. 1.20 |            | 179    | 500 gm |          |     | 11898      |
|         | D(+) PANTOTHENIC ACID CALCIUM SALT   |            |        |        |          |     |            |
| LA3382  | PAPAIN (purified powder)   | 9001-73-4  | 6      | 100 gm | 35079071 | 18  | 386        |
|         | (from Papaya latex)  |            | 20     | 500 gm |          |     | 1356       |
|         |  |            | 183    | 5 Kg   |          |     | 12199      |
|         | PAPANICOLAOUS SOLUTION 1a  |            |        |        |          |     |            |
| LA3383  | PAPANICOLAOUS SOLUTION 2b  |            | 4      | 125 ml | 32030090 | 18  | 263        |
|         | (Orange II solution for cytological cancer and cycle diagnosis)  |            | 12     | 500 ml |          |     | 789        |
|         | Liquid, d. 0.83  |            |        |        |          |     |            |
| LA3384  | PAPANICOLAOUS SOLUTION 3b  |            | 8      | 125 ml | 32030090 | 18  | 505        |
|         | (Polychromatic solution EA 50 for cytological cancer and   |            | 23     | 500 ml |          |     | 1510       |
|         | cycle diagnosis) Liquid, d. 0.82   |            |        |        |          |     |            |
| LA3385  | PAPAVERINE HYDROCHLORIDE 98%   | 61-25-6    | 44     | 10 gm  | 29334900 | 18  | 2901       |
|         | For Lab Use C <sub>20</sub> H <sub>21</sub> NO <sub>4</sub> ·HCl M.W 375.85                            |            |        |        |          |     |            |
|         | UN 1544 6.1/PG III   |            |        |        |          |     |            |
| LA3386  | PAR indicator 99% AR   | 16593-81-0 | 10     | 1 gm   | 29333919 | 18  | 691        |
|         | [4-(2-pyridyALzo)-resorcinol monosodium salt]  |            | 45     | 5 gm   |          |     | 2972       |
|         | C <sub>11</sub> H <sub>8</sub> N <sub>3</sub> NaO <sub>2</sub> ·H <sub>2</sub> O M.W. 237.19           |            | 201    | 25 gm  |          |     | 13382      |
| LA3387  | PAR REAGENT SOLUTION   |            | 10     | 100 ml | 38220090 | 12  | 672        |
| LA3388  | PARACETAMOL 98% Extra Pure   | 103-90-2   | 11     | 100 gm | 29242990 | 18  | 753        |
|         | (N-Acetyl-p-Aminophenol) (4-acetamidophenol, acetaminophen)  |            | 48     | 500 gm |          |     | 3194       |
|         | C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 151.16  |            | 432    | 5 Kg   |          |     | 28746      |
|         |  |            |        |        |          |     |            |
| LA3389  | PARAFFIN LIQUID (heavy)  | 8012-95-1  | 8      | 500 ml | 27101990 | 18  | 563        |
|         | (mineral oil white heavy) (colourless)   |            | 32     | 2.5 Lt |          |     | 2138       |
|         | (liquid paraffin heavy) (mineral oil white heavy)  |            | 59     | 5 Lt   |          |     | 3951       |
|         | Liquid, d. 0.860-0.890   |            | 273    | 25 Lt  |          |     | 18179      |
| LA3390  | PARAFFIN LIQUID (light)  | 8012-95-1  | 7      | 500 ml | 27101990 | 18  | 454        |
|         | (colourless)   |            | 24     | 2.5 Lt |          |     | 1584       |
|         | (liquid paraffin light) (mineral oil white light)  |            | 44     | 5 Lt   |          |     | 2931       |
|         | Liquid, d. 0.830-0.860   |            | 198    | 25 Lt  |          |     | 13180      |
| LA3391  | PARAFFIN OIL For IR Spectroscopy   | 8012-95-1  | 6      | 100 ml | 27101990 | 18  | 380        |
|         | Liquid, d. 0.88  |            | 15     | 500 ml |          |     | 1019       |
|         | PARAFFIN SOFT  |            |        |        |          |     |            |
| LA3392  | PARAFFIN WAX with Ceresin  | 8002-74-2  | 11     | 500 gm | 27122010 | 18  | 735        |
|         | (congealing point about 60°C)  |            |        |        |          |     |            |
| LA3393  | PARAFFIN WAX HARD  | 8002-74-2  | 9      | 500 gm | 27122010 | 18  | 599        |
|         | (hard paraffin) (caking type small pieces)   |            | 80     | 5 Kg   |          |     | 5343       |
|         |  |            | 362    | 25 Kg  |          |     | 24041      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3394  | PARAFFIN WAX 56°-58°C For Histology  | 8002-74-2  | 10     | 500 gm | 27122000 | 18  | 660        |
|         |  |            | 19     | 1 Kg   |          |     | 1244       |
| LA3395  | PARAFFIN WAX 58°-60°C (non caking)   | 8002-74-2  | 10     | 500 gm | 27122000 | 18  | 652        |
| LA3396  | PARAFFIN WAX 60°-62°C (non caking)   | 8002-74-2  | 10     | 500 gm | 27122000 | 18  | 654        |
| LA3397  | PARAFORMALDEHYDE 95%   | 30525-89-4 | 6      | 500 gm | 29126000 | 18  | 415        |
|         | HO(CH <sub>2</sub> O) <sub>n</sub> H M.W. 30.03 (as monomer)   |            | 55     | 5 Kg   |          |     | 3642       |
|         | <u>UN 2213 4.1/PG III</u>  |            |        |        |          |     |            |
| LA3398  | PARALDEHYDE 95% For Synthesis  | 123-63-7   | 32     | 500 ml | 29125000 | 18  | 2150       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>3</sub> M.W. 132.16, Liquid, d. 0.994  |            | 137    | 2.5 Lt |          |     | 9116       |
|         | PARAROSANILINE (base)  |            |        |        |          |     |            |
| LA3399  | PARAROSANILINE ACETATE   | 6035-94-5  | 212    | 5 gm   | 32129090 | 18  | 14111      |
|         | Dye Content: Min. 90% C <sub>19</sub> H <sub>17</sub> N <sub>3</sub> M.W 347.41  |            | 652    | 25 gm  |          |     | 43387      |
|         | PARAROSANILINE HYDROCHLORIDE   |            |        |        |          |     |            |
| LA3400  | PATCHOULI OIL, Liquid, d. 0.963  | 8014-09-3  | 255    | 500 ml | 33012934 | 18  | 16976      |
| LA3401  | PATENT BLUE V (VF) (C.I. No.42045)   | 129-17-9   | 8      | 25 gm  | 32049000 | 18  | 561        |
|         | (acid blue V) Dye Content: Min. 50% C <sub>27</sub> H <sub>31</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W. 566.66 |            | 32     | 100 gm |          |     | 2124       |
| LA3402  | PATTON & REEDER'S REAGENT AR   | 3737-95-9  | 5      | 5 gm   | 29270090 | 18  | 313        |
|         | [2-hydroxy-1-(2-hydroxy-4-sulpho-1- naphthylazo)-3-naphthoic acid]   |            | 16     | 25 gm  |          |     | 1043       |
|         | (calcon carboxylic acid) C <sub>21</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub> S M.W. 438.41                           |            | 58     | 100 gm |          |     | 3871       |
| LA3403  | PECTIN Extra Pure  | 9000-69-5  | 16     | 100 gm | 13022000 | 18  | 1045       |
|         |  |            | 67     | 500 gm |          |     | 4433       |
|         |  |            | 600    | 5 Kg   |          |     | 39888      |
| LA3404  | PECTINASE  | 9032-75-1  | 26     | 10 gm  | 35079099 | 18  | 1734       |
|         |  |            | 55     | 25 gm  |          |     | 3673       |
| LA3405  | PECTINASE SOLUTION   |            | 8      | 100 ml | 29411010 | 18  | 540        |
| LA3406  | PENICILLIN G POTASSIUM SALT  | 113-98-4   | 75     | 5 gm   | 29411010 | 18  | 4975       |
|         | C <sub>16</sub> H <sub>17</sub> KN <sub>2</sub> O <sub>4</sub> S M.W. 372.48   |            | 292    | 25 gm  |          |     | 19397      |
| LA3407  | PENICILLIN G SODIUM SALT   | 69-57-8    | 65     | 1 Vial | 29411010 | 18  | 4350       |
|         | For Lab Use (vial of 1 million unit) C <sub>16</sub> H <sub>17</sub> N <sub>2</sub> NaO <sub>4</sub> S M.W 356.37              |            |        |        |          |     |            |
| LA3408  | PENTAERYTHRITOL 98% For Synthesis  | 115-77-5   | 9      | 500 gm | 29054210 | 18  | 588        |
|         | [2,2-bis(hydroxymethyl)-1,3-propane diol]  |            | 80     | 5 Kg   |          |     | 5297       |
|         | C <sub>5</sub> H <sub>12</sub> O <sub>4</sub> M.W. 136.15  |            |        |        |          |     |            |
| LA3409  | PENTAFLUOROPHENOL 98%  | 771-61-9   | 100    | 5 gm   | 29225090 | 18  | 6667       |
|         | C <sub>6</sub> H <sub>5</sub> F <sub>5</sub> O M.W. 184.06   |            | 404    | 25 gm  |          |     | 26857      |
| LA3410  | iso-PENTANE 99%  | 78-78-4    | 39     | 500 ml | 29011000 | 18  | 2600       |
|         | (2-methyl butane) C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Liquid, d. 0.62   |            | 171    | 2.5 Lt |          |     | 11356      |
|         | <u>UN 1265 3/PG I</u>  |            |        |        |          |     |            |
| LA3411  | n-PENTANE 99% For Synthesis  | 109-66-0   | 11     | 500 ml | 29012990 | 18  | 711        |
|         | C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Lqiuid, d. 0.626  |            | 20     | 1 Lt   |          |     | 1350       |
|         | <u>UN 1265 3/PG I</u>  |            | 48     | 2.5 Lt |          |     | 3175       |
| LA3412  | n-PENTANE 99% AR   | 109-66-0   | 11     | 500 ml | 29012990 | 18  | 748        |
|         | C <sub>5</sub> H <sub>12</sub> M.W. 72.15, Lqiuid, d. 0.626  |            | 21     | 1 Lt   |          |     | 1421       |
|         | <u>UN 1265 3/PG I</u>  |            |        |        |          |     |            |
| LA3413  | n-PENTANE SULPHONIC ACID   | 22767-49-3 | 8      | 5 gm   | 29041090 | 18  | 557        |
|         | SODIUM SALT 99% AR & HPLC (anhydrous)  |            | 18     | 25 gm  |          |     | 1219       |
|         | (sodium-1-pentane sulphonate)  |            | 65     | 100 gm |          |     | 4310       |
|         | C <sub>5</sub> H <sub>11</sub> O <sub>3</sub> Na M.W 179.19  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA3414  | n-PENTANE SULPHONIC ACID  | 207605-40-1 | 8      | 5 gm   | 29041090 | 18  | 538        |
|         | SODIUM SALT 99% AR & HPLC (monohydrate)   |             | 18     | 25 gm  |          |     | 1201       |
|         | (sodium-1-pentane sulphonate)   |             | 65     | 100 gm |          |     | 4291       |
|         | CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> SO <sub>3</sub> Na·H <sub>2</sub> O M.W. 192.21     |             |        |        |          |     |            |
| LA3416  | 2-PENTANONE 99%   | 107-87-9    | 26     | 250 ml | 29147090 | 18  | 1727       |
|         | (methyl propyl ketone) C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.811                |             | 48     | 500 ml |          |     | 3210       |
|         | <u>UN 1249 3/PG II</u>  |             |        |        |          |     |            |
| LA3417  | 3-PENTANONE 99%   | 96-22-0     | 12     | 100 ml | 29141990 | 18  | 783        |
|         | (diethyl ketone) C <sub>5</sub> H <sub>10</sub> O M.W. 86.13, Liquid, d. 0.817                      |             | 46     | 500 ml |          |     | 3065       |
|         | <u>UN 1156 3/PG II</u>  |             |        |        |          |     |            |
| LA3418  | n-PENTYL BROMIDE  |             |        |        |          |     |            |
| LA3419  | PENTYLENETETRAZOLE 99% For Lab Use  | 54-95-5     | 43     | 5 gm   | 29339900 | 18  | 2838       |
|         | (pentetrazole, penta methylene tetrazole) C <sub>6</sub> H <sub>10</sub> N <sub>4</sub> M.W. 138.17 |             | 171    | 25 gm  |          |     | 11390      |
|         | <u>UN 2811 6.1/ PG III</u>  |             |        |        |          |     |            |
| LA3420  | PEPPERMINT OIL Extra Pure   | 8006-90-4   | 64     | 500 ml | 33012400 | 18  | 4288       |
| LA3421  | PEPSIN 1:3000 (from hog stomach)  | 9001-75-6   | 40     | 100 gm | 35079030 | 18  | 2649       |
|         |   |             | 185    | 500 gm |          |     | 12317      |
| LA3422  | PEPSIN 1:10000 (for vaccine production)   | 9001-75-6   | 38     | 25 gm  | 35079030 | 18  | 2537       |
|         |   |             | 133    | 100 gm |          |     | 8853       |
| LA3423  | PEPTONE Bacteriological   |             | 17     | 500 gm | 35040010 | 18  | 1113       |
|         | (obtained from enzymatic digestion of meat)   |             | 158    | 5 Kg   |          |     | 10520      |
| LA3424  | PEPTONE For Microbiology (Granular)   | 73049-73-7  | 27     | 500 gm | 35040010 | 18  | 1812       |
|         |   |             | 223    | 5 Kg   |          |     | 14810      |
| LA3425  | PERCHLORIC ACID 20% AR  | 7601-90-3   | 12     | 500 ml | 28112990 | 18  | 789        |
|         | HClO <sub>4</sub> M.W. 100.46 , Liquid, d 1.664   |             | 51     | 2.5 Lt |          |     | 3401       |
| LA3426  | PERCHLORIC ACID 60-62% AR   | 7601-90-3   | 27     | 500 ml | 28112990 | 18  | 1817       |
|         | HClO <sub>4</sub> M.W. 100.46 , Liquid, d 1.664   |             | 120    | 2.5 Lt |          |     | 7974       |
|         | <u>UN 1873 5.1 (8) /PG I</u>  |             |        |        |          |     |            |
| LA3427  | PERCHLORIC ACID 60% For Molecular Biology   | 7601-90-3   | 69     | 500 ml | 28112990 | 18  | 4555       |
|         | HClO <sub>4</sub> M.W. 100.46, Liquid, d 1.664  |             |        |        |          |     |            |
|         | <u>UN 1873 5.1 (8) /PG I</u>  |             |        |        |          |     |            |
| LA3428  | PERCHLORIC ACID 69-70% AR   | 7601-90-3   | 33     | 500 ml | 28112990 | 18  | 2162       |
|         | HClO <sub>4</sub> M.W. 100.46 , Liquid, d 1.664   |             | 154    | 2.5 Lt |          |     | 10258      |
|         | <u>UN 1873 5.1 (8) /PG I</u>  |             |        |        |          |     |            |
| LA3429  | PERCHLORIC ACID 0.1N solution (in acetic acid glacial)  |             | 5      | 100 ml | 38220090 | 12  | 318        |
|         |   |             | 20     | 500 ml |          | 12  | 1346       |
| LA3430  | PERCHLORIC ACID 0.1M (0.1N) Standardized Solution   |             | 8      | 500 ml | 38220090 | 12  | 526        |
|         | Liquid, d. 0.950  |             |        |        |          |     |            |
| LA3431  | PERCHLORIC ACID 1M (1N) Standardized Solution   |             | 8      | 500 ml | 38220090 | 12  | 528        |
| LA3432  | PERCHLOROETHYLENE 99%   | 127-18-4    | 17     | 500 ml | 29032300 | 18  | 1133       |
|         | (tetrachloroethylene) CCl <sub>2</sub> :CCl <sub>2</sub> M.W. 165.83, Liquid, d. 1.623              |             | 32     | 1 Lt   |          |     | 2149       |
|         | <u>UN 1897 6.1/PG III</u>   |             | 76     | 2.5 Lt |          |     | 5045       |
| LA3433  | PERCHLOROETHYLENE 99.8% AR  | 127-18-4    | 20     | 500 ml | 29032300 | 18  | 1307       |
|         | (tetrachloroethylene) CCl <sub>2</sub> :CCl <sub>2</sub> M.W. 165.83, Liquid, d. 1.623              |             | 37     | 1 Lt   |          |     | 2483       |
|         | <u>UN 1897 6.1/PG III</u>   |             | 88     | 2.5 Lt |          |     | 5836       |

| CAT No. | PRODUCT NAME  | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------------|--------|--------|----------|-----|------------|
| LA3434  | <b>PERIODIC ACID 99% For Synthesis</b>  | <b>10450-60-9</b> | 15     | 25 gm  | 28111990 | 18  | 1016       |
|         | H <sub>5</sub> IO <sub>6</sub> M.W. 227.94  |                   | 51     | 100 gm |          |     | 3399       |
|         | <b>UN 3085 5.1 (8)/PG II</b>  |                   | 225    | 500 gm |          |     | 14961      |
| LA3435  | <b>PERIODIC ACID 99.5% AR</b>   | <b>10450-60-9</b> | 17     | 25 gm  | 28111990 | 18  | 1122       |
|         | H <sub>5</sub> IO <sub>6</sub> M.W. 227.94  |                   | 56     | 100 gm |          |     | 3745       |
|         | <b>UN 3085 5.1 (8)/PG II</b>  |                   | 247    | 500 gm |          |     | 16457      |
| LA3436  | <b>PERIODIC ACID 1% Solution Liquid, d. 0.88</b>  |                   | 10     | 100 ml | 38220090 | 12  | 657        |
|         | (For staining of cell polysaccharides schiff's (Pas) method)                            |                   | 40     | 500 ml |          |     | 2632       |
| LA3437  | <b>PEROXIDASE (from horse raddish)</b>  | <b>9003-99-0</b>  | 169    | 1 vial | 35079090 | 18  | 11217      |
|         | (activity Z 225 units/mg.) (vial of 1000 units)   |                   |        |        |          |     |            |
|         | PERU BALSAM   |                   |        |        |          |     |            |
|         | PETROALTUM (white)  |                   |        |        |          |     |            |
|         | PETROLEUM ETHER   |                   |        |        |          |     |            |
|         | PETROLEUM JELLY   |                   |        |        |          |     |            |
| LA3438  | <b>PHENACYL ACETATE 97.5%</b>   | <b>2243-35-8</b>  | 298    | 25 gm  | 29153910 | 18  | 19826      |
|         | C <sub>10</sub> H <sub>10</sub> O <sub>3</sub> M.W. 178.19                              |                   |        |        |          |     |            |
|         | <b>UN 3077 9/PG III</b>   |                   |        |        |          |     |            |
| LA3439  | <b>PHENACYL BROMIDE 98%</b>   | <b>70-11-1</b>    | 92     | 100 gm | 29147090 | 18  | 6090       |
|         | C <sub>8</sub> H <sub>7</sub> BrO M.W 199.04  |                   | 205    | 250 gm |          |     | 13661      |
|         | <b>UN 2645 6.1/PG II</b>  |                   |        |        |          |     |            |
| LA3440  | <b>PHENACYL CHLORIDE 98% For Synthesis</b>  | <b>532-27-4</b>   | 485    | 250 ml | 29143910 | 18  | 32233      |
|         | C <sub>8</sub> H <sub>7</sub> ClO M.W 154.59, Liquid, d. 1.324                          |                   |        |        |          |     |            |
|         | <b>UN 1697 6.1/PG II</b>  |                   |        |        |          |     |            |
| LA3441  | <b>PHENANTHRENE 97%</b>   | <b>85-01-8</b>    | 171    | 100 gm | 29029090 | 18  | 11383      |
|         | C <sub>14</sub> H <sub>10</sub> M.W. 178.24   |                   | 753    | 500 gm |          |     | 50087      |
|         | <b>UN 3077 9/PG III</b>   |                   |        |        |          |     |            |
| LA3442  | <b>1,10-PHENANTHROLINE 99.5% AR (For Molecular Biology)</b>                             | <b>5144-89-8</b>  | 9      | 5 gm   | 29339900 | 18  | 623        |
|         | (monohydrate) (o-phenanthroline) (redox indicator)                                      |                   | 39     | 25 gm  |          |     | 2563       |
|         | C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> ·H <sub>2</sub> O M.W. 198.23             |                   | 134    | 100 gm |          |     | 8937       |
|         | <b>UN 2811 6.1/PG III</b>   |                   |        |        |          |     |            |
| LA3443  | <b>1,10-PHENANTHROLINE HYDROCHLORIDE 97% AR</b>   | <b>18851-33-7</b> | 14     | 5 gm   | 29339900 | 18  | 902        |
|         | C <sub>12</sub> H <sub>9</sub> ClN <sub>2</sub> ·H <sub>2</sub> O M.W. 234.69           |                   | 56     | 25 gm  |          |     | 3741       |
|         | <b>UN 2811 6.1/PG III</b>   |                   |        |        |          |     |            |
|         | PHENAZINE METHOSULPHATE   |                   |        |        |          |     |            |
|         | PHENAZONE   |                   |        |        |          |     |            |
| LA3444  | <b>PHENOL 99% (crystals)</b>  | <b>108-95-2</b>   | 9      | 500 gm | 29071110 | 18  | 597        |
|         | (Hydroxybenzene) (carbolic acid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11             |                   | 76     | 5 Kg   |          |     | 5066       |
|         | <b>UN 1671 6.1 /PG II</b>   |                   |        |        |          |     |            |
| LA3445  | <b>PHENOL (crystals) 99.5% AR</b>   | <b>108-95-2</b>   | 11     | 500 gm | 29071110 | 18  | 701        |
|         | (Hydroxybenzene) (carbolic acid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11             |                   |        |        |          |     |            |
|         | <b>UN 1671 6.1 /PG II</b>   |                   |        |        |          |     |            |
| LA3446  | <b>PHENOL (crystals) 99% For Molecular Biology</b>                                      | <b>108-95-2</b>   | 7      | 100 gm | 29071110 | 18  | 451        |
|         | (Hydroxybenzene) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11 ( <b>Store at 2 - 8°C</b> ) |                   | 27     | 500 gm |          |     | 1820       |
|         | <b>UN 1671 6.1 /PG II</b>   |                   |        |        |          |     |            |
| LA3447  | <b>PHENOL 89% (liquid)</b>  | <b>108-95-2</b>   | 9      | 500 ml | 29071110 | 18  | 591        |
|         | (carbolic acid liquid) C <sub>6</sub> H <sub>6</sub> O M.W. 94.11, Liquid, d. 1.07      |                   | 37     | 2.5 Lt |          |     | 2484       |
|         | <b>UN 1671 6.1 /PG II</b>   |                   |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3445  | PHENOL DISULPHONIC ACID<br>(25% solution w/v in sulphuric acid), Liquid. d.1.4                  | 96-77-5    | 27     | 500 ml | 29089990 | 18  | 1802       |
|         | <u>UN 1760 8/PG II</u>  |            |        |        |          |     |            |
| LA3446  | PHENOLPHTHALEINE (Indicator) POWDER<br><chem>C20H14O4</chem> M.W. 318.32                        | 77-09-8    | 6      | 50 gm  | 29322090 | 18  | 424        |
|         |   |            | 12     | 100 gm |          |     | 768        |
|         |   |            | 53     | 500 gm |          |     | 3527       |
| LA3447  | PHENOLPHTHALEINE (Indicator) SOLUTION<br>Liquid, d. 0.900                                       |            | 3      | 125 ml | 38220090 | 12  | 200        |
|         | <u>UN 1230 3 (6.1)/PG II</u>  |            | 9      | 500 ml |          |     | 577        |
| LA3448  | PHENOLPHTHALEINE (Indicator) PAPERS<br>PHENOL REAGENT   |            | 3      | Pkt    | 38220090 | 12  | 190        |
| LA3449  | PHENOL RED AR (Indicator)<br>(phenolsulphonaphthalein)  | 143-74-8   | 9      | 25 gm  | 29349900 | 18  | 625        |
|         | <chem>C19H13O5S</chem> M.W. 354.38  |            | 35     | 100 gm |          |     | 2336       |
|         |   |            | 162    | 500 gm |          |     | 10751      |
| LA3450  | PHENOL RED indicator solution<br>Liquid, d. 1.0   |            | 2      | 125 ml | 38220090 | 12  | 127        |
|         | <u>UN 1170 3/PG II</u>  |            | 6      | 500 ml |          |     | 391        |
| LA3451  | PHENOL RED SODIUM SALT<br>pH 6.4-8.2 yellow to red (phenol red water soluble)                   | 34487-61-1 | 3      | 5 gm   | 32049000 | 18  | 221        |
|         | Dye Content: Min. 90% <chem>C19H13NaO5S</chem> M.W. 376.36                                      |            | 14     | 25 gm  |          |     | 952        |
| LA3452  | PHENOSAFRANINE AR (C.I.No.50200)<br>Dye Content : Min. 80% <chem>C18H15ClN4</chem> M.W 322.79   | 81-93-6    | 171    | 1 gm   | 32129090 | 18  | 11385      |
|         |   |            | 785    | 5 gm   |          |     | 52233      |
| LA3453  | PHENOTHIAZINE 97% Extra Pure<br>For Lab Use <chem>C12H9NS</chem> M.W. 199.27                    | 92-84-2    | 54     | 100 gm | 29343000 | 18  | 3579       |
|         | <u>UN 3077 9/PG III</u>   |            | 234    | 500 gm |          |     | 15562      |
| LA3454  | PHENOXANTHINE 98%<br><chem>C12H8OS</chem> M.W. 200.26   | 262-20-4   | 204    | 5 gm   | 29349900 | 18  | 13557      |
|         |   |            | 564    | 25 gm  |          |     | 37498      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA3455  | PHENOXAZINE 97% Electronic Grade<br><chem>C12H9NO</chem> M.W. 183.21                            | 135-67-1   | 636    | 5 gm   | 29349900 | 18  | 42287      |
| LA3456  | PHENOXY ACETIC ACID 98% For Synthesis<br><chem>C8H8O3</chem> M.W. 152.15                        | 122-59-8   | 37     | 500 gm | 29349900 | 18  | 2491       |
| LA3457  | 2-PHENOXY ETHANOL 98%<br>(phenyl cellosolve) <chem>C8H10O2</chem> M.W. 138.16, Liquid, d. 1.107 | 122-99-6   | 16     | 500 ml | 29094900 | 18  | 1067       |
|         |   |            | 71     | 2.5 Lt |          |     | 4693       |
| LA3458  | PHENOXY 2-PROPANONE 97% For Synthesis<br><chem>C8H10O2</chem> M.W. 150.17, Liquid, d. 1.097     | 621-87-4   | 292    | 25 gm  | 29146100 | 18  | 19401      |
| LA3459  | 3-PHENOXY PROPIONIC ACID 99%<br><chem>C9H10O3</chem> M.W. 166.17                                | 7170-38-9  | 491    | 25 gm  | 29189900 | 18  | 32637      |
| LA3460  | PHENYL ACETATE 98%<br><chem>C8H8O2</chem> M.W. 136.15, Liquid, d. 1.073                         | 122-79-2   | 99     | 500 ml | 29153990 | 18  | 6567       |
| LA3461  | PHENYL ACETIC ACID 99%<br><chem>C8H8O2</chem> M.W. 136.14                                       | 103-82-2   | 15     | 500 gm | 29163400 | 18  | 971        |
|         | PHENYALCETONITRILE  |            |        |        |          |     |            |
| LA3462  | L-PHENYALALNINE 98% For Biochemistry<br><chem>C9H11NO2</chem> M.W. 165.19                       | 63-91-2    | 4      | 25 gm  | 29224990 | 18  | 289        |
|         |   |            | 13     | 100 gm |          |     | 883        |
|         |   |            | 53     | 500 gm |          |     | 3528       |
| LA3463  | DL-PHENYALALNINE 98.5% For Biochemistry<br><chem>C9H11NO2</chem> M.W. 165.19                    | 150-30-1   | 14     | 25 gm  | 29224990 | 18  | 907        |
|         |   |            | 49     | 100 gm |          |     | 3268       |
|         |   |            | 216    | 500 gm |          |     | 14385      |

| CAT No. | PRODUCT NAME   | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-----------|--------|--------|----------|-----|------------|
| LA3464  | D-PHENYLALANINE 99%  | 673-06-3  | 51     | 25 gm  | 29232090 | 18  | 3408       |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 165.19   |           | 174    | 100 gm |          |     | 11538      |
| LA3465  | N-PHENYL ANTHRANILIC ACID 98% AR   | 91-40-7   | 20     | 25 gm  | 29224300 | 18  | 1359       |
|         | (redox indicator)  |           | 80     | 100 gm |          |     | 5350       |
|         | C <sub>13</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 213.24  |           | 370    | 500 gm |          |     | 24606      |
| LA3466  | PHENYALRSONIC ACID 98.5% AR  | 98-05-5   | 80     | 5 gm   | 29181190 | 18  | 5341       |
|         | C <sub>6</sub> H <sub>5</sub> AsO(OH) <sub>2</sub> M.W. 202.04   |           | 312    | 25 gm  |          |     | 20755      |
|         | <u>UN 3465 6.1/PG I</u>  |           |        |        |          |     |            |
| LA3467  | PHENYL BENOATE 98% For Synthesis   | 93-99-2   | 85     | 100 gm | 29163190 | 18  | 5685       |
|         | (benzoic acid phenyl ester) C <sub>13</sub> H <sub>10</sub> O <sub>2</sub> M.W. 198.22                         |           | 376    | 500 gm |          |     | 25021      |
| LA3468  | PHENYL BORONIC ACID 97% For Synthesis  | 98-80-6   | 17     | 5 gm   | 29310090 | 18  | 1128       |
|         | (benzene boronic acid) C <sub>6</sub> H <sub>5</sub> B(OH) <sub>2</sub> M.W. 121.93                            |           | 34     | 25 gm  |          |     | 2258       |
| LA3469  | PHENYL BUTAZONE 98%  | 50-33-9   | 22     | 5 gm   | 29331100 | 18  | 1495       |
|         | For Lab Use C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> M.W. 308.37                          |           | 99     | 25 gm  |          |     | 6570       |
|         | <u>UN 2811 6.1/PG III</u>  |           |        |        |          |     |            |
| LA3470  | PHENYL CHLOROFORMATE 98% For Synthesis   | 1885-14-9 | 16     | 100 ml | 29153990 | 18  | 1076       |
|         | (chloroformic acid phenyl ester), Liquid, d. 1.248   |           | 53     | 500 ml |          |     | 3540       |
|         | C <sub>7</sub> H <sub>5</sub> ClO <sub>3</sub> M.W. 156.57   |           | 216    | 2.5 Lt |          |     | 14382      |
|         | <u>UN 2746 6.1 (8)/PG II</u>   |           |        |        |          |     |            |
|         | PHENYL CYANIDE   |           |        |        |          |     |            |
| LA3471  | m-PHENYLENEDIAMINE 98% For Synthesis   | 108-45-2  | 249    | 250 gm | 29215120 | 18  | 16560      |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | 461    | 500 gm |          |     | 30653      |
|         | <u>UN 1673 6.1/PG III</u>  |           |        |        |          |     |            |
| LA3472  | m-PHENYLENEDIAMINE DIHYDROCHLORIDE 99% (purified)  | 541-69-5  | 155    | 25 gm  | 29215120 | 18  | 10293      |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> .2HCl M.W. 181.07   |           | 550    | 100 gm |          |     | 36595      |
|         | <u>UN 2811 6.1/PG III</u>  |           |        |        |          |     |            |
| LA3473  | o-PHENYLENEDIAMINE 98%   | 95-54-5   | 6      | 100 gm | 29215110 | 18  | 401        |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | 13     | 250 gm |          |     | 870        |
|         | <u>UN 1673 6.1/PG III</u>  |           | 25     | 500 gm |          |     | 1646       |
| LA3474  | o-PHENYLENEDIAMINE DIHYDROCHLORIDE 98%   | 615-28-1  | 165    | 25 gm  | 29215130 | 18  | 10984      |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> .2HCl M.W. 181.06                                |           | 550    | 100 gm |          |     | 36555      |
|         | <u>UN 1673 6.1/PG III</u>  |           |        |        |          |     |            |
| LA3475  | p-PHENYLENEDIAMINE 97% For Synthesis   | 106-50-3  | 9      | 100 gm | 29215130 | 18  | 566        |
|         | C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14                                      |           | 19     | 250 gm |          |     | 1241       |
|         | <u>UN 1673 6.1/PG III</u>  |           | 35     | 500 gm |          |     | 2359       |
| LA3476  | p-PHENYLENEDIAMINE DIHYDROCHLORIDE 99%   | 624-18-0  | 61     | 100 gm | 29215130 | 18  | 4037       |
|         | C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> .2HCl M.W. 181.07   |           | 118    | 250 gm |          |     | 7845       |
|         | <u>UN 1673 6.1/PG III</u>  |           |        |        |          |     |            |
| LA3477  | 2-PHENYL ETHANOL 99% For Synthesis   | 60-12-8   | 31     | 500 ml | 29062990 | 18  | 2079       |
|         | (ethyl phenyl alcohol) (phenyl ethyl alcohol)  |           | 120    | 2.5 Lt |          |     | 7962       |
|         | C <sub>8</sub> H <sub>10</sub> O M.W. 122.17, Liquid, d. 1.020   |           |        |        |          |     |            |
| LA3478  | PHENYL ETHYL ACETATE 98%   | 101-97-3  | 54     | 500 ml | 29163910 | 18  | 3597       |
|         | (ethyl phenyl acetate) C <sub>10</sub> H <sub>12</sub> O <sub>2</sub> M.W. 164.02, Liquid, d. 1.03             |           |        |        |          |     |            |
| LA3479  | beta-PHENYLETHYALMINE 99% Extra Pure Liquid, d. 0.962  | 64-04-0   | 50     | 500 ml | 29214990 | 18  | 3301       |
|         | (2-Phenylethylamine) C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 121.18 |           | 219    | 2.5 Lt |          |     | 14531      |
|         | <u>UN 2922 8 (6.1)/PG I</u>  |           |        |        |          |     |            |
| LA3480  | PHENYL FLUORONE 98.5% AR (reagent for germanium)   | 975-17-7  | 24     | 1 gm   | 29329900 | 18  | 1571       |
|         | C <sub>19</sub> H <sub>12</sub> O <sub>5</sub> M.W. 320.30   |           | 86     | 5 gm   |          |     | 5688       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
|         | PHENYL ETHYL ALCOHOL   |            |        |        |          |     |            |
| LA3481  | PHENYL ETHYL SALICYLATE 97%<br>(ethyl phenyl salicylate) C <sub>15</sub> H <sub>14</sub> O <sub>3</sub> M.W 242.27   | 87-22-9    | 85     | 500 gm | 29182390 | 18  | 5678       |
| LA3482  | D-(-)-2-PHENYLGlycine 99%<br>[D-(-)-a-aminophenylacetic acid] C <sub>8</sub> H <sub>9</sub> NO <sub>2</sub> M.W 151.16                                     | 875-74-1   | 43     | 25 gm  | 29224990 | 18  | 2875       |
|         |  |            | 137    | 100 gm |          |     | 9101       |
| LA3483  | PHENYL HYDRAZINE 97% For Synthesis<br>C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14, Liquid, d. 1.098   | 100-63-0   | 25     | 250 ml | 29280090 | 18  | 1692       |
|         |  |            | 47     | 500 ml |          |     | 3118       |
|         | <u>UN 2572 6.1/PG II</u>   |            | 216    | 2.5 Lt |          |     | 14348      |
| LA3484  | PHENYL HYDRAZINE 98% AR<br>C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> M.W. 108.14, Liquid, d. 1.098  | 100-63-0   | 20     | 100 ml | 29280090 | 18  | 1353       |
|         |  |            | 94     | 500 ml |          |     | 6268       |
|         | <u>UN 2572 6.1/PG II</u>   |            |        |        |          |     |            |
| LA3485  | PHENYL HYDRAZINE HYDROCHLORIDE 99%<br>C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> ·HCl M.W. 144.61  | 59-88-1    | 17     | 100 gm | 29280090 | 18  | 1128       |
|         |  |            | 75     | 500 gm |          |     | 4994       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA3486  | PHENYL HYDRAZINE HYDROCHLORIDE 99% AR<br>C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> ·HCl M.W. 144.61   | 59-88-1    | 21     | 100 gm | 29280090 | 18  | 1381       |
|         |  |            | 46     | 250 gm |          |     | 3070       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA3487  | 2-PHENYL IMIDAZOLE 98%<br>C <sub>9</sub> H <sub>8</sub> N <sub>2</sub> M.W.144.18  | 670-96-2   | 46     | 25 gm  | 29332990 | 18  | 3071       |
|         |  |            | 166    | 100 gm |          |     | 11041      |
| LA3488  | PHENYL ISOTHIOCYANATE 98% For Synthesis<br>C <sub>6</sub> H <sub>5</sub> NCS M.W. 135.19   | 103-72-0   | 14     | 5 ml   | 29309099 | 18  | 919        |
|         |  |            | 124    | 100 ml |          |     | 8216       |
|         |  |            | 235    | 250 ml |          |     | 15616      |
| LA3489  | PHENYL MALEIC ANHYDRIDE 99%<br>C <sub>10</sub> H <sub>6</sub> O <sub>3</sub> M.W. 174.15   | 36122-35-7 | 362    | 5 gm   | 29173990 | 18  | 24099      |
|         |  |            | 1630   | 25 gm  |          |     | 108415     |
| LA3490  | 1-PHENYL-5-MERCAPTO TETRAZOLE 99% (purified)<br>C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> S M.W. 178.21   | 86-93-1    | 75     | 25 gm  | 29339980 | 18  | 5007       |
|         |  |            | 264    | 100 gm |          |     | 17526      |
|         | <u>UN 1325 4.1/PG II</u>   |            |        |        |          |     |            |
|         | PHENYL MERCURIC ACETATE  |            |        |        |          |     |            |
|         | PHENYL MERCURIC CHLORIDE   |            |        |        |          |     |            |
| LA3491  | PHENYL MERCURIC NITRATE 99% For Synthesis (basic)<br>(mercuric phenyl nitrate) C <sub>12</sub> H <sub>11</sub> Hg <sub>2</sub> NO <sub>4</sub> M.W. 634.41 | 8003-05-2  | 162    | 25 gm  | 28521000 | 18  | 10766      |
|         |  |            | 615    | 100 gm |          |     | 40909      |
|         | <u>UN 1895 6.1/PG II</u>   |            | 2922   | 500 gm |          |     | 194320     |
| LA3492  | PHENYLMETHANESULFONYL FLUORIDE 99% (PMSF)<br>C <sub>7</sub> H <sub>7</sub> FO <sub>2</sub> S M.W. 174.19   | 329-98-6   | 22     | 1 gm   | 29049090 | 18  | 1467       |
|         |  |            | 100    | 5 gm   |          |     | 6633       |
|         | <u>UN 2928 6.1 (8)/PG II</u>   |            | 189    | 10 gm  |          |     | 12596      |
| LA3493  | N-PHENYL-1,2-PHENYLENEDIAMINE 98%<br>C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> M.W 184.24   | 534-85-0   | 137    | 5 gm   | 29215190 | 18  | 9098       |
|         |  |            | 625    | 25 gm  |          |     | 41544      |
|         | N-PHENYL-p-PHENYLENEDIAMINE  |            |        |        |          |     |            |
| LA3494  | PHENYL PHOSPHATE DISODIUM SALT 95% AR (dihydrate)<br>(disodium phenyl phosphate)   | 66778-08-3 | 36     | 25 gm  | 29199090 | 18  | 2386       |
|         |  |            | 126    | 100 gm |          |     | 8372       |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>2</sub> O <sub>4</sub> P·2H <sub>2</sub> O M.W. 254.09   |            | 604    | 500gm  |          |     | 40191      |
|         | <u>(store at 2-8°C)</u>  |            |        |        |          |     |            |
| LA3495  | 1-PHENYL PIPERAZINE 99%<br>C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> M.W.162.24, Liquid, d. 1.062   | 92-54-6    | 14     | 10 gm  | 29335990 | 18  | 930        |
|         |  |            | 47     | 25 gm  |          |     | 3108       |
|         | <u>UN 2922 8 (6.1)/PG II</u>   |            | 116    | 100 gm |          |     | 7682       |
| LA3496  | PHENYLPROPANOALMINE HYDROCHLORIDE 99%<br>C <sub>9</sub> H <sub>13</sub> NO·HCl M.W 187.67  | 154-41-6   | 43     | 25 gm  | 29394400 | 18  | 2872       |
|         |  |            | 124    | 100 gm |          |     | 8232       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|--|------------|--------|--------|----------|-----|----------------|
| LA3497  | PHENYL SALICYLATE 99% AR<br>For Lab Use (salol) $C_{13}H_{10}O_3$ M.W. 214.22  | 118-55-8   | 38     | 25 gm  | 29182390 | 18  | 2533<br>8611   |
| LA3498  | n-PHENYL SEMICARBAZIDE 99% AR<br>(1-carbamoyl-2-phenylhydrazine) $C_7H_8N_3O$ M.W. 151.17                                    | 103-03-7   | 47     | 1 gm   | 29280090 | 18  | 3151<br>13857  |
| LA3499  | N-PHENYL THIOUREA 98% For Synthesis<br>$C_7H_8N_2S$ M.W 152.22   | 103-85-5   | 153    | 100 gm | 29420090 | 18  | 10141<br>23834 |
|         | <u>UN 2811 6.1/PG I</u>  |            |        |        |          |     |                |
| LA3500  | 5-PHENYLTETRAZOLE 99% Extra Pure<br>$C_6H_6N_4$ M.W. 146.15  | 18039-42-4 | 22     | 5 gm   | 29339900 | 18  | 1469<br>6360   |
|         |  |            | 96     | 25 gm  |          |     |                |
|         |  |            | 307    | 100 gm |          |     | 20396          |
| LA3501  | PHENYL TRIMETHYL AMMONIUM CHLORIDE 99% For Synthesis<br>$C_9H_{14}ClN$ M.W. 171.67   | 138-24-9   | 12     | 100 gm | 29239000 | 18  | 789<br>3754    |
|         | <u>UN 2811 6.1/PG I</u>  |            |        |        |          |     |                |
| LA3502  | n-PHENYL UREA 97%<br>$C_7H_8N_2O$ M.W. 136.15  | 64-10-8    | 57     | 25 gm  | 29420090 | 18  | 3790<br>14210  |
| LA3503  | PHENYTOIN SODIUM SALT 99%<br>for Lab use (phenytoin soluble) $C_{15}H_{11}N_2O_2Na$ M.W. 274.25                              | 630-93-3   | 66     | 5 gm   | 29332100 | 18  | 4396<br>17564  |
|         | pH INDICATOR papers  |            | 264    | 25 gm  |          |     |                |
| LA3504  | PHLOROGLUCINOL 99% AR<br>(1,3,5-trihydroxybenzene)<br>$C_6H_6O_3$ M.W. 126.11  | 108-73-6   | 10     | 10 gm  | 29072990 | 18  | 648<br>1515    |
|         |  |            | 23     | 25 gm  |          |     |                |
|         |  |            | 82     | 100 gm |          |     | 5462           |
|         |  |            | 397    | 500 gm |          |     | 26370          |
| LA3505  | PHLOROGLUCINOL solution<br>Liquid, d. 0.801  |            | 8      | 125 ml | 38220090 | 12  | 551<br>1646    |
| LA3506  | PHLOXIN-B (M.S.) (C.I.No.45410)<br>Dye Content: Min. 80% $C_{20}H_2Br_4Cl_4Na_2O_5$ M.W. 829.63                              | 18472-87-2 | 7      | 25 gm  | 32049000 | 18  | 485<br>1694    |
| LA3507  | PHLOXIN-B solution, Liquid, d. 0.845   |            | 6      | 500 ml | 32129090 | 18  | 429            |
| LA3508  | PHOSPHATE BORATE BUFFER solution<br>PHOSPHATE MOLYBDATE solution   |            | 4      | 500 ml | 38220090 | 12  | 283            |
| LA3509  | PHOSPHOMOLYBDIC ACID 99% AR<br>(dodeca-molybdo phosphoric acid)<br>$H_3[P(Mo_3O_{10})_4].xH_2O$ M.W. 1825.25 (anhydr. basis) | 51429-74-4 |        | 25 gm  | 28111990 | 18  |                |
|         |  |            | 55     | 100 gm |          |     | 3626           |
|         |  |            | 240    | 500 gm |          |     | 15939          |
|         | <u>UN 3084 8 (5.1)/PG II</u>   |            |        |        |          |     |                |
| LA3510  | PHOSPHOMOLYBDIC ACID solution<br>(Folin & Wu's), Liquid, d. 0.94   |            | 3      | 125 ml | 38220090 | 12  | 198<br>563     |
| LA3511  | PHOSPHORIC ACID (ortho) 85-88%<br>(ortho-phosphoric acid)<br>$H_3PO_4$ M.W. 98.00, Liquid, d. 1.685                          | 7664-38-2  | 8      | 250 ml | 28092010 | 18  | 542<br>1021    |
|         |  |            | 15     | 500 ml |          |     |                |
|         |  |            | 29     | 1 Lt   |          |     | 1946           |
|         | <u>UN 1805 8/PG III</u>  |            | 69     | 2.5 Lt |          |     | 4558           |
|         |  |            | 130    | 5 Lt   |          |     | 8652           |
| LA3512  | PHOSPHORIC ACID (ortho) 88% AR<br>(ortho-phosphoric acid) $H_3PO_4$ M.W. 98.00, Liquid, d. 1.685                             | 7664-38-2  | 19     | 500 ml | 28092010 | 18  | 1232<br>2339   |
|         | <u>UN 1805 8/PG III</u>  |            | 35     | 1 Lt   |          |     |                |
|         |  |            | 83     | 2.5 Lt |          |     | 5499           |
| LA3513  | PHOSPHORIC ACID (ortho) 85% AR (FOR STEEL INDUSTRY)<br>$H_3PO_4$ M.W. 98.00, Liquid, d. 1.685                                | 7664-38-2  | 19     | 500 ml | 28092010 | 18  | 1293<br>5774   |
|         | <u>UN 1805 8/PG III</u>  |            | 87     | 2.5 Lt |          |     |                |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3514  | PHOSPHORIC ACID 85% HPLC & SPECTROSCOPY (ortho)  | 7664-38-2  | 57     | 500 ml | 28092010 | 18  | 3780       |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685  |            | 101    | 1 Lt   |          |     | 6745       |
|         | <u>UN 1805 8/PG III</u>  |            | 238    | 2.5 Lt |          |     | 15856      |
| LA3515  | PHOSPHORIC ACID (ortho) 85% For Molecular Biology  | 7664-38-2  | 89     | 250 ml | 28092010 | 18  | 5950       |
|         | H <sub>3</sub> PO <sub>4</sub> M.W. 98.00, Liquid, d. 1.685  |            |        |        |          |     |            |
|         | <u>UN 1805 8/PG III</u>  |            |        |        |          |     |            |
| LA3516  | PHOSPHORIC ACID (meta) 60% (HPO <sub>3</sub> ) (glacialsticks)   | 37267-86-0 | 15     | 100 gm | 28092000 | 18  | 1004       |
|         | HO <sub>3</sub> P M.W. 79.98   |            | 56     | 500 gm |          |     | 3741       |
|         | <u>UN 3260 8 /PG III</u>   |            |        |        |          |     |            |
| LA3517  | PHOSPHORIC ACID (meta) 60% AR (HPO <sub>3</sub> ) (glacialsticks)  | 37267-86-0 | 62     | 100 gm | 28092000 | 18  | 4131       |
|         | HO <sub>3</sub> P M.W. 79.98   |            | 198    | 500 gm |          |     | 13138      |
|         | <u>UN 3260 8 /PG III</u>   |            |        |        |          |     |            |
| LA3518  | PHOSPHOROUS AAS STANDARD SOLUTION  |            | 39     | 125 ml | 38220090 | 12  | 2605       |
|         | 1000mg/L in Nitric Acid  |            | 85     | 500 ml |          |     | 5672       |
| LA3519  | PHOSPHOROUS ICP STANDARD SOLUTION  |            | 133    | 125 ml | 38220090 | 12  | 8865       |
|         | 1000mg/L in Nitric Acid  |            |        |        |          |     |            |
| LA3520  | PHOSPHOROUS (red) POWDER 97% For Synthesis   | 7723-14-0  | 4      | 25 gm  | 28047020 | 18  | 249        |
|         | P M.W 30.97  |            | 12     | 100 gm |          |     | 774        |
|         | <u>UN 1338 4.1/PG III</u>  |            | 48     | 500 gm |          |     | 3170       |
| LA3521  | PHOSPHOROUS OXYBROMIDE 98% For Synthesis   | 7789-59-5  | 110    | 25 gm  | 28121090 | 18  | 7287       |
|         | POBr <sub>3</sub> M.W. 286.69 (Store at 2 - 8°C)   |            | 315    | 100 gm |          |     | 20957      |
|         | <u>UN 1939 8/PG II</u>   |            |        |        |          |     |            |
| LA3522  | PHOSPHOROUS OXYCHLORIDE 99% Liquid, d. 1.645   | 10025-87-3 | 44     | 500 ml | 28121030 | 18  | 2935       |
|         | (phosphoryl chloride) POCl <sub>3</sub> M.W. 153.33,   |            |        |        |          |     |            |
|         | <u>UN 1810 6.1(8)/PG I</u>   |            |        |        |          |     |            |
| LA3523  | PHOSPHOROUS PENTACHLORIDE 99%  | 10026-13-8 | 34     | 500 gm | 28121022 | 18  | 2263       |
|         | [phosphorous (V) chloride] PCl <sub>5</sub> M.W. 208.24  |            |        |        |          |     |            |
|         | <u>UN 1806 8/PG II</u>   |            |        |        |          |     |            |
| LA3524  | PHOSPHOROUS PENTASULPHIDE 99%  | 1314-80-3  | 34     | 500 gm | 28139010 | 18  | 2252       |
|         | P <sub>2</sub> S <sub>5</sub> M.W. 222.27  |            |        |        |          |     |            |
|         | <u>UN 1340 4.3(4.1)/PG II</u>  |            |        |        |          |     |            |
| LA3526  | PHOSPHOROUS PENTOXIDE 97%  | 1314-56-3  | 33     | 500 gm | 28091000 | 18  | 2219       |
|         | (di-phosphorous pentoxide) P <sub>2</sub> O <sub>5</sub> M.W. 141.94   |            |        |        |          |     |            |
|         | <u>UN 1807 8 /PG II</u>  |            |        |        |          |     |            |
| LA3527  | PHOSPHOROUS PENTOXIDE 98% AR   | 1314-56-3  | 36     | 500 gm | 28091000 | 18  | 2381       |
|         | (di-phosphorous pentoxide) P <sub>2</sub> O <sub>5</sub> M.W. 141.94   |            |        |        |          |     |            |
|         | <u>UN 1807 8 /PG II</u>  |            |        |        |          |     |            |
| LA3528  | PHOSPHOROUS TRIBROMIDE 98%   | 7789-60-8  | 65     | 100 ml | 28275990 | 18  | 4320       |
|         | Pbr <sub>3</sub> M.W. 270.69, Liquid, d. 2.88  |            | 260    | 500 ml |          |     | 17272      |
|         | <u>UN 1808 8/PG II</u>   |            |        |        |          |     |            |
| LA3529  | PHOSPHOROUS TRICHLORIDE 99% Liquid, d. 1.574   | 7719-12-2  | 37     | 500 ml | 28121010 | 18  | 2464       |
|         | [phosphorous (III) chloride] PCl <sub>3</sub> M.W. 137.33  |            |        |        |          |     |            |
|         | <u>UN 1809 6.1(8)/PG I</u>   |            |        |        |          |     |            |
| LA3530  | PHOSPHOTUNGSTIC ACID (hydrate)   | 12501-23-4 | 12     | 25 gm  | 28111990 | 18  | 813        |
|         | (dodeca-tungsto phosphoric acid)   |            | 39     | 100 gm |          |     | 2615       |
|         | H <sub>3</sub> [P(W <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ].xH <sub>2</sub> O M.W. 2880.05 (anhydr. basis) |            | 173    | 500 gm |          |     | 11508      |
|         | <u>UN 3260 8/PG II</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD          | UNIT                      | HS CODE  | GST | PRICE(INR)           |
|---------|---|------------|-----------------|---------------------------|----------|-----|----------------------|
| LA3531  | PHOSPHOTUNGSTIC ACID AR (hydrate)<br>(dodeca-tungsto phosphoric acid)<br>$H_3[P(W_3O_{10})_4] \cdot xH_2O$ M.W. 2880.05 (anhydr. basis) | 12501-23-4 | 15<br>55<br>232 | 25 gm<br>100 gm<br>500 gm | 28111990 | 18  | 998<br>3633<br>15445 |
|         | <u>UN 3260 8/PG II</u>  |            |                 |                           |          |     |                      |
| LA3532  | PHOSPHOTUNGSTIC ACID REAGENT solution   |            | 7<br>20         | 125 ml<br>500 ml          | 38220090 | 12  | 444<br>1323          |
| LA3533  | o-PHTHAALLDEHYDE 99% AR (For Fluorometry)<br>$C_8H_6O_2$ M.W. 134.14  | 643-79-8   | 15<br>45        | 5 gm<br>25 gm             | 29122990 | 18  | 1017<br>3025         |
|         | <u>UN 2923 8 (6.1)/PG II</u>  |            |                 |                           |          |     |                      |
| LA3534  | PHTHAALMIDE 98.5% For Synthesis<br>$C_8H_8N_2O_2$ M.W. 164.16   | 88-96-0    | 21              | 500 gm                    | 29251900 | 18  | 1396                 |
| LA3535  | PHTHALIC ACID 99% For Synthesis<br>$C_8H_6O_4$ M.W. 166.13  | 88-99-3    | 11<br>103       | 500 gm<br>5 Kg            | 29173930 | 18  | 758<br>6824          |
| LA3536  | PHTHALIC ACID 99.5% AR<br>$C_8H_6O_4$ M.W. 166.13   | 88-99-3    | 12<br>112       | 500 gm<br>5 Kg            | 29173600 | 18  | 828<br>7465          |
| LA3537  | tert-PHTHALIC ACID 98% For Synthesis<br>$C_8H_6O_4$ M.W. 166.13   | 100-21-0   | 8               | 500 gm                    | 29173500 | 18  | 523                  |
| LA3538  | PHTHALIC ANHYDRIDE 98% For Synthesis<br>$C_8H_6O_3$ M.W. 148.12   | 85-44-9    | 8<br>74         | 500 gm<br>5 Kg            | 29321990 | 18  | 560<br>4927          |
| LA3539  | PHTHALIDE 98% For Synthesis<br>[1(3H)-isobenzofuranone] $C_8H_6O_2$ M.W. 134.13   | 87-41-2    | 17<br>71        | 100 gm<br>500 gm          | 29321990 | 18  | 1121<br>4702         |
| LA3540  | PHTHALIMIDE 98% For Synthesis<br>$C_8H_5NO_2$ M.W. 147.13   | 85-41-6    | 8               | 500 gm                    | 29251900 | 18  | 564                  |
| LA3541  | 2-PICOLINE 98%<br>(a-picoline) (2-methyl pyridine) $C_6H_7N$ M.W. 93.13, Liquid, d. 0.943   | 109-06-8   | 36              | 500 ml                    | 29333912 | 18  | 2401                 |
|         | <u>UN 2313 3/PG III</u>   |            |                 |                           |          |     |                      |
| LA3542  | 3-PICOLINE 99%<br>(b-picoline) (3-methyl pyridine) $C_6H_7N$ M.W. 93.13, Liquid, d. 0.957   | 108-99-6   | 34              | 500 ml                    | 29333919 | 18  | 2265                 |
|         | <u>UN 2313 3/PG III</u>   |            |                 |                           |          |     |                      |
| LA3543  | 4-PICOLINE 97%<br>(y-picoline) (4-methyl pyridine) $C_6H_7N$ M.W. 93.13, Liquid, d. 0.957   | 108-89-4   | 39              | 500 ml                    | 29333913 | 18  | 2620                 |
|         | <u>UN 2313 3/PG III</u>   |            |                 |                           |          |     |                      |
| LA3544  | a-PICOLINE OXIDE 97%<br>(2-methylpyridine 1-oxide) $C_6H_7NO$ M.W. 109.13   | 931-19-1   | 51<br>171       | 25 gm<br>100 gm           | 29333990 | 18  | 3408<br>11367        |
| LA3545  | b-PICOLINE OXIDE 98%<br>(3-methylpyridine 1-oxide) $C_6H_7NO$ M.W. 109.13   | 1003-73-2  | 49<br>185       | 25 gm<br>100 gm           | 29333919 | 18  | 3285<br>12293        |
| LA3546  | gama-PICOLINE OXIDE 98%<br>(4-methylpyridine 1-oxide) $C_6H_7NO$ M.W. 109.13  | 1003-67-4  | 152<br>512      | 25 gm<br>100 gm           | 29333990 | 18  | 10117<br>34058       |
| LA3547  | PICRIC ACID 99% (moistened with water)<br>(2,4,6-trinitrophenol) $C_6H_3N_3O_7$ M.W. 229.10   | 88-89-1    | 19              | 500 gm                    | 29089990 | 18  | 1249                 |
|         | <u>UN 1344 4.1/PG I</u>   |            |                 |                           |          |     |                      |
| LA3548  | PICRIC ACID 99.8% AR (moistened with water)<br>(2,4,6-trinitrophenol) $C_6H_3N_3O_7$ M.W. 229.10  | 88-89-1    | 7<br>24         | 100 gm<br>500 gm          | 29089990 | 18  | 452<br>1583          |
|         | <u>UN 1344 4.1/PG I</u>   |            |                 |                           |          |     |                      |
| LA3549  | PICRIC ACID saturated solution<br>(2,4,6-trinitrophenol) Liquid, d. 1.0   |            | 4<br>12         | 100 ml<br>500 ml          | 29089990 | 18  | 250<br>776           |
| LA3550  | PICRIC ACID Solution AR<br>(for determination of creatinine)  |            | 4<br>11         | 125 ml<br>500 ml          | 29089990 | 18  | 241<br>722           |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3551  | PICROLONIC ACID 97% For Synthesis  | 550-74-3    | GB     | 1 gm   | 29331990 | 18  | 11242      |
|         | C <sub>10</sub> H <sub>8</sub> N <sub>4</sub> O <sub>5</sub> M.W. 264.19   |             | GB     | 5 gm   |          |     | 46840      |
| LA3552  | PILOCARPINE NITRATE 98%  | 148-72-1    | GB     | 5 gm   | 29397900 | 18  | 28183      |
|         | For Lab Use C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> O <sub>5</sub> M.W. 271.27                                    |             |        |        |          |     |            |
| LA3553  | PINE OIL Extra Pure  | 8002-09-3   | GB     | 500 ml | 38052000 | 18  | 567        |
|         | Liquid, d. 0.86  |             | PC     | 5 Lt   |          |     | 5014       |
| LA3554  | PIOGLITAZONE HYDROCHLORIDE 98%   | 112529-15-4 | GB     | 5 gm   | 29341000 | 18  | 13860      |
|         | For Lab Use C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub> S·HCl M.W. 392.90                              |             | GB     | 25 gm  |          |     | 55424      |
| LA3555  | PIPERAZINE 98% For Synthesis (anhydrous)   | 110-85-0    | PB     | 250 gm | 29335990 | 18  | 923        |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> M.W. 86.14   |             | PB     | 500 gm |          |     | 1751       |
|         | <u>UN 2579 8 /PG III</u>   |             |        |        |          |     |            |
| LA3556  | PIPERAZINE 98-101% (hexahydrate)   | 142-63-2    | PB     | 100 gm | 29335990 | 18  | 355        |
|         | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> ·6H <sub>2</sub> O M.W. 194.23   |             | PB     | 500 gm |          |     | 1164       |
|         | <u>UN 2579 8 /PG III</u>   |             |        |        |          |     |            |
| LA3557  | PIPERAZINE CITRATE Extra Pure  | 144-29-6    | PB     | 100 gm | 29335990 | 18  | 699        |
|         | (C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> ) <sub>3</sub> ·2C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> M.W. 321.33 |             | PB     | 500 gm |          |     | 2847       |
| LA3558  | 1,4 - PIPERAZINEDICARBOXALDEHYDE 98%   | 4164-39-0   | GB     | 25 gm  | 29335990 | 18  | 7798       |
|         | (1,4-diformylpiperazine) C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 142.16                        |             | GB     | 100 gm |          |     | 27464      |
| LA3559  | 2-(1-PIPERAZINO) PYRIDINE 98%  | 34803-66-2  | GB     | 10 gm  | 29335990 | 18  | 5587       |
|         | C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> M.W. 163.22, Liquid, d. 1.072  |             | GB     | 25 gm  |          |     | 13511      |
| LA3560  | 4-(1-PIPERAZINO) PYRIDINE 97%  | 1008-91-9   | GB     | 5 gm   | 29335990 | 18  | 20684      |
|         | C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> M.W. 163.22  |             | GB     | 10 gm  |          |     | 39296      |
|         | <u>UN 3259 8/PG II</u>   |             |        |        |          |     |            |
| LA3561  | PIPERIDINE 98% For Synthesis   | 110-89-4    | GB     | 100 ml | 29333200 | 18  | 556        |
|         | C <sub>5</sub> H <sub>11</sub> N M.W. 85.15 , Liquid, d. 0.862   |             | GB     | 500 ml |          |     | 1602       |
|         | (End Use Certificate required)   |             | GB     | 2.5 Lt |          |     | 7369       |
|         | <u>UN 2401 8 (3)/PG I</u>  |             |        |        |          |     |            |
| LA3562  | PIPERIDINE 99% AR  | 110-89-4    | GB     | 100 ml | 29333200 | 18  | 597        |
|         | C <sub>5</sub> H <sub>11</sub> N M.W. 85.15 , Liquid, d. 0.862   |             | GBT    | 500 ml |          |     | 1709       |
|         | (End Use Certificate required)   |             | GBT    | 1 Lt   |          |     | 3250       |
|         | <u>UN 2401 8 (3)/PG I</u>  |             |        |        |          |     |            |
| LA3563  | PIPES 99.5% For Molecular Biology  | 5625-37-6   | GB     | 5 gm   | 29335990 | 18  | 448        |
|         | (piperazine-N,N-BIS-2-ethene sulphonic acid)   |             | GB     | 25 gm  |          |     | 1608       |
|         | C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 302.37                                  |             | GB     | 100 gm |          |     | 4744       |
| LA3564  | PIVALDEHYDE 95% Extra Pure   | 630-19-3    | GB     | 5 gm   | 29121990 | 18  | 2836       |
|         | (trimethylacetaldehyde) (CH <sub>3</sub> ) <sub>3</sub> CCHO M.W 86.13   |             | GB     | 25 gm  |          |     | 9487       |
|         | <u>UN 1989 3/PG II</u>   |             | GB     | 100 gm |          |     | 34102      |
| LA3565  | PIVALOYL CHLORIDE 98.5%  | 3282-30-2   | GB     | 250 ml | 29159090 | 18  | 1518       |
|         | C <sub>5</sub> H <sub>9</sub> ClO M.W. 120.58, Liquid, d. 0.98   |             |        |        |          |     |            |
|         | <u>UN 2438 6.1(3.8)/ PG I</u>  |             |        |        |          |     |            |
| LA3566  | PALSTER OF PARIS 98.5%   |             | PB     | 500 gm | 25202090 | 18  | 237        |
|         | (practical)  |             | PC     | 5 Kg   |          |     | 1948       |
|         | CaSO <sub>4</sub> ·2H <sub>2</sub> O M.W. 172.17   |             | FD     | 25 Kg  |          |     | 8276       |
| LA3567  | PLASTICINE (modelling clay)  |             | PB     | 500 gm | 34070090 | 18  | 1380       |
| LA3568  | PLATLET DILUTING FLUID (PLATLET counting fluid)  |             | PB     | 125 ml | 38220090 | 12  | 156        |
| LA3569  | PLATINOUS CHLORIDE (73% Pt)  | 10025-65-7  | GB     | 1 gm   | 28439019 | 18  | 14036      |
|         | [platinum (II) chloride] Cl <sub>2</sub> Pt M.W.265.98   |             | GB     | 10 gm  |          |     | 133348     |
|         | <u>UN 3260 8/PG III</u>  |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3570  | <b>PLATINUM AAS STANDARD SOLUTION</b>   |            | 131    | 125 ml | 38220090 | 12  | 8683       |
|         | 1000mg/L in Hydrochloric Acid, Liquid, d. 1.034                                     |            | 424    | 500 ml |          |     | 28225      |
|         | <b>UN 1789 8/ PG III</b>  |            |        |        |          |     |            |
| LA3571  | <b>PLATINUM ICP STANDARD SOLUTION</b> Liquid, d. 1.034                              |            | 208    | 125 ml | 38220090 | 12  | 13850      |
|         | 1000mg/L in Hydrochloric Acid   |            |        |        |          |     |            |
|         | <b>UN 1789 8/ PG III</b>  |            |        |        |          |     |            |
| LA3572  | <b>PLATINUM 99.9% (Metal) Wire (dia 0.3 mm)</b>                                     | 7440-06-4  | 303    | 1 gm   | 71101900 | 3   | 20156      |
|         | Pt M.W. 195.08  |            | 2879   | 10 gm  |          |     | 191431     |
| LA3573  | <b>PLATINUM (Metal) POWDER 99.9%</b>  | 7440-06-4  | 274    | 1 gm   | 71101900 | 3   | 18232      |
|         | Pt M.W. 195.08  |            | 1302   | 5 gm   |          | 3   | 86599      |
| LA3574  | <b>PLATINUM 5% ON CHARCOAL</b>  |            | 185    | 10 gm  | 38151210 | 18  | 12284      |
|         | Pt M.W. 195.08  |            |        |        |          |     |            |
|         | <b>PLATINUM 10% ON CHARCOAL</b>   |            | 323    | 10 gm  | 38151210 | 18  | 21496      |
| LA3575  | Pt M.W. 195.08  |            |        |        |          |     |            |
| LA3576  | <b>PLATINUM CHLORIDE</b>  | 18497-13-7 | 149    | 1 gm   | 28439019 | 18  | 9926       |
|         | (hexachloroplatinic acid) (chloroplatinic acid)                                     |            | 709    | 5 gm   |          |     | 47149      |
|         | H <sub>2</sub> PtCl <sub>6</sub> ·6H <sub>2</sub> O M.W. 517.90                     |            |        |        |          |     |            |
|         | <b>UN 2507 8/PG III</b>   |            |        |        |          |     |            |
|         | PLATINUM (II) CHLORIDE  |            |        |        |          |     |            |
| LA3577  | <b>PLATINUM OXIDE hydrate</b>   | 52785-06-5 | 214    | 1 gm   | 28439019 | 18  | 14203      |
|         | (adam's catalyst) (platinum dioxide)  |            | 1038   | 5 gm   |          |     | 69028      |
|         | PtO <sub>2</sub> .xH <sub>2</sub> O M.W. 227.09                                     |            |        |        |          |     |            |
|         | <b>UN 1479 5.1/PG II</b>  |            |        |        |          |     |            |
| LA3578  | <b>PLURONIC-F-68 (synperonic PE/F 68)</b>   | 9003-11-6  | 49     | 100 gm | 34021300 | 18  | 3240       |
|         | (C <sub>3</sub> H <sub>6</sub> O.C <sub>2</sub> H <sub>4</sub> O)x                  |            | 114    | 250 gm |          |     | 7608       |
| LA3579  | <b>PLURONIC-F-188 (synperonic PE/F 188)</b>   | 9003-11-6  | 59     | 100 gm | 34021300 | 18  | 3949       |
|         | (C <sub>3</sub> H <sub>6</sub> O.C <sub>2</sub> H <sub>4</sub> O)x                  |            | 140    | 250 gm |          |     | 9285       |
| LA3580  | <b>PLURONIC-F-407 (synperonic PE/F 407)</b>   | 9003-11-6  | 61     | 100 gm | 34021300 | 18  | 4065       |
|         | (C <sub>3</sub> H <sub>6</sub> O.C <sub>2</sub> H <sub>4</sub> O)x                  |            | 144    | 250 gm |          |     | 9561       |
| LA3581  | <b>POLYACRYLAMIDE</b>   | 9003-05-8  | 98     | 250 gm | 39089000 | 18  | 6485       |
| LA3582  | <b>POLYACRYLIC ACID For Synthesis , Liquid d. 1.2</b>                               | 9003-01-4  | 162    | 100 ml | 39069090 | 18  | 10795      |
| LA3583  | <b>POLYACRYLIC ACID SODIUM SALT</b>   | 9003-04-7  | 98     | 500 gm | 39069090 | 18  | 6488       |
| LA3584  | <b>POLYALUMINIUM CHLORIDE</b>   | 1327-41-9  | 17     | 500 gm | 28273200 | 18  | 1108       |
|         | {Al <sub>n</sub> (OH)mCl <sub>3</sub> n-m}x   |            | 438    | 25 Kg  |          |     | 29108      |
| LA3585  | <b>POLYETHYLENE For Synthesis</b>   | 9002-88-4  | 68     | 500 gm | 39012000 | 18  | 4519       |
|         | H(CH <sub>2</sub> CH <sub>2</sub> )nH   |            |        |        |          |     |            |
| LA3586  | <b>POLYETHYLENE GLYCOL 200 For Synthesis</b>  | 25322-68-3 | 9      | 500 ml | 39072090 | 18  | 599        |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 190-200, Liquid, d. 1.128 |            | 38     | 2.5 Lt |          |     | 2549       |
| LA3587  | <b>POLYETHYLENE GLYCOL 300 For Synthesis</b>  | 25322-68-3 | 11     | 500 ml | 39072090 | 18  | 703        |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH Liquid, d. 1.128               |            | 45     | 2.5 Lt |          |     | 2996       |
| LA3588  | <b>POLYETHYLENE GLYCOL 400 For Synthesis</b>  | 25322-68-3 | 10     | 500 ml | 39072090 | 18  | 683        |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 380-420, Liquid, d. 1.128 |            | 44     | 2.5 Lt |          |     | 2908       |
| LA3589  | <b>POLYETHYLENE GLYCOL 600 For Synthesis</b>  | 25322-68-3 | 10     | 500 ml | 39072090 | 18  | 697        |
|         | H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 570-630, Liquid, d. 1.128 |            | 45     | 2.5 Lt |          |     | 2991       |
| LA3590  | <b>POLYETHYLENE GLYCOL 1500 For Synthesis</b>                                       | 25322-68-3 | 9      | 500 gm | 39072090 | 18  | 632        |
|         | (carbowax 1500) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W.1400-1600  |            | 85     | 5 Kg   |          |     | 5672       |
| LA3591  | <b>POLYETHYLENE GLYCOL 2000 For Synthesis</b>                                       | 25322-68-3 | 22     | 250 gm | 39072090 | 18  | 1432       |
|         | (carbowax 2000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W.1800-2000  |            | 40     | 500 gm |          |     | 2687       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|---|------------|--------|--------|----------|-----|---------------|
| LA3592  | POLYETHYLENE GLYCOL 3000 For Synthesis<br>(carbowax 3000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                        | 25322-68-3 | 58     | 250 gm | 39072090 | 18  | 3886<br>7192  |
| LA3593  | POLYETHYLENE GLYCOL 4000 For Molecular Biology<br>(carbowax 4000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 3500-4000 | 25322-68-3 | 9      | 500 gm | 39072090 | 18  | 594<br>5052   |
| LA3594  | POLYETHYLENE GLYCOL 6000 For Molecular Biology<br>(carbowax 6000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 5000-7000 | 25322-68-3 | 11     | 500 gm | 39072090 | 18  | 711<br>5465   |
| LA3595  | POLYETHYLENE GLYCOL 8000 For Molecular Biology<br>(carbowax 8000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 7000-9000 | 25322-68-3 | 4      | 100 gm | 39072090 | 18  | 291<br>1010   |
| LA3596  | POLYETHYLENE GLYCOL 9000 For Synthesis<br>(carbowax 9000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                        | 25322-68-3 | 23     | 100 gm | 39072090 | 18  | 1512<br>5618  |
| LA3597  | POLYETHYLENE GLYCOL 10000<br>H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH   | 25322-68-3 | 62     | 500 gm | 39072090 | 18  | 4137          |
| LA3598  | POLYETHYLENE GLYCOL 15000 For Synthesis<br>(carbowax 15000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                      | 25322-68-3 | 51     | 500 gm | 39072090 | 18  | 3398<br>30577 |
| LA3599  | POLYETHYLENE GLYCOL 20000 For Molecular Biology<br>H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 16000-25000              | 25322-68-3 | 25     | 100 gm | 39072090 | 18  | 1691<br>6457  |
| LA3600  | POLYETHYLENE GLYCOL 35000 For Synthesis<br>(carbowax 35000) H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH                      | 25322-68-3 | 29     | 100 gm | 39072090 | 18  | 1898<br>7040  |
| LA3601  | POLYETHYLENE OXIDE<br>(-CH <sub>2</sub> CH <sub>2</sub> O-) <sub>n</sub>  | 25322-68-3 | 99     | 100 gm | 34042000 | 18  | 6563<br>14704 |
| LA3602  | POLYISOBUTYLENE [CH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> ] <sub>n</sub>  |            | 124    | 250 gm | 39022000 | 18  | 8275          |
| LA3603  | POLYMETHYL METHACRYLATE For Synthesis<br>[CH <sub>2</sub> C(CH <sub>3</sub> )(CO <sub>2</sub> CH <sub>3</sub> )] <sub>n</sub>         |            | 55     | 500 gm | 39061010 | 18  | 3683          |
| LA3604  | POLYPHOSPHORIC ACID For Synthesis<br>(teraphosphoric acid) H <sub>n</sub> + <sub>2</sub> PnO <sub>3</sub> n+1                         | 8017-16-1  | 20     | 500 gm | 28092020 | 18  | 1359<br>6593  |
|         | UN 3264 8/PG II   |            |        |        |          |     |               |
| LA3605  | POLYPROPYLENE [CH <sub>2</sub> CH(CH <sub>3</sub> )] <sub>n</sub><br>POLYSORBATE  | 9003-07-0  | 66     | 500 gm | 39021000 | 18  | 4394          |
| LA3606  | POLYSTYRENE For Synthesis   | 9003-53-6  | 34     | 500 gm | 39031900 | 18  | 2274          |
| LA3607  | POLYTETRAFLUORO ETHYLENE<br>(CF <sub>2</sub> CF <sub>2</sub> ) <sub>n</sub>   | 9002-84-0  | 38     | 50 gm  | 39046100 | 18  | 2549<br>4818  |
| LA3608  | POLYVINYL ACETATE (granulars)   | 9003-20-7  | 55     | 500 gm | 39051990 | 18  | 3635          |
| LA3609  | POLYVINYL ALCOHOL (cold)<br>(M.W. 1,25,000)   | 9002-89-5  | 14     | 500 gm | 39053000 | 18  | 908<br>10044  |
| LA3610  | POLYVINYL ALCOHOL (hot)<br>(M.W. 14,000)  | 9002-89-5  | 17     | 500 gm | 39053000 | 18  | 1119<br>10070 |
| LA3611  | POLYVINYL CHLORIDE  | 9002-86-2  | 39     | 500 gm | 39041010 | 18  | 2570          |
| LA3612  | POLYVINYL PYRROLIDIONE (PVP) (For Molecular Biology)<br>(M.W. 40,000)   | 9003-39-8  | 10     | 100 gm | 39059910 | 18  | 690<br>3085   |
| LA3613  | POLYVINYL PYRROLIDIONE K-25<br>(PVPK-25)  | 9003-39-8  | 12     | 100 gm | 39059910 | 18  | 828<br>3213   |
| LA3614  | POLYVINYL PYRROLIDIONE K-30<br>(PVPK-30)  | 9003-39-8  | 11     | 100 gm | 39059910 | 18  | 740<br>3182   |
| LA3615  | POLYVINYL PYRROLIDIONE K-90<br>(PVPK-90)  | 9003-39-8  | 12     | 100 gm | 39059910 | 18  | 777<br>3401   |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA3617  | <b>PONCEAU S sodium salt For Molecular Biology</b>               | <b>6226-79-5</b>  | 12     | 25 gm  | 32049000 | 18  | 769        |
|         | Certified C.I. No.27195 ) Electrophoretic stain                  |                   | 41     | 100 gm |          |     | 2719       |
|         | Dye Content: Min. 80% $C_{22}H_{12}N_4Na_4O_{13}S_4$ M.W. 760.56 |                   |        |        |          |     |            |
| LA3618  | <b>POPOP 99% (scintillation grade)</b>                           | <b>1806-34-4</b>  | 60     | 5 gm   | 29349900 | 18  | 3962       |
|         | (1,4-di-2 (5-phenyloxazolyl) benzene)                            |                   | 256    | 25 gm  |          |     | 17039      |
|         | $C_{24}H_{16}N_2O_2$ M.W. 364.41                                 |                   |        |        |          |     |            |
| LA3619  | <b>POPSO BUFFER 97% For Biochemistry</b>                         | <b>68189-43-5</b> | 98     | 50 gm  | 29339900 | 18  | 6496       |
|         | [piperazine-1,4 BIS(2-hydroxypropane sulphonic acid)]            |                   | 185    | 100 gm |          |     | 12300      |
|         | $C_{10}H_{22}N_2O_8S_2 \cdot 2H_2O$ M.W. 398.50                  |                   |        |        |          |     |            |
| LA3620  | <b>POTASSIUM AAS STANDARD SOLUTION</b>                           |                   | 21     | 125 ml | 38220090 | 12  | 1392       |
|         | 1000mg/L in Nitric Acid, Liquid, d. 1.013                        |                   | 52     | 500 ml |          |     | 3479       |
|         | <b>UN 3264 8/PG III</b>  |                   |        |        |          |     |            |
| LA3621  | <b>POTASSIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>   |                   | 101    | 125 ml | 38220090 | 12  | 6684       |
|         | Liquid, d. 1.013   |                   |        |        |          |     |            |
|         | <b>UN 3264 8/PG III</b>  |                   |        |        |          |     |            |
| LA3622  | <b>POTASSIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>  |                   | 219    | 125 ml | 38220090 | 12  | 14563      |
|         | Liquid, d. 1.031   |                   |        |        |          |     |            |
|         | <b>UN 2031 8/ PG II</b>  |                   |        |        |          |     |            |
| LA3623  | <b>POTASSIUM (Metal) LUMPS 98% (in liquid paraffin)</b>          | <b>7440-09-7</b>  | 34     | 25 gm  | 28051900 | 18  | 2274       |
|         | $K$ M.W. 39.10   |                   | 128    | 100 gm |          |     | 8534       |
|         | <b>UN 2257 4.3/PG I</b>  |                   |        |        |          |     |            |
| LA3624  | <b>POTASSIUM ACETATE 99%</b>                                     | <b>127-08-2</b>   | 11     | 500 gm | 29152990 | 18  | 760        |
|         | $C_2H_3KO_2$ M.W. 98.14  |                   |        | 5 Kg   |          |     |            |
| LA3625  | <b>POTASSIUM ACETATE 99% AR</b>                                  | <b>127-08-2</b>   | 103    | 500 gm | 29152990 | 18  | 6850       |
|         | $C_2H_3KO_2$ M.W. 98.14  |                   | 18     |        |          |     | 1230       |
| LA3626  | <b>POTASSIUM ACETATE 99% For Molecular Biology</b>               | <b>127-08-2</b>   | 18     | 100 gm | 29152990 | 18  | 1187       |
|         | $C_2H_3KO_2$ M.W. 98.14  |                   | 35     | 500 gm |          |     | 2339       |
|         | POTASSIUM ALUMINIUM SULPHATE                                     |                   |        |        |          |     |            |
|         | POTASSIUM ANTIMONATE   |                   |        |        |          |     |            |
|         | POTASSIUM ANTIMONY TARTRATE                                      |                   |        |        |          |     |            |
| LA3627  | <b>POTASSIUM BENZOATE 99% For Synthesis</b>                      | <b>582-25-2</b>   | 47     | 250 gm | 29163190 | 18  | 3139       |
|         | (benzoic acid potassium salt) $C_6H_5COOK$ M.W. 160.21           |                   | 81     | 500 gm |          |     | 5408       |
| LA3628  | <b>POTASSIUM BICARBONATE 99.7% AR</b>                            | <b>298-14-6</b>   | 11     | 500 gm | 28364000 | 18  | 713        |
|         | (potassium hydrogen carbonate) $KHCO_3$ M.W. 100.12              |                   | 96     | 5 Kg   |          |     | 6402       |
| LA3630  | <b>POTASSIUM BICARBONATE 99.5%</b>                               | <b>298-14-6</b>   | 9      | 500 gm | 28364000 | 18  | 589        |
|         | (potassium hydrogen carbonate) $KHCO_3$ M.W. 100.12              |                   | 79     | 5 Kg   |          |     | 5231       |
|         | POTASSIUM BICHROMATE   |                   |        |        |          |     |            |
| LA3631  | <b>POTASSIUM BIFLUORIDE 99%</b>                                  | <b>7789-29-9</b>  | 15     | 500 gm | 28261990 | 18  | 1014       |
|         | (potassium hydrogen fluoride) $KHF_2$ M.W. 178.10                |                   | 138    | 5 Kg   |          |     | 9144       |
|         | <b>UN 1811 8 (6.1)/PG II</b>                                     |                   |        |        |          |     |            |
| LA3632  | <b>POTASSIUM BIODATE 99.5-100% Extra Pure</b>                    | <b>13455-24-8</b> | 98     | 25 gm  | 28299030 | 18  | 6523       |
|         | (potassium hydrogen diiodate) $KH(IO_3)_2$ M.W. 389.91           |                   | 353    | 100 gm |          |     | 23476      |
|         | <b>UN 3085 5.1 (8) /PG II</b>                                    |                   |        |        |          |     |            |
| LA3633  | <b>POTASSIUM BISULPHATE 98.5%</b>                                | <b>7646-93-7</b>  | 10     | 500 gm | 28332990 | 18  | 655        |
|         | (potassium hydrogen sulphate) $KHSO_4$ M.W. 136.19               |                   | 89     | 5 Kg   |          |     | 5888       |
|         | <b>UN 2509 8/PG II</b>   |                   |        |        |          |     |            |

| CAT No.<br>PRICE(INR) | PRODUCT NAME   | CAS No.    | \$ USD         | UNIT                    | HS CODE  | GST                     |
|-----------------------|--|------------|----------------|-------------------------|----------|-------------------------|
| LA3634                | POTASSIUM BISULPHATE 99% AR<br>(potassium hydrogen sulphate) KHSO <sub>4</sub> M.W. 136.19   | 7646-93-7  | 12             | 500 gm                  | 28332990 | 18 793                  |
|                       | <u>UN 2509 8/PG II</u>   |            |                |                         |          |                         |
| LA3635                | POTASSIUM BITARTRATE 99.5-100.2% (cream of tartar)<br>(potassium hydrogen (+) tartrate)<br>C <sub>4</sub> H <sub>5</sub> KO <sub>6</sub> M.W. 188.18 | 868-14-4   | 25<br>222      | 500 gm<br>5 kg          | 29181390 | 18 1640<br>14751        |
| LA3636                | POTASSIUM BORATE 97% (octahydrate)<br>B <sub>10</sub> K <sub>2</sub> O <sub>16</sub> ·8H <sub>2</sub> O M.W. 586.42                                  | 12229-13-9 | 26             | 500 gm                  | 28402090 | 18 1757                 |
| LA3637                | POTASSIUM BROMATE 99.6%<br>KBrO <sub>3</sub> M.W. 167.00   | 7758-01-2  | 20<br>184      | 500 gm<br>5 Kg          | 28299020 | 18 1359<br>12225        |
|                       | <u>UN 1484 5.1/PG II</u>   |            |                |                         |          |                         |
| LA3638                | POTASSIUM BROMATE 99.8% AR<br>KBrO <sub>3</sub> M.W. 167.00  | 7758-01-2  | 25             | 500 gm                  | 28299020 | 18 1646                 |
|                       | <u>UN 1484 5.1/PG II</u>   |            |                |                         |          |                         |
| LA3639                | POTASSIUM BROMATE 0.01667M (0.1N), Liquid, d. 1.049<br>Standardized Solution   |            | 7              | 500 ml                  | 38220090 | 12 496                  |
| LA3640                | POTASSIUM BROMIDE 99%<br>KBr M.W. 119.01   | 7758-02-3  | 19<br>168      | 500 gm<br>5 Kg          | 28275120 | 18 1238<br>11145        |
| LA3641                | POTASSIUM BROMIDE 99.5% AR<br>KBr M.W. 119.01  | 7758-02-3  | 27             | 500 gm                  | 28275120 | 18 1788                 |
| LA3642                | POTASSIUM BROMIDE 99.8% For IR Spectroscopy<br>KBr M.W. 119.01   | 7758-02-3  | 74             | 100 gm                  | 28275120 | 18 4890                 |
| LA3643                | POTASSIUM BROMIDE 0.5M (0.5N)<br>Standardized Solution   |            | 8              | 500 ml                  | 38220090 | 12 525                  |
| LA3644                | POTASSIUM BROMIDE 1M (1N) Standardized Solution<br>POTASSIUM tert-BUTOXIDE   |            | 8              | 500 ml                  | 38220090 | 12 526                  |
| LA3645                | POTASSIUM CARBONATE 99.9% (anhydrous) AR<br>K <sub>2</sub> CO <sub>3</sub> M.W. 138.21   | 584-08-7   | 9              | 500 gm                  | 28364000 | 18 597                  |
| LA3646                | POTASSIUM CARBONATE 99% (anhydrous)<br>K <sub>2</sub> CO <sub>3</sub> M.W. 138.21  | 584-08-7   | 8<br>64        | 500 gm<br>5 kg          | 28364000 | 18 518<br>4281          |
| LA3647                | POTASSIUM CHLOROPLATINATE 98% AR<br>[potassium hexachloroplatinate (IV)] K <sub>2</sub> PtCl <sub>6</sub> M.W. 486.00                                | 16921-30-5 | 120<br>570     | 1 gm<br>5 gm            | 28439019 | 18 7975<br>37890        |
|                       | <u>UN 3290 6.1 (8)/PG II</u>   |            |                |                         |          |                         |
| LA3648                | POTASSIUM CHLORIDE 99%<br>KCl M.W. 74.56   | 7447-40-7  | 4<br>31<br>276 | 500 gm<br>5 Kg<br>50 Kg | 31042000 | 18 272<br>2040<br>18355 |
| LA3648                | POTASSIUM CHLORIDE 99.5% AR<br>KCl M.W. 74.56  | 7447-40-7  | 6<br>48        | 500 gm<br>5 kg          | 31042000 | 18 367<br>3207          |
| LA3650                | POTASSIUM CHLORIDE 99% For Molecular Biology<br>KCl M.W. 74.55   | 7447-40-7  | 16             | 500 gm                  | 31042000 | 18 1076                 |
| LA3651                | POTASSIUM CHLORIDE 3M SOLUTION<br>(for potentiometer electrode) Liquid, d. 1.13  |            | 4              | 100 ml                  | 38220090 | 12 245                  |
| LA3652                | POTASSIUM CHLORIDE 0.5M (0.5N) Standardized Solution<br>Liquid, d. 1.040   |            | 6              | 500 ml                  | 38220090 | 12 383                  |
| LA3653                | POTASSIUM CHLORIDE 1M (1N) Standardized Solution<br>Liquid, d. 1.040   |            | 6              | 500 ml                  | 38220090 | 12 384                  |
| LA3654                | POTASSIUM CHROMATE 99%<br>K <sub>2</sub> CrO <sub>4</sub> M.W. 194.19  | 7789-00-6  | 20<br>182      | 500 gm<br>5 Kg          | 28415090 | 18 1355<br>12072        |
|                       | <u>UN 3077 9/PG III</u>  |            |                |                         |          |                         |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|---|------------|--------|--------|----------|-----|---------------|
| LA3655  | POTASSIUM CHROMATE 99.5% AR<br>K <sub>2</sub> CrO <sub>4</sub> M.W. 194.19<br><u>UN 3077 9/PG III</u>   | 7789-00-6  | 23     | 500 gm | 28415090 | 18  | 1529<br>13750 |
| LA3656  | POTASSIUM CHROMATE 0.0333M (0.1N) Standardized Solution<br>Liquid, d. 1.01  |            | 8      | 500 ml | 38220090 | 12  | 505           |
| LA3657  | tri-POTASSIUM CITRATE 98% (monohydrate)<br>K <sub>3</sub> C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> .H <sub>2</sub> O M.W. 324.41  | 6100-05-6  | 12     | 500 gm | 29181510 | 18  | 791<br>7119   |
| LA3658  | tri-POTASSIUM CITRATE 99% AR (monohydrate)<br>K <sub>3</sub> C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> .H <sub>2</sub> O M.W. 324.41<br>POTASSIUM CUPRIC TARTARATE                       | 6100-05-6  | 13     | 500 gm | 29181510 | 18  | 896<br>7965   |
| LA3659  | POTASSIUM DICHROMATE 98% Practical<br>(potassium bichromate) K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18<br><u>UN 3086 6.1(5.1) /PG II</u>                                    | 7778-50-9  | 17     | 500 gm | 28415090 | 18  | 1138<br>10236 |
| LA3660  | POTASSIUM DICHROMATE 99.5% Extra Pure<br>(purified small crystals)<br>(potassium bichromate)<br>K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18<br><u>UN 3086 6.1(5.1) /PG II</u> | 7778-50-9  | 18     | 500 gm | 28415090 | 18  | 1187<br>10672 |
| LA3661  | POTASSIUM DICHROMATE 99.9% AR<br>(potassium bichromate) K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 294.18<br><u>UN 3086 6.1(5.1) /PG II</u>   | 7778-50-9  | 21     | 500 gm | 28415090 | 18  | 1395<br>12408 |
| LA3662  | POTASSIUM DICHROMATE PAPERS<br>(one Pkt. contains 100 leaves)   |            | 3      | Pkt    | 38220090 | 12  | 177<br>3529   |
| LA3663  | POTASSIUM DICHROMATE 0.02M/L SOLUTION<br>(for determination of COD)   |            | 6      | 500 ml | 38220090 | 12  | 429           |
| LA3664  | POTASSIUM DICHROMATE (0.25 N), Liquid, d. 1.01  |            | 3      | 500 ml | 38220090 | 12  | 169           |
| LA3665  | POTASSIUM DICHROMATE 0.0167M (0.1N), Liquid, d. 1.06<br>Standardized Solution   | 7778-50-9  | 5      | 500 ml | 38220090 | 12  | 364           |
| LA3666  | POTASSIUM DICHROMATE 0.0417M (0.25N)<br>Standardized Solution   |            | 6      | 500 ml | 38220090 | 12  | 423           |
| LA3667  | POTASSIUM DICHROMATE 0.167M (1N)<br>Standardized Solution   |            | 6      | 500 ml | 38220090 | 12  | 424           |
| LA3668  | POTASSIUM ETHYL XANTHATE 98%<br>(ethyl potassium xanthate) C <sub>3</sub> H <sub>5</sub> KOS <sub>2</sub> M.W. 160.30<br><u>UN 3342 4.2/PG II</u>   | 140-89-6   | 16     | 100 gm | 29309099 | 18  | 1064<br>4075  |
| LA3669  | POTASSIUM FERRICYANIDE 98%<br>[potassium hexacyanoferrate (III)] K <sub>3</sub> Fe(CN) <sub>6</sub> M.W. 329.24   | 13746-66-2 | 8      | 100 gm | 28372020 | 18  | 564<br>1922   |
| LA3670  | POTASSIUM FERRICYANIDE 99% AR<br>[potassium hexacyanoferrate (III)] K <sub>3</sub> Fe(CN) <sub>6</sub> M.W. 329.24  | 13746-66-2 | 11     | 100 gm | 28372020 | 18  | 703<br>2267   |
| LA3671  | POTASSIUM FERROCYANIDE 98% (trihydrate)<br>[potassium hexacyanoferrate (II)]<br>K <sub>4</sub> [Fe(CN) <sub>6</sub> ].3H <sub>2</sub> O M.W. 422.39   | 14459-95-1 | 16     | 500 gm | 28372030 | 18  | 1048<br>9429  |
| LA3672  | POTASSIUM FERROCYANIDE 98% AR (trihydrate)<br>[potassium hexacyanoferrate (II)]<br>K <sub>4</sub> [Fe(CN) <sub>6</sub> ].3H <sub>2</sub> O M.W. 422.39                                      | 14459-95-1 | 18     | 500 gm | 28372030 | 18  | 1188<br>10572 |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3673  | POTASSIUM FLUORIDE 97% (anhydrous)   | 7789-23-3  | 19     | 500 gm | 28261990 | 18  | 1247       |
|         | KF M.W. 58.10  |            | 169    | 5 Kg   |          |     | 11223      |
| LA3674  | POTASSIUM FLUORIDE 99% (anhydrous) AR  | 7789-23-3  | 25     | 500 gm | 28261990 | 18  | 1648       |
|         | KF M.W. 58.10  |            |        |        |          |     |            |
| LA3675  | POTASSIUM FORMATE 99% Extra Pure   | 590-29-4   | 4      | 100 gm | 29151290 | 18  | 270        |
|         | (formic acid potassium salt) HCOOK M.W. 84.12                                    |            | 14     | 500 gm |          |     | 910        |
| LA3676  | POTASSIUM FORMATE 99% AR   | 590-29-4   | 18     | 500 gm | 29151290 | 18  | 1196       |
|         | (formic acid potassium salt) HCOOK M.W. 84.12                                    |            |        |        |          |     |            |
|         | POTASSIUM GOLD CYANIDE   |            |        |        |          |     |            |
|         | POTASSIUM HEXACHLOROPLATINATE (IV)   |            |        |        |          |     |            |
| LA3677  | POTASSIUM HEXAFLUOROPHOSPHATE 98%  | 17084-13-8 | 21     | 25 gm  | 28269000 | 18  | 1403       |
|         | KPF <sub>6</sub> M.W. 184.06   |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG II</u>   |            |        |        |          |     |            |
|         | POTASSIUM HYDROGEN CARBONATE   |            |        |        |          |     |            |
|         | POTASSIUM HYDROGEN FLUORIDE  |            |        |        |          |     |            |
| LA3678  | POTASSIUM HYDROGEN PHTHALALTE 99.5%  | 877-24-7   | 12     | 500 gm | 29173990 | 18  | 766        |
|         | (potassium bipthalate) C <sub>8</sub> H <sub>6</sub> KO <sub>4</sub> M.W. 204.22 |            | 104    | 5 Kg   |          |     | 6889       |
| LA3679  | POTASSIUM HYDROGEN PHTHALALTE 99.5% AR   | 877-24-7   | 13     | 500 gm | 29173990 | 18  | 883        |
|         | (potassium bipthalate) C <sub>8</sub> H <sub>6</sub> KO <sub>4</sub> M.W. 204.22 |            | 119    | 5 Kg   |          |     | 7940       |
|         | di-POTASSIUM HYDROGEN ORTHOPHOSPHATE   |            |        |        |          |     |            |
|         | POTASSIUM HYDROGEN SULPHATE  |            |        |        |          |     |            |
|         | POTASSIUM HYDROGEN (+) TARTRATE  |            |        |        |          |     |            |
| LA3680  | POTASSIUM HYDROXIDE Flakes 85%   | 1310-58-3  | 7      | 500 gm | 28152000 | 18  | 485        |
|         | (caustic potash) KOH M.W. 56.11  |            | 49     | 5 Kg   |          |     | 3234       |
|         | <u>UN 1813 8 /PG II</u>  |            | 438    | 50 Kg  |          |     | 29102      |
| LA3681  | POTASSIUM HYDROXIDE Pellets 85%  | 1310-58-3  | 9      | 500 gm | 28152000 | 18  | 580        |
|         | (caustic potash) KOH M.W. 56.11  |            | 65     | 5 Kg   |          |     | 4322       |
|         | <u>UN 1813 8 /PG II</u>  |            | 585    | 50 Kg  |          |     | 38887      |
| LA3682  | POTASSIUM HYDROXIDE Pellets 85.0-100.5% AR                                       | 1310-58-3  | 10     | 500 gm | 28152000 | 18  | 642        |
|         | (caustic potash) KOH M.W. 56.11  |            | 74     | 5 Kg   |          |     | 4895       |
|         | <u>UN 1813 8 /PG II</u>  |            | 331    | 25 Kg  |          |     | 22031      |
| LA3683  | POTASSIUM HYDROXIDE N/10 solution (0.1N) (solution in water)                     |            | 6      | 500 ml | 38220090 | 12  | 371        |
|         | Liquid, d. 1.00  |            |        |        |          |     |            |
| LA3684  | POTASSIUM HYDROXIDE 0.1M (0.1N) In Ethanol                                       | 1310-58-3  | 8      | 500 ml | 38220090 | 12  | 509        |
|         | Standardized Solution, Liquid, d. 0.836  |            |        |        |          |     |            |
|         | <u>UN 1813 8 /PG II</u>  |            |        |        |          |     |            |
| LA3685  | POTASSIUM HYDROXIDE 40% Solution   |            | 5      | 500 ml | 38220090 | 12  | 363        |
|         | (for analysis), Liquid, d. 1.51  |            |        |        |          |     |            |
| LA3686  | POTASSIUM HYDROXIDE 45% (aqueous solution) AR,                                   |            | 12     | 500 ml | 38220090 | 12  | 774        |
|         | Liquid, d. 1.51  |            |        |        |          |     |            |
| LA3687  | POTASSIUM HYDROXIDE 0.5N (solution in water), Liquid, d. 1.02                    |            | 7      | 500 ml | 38220090 | 12  | 491        |
| LA3688  | POTASSIUM HYDROXIDE 0.05M (0.05N) Standardized Solution                          |            | 6      | 500 ml | 38220090 | 12  | 367        |
|         | Liquid, d. 1.00  |            |        |        |          |     |            |
| LA3689  | POTASSIUM HYDROXIDE 0.1M (0.1N) Standardized Solution                            |            | 8      | 500 ml | 38220090 | 12  | 528        |
|         | Liquid, d. 1.00  |            |        |        |          |     |            |
| LA3690  | POTASSIUM HYDROXIDE 0.5M (0.5N) Standardized Solution                            |            | 8      | 500 ml | 38220090 | 12  | 529        |
|         | Liquid, d. 1.023   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3691  | POTASSIUM HYDROXIDE 1M (1N) Standardized Solution                           |            | 8      | 500 ml | 38220090 | 12  | 530        |
|         | Liquid, d. 1.05   |            |        |        |          |     |            |
| LA3692  | POTASSIUM HYDROXIDE 0.5M (0.5N)   |            | 8      | 500 ml | 38220090 | 12  | 531        |
|         | In Ethanol Standardized Solution  |            |        |        |          |     |            |
|         | Liquid, d. 0.85   |            |        |        |          |     |            |
| LA3693  | POTASSIUM HYDROXIDE 1M (1N)   |            | 8      | 500 ml | 38220090 | 12  | 532        |
|         | In Methanol Standardized Solution   |            |        |        |          |     |            |
| LA3694  | POTASSIUM IODATE 99%  | 7758-05-6  | 29     | 100 gm | 28299030 | 18  | 1936       |
|         | KIO <sub>3</sub> M.W. 214.00  |            | 141    | 500 gm |          |     | 9381       |
|         | <u>UN 1479 5.1/PG II</u>  |            | 1398   | 5 Kg   |          |     | 92957      |
| LA3695  | POTASSIUM IODATE 99.5% AR   | 7758-05-6  | 31     | 100 gm | 28299030 | 18  | 2031       |
|         | KIO <sub>3</sub> M.W. 214.00  |            | 74     | 250 gm |          |     | 4929       |
|         | <u>UN 1479 5.1/PG II</u>  |            | 144    | 500 gm |          |     | 9592       |
| LA3696  | POTASSIUM IODATE 0.01667M (0.1N) Standardized Solution                      |            | 10     | 500 ml | 38220090 | 12  | 633        |
|         | Liquid, d. 1.03   |            |        |        |          |     |            |
| LA3697  | POTASSIUM IODATE 0.0147M (0.08833N) Standardized Solution                   |            | 7      | 500 ml | 38220090 | 12  | 497        |
|         | Liquid, d. 1.00   |            |        |        |          |     |            |
| LA3698  | POTASSIUM IODATE 0.05M (0.3N) Standardized Solution                         |            | 8      | 500 ml | 38220090 | 12  | 532        |
|         | Liquid, d. 1.005  |            |        |        |          |     |            |
| LA3699  | POTASSIUM IODIDE 99.5% For Chromatography                                   | 7681-11-0  | 11     | 25 gm  | 28276010 | 18  | 705        |
|         | KI M.W. 166.00  |            | 39     | 100 gm |          |     | 2621       |
|         |   |            | 92     | 250 gm |          |     | 6123       |
|         |   |            | 179    | 500 gm |          |     | 11904      |
|         |   |            | 1769   | 5 Kg   |          |     | 117640     |
| LA3700  | POTASSIUM IODIDE 99.8% AR   | 7681-11-0  | 11     | 25 gm  | 28276010 | 18  | 734        |
|         | KI M.W. 166.00  |            | 41     | 100 gm |          |     | 2742       |
|         |   |            | 96     | 250 gm |          |     | 6391       |
|         |   |            | 188    | 500 gm |          |     | 12502      |
| LA3701  | POTASSIUM IODIDE PAPER  |            | 3      | Pkt    | 38220090 | 12  | 215        |
|         | (one Pkt. contains 100 leaves)  |            | 64     | 24 Pkt |          |     | 4285       |
| LA3702  | POTASSIUM IODIDE 0.1M (0.1N) Standardized Solution                          |            | 13     | 500 ml | 38220090 | 12  | 856        |
|         | Liquid, d. 1.00   |            |        |        |          |     |            |
| LA3703  | POTASSIUM IODIDE 1M Standardized Solution                                   |            | 7      | 125 ml | 38220090 | 12  | 435        |
| LA3704  | POTASSIUM IODIDE 3M Standardized Solution                                   |            | 23     | 125 ml | 38220090 | 12  | 1543       |
|         | Liquid, d. 1.380  |            |        |        |          |     |            |
| LA3705  | POTASSIUM IODO BISMUTHATE 98%   | 41994-01-8 | 83     | 25 gm  | 28152000 | 18  | 5534       |
|         | (bismuth potassium iodide) BiI <sub>3</sub> K <sub>4</sub> M.W. 1253.70     |            | 308    | 100 gm |          |     | 20514      |
| LA3706  | POTASSIUM IODO PLATINATE 99.9% AR   | 16905-14-9 | 120    | 1 gm   | 29181190 | 18  | 7975       |
|         | (potassium hexaiodo platinate) K <sub>2</sub> PtI <sub>6</sub> M.W. 1034.70 |            | 576    | 5 gm   |          |     | 38289      |
|         | POTASSIUM MERCURIC IODIDE   |            |        |        |          |     |            |
| LA3707  | POTASSIUM METABISULPHITE 95%  | 16731-55-8 | 9      | 500 gm | 28322010 | 18  | 591        |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>5</sub> M.W. 222.32                    |            | 73     | 5 Kg   |          |     | 4878       |
| LA3708  | POTASSIUM METABISULPHITE 96% AR   | 16731-55-8 | 12     | 500 gm | 28322010 | 18  | 776        |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>5</sub> M.W. 222.32                    |            | 105    | 5 Kg   |          |     | 6990       |
| LA3709  | POTASSIUM METAPERIODATE 99%   | 7790-21-8  | 34     | 100 gm | 28299030 | 18  | 2272       |
|         | [potassium periodate (meta)] KIO <sub>4</sub> M.W. 230.00                   |            | 163    | 500 gm |          |     | 10823      |
|         | <u>UN 3085 5.1(8)/ PG I</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|--|------------|--------|--------|----------|-----|---------------|
| LA3710  | POTASSIUM METAPERIODATE 99.8% AR<br>[potassium periodate (meta)] KIO <sub>4</sub> M.W. 230.00                        | 7790-21-8  | 38     | 100 gm | 28299030 | 18  | 2537<br>11908 |
|         | <u>UN 3085 5.1(8)/ PG I</u>  |            |        |        |          |     |               |
| LA3711  | POTASSIUM METAVANADATE 98% Extra Pure<br>[potassium vanadate (meta)] KVO <sub>3</sub> M.W. 138.04                    | 13769-43-2 | 19     | 100 gm | 29171190 | 18  | 1273<br>5288  |
|         | <u>UN 2864 6.1/PG II</u>   |            |        |        |          |     |               |
| LA3712  | POTASSIUM NITRATE 98% Practical<br>KNO <sub>3</sub> M.W. 101.10  | 7757-79-1  | 7      | 500 gm | 28342100 | 18  | 455<br>3455   |
|         | <u>UN 1486 5.1 /PG III</u>   |            | 52     | 5 Kg   |          |     |               |
| LA3713  | POTASSIUM NITRATE 99% Extra Pure<br>KNO <sub>3</sub> M.W. 101.10   | 7757-79-1  | 7      | 500 gm | 28342100 | 18  | 483<br>3641   |
|         | <u>UN 1486 5.1 /PG III</u>   |            | 55     | 5 Kg   |          |     |               |
| LA3714  | POTASSIUM NITRATE 99.5% AR<br>KNO <sub>3</sub> M.W. 101.10   | 7757-79-1  | 9      | 500 gm | 28342100 | 18  | 622<br>5605   |
|         | <u>UN 1486 5.1 /PG III</u>   |            | 84     | 5 Kg   |          |     |               |
| LA3715  | POTASSIUM NITRATE 99% For Molecular Biology<br>KNO <sub>3</sub> M.W. 101.1   | 7757-79-1  | 11     | 500 gm | 28342100 | 18  | 716           |
|         | <u>UN 1486 5.1 /PG III</u>   |            |        |        |          |     |               |
| LA3716  | POTASSIUM NITRITE 96% Extra Pure<br>KNO <sub>2</sub> M.W. 85.10  | 7758-09-0  | 40     | 500 gm | 28341090 | 18  | 2689<br>24203 |
|         | <u>UN 1488 5.1/PG II</u>   |            | 364    | 5 Kg   |          |     |               |
| LA3717  | POTASSIUM NITRITE 97% AR<br>KNO <sub>2</sub> M.W. 85.10  | 7758-09-0  | 40     | 250 gm | 28341090 | 18  | 2681<br>5088  |
|         | <u>UN 1488 5.1/PG II</u>   |            | 77     | 500 gm |          |     |               |
| LA3718  | POTASSIUM OLEATE 87% For Synthesis<br>C <sub>18</sub> H <sub>33</sub> KO <sub>2</sub> M.W. 320.55                    | 143-18-0   | 62     | 500 ml | 29161590 | 18  | 4097<br>34069 |
|         | <u>UN 3077 9/PG III</u>  |            | 512    | 5 Lt   |          |     |               |
| LA3719  | POTASSIUM OXALATE 99% (monohydrate)<br>(di-potassium oxalate) (COOK) <sub>2</sub> .H <sub>2</sub> O M.W. 184.23      | 6487-48-5  | 12     | 500 gm | 29171190 | 18  | 793<br>7030   |
| LA3720  | POTASSIUM OXALATE 99.5% AR (monohydrate)<br>(di-potassium oxalate) (COOK) <sub>2</sub> .H <sub>2</sub> O M.W. 184.23 | 6487-48-5  | 13     | 500 gm | 29171190 | 18  | 876<br>7888   |
| LA3721  | POTASSIUM PERCHLORATE 99.5% AR<br>KClO <sub>4</sub> M.W. 138.55  | 7778-74-7  | 47     | 100 gm | 28291990 | 18  | 3102<br>9111  |
|         | <u>UN 1489 5.1/PG II</u>   |            | 137    | 500 gm |          |     |               |
|         | POTASSIUM PERIODATE (meta)   |            |        |        |          |     |               |
| LA3722  | POTASSIUM PERMANGANATE 99%<br>(purified crystals) KMnO <sub>4</sub> M.W. 158.03                                      | 7722-64-7  | 13     | 500 gm | 28416100 | 18  | 847<br>7609   |
|         | <u>UN 1490 5.1 /PG II</u>  |            | 114    | 5 Kg   |          |     |               |
| LA3723  | POTASSIUM PERMANGANATE 99.5% AR<br>KMnO <sub>4</sub> M.W. 158.03   | 7722-64-7  | 14     | 500 gm | 28416100 | 18  | 930<br>8375   |
|         | <u>UN 1490 5.1 /PG II</u>  |            | 126    | 5 Kg   |          |     |               |
| LA3724  | POTASSIUM PERMANGANATE 0.01M (0.05N)<br>Standardized Solution, Liquid, d. 1.00                                       |            | 6      | 500 ml | 38220090 | 12  | 397           |
| LA3725  | POTASSIUM PERMANGANATE 0.02M (0.1N)<br>Standardized Solution, Liquid, d. 1.00  |            | 8      | 500 ml | 38220090 | 12  | 501           |
| LA3726  | POTASSIUM PERMANGANATE 0.05M (0.25N)<br>Standardized Solution, Liquid, d. 1.00                                       |            | 8      | 500 ml | 38220090 | 12  | 503           |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3727  | POTASSIUM PERMANGANATE 0.2 (1N)<br>Standardized Solution, Liquid, d. 1.00   |            | 7      | 500 ml | 38220090 | 12  | 435        |
| LA3728  | POTASSIUM PERMANGANATE 0.002 Mol/L (0.01N)<br>Standardized Solution, d. 1.00  |            | 5      | 500 ml | 38220090 | 12  | 300        |
| LA3729  | POTASSIUM PERMANGANATE 0.02mol/L (0.1N) SOLUTION<br>when diluted to 500 ml with water<br>(Concn. of solution in each ampoule is 1N) (2x2 amps. Of set in a box) |            | 17     | 4 Amp  | 38220090 | 12  | 1133       |
| LA3730  | POTASSIUM PERSULPHATE 98%<br>(potassium peroxydisulphate) $K_2S_2O_8$ M.W. 270.32<br><u>UN 1492 5.1/PG III</u>  | 7727-21-1  | 11     | 500 gm | 28332990 | 18  | 747        |
| LA3731  | POTASSIUM PERSULPHATE 99% AR<br>(potassium peroxydisulphate) $K_2S_2O_8$ M.W. 270.32<br><u>UN 1492 5.1/PG III</u>   | 7727-21-1  | 12     | 500 gm | 28332990 | 18  | 817        |
| LA3732  | POTASSIUM PHOSPHATE dibasic 98% (anhydrous)<br>(di-potassium hydrogen orthophosphate)<br>$K_2HPO_4$ M.W. 174.18   | 7758-11-4  | 16     | 500 gm | 28352400 | 18  | 1071       |
| LA3733  | POTASSIUM PHOSPHATE dibasic AR 99% (anhydrous)<br>(di-potassium hydrogen orthophosphate)<br>$K_2HPO_4$ M.W. 174.18  | 7758-11-4  | 18     | 500 gm | 28352400 | 18  | 1201       |
| LA3734  | POTASSIUM PHOSPHATE 99% For Molecular Biology<br>(dibasic anhydrous) $K_2HPO_4$ M.W. 174.18   | 7758-11-4  | 13     | 100 gm | 28352400 | 18  | 838        |
| LA3735  | POTASSIUM PHOSPHATE monobasic 98% (anhydrous)<br>(potassium dihydrogen orthophosphate)<br>$KH_2PO_4$ M.W. 136.09  | 7778-77-0  | 15     | 500 gm | 28352400 | 18  | 965        |
| LA3736  | POTASSIUM PHOSPHATE monobasic 99% AR (anhydrous)<br>(potassium dihydrogen orthophosphate)<br>$KH_2PO_4$ M.W. 136.09   | 7778-77-0  | 16     | 500 gm | 28352400 | 18  | 1061       |
| LA3737  | POTASSIUM PHOSPHATE 99% For Molecular Biology<br>(monobasic anhydrous) $KH_2PO_4$ M.W. 136.09   | 7778-77-0  | 12     | 100 gm | 28352400 | 18  | 779        |
| LA3738  | POTASSIUM PHTHALIMIDE 98%<br>(phthalimide potassium salt) $C_8H_4KNO_2$ M.W. 185.22   | 1074-82-4  | 17     | 500 gm | 29251900 | 18  | 1134       |
| LA3739  | POTASSIUM PYROANTIMONATE 98%<br>(potassium antimonate) $K_2Sb(OH)_6$ M.W. 262.90<br><u>UN 1549 6.1/PG III</u>   | 12208-13-8 | 20     | 100 gm | 28419000 | 18  | 1306       |
| LA3740  | POTASSIUM PYROANTIMONATE 99% AR<br>(potassium antimonate) $K_2Sb(OH)_6$ M.W. 262.90<br><u>UN 1549 6.1/PG III</u>  | 12208-13-8 | 27     | 100 gm | 28419000 | 18  | 1788       |
| LA3741  | POTASSIUM PYROANTIMONATE reagent solution<br>K <sub>2</sub> P <sub>2</sub> O <sub>7</sub> M.W. 330.34   |            | 4      | 100 ml | 38220090 | 12  | 297        |
| LA3742  | tetra-POTASSIUM PYROPHOSPHATE 97%<br>K <sub>4</sub> P <sub>2</sub> O <sub>7</sub> M.W. 330.34   | 7320-34-5  | 17     | 500 ml |          |     | 1131       |
| LA3743  | tetra-POTASSIUM PYROPHOSPHATE 97.5% AR<br>K <sub>4</sub> P <sub>2</sub> O <sub>7</sub> M.W. 330.34  | 7320-34-5  | 39     | 500 gm | 28332990 | 18  | 2615       |
| LA3744  | POTASSIUM PYROSULPHATE 97%<br>(potassium disulphate) $K_2S_2O_7$ M.W. 254.33<br><u>UN 2923 8(6.1)/PG I</u>  | 7790-62-7  | 78     | 250 gm | 28399090 | 18  | 5204       |
| LA3745  | POTASSIUM SILICATE SOLUTION<br>Liquid, d. 1.26  |            | 149    | 500 gm |          |     | 9890       |
|         |   |            | 8      | 500 ml | 28399090 | 18  | 509        |
|         |   |            | 27     | 5 Lt   |          |     | 1811       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA3746  | POTASSIUM SILICO FLUORIDE 98%   | 16871-90-2  | 6      | 500 gm | 28262020 | 18  | 375        |
|         | K <sub>2</sub> SiF <sub>6</sub> M.W. 220.27   |             |        |        |          |     |            |
|         | <u>UN 2655 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3747  | POTASSIUM SODIUM TARTRATE 98% (tetrahydrate)  | 6381-59-5   | 18     | 500 gm | 29181390 | 18  | 1175       |
|         | (rochelle salt) (sodium potassium tartrate)   |             | 159    | 5 Kg   |          |     | 10570      |
|         | C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O M.W. 282.22                                    |             |        |        |          |     |            |
| LA3748  | POTASSIUM SODIUM TARTRATE 99% AR (tetrahydrate)   | 6381-59-5   | 21     | 500 gm | 29181390 | 18  | 1395       |
|         | (rochelle salt) (sodium potassium tartrate)   |             | 188    | 5 Kg   |          |     | 12522      |
|         | C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O M.W. 282.22                                    |             |        |        |          |     |            |
| LA3749  | POTASSIUM SORBATE 99.5%   | 24634-61-5  | 27     | 500 gm | 29161990 | 18  | 1796       |
|         | C <sub>6</sub> H <sub>7</sub> KO <sub>2</sub> M.W. 150.22   |             | 51     | 1 Kg   |          |     | 3415       |
|         |   |             | 459    | 10 Kg  |          |     | 30514      |
| LA3750  | POTASSIUM SULPHATE 99%  | 7778-80-5   | 8      | 500 gm | 31043000 | 18  | 511        |
|         | K <sub>2</sub> SO <sub>4</sub> M.W. 174.26  |             | 66     | 5 Kg   |          |     | 4377       |
|         |   |             | 591    | 50 Kg  |          |     | 39274      |
| LA3751  | POTASSIUM SULPHATE 99.5% AR   | 7778-80-5   | 10     | 500 gm | 31043000 | 18  | 663        |
|         | K <sub>2</sub> SO <sub>4</sub> M.W. 174.26  |             | 90     | 5 Kg   |          |     | 5966       |
| LA3752  | POTASSIUM SULPHIDE 98%  | 1312-73-8   | 17     | 500 gm | 28309010 | 18  | 1133       |
|         | K <sub>2</sub> S M.W. 110.62  |             |        |        |          |     |            |
|         | <u>UN 1382 4.2/PG II</u>  |             |        |        |          |     |            |
| LA3753  | POTASSIUM SULPHITE 88%  | 10117-38-1  | 24     | 500 gm | 28322090 | 18  | 1579       |
|         | K <sub>2</sub> SO <sub>3</sub> M.W 158.26   |             |        |        |          |     |            |
|         | POTASSIUM SULPHOCYANIDE   |             |        |        |          |     |            |
| LA3754  | POTASSIUM TARTRATE 99-102%  | 6100-19-2   | 22     | 500 gm | 29181390 | 18  | 1466       |
|         | (dibasic hemihydrate) C <sub>4</sub> H <sub>4</sub> K <sub>2</sub> O <sub>6</sub> ·0.5H <sub>2</sub> O M.W 235.28 |             |        |        |          |     |            |
| LA3755  | POTASSIUM TELLURITE 90% For Microbiology (ex Te)  | 123333-66-4 | 45     | 25 gm  | 28429090 | 18  | 2960       |
|         | K <sub>2</sub> TeO <sub>3</sub> ·xH <sub>2</sub> O M.W. 253.80 (anhydr. basis)                                    |             | 159    | 100 gm |          |     | 10589      |
|         | <u>UN 3283 6.1/ PG III</u>  |             |        |        |          |     |            |
| LA3756  | POTASSIUM TERT-BUTOXIDE 98% (hydrate)   | 865-47-4    | 44     | 250 gm | 29181390 | 18  | 2952       |
|         | (potassium tert-butylate) C <sub>4</sub> H <sub>9</sub> KO M.W. 112.22  |             | 83     | 500 gm |          |     | 5507       |
|         | <u>UN 3131 4.3 (8)/PG I</u>   |             |        |        |          |     |            |
| LA3757  | POTASSIUM TETRA CHLOROPLATINATE 98% (II) (about 47% Pt)   | 10025-99-7  | 135    | 1 gm   | 28439019 | 18  | 8962       |
|         | K <sub>2</sub> PtCl <sub>4</sub> M.W. 415.09  |             | 644    | 5 gm   |          |     | 42811      |
|         | <u>UN 3288 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3758  | POTASSIUM TETRAOXALATE 99.5% (dihydrate)  | 6100-20-5   | 19     | 500 gm | 29171190 | 18  | 1282       |
|         | C <sub>4</sub> H <sub>3</sub> KO <sub>8</sub> ·2H <sub>2</sub> O M.W. 254.20                                      |             |        |        |          |     |            |
| LA3759  | POTASSIUM TETRATHIONATE 98%   | 13932-13-3  | 110    | 5 gm   | 28429090 | 18  | 7313       |
|         | KOSO <sub>2</sub> SSO <sub>3</sub> K M.W. 302.45  |             | 458    | 25 gm  |          |     | 30467      |
| LA3760  | POTASSIUM THIOCYANATE 98%   | 333-20-0    | 17     | 500 gm | 28429090 | 18  | 1136       |
|         | (potassium sulphocyanide) KSCN M.W. 97.18   |             | 154    | 5 Kg   |          |     | 10235      |
| LA3761  | POTASSIUM THIOCYANATE 99% AR  | 333-20-0    | 21     | 500 gm | 28429090 | 18  | 1424       |
|         | (potassium sulphocyanide) KSCN M.W. 97.18   |             |        |        |          |     |            |
| LA3762  | POTASSIUM THIOCYANATE 0.1M (0.1N)   |             | 5      | 500 ml | 38220090 | 12  | 332        |
|         | Standardized Solution, Liquid, d. 1.00  |             |        |        |          |     |            |
| LA3763  | POTASSIUM THIOSULPHATE 95% Crystals Practical   | 10294-66-3  | 78     | 100 gm | 28323010 | 18  | 5155       |
|         | K <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 190.32  |             | 233    | 500 gm |          |     | 15462      |
| LA3764  | POTASSIUM THIOSULPHATE 50% solution, Liquid, d. 1.46  |             | 110    | 250 ml | 38220090 | 12  | 7324       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3765  | POTASSIUM TITANIUM OXALATE 98%  | 14402-67-6 | 22     | 100 gm | 29171190 | 18  | 1431       |
|         | C <sub>4</sub> K <sub>2</sub> O <sub>9</sub> Ti·2H <sub>2</sub> O M.W. 354.13   |            | 73     | 500 gm |          |     | 4886       |
| LA3766  | POTASSIUM TITANIUM OXALATE 98.5% AR   | 14402-67-6 | 22     | 100 gm | 29171190 | 18  | 1467       |
|         | C <sub>4</sub> K <sub>2</sub> O <sub>9</sub> Ti·2H <sub>2</sub> O M.W. 354.13   |            | 45     | 250 gm |          |     | 3019       |
|         | POTASSIUM VANADATE (meta)   |            |        |        |          |     |            |
|         | POTATO STARCH   |            |        |        |          |     |            |
|         | POVIDONE  |            |        |        |          |     |            |
| LA3767  | PPO 99% (SCINTILALTION GRADE)   | 92-71-7    | 32     | 25 gm  | 29349900 | 18  | 2142       |
|         | (2,5-diphenyloxazole) C <sub>15</sub> H <sub>11</sub> NO M.W. 221.25  |            | 111    | 100 gm |          |     | 7400       |
| LA3768  | PRASEODYMIUM (III) CHLORIDE hydrate 99.9%   | 19423-77-9 | 101    | 25 gm  | 28469030 | 18  | 6705       |
|         | PrCl <sub>3</sub> ·xH <sub>2</sub> O M.W. 247.27 (anhydrous basis)  |            | 302    | 100 gm |          |     | 20113      |
| LA3769  | PRASEODYMIUM NITRATE 99.9% AR (hexahydrate)   | 15878-77-0 | 59     | 5 gm   | 2846909  | 18  | 3926       |
|         | N <sub>2</sub> O <sub>9</sub> Pr·6H <sub>2</sub> O M.W 435.01   |            | 277    | 25 gm  |          |     | 18417      |
|         | <u>UN 1465 5.1/PG III</u>   |            |        |        |          |     |            |
| LA3770  | PRASEODYMIUM OXIDE 99.9% AR   | 12037-29-5 | 9      | 10 gm  | 28469010 | 18  | 565        |
|         | (praseodymium (III, IV) oxide) Pr <sub>6</sub> O <sub>11</sub> M.W. 1021.44   |            | 73     | 100 gm |          |     | 4887       |
| LA3771  | PROCAINE HYDROCHLORIDE 97% Extra Pure   | 51-05-8    | 34     | 5 gm   | 29224990 | 18  | 2255       |
|         | (neocaine) C <sub>13</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> ·HCl M.W. 272.77                               |            | 136    | 25 gm  |          |     | 9039       |
|         |   |            | 343    | 100 gm |          |     | 22778      |
| LA3772  | PROCHLORPERAZINE DIMALEATE Extra Pure   | 84-02-6    | 95     | 25 gm  | 29343000 | 18  | 6318       |
|         | For Lab Use C <sub>20</sub> H <sub>24</sub> ClN <sub>3</sub> S·2C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W 606.09 |            | 290    | 100 gm |          |     | 19315      |
| LA3773  | PROFALVIN HEMISULPHATE 99% (dihydrate)  | 1811-28-5  | 85     | 10 gm  | 29335990 | 18  | 5682       |
|         | (3,6-diaminoacridine hemisulphate)  |            | 201    | 25 gm  |          |     | 13355      |
|         | C <sub>13</sub> H <sub>11</sub> N·0.5H <sub>2</sub> SO <sub>4</sub> ·xH <sub>2</sub> O M.W 258.29                       |            |        |        |          |     |            |
| LA3774  | PROGESTERONE 97% For Biochemistry   | 57-83-0    |        |        |          |     |            |
|         | C <sub>21</sub> H <sub>30</sub> O <sub>2</sub> M.W. 314.46  |            |        |        |          |     |            |
| LA3775  | D-PROLINE 99% For Biochemistry  | 344-25-2   | 13     | 1 gm   | 29181190 | 18  | 897        |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>2</sub> M.W 115.13  |            | 32     | 5 gm   |          |     | 2153       |
|         |   |            | 129    | 25 gm  |          |     | 8595       |
| LA3776  | L-PROLINE 99% For Biochemistry  | 147-85-3   | 1      | 5 gm   | 29339900 | 18  | 92         |
|         | C <sub>5</sub> H <sub>9</sub> NO <sub>2</sub> M.W 115.13  |            | 5      | 25 gm  | 29339900 |     | 333        |
|         |   |            | 77     | 500 gm |          |     | 5111       |
| LA3777  | PROMETHAZINE HYDROCHLORIDE 98% Extra Pure   | 58-33-3    | 51     | 25 gm  | 29343000 | 18  | 3425       |
|         | For Lab Use C <sub>17</sub> H <sub>20</sub> N <sub>2</sub> S·HCl M.W 320.88   |            | 166    | 100 gm |          |     | 11064      |
|         | <u>UN 3077 9/PG III</u>   |            | 441    | 500 gm |          |     | 29293      |
|         | PROPANE-1, 2-DIOL   |            |        |        |          |     |            |
| LA3778  | 1-PROPANE SULPHONIC ACID SODIUM SALT 99% AR & HPLC  | 14533-63-2 | 5      | 5 gm   | 29041090 | 18  | 338        |
|         | C <sub>3</sub> H <sub>7</sub> NaO <sub>3</sub> S M.W. 146.14  |            | 24     | 25 gm  |          |     | 1594       |
|         |   |            | 89     | 100 gm |          |     | 5904       |
| LA3779  | 2-PROPANE SULPHONIC ACID SODIUM SALT 99%  | 5399-58-6  | 12     | 5 gm   | 29041090 |     | 776        |
|         | For HPLC/Ion pair Chromatography  |            | 50     | 25 gm  |          |     | 3297       |
|         | C <sub>3</sub> H <sub>7</sub> NaO <sub>3</sub> S M.W. 146.13  |            |        |        |          |     |            |
| LA3780  | 1,3-PROPANEDIOL 98% For Synthesis   | 504-63-2   | 57     | 500 ml | 29053990 | 18  | 3800       |
|         | (1,3- dihydroxypropane) HO(CH <sub>2</sub> ) <sub>3</sub> OH M.W 76.09  |            | 240    | 2.5 Lt |          |     | 15953      |
| LA3781  | PROPARGYL ALCOHOL 99% For Synthesis   | 107-19-7   | 74     | 500 ml | 29052900 | 18  | 4931       |
|         | (2-propan-1-ol) C <sub>3</sub> H <sub>4</sub> M.W. 56.06, Liquid, d. 0.963  |            | 297    | 2.5 Lt |          |     | 19751      |
|         | <u>UN 2929 6.1 (3)/PG I</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.  | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|----------|--------|--------|----------|-----|------------|
| LA3782  | PROPIONALDEHYDE 98% For Synthesis   | 123-38-6 | 22     | 500 ml | 29121990 | 18  | 1467       |
|         | C <sub>3</sub> H <sub>6</sub> O M.W. 58.08, Liquid, d. 0.805                                    |          |        |        |          |     |            |
|         | <u>UN 1275 3/PG II</u>  |          |        |        |          |     |            |
| LA3783  | PROPIONIC ACID 99% For Synthesis  | 79-09-4  | 10     | 500 ml | 29155000 | 18  | 682        |
|         | C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> M.W. 74.08, Liquid, d. 0.99                        |          | 20     | 1Lt    |          |     | 1299       |
|         | <u>UN 3463 8 (3) /PG II</u>   |          | 46     | 2.5 Lt |          |     | 3045       |
| LA3784  | PROPIONIC ANHYDRIDE 99% For Synthesis   | 123-62-6 | 24     | 500 ml | 29159090 | 18  | 1575       |
|         | C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> M.W. 130.14, Liquid, d. 1.015                      |          | 103    | 2.5 Lt |          |     | 6832       |
|         | <u>UN 2496 8/PG III</u>   |          |        |        |          |     |            |
| LA3785  | PROPIONITRILE 99% For Synthesis   | 107-12-0 | 26     | 250 ml | 29269000 | 18  | 1760       |
|         | (ethyl cyanide) C <sub>3</sub> H <sub>5</sub> N M.W. 55.08 , Liquid, d. 0.772                   |          | 95     | 1 Lt   |          |     | 6333       |
|         | <u>UN 2404 3 (6.1)/PG II</u>  |          |        |        |          |     |            |
| LA3786  | PROPIOPHENONE 99% For Synthesis   | 93-55-0  | 51     | 500 ml | 29141990 | 18  | 3404       |
|         | C <sub>9</sub> H <sub>10</sub> O M.W. 134.18, Liquid, d. 1.009                                  |          | 220    | 2.5 Lt |          |     | 14634      |
| LA3787  | PROPRANOLOL HYDROCHLORIDE 99% Extra Pure  | 318-98-9 | 120    | 5 gm   | 29181190 | 18  | 8001       |
|         | For Lab Use   |          | 356    | 25 gm  |          |     | 23665      |
|         | C <sub>16</sub> H <sub>21</sub> NO <sub>2</sub> ·HCl M.W. 295.80                                |          | 836    | 100 gm |          |     | 55622      |
| LA3788  | iso-PROPYL ACETATE 98%  | 108-21-4 | 11     | 500 ml | 29153910 | 18  | 754        |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W. 102.13, Liquid, d. 0.872                     |          | 44     | 2.5 Lt |          |     | 2934       |
|         | <u>UN 1220 3 /PG II</u>   |          |        |        |          |     |            |
| LA3789  | n-PROPYL ACETATE 98%  | 109-60-4 | 12     | 500 ml | 29153990 | 18  | 826        |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub> M.W.102.13, Liquid, d. 0.888                      |          | 51     | 2.5 Lt |          |     | 3392       |
|         | <u>UN 1276 3/PG II</u>  |          |        |        |          |     |            |
| LA3790  | iso-PROPYL ALCOHOL 99%  | 67-63-0  | 7      | 500 ml | 29051220 | 18  | 497        |
|         | (propan-2-ol) (2-propanol)  |          | 14     | 1 Lt   |          |     | 942        |
|         | C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                                    |          | 27     | 2.5 Lt |          |     | 1820       |
|         | <u>UN 1219 3/PG II</u>  |          | 48     | 5 Lt   |          |     | 3190       |
|         |   |          | 214    | 25 Lt  |          |     | 14238      |
| LA3791  | iso-PROPYL ALCOHOL 99.5% AR   | 67-63-0  | 8      | 500 ml | 29051220 | 18  | 548        |
|         | (propan-2-ol) (2-propanol) C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786         |          | 16     | 1 Lt   |          |     | 1039       |
|         | <u>UN 1219 3/PG II</u>  |          | 32     | 2.5 Lt |          |     | 2101       |
| LA3792  | iso-PROPYL ALCOHOL 99.8% HPLC & SPECTROSCOPY  | 67-63-0  | 9      | 500 ml | 29051220 | 18  | 620        |
|         | (propan-2-ol) (2-propanol)  |          | 17     | 1 Lt   |          |     | 1123       |
|         | C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                                    |          | 34     | 2.5 Lt |          |     | 2264       |
|         | <u>UN 1219 3/PG II</u>  |          |        |        |          |     |            |
| LA3793  | iso-PROPYL ALCOHOL 99.8% For Molecular Biology  | 67-63-0  | 59     | 1 Lt   | 29051220 | 18  | 3941       |
|         | (2-propanol) C <sub>3</sub> H <sub>8</sub> O M.W. 60.10, Liquid, d. 0.786                       |          |        |        |          |     |            |
|         | <u>UN 1219 3/PG II</u>  |          |        |        |          |     |            |
| LA3794  | n-PROPYL ALCOHOL 99%  | 71-23-8  | 8      | 500 ml | 29051210 | 18  | 545        |
|         | (propan-1-ol)   |          | 16     | 1 Lt   |          |     | 1036       |
|         | CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804               |          | 33     | 2.5 Lt |          |     | 2190       |
|         | <u>UN 1274 3/PG II</u>  |          | 62     | 5 Lt   |          |     | 4152       |
| LA3795  | n-PROPYL ALCOHOL 99.5% AR   | 71-23-8  | 9      | 500 ml | 29051210 | 18  | 619        |
|         | (propan-1-ol) CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804 |          | 18     | 1 Lt   |          |     | 1168       |
|         | <u>UN 1274 3/PG II</u>  |          | 36     | 2.5 Lt |          |     | 2388       |
| LA3796  | n-PROPYL ALCOHOL 99.9% HPLC & SPECTROSCOPY  | 71-23-8  | 25     | 500 ml | 29051210 | 18  | 1648       |
|         | (propan-1-ol)   |          | 47     | 1 Lt   |          |     | 3131       |
|         | CH <sub>3</sub> .CH <sub>2</sub> .CH <sub>2</sub> OH M.W. 60.10, Liquid, d. 0.804               |          | 111    | 2.5 Lt |          |     | 7363       |
|         | <u>UN 1274 3/PG II</u>  |          |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)           |
|---------|--|------------|--------|--------|----------|-----|----------------------|
| LA3797  | iso-PROPYLAMINE 99%<br>(mono-iso-propylamine) (isopropylamine)<br>C <sub>3</sub> H <sub>9</sub> N M.W. 59.11, Liquid, d. 0.688<br><u>UN 1221 3 (8)/PG I</u>                            | 75-31-0    | 13     | 500 ml | 29211990 | 18  | 843<br>1597<br>3639  |
| LA3798  | n-PROPYLAMINE 99%<br>(1-aminopropane) C <sub>3</sub> H <sub>9</sub> N M.W. 59.11, Liquid, d. 0.719<br><u>UN 1277 3 (8)/PG II</u>   | 107-10-8   | 12     | 500 ml | 29211999 | 18  | 768<br>1453<br>3540  |
| LA3799  | 2-n-PROPYL ANILINE 96%<br>C <sub>9</sub> H <sub>13</sub> N M.W 135.21, Liquid, d. 0.96   | 1821-39-2  | 641    | 10 gm  | 29214990 | 18  | 42654                |
| LA3800  | 4-n-PROPYL ANILINE 96%<br>C <sub>9</sub> H <sub>13</sub> N M.W 135.21, Liquid, d. 0.92   | 2696-84-6  | 810    | 10 gm  | 29214290 | 18  | 53884                |
| LA3801  | n-PROPYL BENZENE 98%<br>C <sub>9</sub> H <sub>12</sub> M.W. 120.19, Liquid, d. 0.862<br><u>UN 2364 3/PG III</u>  | 103-65-1   | 181    | 100 ml | 29029090 | 18  | 12048                |
| LA3802  | iso-PROPYL BROMIDE 99% For Synthesis<br>(2-bromopropane) C <sub>3</sub> H <sub>7</sub> Br M.W. 122.99, Liquid, d. 1.31<br><u>UN 2344 3/PG II</u>                                       | 75-26-3    | 41     | 500 ml | 29033990 | 18  | 2701                 |
| LA3803  | n-PROPYL BROMIDE 99% For Synthesis<br>(1-bromopropane) C <sub>3</sub> H <sub>7</sub> Br M.W. 122.99, Liquid, d. 1.354<br><u>UN 2344 3/PG II</u>  | 106-94-5   | 37     | 500 ml | 29033919 | 18  | 2429                 |
| LA3804  | PROPYLENE CARBONATE 99% For Synthesis<br>C <sub>4</sub> H <sub>6</sub> O <sub>3</sub> M.W. 102.09, Liquid, d. 1.204  | 108-32-7   | 28     | 500 ml | 29209099 | 18  | 1883<br>7722         |
| LA3805  | PROPYLENE GLYCOL 99%<br>(propane-1, 2-diol)<br>C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 1.036   | 57-55-6    | 17     | 500 ml | 29053200 | 18  | 1133<br>2149<br>4703 |
| LA3806  | PROPYLENE GLYCOL 99.5% AR<br>(propane-1, 2-diol) C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> M.W. 76.09, Liquid, d. 1.036   | 57-55-6    | 19     | 500 ml | 29053200 | 18  | 1239<br>4855         |
| LA3807  | PROPYLENE GLYCOL MONOMETHYL ETHER 98% For Synthesis<br>(1-methoxy-2-propanol)<br>C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> M.W. 90.12, Liquid, d. 0.922<br><u>UN 3092 3/PG III</u> | 107-98-2   | 22     | 1 Lt   | 29094900 | 18  | 1492<br>3330         |
| LA3808  | n-PROPYL GALALTE 98% (antioxidant)<br>(n-propyl-3,4,5-trihydroxy benzoate) C <sub>10</sub> H <sub>12</sub> O <sub>5</sub> M.W. 212.20<br><u>UN 3077 9/ PG III</u>                      | 121-79-9   | 22     | 100 gm | 29182930 | 18  | 1473<br>5692         |
| LA3809  | PROPYL-P-HYDROXY BENZOATE 99% (nipasol palin)<br>(propyl paraben) C <sub>10</sub> H <sub>12</sub> O <sub>3</sub> M.W. 180.20   | 94-13-3    | 29     | 500 gm | 29182990 | 18  | 1931<br>16866        |
| LA3810  | PROPYL-P-HYDROXY BENZOATE SODIUM SALT 99%<br>(nipasol sodium) (propyl paraben sodium salt)<br>C <sub>10</sub> H <sub>11</sub> NaO <sub>3</sub> M.W. 202.18<br>PROPYL HYDROXY CELLULOSE | 35285-69-9 | 34     | 500 gm | 29182990 | 18  | 2264<br>21291        |
| LA3811  | iso-PROPYL MYRISTATE 98%<br>C <sub>17</sub> H <sub>34</sub> O <sub>2</sub> M.W. 270.45, Liquid, d. 0.85  | 110-27-0   | 12     | 500 ml | 29153990 | 18  | 773<br>3408          |
| LA3812  | iso-PROPYL PALMITATE 90%<br>(isopropyl hexadecanoate) C <sub>19</sub> H <sub>38</sub> O <sub>2</sub> M.W. 298.50, Liquid, d. 0.852<br>PROPYL PARABEN<br>PROPYL PARABEN SODIUM SALT     | 142-91-6   | 20     | 500 ml | 29157090 | 18  | 1335<br>5873         |
| LA3813  | PROTAMINE SULPHATE (purified) (from herring)   | 9007-31-2  | 165    | 1 gm   | 35040091 | 18  | 10971                |
|         |  |            | 725    | 5 gm   |          |     | 48204                |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3814  | PROTEINASE K   | 39450-01-6  | 39     | 10 mg  | 35079099 | 18  | 2582       |
|         | M.W. 28.93 kDa (Store at 2-8°C)  |             | 330    | 100 mg |          |     | 21963      |
| LA3815  | PROTEOSE PEPTONE (culture media ingredient)  | 100209-45-8 | 8      | 100 gm | 35040010 | 18  | 509        |
|         |  |             | 26     | 500 gm |          |     | 1708       |
| LA3816  | PROTHIONAMIDE Extra Pure   | 14222-60-7  | 90     | 5 gm   | 29333990 | 18  | 5961       |
|         | For Lab Use  |             | 314    | 25 gm  |          |     | 20909      |
|         | PROVITAMIN A   |             |        |        |          |     |            |
| LA3817  | PUDINA OIL   |             | 28     | 100 ml | 33011990 | 18  | 1883       |
|         | Liquid, d. 0.898   |             | 67     | 250 ml |          |     | 4427       |
| LA3818  | PUMICE STONE powder (Practical)  | 1332-09-8   | 4      | 500 gm | 25131000 | 5   | 267        |
| LA3819  | PUMICE STONE granular (For Elementary Analysis)  | 1332-09-8   | 132    | 500 gm | 25131000 | 5   | 8807       |
| LA3820  | PYRAZINAMIDE 98% Extra Pure  | 98-96-4     | 17     | 5 gm   | 29242960 | 18  | 1135       |
|         | For Lab Use  |             | 80     | 25 gm  |          |     | 5309       |
|         | C <sub>5</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 123.11   |             | 285    | 100 gm |          |     | 18979      |
| LA3821  | PYRIDINE 99%   | 110-86-1    | 7      | 250 ml | 29333100 | 18  | 455        |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d. 0.982   |             | 13     | 500 ml |          |     | 856        |
|         | <u>UN 1282 3 /PG II</u>  |             | 24     | 1 Lt   |          |     | 1621       |
|         |  |             | 57     | 2.5 Lt |          |     | 3800       |
| LA3822  | PYRIDINE 99.5% AR  | 110-86-1    | 8      | 250 ml | 29333100 | 18  | 506        |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d. 0.982   |             | 14     | 500 ml |          |     | 941        |
|         | <u>UN 1282 3 /PG II</u>  |             | 27     | 1 Lt   |          |     | 1785       |
|         |  |             | 66     | 2.5 Lt |          |     | 4408       |
| LA3823  | PYRIDINE 99.5% HPLC & SPECTROSCOPY   | 110-86-1    | 19     | 500 ml | 29333100 | 18  | 1241       |
|         | C <sub>5</sub> H <sub>5</sub> N M.W. 79.10, Liquid, d. 0.982   |             | 35     | 1 Lt   |          |     | 2347       |
|         | <u>UN 1282 3 /PG II</u>  |             | 83     | 2.5 Lt |          |     | 5507       |
| LA3824  | PYRIDINE OXIDE 98%   | 694-59-7    | 76     | 25 gm  | 29333990 | 18  | 5086       |
|         | C <sub>5</sub> H <sub>5</sub> NO M.W. 95.10  |             | 171    | 100 gm |          |     | 11381      |
| LA3825  | PYRIDINIUM CHLOROCHROMATE 98% Extra Pure   | 26299-14-9  | 29     | 100 gm | 29333100 | 18  | 1897       |
|         | C <sub>5</sub> H <sub>5</sub> NClCrO <sub>3</sub> H M.W. 215.56  |             | 116    | 500 gm |          |     | 7735       |
|         | <u>UN 1479 5.1/PG II</u>   |             |        |        |          |     |            |
| LA3826  | PYRIDINIUM DICHROMATE 98% Extra Pure   | 20039-37-6  | 20     | 25 gm  | 29333990 | 18  | 1318       |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> H <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 376.20       |             | 62     | 100 gm |          |     | 4100       |
|         | <u>UN 1479 5.1/PG II</u>   |             |        |        |          |     |            |
| LA3827  | PYRIDINIUM-p-TOLUENESULFONATE 98% For Synthesis  | 24057-28-1  | 16     | 25 gm  | 29333990 | 18  | 1047       |
|         | 4(CH <sub>3</sub> )C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H.C <sub>5</sub> H <sub>5</sub> N M.W. 251.30 |             | 51     | 100 gm |          |     | 3408       |
| LA3828  | PYRIDOXAL-5'-PHOSPHATE 98%   | 54-47-7     | 207    | 1 gm   | 29362500 | 18  | 13772      |
|         | C <sub>8</sub> H <sub>10</sub> NO <sub>6</sub> P M.W. 247.16   |             | 679    | 5 gm   |          |     | 45157      |
|         | (Store at 2-8°C)   |             | 2648   | 25 gm  |          |     | 176111     |
| LA3829  | PYRIDOXINE HYDROCHLORIDE 99% For Biochemistry  | 58-56-0     | 8      | 25 gm  | 29362500 | 18  | 563        |
|         | (Vitamin B6)   |             | 29     | 100 gm |          |     | 1932       |
|         | C <sub>12</sub> H <sub>17</sub> ClN <sub>4</sub> OS•HCl M.W. 205.64  |             | 134    | 500 gm |          |     | 8887       |
|         | 1-(2-PYRIDYLALZO)-2-NAPHTHOL   |             |        |        |          |     |            |
|         | 4-(2-PYRIDYLALZO) RESORCINOL MONOSODIUM SALT INDICATOR AR  |             |        |        |          |     |            |
| LA3830  | 3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE 99% AR (PDT)   | 1046-56-6   | 50     | 1 gm   | 29335990 | 18  | 3336       |
|         | [5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine]  |             | 226    | 5 gm   |          |     | 15012      |
|         | C <sub>20</sub> H <sub>14</sub> N <sub>4</sub> M.W. 310.36   |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)     |
|---------|---|-------------|--------|--------|----------|-----|----------------|
| LA3831  | 3-(2-PYRIDYL)-5,6-DIPHENYL 1,2,4-TRIAZINE-4,<br>4-DISULPHONIC ACID DISODIUM SALT 99% AR (hydrate)<br>(PDT sulphonate disodium salt)<br>C <sub>20</sub> H <sub>12</sub> N <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub> M.W. 514.44 | 28048-33-1  | 110    | 1 gm   | 29333990 | 18  | 7284<br>29139  |
| LA3832  | PYROCATECHOL 98%<br>(catechol) (o-dihydroxybenzene) C <sub>6</sub> H <sub>4</sub> (OH) <sub>2</sub> M.W. 110.11<br><u>UN 2811 (6.1)/PG III</u>  | 120-80-9    | 7      | 100 gm | 29072990 | 18  | 492<br>1326    |
| LA3833  | PYROCATECHOL 99% AR<br>(catechol) (o-dihydroxybenzene) C <sub>6</sub> H <sub>4</sub> (OH) <sub>2</sub> M.W. 110.11<br><u>UN 2811 (6.1)/PG III</u><br>3,5-PYROCATECHOL DISULPHONIC ACID DISODIUM SALT AR<br>PYROCATECHOL VIOLET                  | 120-80-9    | 14     | 100 gm | 29072990 | 18  | 940<br>4440    |
| LA3834  | PYROGALLOL 98% For Synthesis<br>(pyrogallic acid)<br>C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> M.W. 126.11   | 87-66-1     | 9      | 25 gm  | 29072990 | 18  | 622<br>2071    |
| LA3835  | PYROGALLOL 98.5% AR<br>(pyrogallic acid)<br>C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> M.W. 126.11  | 87-66-1     | 11     | 25 gm  | 29072990 | 18  | 706<br>2247    |
| LA3836  | PYROGALLOL REAGENT solution, Liquid, d. 1.082   |             | 15     | 500 ml | 38220090 | 12  | 1007           |
| LA3837  | PYROGALLOL RED AR<br>C <sub>19</sub> H <sub>12</sub> O <sub>8</sub> S M.W. 400.36   | 32638-88-3  | 16     | 1 gm   | 29349900 | 18  | 1054           |
| LA3838  | PYRONIN B (C.I. No.45010)<br>Dye Content : Min. 30% C <sub>42</sub> H <sub>54</sub> Cl <sub>8</sub> Fe <sub>2</sub> N <sub>2</sub> O <sub>2</sub> M.W. 1042.22  | 2150-48-3   | 28     | 5 gm   | 32049000 | 18  | 1875           |
| LA3839  | PYRONIN G (Y) (M.S.) (C.I.No.45005)<br>Dye Content : Min. 75% C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> O M.W. 302.80  | 92-32-0     | 51     | 5 gm   | 32041900 | 18  | 3415           |
| LA3840  | PYRROL-2-CARBOXYLIC ACID 99%<br>C <sub>5</sub> H <sub>5</sub> NO <sub>2</sub> M.W 111.10  | 634-97-9    | 217    | 10 gm  | 29339900 | 18  | 14429<br>32465 |
| LA3841  | PYRROLIDINE 99% For Synthesis<br>C <sub>4</sub> H <sub>7</sub> N M.W. 71.12, Liquid, d. 0.86<br>PYRROLIDINE-1-DITHIOCARBOXYLIC ACID AMMONIUM SALT AR  | 123-75-1    | 37     | 250 ml | 29339900 | 18  | 2439<br>8825   |
| LA3842  | 2-PYRROLIDONE 98% For Synthesis<br>(2-pyrrolidone) C <sub>4</sub> H <sub>7</sub> NO M.W 85.10, Liquid, d. 1.12  | 616-45-5    | 28     | 500 ml | 29337900 | 18  | 1872<br>3549   |
|         |   |             | 53     | 1 Lt   |          |     | 8338           |
|         |   |             | 125    | 2.5 Lt |          |     |                |
| LA3843  | QUARTZ POWDER (Practical)<br>SiO <sub>2</sub> M.W 60.08   | 14808-60-7  | 17     | 500 gm | 25061020 | 5   | 1123           |
| LA3844  | QUARTZ POWDER (Purified)<br>SiO <sub>2</sub> M.W 60.08  | 14808-60-7  | 42     | 500 gm | 25061020 | 5   | 2800           |
| LA3845  | QUERCITIN 95% For Synthesis<br>C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> .xH <sub>2</sub> O M.W. 302.24 (anhydrous basis)<br><u>UN 2811 6.1/PG III</u>   | 849061-97-8 | 9      | 5 gm   | 29181190 | 18  | 612<br>1526    |
| LA3846  | QUINALDINE 98% For Synthesis<br>C <sub>10</sub> H <sub>9</sub> N M.W. 143.19, Liquid, d. 1.061  | 91-63-4     | 32     | 100 ml | 29339900 | 18  | 2144<br>9076   |
| LA3847  | QUINALDINE RED indicator<br>Dye Content : Min. 95% C <sub>21</sub> H <sub>23</sub> IN <sub>2</sub> M.W. 430.32  | 117-92-0    | 29     | 1 gm   | 29334990 | 18  | 1908<br>8110   |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3865  | <b>RESORCINOL 99% (flakes) LA 3905</b>  | 108-46-3   | 16     | 100 gm | 29072100 | 18  | 1064       |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11  |            | 38     | 250 gm |          |     | 2558       |
|         | <b>UN 2876 6.1 /PG III</b>  |            | 73     | 500 gm |          |     | 4862       |
|         |   |            | 658    | 5 Kg   |          |     | 43760      |
| LA3866  | <b>RESORCINOL 99% AR (flakes )</b>  | 108-46-3   | 18     | 100 gm | 29072100 | 18  | 1192       |
|         | C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110.11  |            | 42     | 250 gm |          |     | 2814       |
|         | <b>UN 2876 6.1 /PG III</b>  |            | 80     | 500 gm |          |     | 5346       |
| LA3867  | <b>L (+) RHAMNOSE 99% AR (For Biochemistry) (monohydrate)</b>                                       | 10030-85-0 | 8      | 5 gm   | 29400000 | 18  | 560        |
|         | (iso-dulcite) C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> ·H <sub>2</sub> O M.W 182.17            |            | 36     | 25 gm  |          |     | 2373       |
| LA3868  | <b>RHODAMINE B AR (M.S.)</b>  | 81-88-9    | 5      | 25 gm  | 32041342 | 18  | 334        |
|         | (C.I. No.45170)   |            | 15     | 100 gm |          |     | 1008       |
|         | Dye Content: Min. 85% C <sub>28</sub> H <sub>31</sub> ClN <sub>2</sub> O <sub>3</sub> M.W. 479.01   |            | 68     | 500 gm |          |     | 4532       |
| LA3869  | <b>RHODAMINE-6 G (C.I.No.45160)</b>   | 989-38-8   | 19     | 25 gm  | 32041300 | 18  | 1272       |
|         | Dye Content: Min. 99% C <sub>28</sub> H <sub>30</sub> N <sub>2</sub> O <sub>3</sub> HCl M.W. 479.02 |            | 51     | 100 gm |          |     | 3382       |
|         | <b>UN 2811 6.1/ PG III</b>  |            |        |        |          |     |            |
| LA3870  | <b>RHODANINE 97%</b>  | 141-84-4   | 86     | 25 gm  | 29341000 | 18  | 5698       |
|         | (rhodanic acid) C <sub>3</sub> H <sub>5</sub> S <sub>2</sub> NO M.W. 133.19                         |            | 326    | 100 gm |          |     | 21648      |
| LA3871  | <b>RHODIUM TRICHLORIDE 40% For Synthesis (ex Rh) (Rh 40%)</b>                                       | 13569-65-8 | 1354   | 1 gm   | 28439019 | 18  | 90038      |
|         | (trihydrate) RhCl <sub>3</sub> ·3H <sub>2</sub> O M.W. 263.31                                       |            |        |        |          |     |            |
|         | <b>UN 3260 8/PG III</b>   |            |        |        |          |     |            |
|         | RHODIZONIC ACID SODIUM SALT   |            |        |        |          |     |            |
|         | RIBITOL   |            |        |        |          |     |            |
| LA3872  | <b>RIBOFALVIN 99% For Biochemistry</b>  | 83-88-5    | 8      | 10 gm  | 29362990 | 18  | 561        |
|         | (Vitamin B2)  |            | 18     | 25 gm  |          |     | 1178       |
|         | C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub> M.W. 376.36                           |            | 67     | 100 gm |          |     | 4474       |
| LA3873  | <b>RIBOFALVIN 5'-MONOPHOSPHATE SODIUM SALT</b>  | 130-40-5   | 7      | 10 gm  | 29362390 | 18  | 450        |
|         | (Ribofl vin Sodium phosphate) ( <b>Store at 2-8°C</b> )   |            | 15     | 25 gm  |          |     | 1010       |
|         | C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> NaO <sub>9</sub> P M.W. 478.33                       |            | 61     | 100 gm |          |     | 4089       |
| LA3874  | <b>D (+) RIBOSE 99% For Biochemistry</b>  | 50-69-1    | 5      | 5 gm   | 29400000 | 18  | 306        |
|         | C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13   |            | 16     | 25 gm  |          |     | 1082       |
| LA3875  | <b>RIBONUCLEASE - A (Rnase-A)</b>   | 9001-99-4  | 126    | 100 mg | 35079099 | 18  | 8369       |
|         | (from bovin pancreas) M.W. 13700  |            | 441    | 500 mg |          |     | 29311      |
| LA3876  | <b>RIBONUCLEIC ACID (RNA)</b>   | 63231-63-0 | 48     | 25 gm  | 29349900 | 18  | 3184       |
|         |   |            | 184    | 100 gm |          |     | 12248      |
| LA3877  | <b>RIBONUCLEIC ACID SODIUM SALT For Biochemistry</b>  | 73049-77-1 | 51     | 10 gm  | 29349900 | 18  | 3414       |
|         |   |            | 116    | 25 gm  |          |     | 7690       |
| LA3878  | <b>RICE BRAN OIL Liquid, d. 0.919</b>   | 68553-81-1 | 43     | 500 ml | 15159040 | 5   | 2880       |
| LA3879  | <b>RICE STARCH (starch rice)</b>  | 9005-25-8  | 15     | 500 gm | 11081990 | 18  | 1024       |
|         | (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> )n   |            | 137    | 5 Kg   |          |     | 9108       |
| LA3880  | <b>RIFAMPICIN 97% For Biochemistry</b>  | 13292-46-1 | 24     | 5 gm   | 29339900 | 18  | 1574       |
|         | C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub> M.W. 822.94                          |            | 104    | 25 gm  |          |     | 6922       |
| LA3881  | <b>RINGER'S solution</b>  |            | 0      | 125 ml | 38220019 | 18  | 257        |
|         | Liquid, d. 1.00   |            | 0      | 500 ml |          |     | 764        |
|         | RNA   |            |        |        |          |     |            |
| LA3882  | <b>ROBERT'S REAGENT solution</b>  |            | 0      | 125 ml | 38220090 | 12  | 293        |
|         |   |            | 0      | 500 ml |          |     | 876        |
|         | <b>ROCHELLE SALT</b>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA3883  | p-ROSANILINE (base) (M.S.) (C.I. No.42500)                             | 467-62-9    | 22     | 25 gm  | 32041929 | 18  | 1467       |
|         | (pararosaniline) Dye Content: Min. 95% $C_{19}H_{19}N_3O$ M.W. 305.37  |             | 83     | 100 gm |          |     | 5504       |
| LA3884  | p-ROSANILINE HYDROCHLORIDE (M.S.) (C.I. No.42500)                      | 569-61-9    | 21     | 25 gm  | 32041299 | 18  | 1413       |
|         | (pararosaniline hydrochloride)   |             | 68     | 100 gm |          |     | 4538       |
|         | Dye Content: Min. 88% $C_{19}H_{18}ClN_3$ M.W. 323.82                  |             |        |        |          |     |            |
|         | ROSANILINE HYDROCHLORIDE   |             |        |        |          |     |            |
| LA3885  | ROSE BENGAL AR (C.I. No.45440)   | 632-69-9    | 29     | 25 gm  | 32041299 | 18  | 1929       |
|         | Dye Content Min. 95% $C_{20}H_{21}Cl_4I_4Na_2O_5$ M.W. 1017.64         |             | 100    | 100 gm |          |     | 6661       |
| LA3886  | ROSEMARY OIL Extra Pure Liquid, d. 0.908                               | 8000-25-7   | 27     | 100 ml | 33012990 | 18  | 1806       |
|         | <u>UN 1993 3/PG III</u>  |             | 130    | 500 ml |          |     | 8647       |
| LA3887  | ROSE OIL Extra Pure  | 8007-01-0   | 59     | 250 ml | 33012938 | 18  | 3894       |
|         | Liquid, d. 0.964   |             | 111    | 500 ml |          |     | 7395       |
|         | p-ROSOLIC ACID   |             |        |        |          |     |            |
| LA3888  | RUBEANIC ACID 98% AR   | 79-40-3     | 67     | 5 gm   | 29309099 | 18  | 4478       |
|         | (dithioxamide) $C_2H_4N_2S_2$ M.W. 120.20                              |             | 128    | 10 gm  |          |     | 8503       |
| LA3889  | RUBEANIC ACID solution   |             | 84     | 100 ml | 38220090 | 12  | 5564       |
|         | (dithioxamide solution) Liquid, d. 0.79-0.86                           |             |        |        |          |     |            |
| LA3890  | RUBIDIUM CHLORIDE 99.5% AR   | 7791-11-9   | 56     | 5 gm   | 28273990 | 18  | 3753       |
|         | RbCl M.W. 120.92   |             | 254    | 25 gm  |          |     | 16876      |
| LA3891  | RUTHENIUM OXIDE 99.5% (hydrate)  | 32740-79-7  | 107    | 1 gm   | 28439019 | 18  | 7118       |
|         | (Ru content 44%, hygroscopic)  |             |        |        |          |     |            |
|         | $RuO_2 \cdot xH_2O$ M.W. 133.07 (anhydr. basis)                        |             | 482    | 5 gm   |          |     | 32028      |
| LA3892  | RUTHENIUM RED 99% (Ru 34%)   | 11103-72-3  | 67     | 1 gm   | 28439019 | 18  | 4453       |
|         | $Cl_6H_{42}N_{14}O_2Ru_3$ M.W. 786.35                                  |             | 637    | 10 gm  |          |     | 42370      |
| LA3893  | RUTHENIUM RED SOLUTION   |             | 42     | 125 ml | 38220090 | 12  | 2803       |
| LA3894  | RUTHENIUM TRICHLORIDE (Ru 40%)   | 14898-67-0  | 65     | 1 gm   | 28439019 | 18  | 4354       |
|         | (Ru content about 40%) (anhydr. basis) $RuCl_3 \cdot xH_2O$ M.W 207.43 |             | 589    | 10 gm  |          |     | 39183      |
|         | <u>UN 3260 8/PG II</u>   |             |        |        |          |     |            |
| LA3895  | RUTHENIUM TRICHLORIDE (Ru 48%)   | 14898-67-0  | 97     | 1 gm   | 28439019 | 18  | 6477       |
|         | $RuCl_3 \cdot xH_2O$ M.W 207.43 (anhydr. basis)                        |             | 242    | 10 gm  |          |     | 16089      |
|         | <u>UN 3260 8/PG II</u>   |             |        |        |          |     |            |
| LA3896  | RUTIN 95% (trihydrate)   | 250249-75-3 | 17     | 25 gm  | 28439019 | 18  | 1122       |
|         | $C_{27}H_{30}O_{16} \cdot 3H_2O$ M.W. 664.56                           |             | 62     | 100 gm |          |     | 4098       |
|         |  |             |        |        |          |     |            |
| LA3897  | SACCHARIN INSOLUBLE 99%  | 81-07-2     | 44     | 500 gm | 29251100 | 18  | 2925       |
|         | $C_7H_5NO_3S$ M.W. 183.18  |             |        |        |          |     |            |
| LA3898  | SACCHARIN SODIUM 98% Extra Pure  | 82385-42-0  | 11     | 100 gm | 29251100 | 18  | 716        |
|         | $C_7H_4NNaO_3S \cdot xH_2O$ M.W. 205.17 (anhy basis)                   |             | 44     | 500 gm |          |     | 2929       |
| LA3899  | SAFRANINE 85% (M.S.) (C.I. No.50240)                                   | 477-73-6    | 11     | 25 gm  | 32041310 | 18  | 708        |
|         | $C_{20}H_{19}ClN_4$ M.W. 350.84  |             | 39     | 100 gm |          |     | 2613       |
| LA3900  | SAFRANINE alcoholic staining solution                                  |             | 3      | 125 ml | 38220090 | 12  | 187        |
|         |  |             | 5      | 250 ml |          |     | 348        |
| LA3901  | SAFRANINE SOLUTION AQUEOUS For Bacteriology                            |             | 2      | 125 ml | 32041310 | 18  | 121        |
|         |  |             | 3      | 250 ml |          |     | 224        |
| LA3902  | SAFRANINE 0.5% W/V SOLUTION (COUNTERSTAIN)                             |             | 2      | 125 ml | 38220090 | 12  | 112        |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA3903  | SAFRANINE STAIN (Gram's) staining solution                 |            | 3      | 125 ml | 38220090 | 12  | 204        |
|         |  |            | 8      | 500 ml |          |     | 560        |
| LA3904  | SLABUTAMOL HEMISULPHATE SALT 98%                           | 51022-70-9 | 152    | 5 gm   | 29225090 | 18  | 10091      |
|         | For Lab Use $C_{13}H_{21}NO_3 \cdot 1/2H_2SO_4$ M.W 288.35 |            | 520    | 25 gm  |          |     | 34580      |
| LA3905  | SALICIN 99% For Microbiology                               | 138-52-3   | 32     | 5 gm   | 29389090 | 18  | 2137       |
|         | $C_{13}H_{18}O_7$ M.W. 286.28                              |            | 128    | 25 gm  |          |     | 8533       |
| LA3906  | SALICYALLDEHYDE 99% For Synthesis, Liquid, d. 1.146        | 90-02-8    | 13     | 100 ml | 29122990 | 18  | 896        |
|         | (2-hydroxybenzaldehyde) $C_7H_6O_2$ M.W. 122.12            |            | 27     | 250 ml |          |     | 1820       |
| LA3907  | SALICYALLDOXIME 98% AR                                     | 94-67-7    | 13     | 5 gm   | 29122990 | 18  | 853        |
|         | (salicyAlldehyde oxime) $C_7H_7NO_2$ M.W. 137.14           |            | 58     | 25 gm  |          |     | 3841       |
| LA3908  | SALICYALMIDE 99% Extra Pure                                | 65-45-2    | 29     | 500 gm | 29242990 | 18  | 1916       |
|         | $C_7H_7NO_2$ M.W. 137.14                                   |            | 259    | 5 Kg   |          |     | 17239      |
| LA3909  | SALICYLIC ACID 99% Extra Pure                              | 69-72-7    | 15     | 500 gm | 29182110 | 18  | 996        |
|         | $C_7H_6O_3$ M.W. 138.12                                    |            | 144    | 5 Kg   |          |     | 9558       |
| LA3910  | SALICYLIC ACID 99.5% AR                                    | 69-72-7    | 16     | 500 gm | 29182110 | 18  | 1077       |
|         | $C_7H_6O_3$ M.W. 138.12                                    |            | 154    | 5 Kg   |          |     | 10244      |
|         | SALOL  |            |        |        |          |     |            |
| LA3911  | SAMARIUM (III) CARBONATE hydrate 99%                       | 38245-37-3 | 176    | 25 gm  | 29420090 | 18  | 11715      |
|         | $Sm_2(CO_3)_3 \cdot xH_2O$ M.W. 480.73 (anhydrous basis)   |            |        |        |          |     |            |
| LA3912  | SAMARIUM OXIDE 99.9% AR                                    | 12060-58-1 | 33     | 10 gm  | 28469090 | 18  | 2176       |
|         | $Sm_2O_3$ M.W. 348.72                                      |            | 68     | 25 gm  |          |     | 4548       |
| LA3913  | SANDAL WOOD OIL Extra Pure                                 | 8006-87-9  | 95     | 5 ml   | 33012937 | 18  | 6305       |
|         | Liquid, d. 0.974   |            | 316    | 25 ml  |          |     | 21035      |
|         |  |            | 976    | 100 ml |          |     | 64927      |
| LA3914  | SAPONIN  | 8047-15-2  | 17     | 25 gm  | 29389090 | 18  | 1111       |
|         | (purified)   |            | 59     | 100 gm |          |     | 3939       |
|         |  |            | 204    | 500 gm |          |     | 13550      |
| LA3915  | SAPONIN For Molecular Biology (from Plant)                 | 8047-15-2  | 99     | 100 gm | 29389090 | 18  | 6585       |
|         |  |            | 423    | 500 gm |          |     | 28145      |
| LA3916  | SASSAFRAS OIL Extra Pure Liquid, d. 1.09                   | 8006-80-2  | 216    | 500 ml | 33012990 | 18  | 14340      |
| LA3917  | SCANDIUM OXIDE 99.9% AR                                    | 12060-08-1 | 87     | 1 gm   | 28461010 | 18  | 5781       |
|         | (scandium (III) oxide) $Sc_2O_3$ M.W. 137.91               |            | 311    | 5 gm   |          |     | 20682      |
|         | SCARLET RED  |            |        |        |          |     |            |
| LA3918  | SCHIFF'S REAGENT solution, Liquid, d. 1.00                 |            | 3      | 125 ml | 38220090 | 12  | 186        |
|         | (feulgen solution)   |            | 7      | 500 ml |          |     | 484        |
| LA3919  | SCHULTEZE'S REAGENT solution                               |            | 25     | 125 ml | 38220090 | 12  | 1636       |
|         | (chlor-zinc-iodine solution)                               |            | 74     | 500 ml |          |     | 4909       |
| LA3920  | SEASAND (purified) (40-150 mesh)                           | 7631-86-9  | 68     | 1 Kg   | 25059000 | 5   | 4499       |
| LA3921  | SEBACIC ACID 98% For Synthesis                             | 111-20-6   | 26     | 500 gm | 29171300 | 18  | 1697       |
|         | $C_{10}H_{18}O_4$ M.W. 202.25                              |            |        |        |          |     |            |
| LA3922  | SELENIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid     |            | 20     | 125 ml | 38220090 | 12  | 1321       |
|         | Liquid, d. 1.0060  |            | 49     | 500 ml |          |     | 3273       |
|         | <u>UN 3264 8/ PG III</u>                                   |            |        |        |          |     |            |
| LA3923  | SELENIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid     |            | 124    | 125 ml | 38220090 | 12  | 8267       |
|         | Liquid, d. 1.0101  |            |        |        |          |     |            |
|         | <u>UN 3264 8/ PG III</u>                                   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA3924  | SELENIUM (Metal) PELLETS 99.99% (electronic grade)  | 7782-49-2   | 36     | 25 gm  | 28049000 | 18  | 2386       |
|         | Se M.W. 78.96   |             | 120    | 100 gm |          |     | 7962       |
|         | <u>UN 3288 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3925  | SELENIUM (Metal) POWDER 99%   | 7782-49-2   | 19     | 25 gm  | 28049000 | 18  | 1248       |
|         | Se M.W. 78.96   |             | 51     | 100 gm |          |     | 3358       |
|         | <u>UN 3288 6.1/PG III</u>   |             | 219    | 500 gm |          |     | 14577      |
| LA3926  | SELENIUM POWDER BLACK 99.5% AR  | 7782-49-2   | 21     | 25 gm  | 28049000 | 18  | 1423       |
|         | Se M.W. 78.96   |             | 54     | 100 gm |          |     | 3601       |
|         | <u>UN 3288 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3927  | SELENIUM DIOXIDE 99% (sublimed)   | 7446-08-4   | 50     | 100 gm | 28112990 | 18  | 3296       |
|         | SeO <sub>2</sub> M.W. 110.96  |             | 212    | 500 gm |          |     | 14115      |
|         | <u>UN 3283 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3928  | SELENIUM DISULPHIDE 94%   | 7488-56-4   | 51     | 100 gm | 28309010 | 18  | 3412       |
|         | (selenium sulphide) SeS <sub>2</sub> M.W. 143.09  |             | 216    | 500 gm |          |     | 14392      |
|         | <u>UN 2657 6.1/PG II</u>  |             |        |        |          |     |            |
| LA3929  | SELENOUS ACID 98%   | 7783-00-8   | 50     | 100 gm | 28111990 | 18  | 3300       |
|         | (selenious acid) H <sub>2</sub> SeO <sub>3</sub> M.W. 128.97                                    |             | 218    | 500 gm |          |     | 14519      |
|         | <u>UN 3283 6.1/PG II</u>  |             |        |        |          |     |            |
| LA3930  | SELIWANOFF'S REAGENT solution   |             | 3      | 125 ml | 38220090 | 12  | 224        |
|         |   |             | 10     | 500 ml |          |     | 671        |
| LA3931  | SEMENS DILUTING FLUID solution  |             | 3      | 125 ml | 38220090 | 12  | 170        |
|         | Liquid, d. 1.03   |             | 8      | 500 ml |          |     | 503        |
| LA3932  | SEMICARBAZIDE HYDROCHLORIDE 98% For Synthesis   | 563-41-7    | 10     | 100 gm | 29280090 | 18  | 675        |
|         | CH <sub>3</sub> N <sub>3</sub> O.HCl M.W. 111.53  |             | 48     | 500 gm |          |     | 3173       |
|         | <u>UN 2811 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3933  | SEMICARBAZIDE HYDROCHLORIDE 99.5% AR  | 563-41-7    | 12     | 100 gm | 29280090 | 18  | 769        |
|         | CH <sub>3</sub> N <sub>3</sub> O.HCl M.W. 111.53  |             | 51     | 500 gm |          |     | 3403       |
|         | <u>UN 2811 6.1/PG III</u>   |             |        |        |          |     |            |
| LA3934  | L-SERINE 99% For Biochemistry   | 56-45-1     | 3      | 5 gm   | 29225090 | 18  | 189        |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09                                       |             | 10     | 25 gm  |          |     | 680        |
|         |   |             | 38     | 100 gm |          |     | 2552       |
| LA3935  | DL-SERINE 99% (purified)  | 302-84-1    | 19     | 25 gm  | 29225090 | 18  | 1242       |
|         | C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09                                       |             | 72     | 100 gm |          |     | 4778       |
| LA3936  | D-SERINE 98%  | 312-84-5    | 65     | 5 gm   | 29225011 | 18  | 4311       |
|         | [(R)-2-amino-3-hydroxypropionic acid] C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 105.09 |             | 211    | 25 gm  |          |     | 14060      |
| LA3937  | SESAME OIL Extra Pure Liquid, d. 0.920  | 8008-74-0   | 28     | 500 ml | 15155010 | 5   | 1852       |
| LA3938  | SESAMOL 98% For Synthesis   | 533-31-3    | 95     | 50 gm  | 29329970 | 18  | 6321       |
|         | [3,4-(methylenedioxy)phenol] C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> M.W 138.12            |             | 366    | 250 gm |          |     | 24311      |
| LA3939  | SHARK LIVER OIL   |             | 78     | 250 ml | 15041010 | 18  | 5160       |
|         | Liquid, d. 0.910-0.930  |             | 148    | 500 ml |          |     | 9814       |
| LA3940  | SHELALC Flakes Extra Pure   | 9000-59-3   | 34     | 500 gm | 13019099 | 5   | 2290       |
|         |   |             | 310    | 5 Kg   | 13019099 |     | 20612      |
| LA3941  | SHORR'S Staining Solution, Liquid, d. 0.935   |             | 3      | 125 ml | 32049000 | 18  | 184        |
| LA3942  | SILICA GEL BLUE (6-20 mesh)   | 112926-00-8 | 9      | 500 gm | 38249025 | 18  | 597        |
|         | (course, self indicating)   |             | 161    | 10 Kg  |          |     | 10732      |
| LA3943  | SILICA GEL WHITE (6-20 mesh)  | 112926-00-8 | 8      | 500 gm | 38249025 | 18  | 542        |
|         | (course, self indicating)   |             | 146    | 10 Kg  |          |     | 9731       |
| LA3944  | SILICA GEL (60-120 mesh)  | 112926-00-8 | 10     | 500 gm | 38249025 | 18  | 657        |
|         | (for column chromatography)   |             | 86     | 5 Kg   |          |     | 5721       |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA3945  | SILICA GEL (100-200 mesh)<br>(for column chromatography)  | 112926-00-8 | 12     | 500 gm | 38249025 | 18  | 831        |
|         |   |             | 109    | 5 Kg   |          |     | 7217       |
| LA3946  | SILICA GEL (200-400 mesh)<br>(Special For Column Chromatography)  | 112926-00-8 | 13     | 500 gm | 38249025 | 18  | 868        |
|         | Particle size (200 - 400 mesh)  |             | 116    | 5 Kg   |          |     | 7699       |
| LA3947  | SILICA GEL (230-240 mesh)<br>(for column chromatography)  | 112926-00-8 | 14     | 500 gm | 38249025 | 18  | 905        |
|         |   |             | 121    | 5 Kg   |          |     | 8031       |
| LA3948  | SILICA GEL G for TLC<br>(with binder)   | 112926-00-8 | 11     | 500 gm | 38249025 | 18  | 748        |
|         |   |             | 101    | 5 Kg   |          |     | 6734       |
| LA3949  | SILICA GEL GF 254 for TLC (with binder)   | 112926-00-8 | 67     | 500 gm | 38249025 | 18  | 4467       |
| LA3950  | SILICA GEL 'H' for TLC (without binder)   | 112926-00-8 | 10     | 500 gm | 38249025 | 18  | 683        |
| LA3951  | SILICA GEL HF 254 for TLC (without binder)  | 112926-00-8 | 63     | 500 gm | 38249025 | 18  | 4196       |
| LA3952  | SILICA precipitated   |             | 7      | 250 gm | 38249025 | 18  | 469        |
| LA3953  | SILICIC ACID 99% (dried precipitated)<br>SiO <sub>2</sub> .xH <sub>2</sub> O M.W. 60.08   | 1343-98-2   | 7      | 500 gm | 28112200 | 18  | 483        |
| LA3954  | SILICON AAS STANDARD SOLUTION 1000mg/L in water<br>Liquid, d. 1.00  |             | 19     | 125 ml | 38220090 | 12  | 1259       |
|         |   |             | 46     | 500 ml |          |     | 3084       |
| LA3955  | SILICON ICP STANDARD SOLUTION, Liquid, d. 1.00  |             | 108    | 125 ml | 38220090 | 12  | 7211       |
| LA3956  | SILICON ANTIFOAMING AGENT (NONIONIC)  |             | 5      | 100 ml | 39100090 | 18  | 338        |
|         |   |             | 19     | 500 ml |          |     | 1241       |
| LA3957  | SILICON (Metal) POWDER 98.5% Extra Pure<br>Si M.W. 28.09  | 7440-21-3   | 47     | 500 gm | 28046900 | 18  | 3145       |
|         |   |             | 426    | 5 Kg   |          |     | 28307      |
|         | <u>UN 1346 4.1/PG III</u>   |             |        |        |          |     |            |
| LA3958  | SILICON DIOXIDE 99%<br>SiO <sub>2</sub> M.W. 60.08  | 14808-60-7  | 12     | 500 gm | 28112200 | 18  | 823        |
| LA3959  | SILICONE GREASE (high vaccum silicone grease)   |             | 6      | 50 gm  | 39100010 | 18  | 369        |
|         |   |             | 68     | 1 Kg   |          |     | 4496       |
| LA3960  | SILICONE OIL<br>(for oil baths upto 250°C)  | 63148-62-9  | 7      | 100 ml | 39100020 | 18  | 473        |
|         | [-Si(CH <sub>3</sub> ) <sub>2</sub> O-] <sub>n</sub> Liquid, d. 0.967   |             | 16     | 250 ml |          |     | 1078       |
|         |   |             | 28     | 500 ml |          |     | 1889       |
| LA3961  | SILICOTUNGSTIC ACID 99% AR<br>(dodeca-tungstosilicic acid) [H <sub>4</sub> (Si W <sub>3</sub> O <sub>10</sub> ) <sub>4</sub> ] <sub>x</sub> H <sub>2</sub> O M.W. 2878.29 | 12027-43-9  | 15     | 25 gm  | 28111990 | 18  | 1024       |
|         |   |             | 58     | 100 gm |          |     | 3829       |
| LA3962  | SILVER AAS STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.01   |             | 31     | 125 ml | 38220090 | 12  | 2030       |
|         |   |             | 52     | 500 ml |          |     | 3490       |
|         | <u>UN 3264 8/PG III</u>   |             |        |        |          |     |            |
| LA3963  | SILVER ICP STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.013  |             | 126    | 125 ml | 38220090 | 12  | 8349       |
|         |   |             |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>   |             |        |        |          |     |            |
| LA3964  | SILVER (Metal) POWDER 99.9%<br>Ag M.W. 107.87   | 7440-22-4   | 36     | 5 gm   | 71061000 | 3   | 2422       |
|         |   |             | 171    | 25 gm  |          |     | 11349      |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     | 39724      |
| A3965   | SILVER (Metal) WIRE 99.9%<br>Ag M.W. 107.8  | 7440-22-4   | 31     | 5 gm   | 71069210 | 3   | 2037       |
|         |   |             | 143    | 25 gm  |          |     | 9517       |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     | 34267      |
| LA3966  | SILVER ACETATE 98% For Synthesis<br>CH <sub>3</sub> COOAg M.W. 166.91   | 563-63-3    | 47     | 10 gm  | 28432900 | 18  | 3125       |
|         |   |             | 115    | 25 gm  |          |     | 7651       |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     | 25802      |
| LA3967  | SILVER BENZOATE 99% Extra Pure<br>C <sub>6</sub> H <sub>5</sub> CO <sub>2</sub> Ag M.W. 228.98  | 532-31-0    | 90     | 25 gm  | 28432900 | 18  | 5990       |
|         |   |             | 171    | 50 gm  |          |     | 11383      |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA3968  | SILVER BROMIDE 99% For Synthesis  | 7785-23-1   | 55     | 10 gm  | 28432900 | 18  | 3677       |
|         | AgBr M.W. 187.77  |             | 132    | 25 gm  |          |     | 8751       |
|         |   |             | 474    | 100 gm |          |     | 31508      |
| LA3969  | SILVER CARBONATE 99% Extra Pure   | 534-16-7    | 50     | 10 gm  | 28432900 | 18  | 3294       |
|         | Ag <sub>2</sub> CO <sub>3</sub> M.W. 275.75   |             | 120    | 25 gm  |          |     | 7958       |
|         | <u>UN 3077 9/PG III</u>   |             | 431    | 100 gm |          |     | 28650      |
| LA3970  | SILVER CHLORIDE 99% Extra Pure  | 7783-90-6   | 47     | 10 gm  | 28432900 | 18  | 3105       |
|         | AgCl M.W. 143.32  |             | 115    | 25 gm  |          |     | 7631       |
|         | <u>UN 3077 9/PG III</u>   |             | 391    | 100 gm |          |     | 25975      |
| LA3971  | SILVER CHROMATE 98% Extra Pure  | 7784-01-2   | 40     | 10 gm  | 28432900 | 18  | 2686       |
|         | Ag <sub>2</sub> CrO <sub>4</sub> M.W 331.73   |             | 126    | 25 gm  |          |     | 8387       |
|         | <u>UN 1479 5.1/PG II</u>  |             | 449    | 100 gm |          |     | 29866      |
| LA3972  | SILVER CITRATE Extra Pure   | 206986-90-5 | 24     | 5 gm   | 28432900 | 18  | 1584       |
|         | AgO <sub>2</sub> CCH <sub>2</sub> C(OH)(CO <sub>2</sub> Ag)CH <sub>2</sub> CO <sub>2</sub> Ag·xH <sub>2</sub> O M.W. 512.70 |             | 45     | 10 gm  |          |     | 3011       |
|         |   |             | 106    | 25 gm  |          |     | 7070       |
| LA3973  | SILVER CYANATE 98%  | 3315-16-0   | 27     | 5 gm   | 28432900 | 18  | 1771       |
|         | AgOCN M.W. 149.89   |             | 51     | 10 gm  |          |     | 3368       |
|         |   |             | 119    | 25 gm  |          |     | 7917       |
| LA3974  | SILVER DICHROMATE 98%   | 7784-02-3   | 25     | 5 gm   | 28432900 | 18  | 1671       |
|         | Ag <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> M.W. 431.76  |             | 48     | 10 gm  |          |     | 3177       |
|         |   |             | 112    | 25 gm  |          |     | 7465       |
| LA3975  | SILVER DIETHYL DITHIOCARBAMATE 99% AR   | 1470-61-7   | 24     | 5 gm   | 28432900 | 18  | 1584       |
|         | C <sub>5</sub> H <sub>10</sub> NS <sub>2</sub> Ag M.W. 256.14   |             | 109    | 25 gm  |          |     | 7251       |
| LA3976  | SILVER ESTIMATION PAPER   |             | 15     | 1 Pkt  | 38220090 | 12  | 1005       |
|         | (one Pkt. contains 100 leaves)  |             |        |        |          |     |            |
| LA3977  | SILVER FLUORIDE 98%   | 7775-41-9   | 32     | 5 gm   | 28432900 | 18  | 2136       |
|         | AgF M.W. 126.87   |             | 61     | 10 gm  |          |     | 4052       |
|         | <u>UN 3260 8/PG II</u>  |             | 146    | 25 gm  |          |     | 9719       |
| LA3978  | SILVER IODATE 95% Extra Pure  | 7783-97-3   | 59     | 10 gm  | 28432900 | 18  | 3917       |
|         | AgIO <sub>3</sub> M.W. 282.77   |             | 135    | 25 gm  |          |     | 8991       |
|         | <u>UN 1479 5.1/PG II</u>  |             | 470    | 100 gm |          |     | 31234      |
| LA3979  | SILVER IODIDE 99% Extra Pure  | 7783-96-2   | 39     | 10 gm  | 28432900 | 18  | 2587       |
|         | Agl M.W. 234.77   |             | 90     | 25 gm  |          | 18  | 5963       |
|         | <u>UN 3077 9/PG III</u>   |             | 323    | 100 gm |          | 18  | 21502      |
| LA3980  | SILVER ALCTATE 97%  | 128-00-7    | 32     | 5 gm   | 28432900 | 18  | 2113       |
|         | C <sub>3</sub> H <sub>5</sub> O <sub>3</sub> Ag M.W. 196.94   |             | 60     | 10 gm  |          |     | 4006       |
|         |   |             | 142    | 25 gm  |          |     | 9411       |
| LA3971  | SILVER NITRATE 99% Extra Pure   | 7761-88-8   | 33     | 10 gm  | 28432100 | 18  | 2195       |
|         | AgNO <sub>3</sub> M.W. 169.87   |             | 77     | 25 gm  |          |     | 5092       |
|         | <u>UN 1493 5.1 /PG II</u>   |             | 288    | 100 gm |          |     | 19139      |
|         |   |             | 1396   | 500 gm |          |     | 92829      |
| LA3972  | SILVER NITRATE 99.9% AR   | 7761-88-8   | 34     | 10 gm  | 28432100 | 18  | 2270       |
|         | (reagent for arsenic)   |             | 79     | 25 gm  |          |     | 5223       |
|         | AgNO <sub>3</sub> M.W. 169.87   |             | 305    | 100 gm |          |     | 20262      |
|         | <u>UN 1493 5.1 /PG II</u>   |             | 1478   | 500 gm |          |     | 98261      |
| LA3973  | SILVER NITRATE 99% For Molecular Biology  | 7761-88-8   | 38     | 10 gm  | 28432100 | 18  | 2502       |
|         | AgNO <sub>3</sub> M.W. 169.87   |             | 87     | 25 gm  |          |     | 5752       |
|         | <u>UN 1493 5.1 /PG II</u>   |             | 335    | 100 gm |          |     | 22295      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA3974  | SILVER NITRATE N/10 solution  |            | 8      | 100 ml | 38220090 | 12  | 545        |
|         | Liquid, d. 1.015  |            | 37     | 500 ml |          |     | 2461       |
|         | <u>UN 3082 9 /PG III</u>  |            |        |        |          |     |            |
| LA3975  | SILVER NITRATE 0.05N Standardized Volumetric Solution                     |            | 4      | 100 ml | 38220090 | 12  | 286        |
|         | Liquid, d. 1.01   |            | 20     | 500 ml |          |     | 1336       |
|         | <u>UN 3082 9 /PG III</u>  |            |        |        |          |     |            |
| LA3976  | SILVER NITRATE 1N (1M) Standardized Volumetric Solution                   |            | 49     | 100 ml | 38220090 | 12  | 3230       |
|         | Liquid, d. 1.014  |            | 218    | 500 ml |          |     | 14528      |
| LA3977  | SILVER NITRATE 0.01M (0.01N) Standardized Solution                        |            | 4      | 100 ml | 38220090 | 12  | 268        |
|         | Liquid, d. 1.00   |            | 17     | 500 ml |          |     | 1124       |
| LA3978  | SILVER NITRATE 0.5M (0.5N) Standardized Solution                          |            | 26     | 100 ml | 38220090 | 12  | 1740       |
|         | Liquid, d. 1.00   |            | 118    | 500 ml |          |     | 7853       |
| LA3979  | SILVER NITRATE N/50 solution  |            | 3      | 100 ml | 38220090 | 12  | 227        |
|         | (silver nitrate 0.02N solution) Liquid, d. 1.015                          |            | 15     | 500 ml |          |     | 993        |
| LA3980  | SILVER NITRATE 0.1 mol/L (0.1N) SOLUTION For 500 ml solution              |            | 150    | 4 Amp  | 38220090 | 12  | 9966       |
|         | (2x2 amps. Of set in a box)   |            |        |        |          |     |            |
| LA3981  | SILVER NITRITE 99% Extra Pure   | 7783-99-5  | 71     | 10 gm  | 28432900 | 18  | 4701       |
|         | AgNO <sub>2</sub> M.W. 153.87   |            | 166    | 25 gm  |          |     | 11040      |
|         | <u>UN 2627 5.1/PG II</u>  |            | 631    | 100 gm |          |     | 41935      |
| LA3982  | SILVER OXALATE 98%  | 533-51-7   | 29     | 5 gm   | 28432900 | 18  | 1899       |
|         | Ag <sub>2</sub> C <sub>2</sub> O <sub>4</sub> M.W. 303.75                 |            | 54     | 10 gm  |          |     | 3610       |
|         | <u>3288 6.1/PG III</u>  |            | 129    | 25 gm  |          |     | 8594       |
| LA3983  | SILVER OXIDE 97% Extra Pure   | 20667-12-3 | 55     | 10 gm  | 28432900 | 18  | 3670       |
|         | Ag <sub>2</sub> O M.W. 231.74   |            | 115    | 25 gm  |          |     | 7628       |
|         | <u>UN 1479 5.1/PG I</u>   |            | 447    | 100 gm |          |     | 29745      |
|         |   |            | 2192   | 500 gm |          |     | 145764     |
| LA3984  | SILVER PASTE  | 7440-22-4  | 88     | 25 gm  | 32073000 | 18  | 5853       |
|         | Silver Content : NMT 60% Ag M.W. 107.87                                   |            |        |        |          |     |            |
| LA3985  | SILVER PERCHLORATE 99.9% Extra Pure (monohydrate)                         | 14242-05-8 | 56     | 10 gm  | 28432900 | 18  | 3722       |
|         | AgClO <sub>4</sub> ·H <sub>2</sub> O M.W. 225.33                          |            | 134    | 25 gm  |          |     | 8933       |
|         | <u>UN 1481 5.1/PG II</u>  |            |        |        |          |     |            |
| LA3986  | SILVER PERMANGANATE 98%   | 7783-98-4  | 30     | 5 gm   | 28416100 | 18  | 2014       |
|         | AgMnO <sub>4</sub> M.W. 226.80  |            | 58     | 10 gm  |          |     | 3829       |
|         | <u>UN 1482 5.1/PG II</u>  |            | 138    | 25 gm  |          |     | 9176       |
| LA3987  | SILVER PHOSPHATE (ortho) 98% Extra Pure                                   | 7784-09-0  | 55     | 10 gm  | 28432900 | 18  | 3683       |
|         | Ag <sub>3</sub> PO <sub>4</sub> M.W. 418.58                               |            | 132    | 25 gm  |          |     | 8757       |
|         | <u>UN 3077 9/PG III</u>   |            | 500    | 100 gm |          |     | 33280      |
| LA3988  | SILVER PICRATE 98%  | 146-84-9   | 23     | 5 gm   | 28432900 | 18  | 1521       |
|         | C <sub>6</sub> H <sub>2</sub> AgN <sub>3</sub> O <sub>7</sub> M.W. 335.96 |            | 43     | 10 gm  |          |     | 2890       |
|         |   |            | 105    | 25 gm  |          |     | 6995       |
| LA3989  | SILVER PROTEINATE (mild)  | 9015-51-4  | 55     | 10 gm  | 28432900 | 18  | 3690       |
|         | For Histology (Labumose silver, protarol)                                 |            | 119    | 25 gm  |          |     | 7933       |
|         | <u>UN 3264 8/PG III</u>   |            | 447    | 100 gm |          |     | 29742      |
| LA3990  | SILVER SULPHATE 98.5% Extra Pure (purified)                               | 10294-26-5 | 36     | 10 gm  | 28432900 | 18  | 2384       |
|         | Ag <sub>2</sub> SO <sub>4</sub> M.W. 311.80                               |            | 80     | 25 gm  |          |     | 5337       |
|         | <u>UN 3077 9/PG III</u>   |            | 313    | 100 gm |          |     | 20809      |
|         |   |            | 1538   | 500 gm |          |     | 102297     |

| CAT No. | PRODUCT NAME   | CAS No.           | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------------|--------|--------|----------|-----|------------|
| LA3991  | <b>SILVER SULPHATE 99% AR</b>                                    | <b>10294-26-5</b> | 38     | 10 gm  | 28432900 | 18  | 2502       |
|         | Ag <sub>2</sub> SO <sub>4</sub> M.W. 311.80                      |                   | 86     | 25 gm  |          |     | 5707       |
|         | <b>UN 3077 9/PG III</b>  |                   | 319    | 100 gm |          |     | 21223      |
| LA3992  | <b>SILVER SULPHIDE 99.9% Extra Pure</b>                          | <b>21548-73-2</b> | 56     | 10 gm  | 28432900 | 18  | 3749       |
|         | Ag <sub>2</sub> S M.W 247.80                                     |                   | 133    | 25 gm  |          |     | 8868       |
|         |  |                   | 517    | 100 gm |          |     | 34406      |
| LA3993  | <b>SILVER THIOCYANATE 98%</b>                                    | <b>1701-93-5</b>  | 24     | 5 gm   | 28432900 | 18  | 1564       |
|         | AgSCN M.W. 165.95  |                   | 44     | 10 gm  |          |     | 2956       |
|         | <b>UN 3077 9/PG III</b>  |                   | 107    | 25 gm  |          |     | 7118       |
| LA3994  | <b>SILVER THIOSULPHATE SOLUTION</b>                              |                   | 17     | 100 ml | 38220090 | 12  | 1134       |
|         | (Plant culture tested) ( <b>Store at 2-8°C</b> )                 |                   |        |        |          |     |            |
| LA3995  | <b>SILVER VANADATE 98% Extra Pure</b>                            | <b>13497-94-4</b> | 54     | 10 gm  | 28419000 | 18  | 3563       |
|         | AgVO <sub>3</sub> M.W 206.81                                     |                   | 128    | 25 gm  |          |     | 8535       |
|         | <b>UN 3285 6.1/PG III</b>  |                   | 500    | 100 gm |          |     | 33275      |
| LA3996  | <b>SILYMARIN</b>   | <b>65666-07-1</b> | 97     | 25 gm  | 29329900 | 18  | 6474       |
|         |  |                   | 365    | 100 gm |          |     | 24249      |
| LA3997  | <b>SKIM MILK POWDER For Microbiology</b>                         |                   | 19     | 500 gm | 04021090 | 5   | 1233       |
| LA3998  | <b>SMITH'S REAGENT</b>   |                   | 2      | 250 ml | 38220090 | 12  | 163        |
| LA3999  | <b>SODA LIME (granulars)</b>                                     | <b>8006-28-8</b>  | 8      | 500 gm | 38249090 | 18  | 506        |
|         | (for absorbing carbon dioxide)                                   |                   | 67     | 5 Kg   |          |     | 4429       |
|         | <b>UN 1907 8/PG III</b>  |                   |        |        |          |     |            |
| LA4001  | <b>SODA LIME AR (with indicator)</b>                             | <b>8006-28-8</b>  | 8      | 500 gm | 38249090 | 18  | 542        |
|         | <b>UN 1907 8/PG III</b>  |                   | 71     | 5 Kg   |          |     | 4750       |
| LA4002  | <b>SODAMIDE 98.5%</b>  | <b>7782-92-5</b>  | 31     | 100 gm | 28530099 | 18  | 2039       |
|         | NaNH <sub>2</sub> M.W. 39.01                                     |                   | 135    | 500 gm |          |     | 8994       |
|         | <b>UN 1390 4.3/ PG II</b>  |                   |        |        |          |     |            |
| LA4003  | <b>SODIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid</b>     |                   | 26     | 125 ml | 38220090 | 12  | 1734       |
|         | Liquid, d. 0.11  |                   | 51     | 500 ml |          |     | 3365       |
|         | <b>UN 3264 8/PG III</b>  |                   |        |        |          |     |            |
| LA4004  | <b>SODIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid</b>      |                   | 90     | 125 ml | 38220090 | 12  | 6000       |
|         | Liquid, d. 1.011   |                   |        |        |          |     |            |
|         | <b>UN 3264 8/PG III</b>  |                   |        |        |          |     |            |
| LA4005  | <b>SODIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid</b>     |                   | 217    | 125 ml | 38220090 | 12  | 14449      |
|         | <b>UN 2031 8/ PG II</b>  |                   |        |        |          |     |            |
| LA4006  | <b>SODIUM (Metal) LUMPS 98%</b>                                  | <b>7440-23-5</b>  | 3      | 25 gm  | 28051100 | 18  | 222        |
|         | (coated with liquid paraffin) Na M. W. 22.99                     |                   | 8      | 100 gm |          |     | 520        |
|         | <b>UN 1428 4.3/PGI</b>   |                   | 21     | 500 gm |          |     | 1387       |
| LA4007  | <b>SODIUM (Metal) LUMPS 98% AR (coated with liquid paraffin)</b> | <b>7440-23-5</b>  | 9      | 100 gm | 28051100 | 18  | 568        |
|         | Na M. W. 22.99   |                   | 23     | 500 gm |          |     | 1515       |
|         | <b>UN 1428 4.3/PGI</b>   |                   |        |        |          |     |            |
| LA4008  | <b>SODIUM ACETATE 98% (anhydrous)</b>                            | <b>127-09-3</b>   | 8      | 500 gm | 29152990 | 18  | 514        |
|         | CH <sub>3</sub> COONa M.W. 82.03                                 |                   | 60     | 5 Kg   |          |     | 4015       |
| LA4009  | <b>SODIUM ACETATE 99% AR (anhydrous)</b>                         | <b>127-09-3</b>   | 10     | 500 gm | 29152990 | 18  | 676        |
|         | CH <sub>3</sub> COONa M.W. 82.03                                 |                   | 85     | 5 Kg   |          |     | 5682       |
| LA4010  | <b>SODIUM ACETATE 99% For Molecular Biology (anhydrous)</b>      | <b>127-09-3</b>   | 8      | 100 gm | 29152990 | 18  | 507        |
|         | C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> Na M.W. 82.03       |                   | 29     | 500 gm |          |     | 1899       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD         | UNIT                    | HS CODE  | GST | PRICE(INR)           |
|---------|--|------------|----------------|-------------------------|----------|-----|----------------------|
| LA4052  | SODIUM ACETATE 99% (trihydrate)<br>(purified crystals)<br>CH <sub>3</sub> COONa.3H <sub>2</sub> O M.W. 136.08                            | 6131-90-4  | 5<br>38<br>328 | 500 gm<br>5 Kg<br>50 kg | 29152990 | 18  | 338<br>2495<br>21830 |
| LA4053  | SODIUM ACETATE 99.5% AR (For Molecular Biology) (trihydrate)<br>CH <sub>3</sub> COONa.3H <sub>2</sub> O M.W. 136.08                      | 6131-90-4  | 6              | 500 gm                  | 29152990 | 18  | 411                  |
| LA4054  | SODIUM ALGINATE 91-106% Extra Pure (C <sub>6</sub> H <sub>7</sub> O <sub>6</sub> Na)<br>(sodium polymannuronate)                         | 9005-38-3  | 32<br>290      | 500 gm<br>5 Kg          | 39131010 | 18  | 2145<br>19304        |
| LA4055  | SODIUM ALGINATE For Molecular Biology<br>(C <sub>6</sub> H <sub>7</sub> O <sub>6</sub> Na)   | 9005-38-3  | 25<br>92       | 100 gm<br>500 gm        | 39131010 | 18  | 1635<br>6128         |
| LA4056  | SODIUM ARSENATE 98.5% AR (heptahydrate)<br>(di-sodium hydrogen arsenate) Na <sub>2</sub> HAsO <sub>4</sub> .7H <sub>2</sub> O M.W 312.01 | 10048-95-0 | 17<br>41       | 100 gm<br>250 gm        | 28429010 | 18  | 1135<br>2698         |
|         | <u>UN 1685 6.1/PG II</u>   |            | 77             | 500 gm                  |          |     | 5128                 |
| LA4057  | SODIUM ARSENITE 99% AR (anhydrous)<br>NaAsO <sub>2</sub> M.W. 129.91   | 7784-46-5  | 29<br>72       | 100 gm<br>250 gm        | 28429090 | 18  | 1926<br>4755         |
|         | <u>UN 2027 6.1/PGII</u>  |            | 132            | 500 gm                  |          |     | 8757                 |
| LA4058  | SODIUM ARSENITE 0.1N (N/10) AR Volumetric Solution<br>Liquid, d. 1.00  |            | 12             | 500 ml                  | 38220090 | 12  | 790                  |
| LA4059  | SODIUM ARSENITE 0.05M (0.1N) Standardized Solution<br>Liquid, d. 1.005   |            | 8              | 500 ml                  | 38220090 | 12  | 529                  |
| LA4060  | SODIUM ARSENITE 0.005M (0.01N) Standardized Solution   |            | 8              | 500 ml                  | 38220090 | 12  | 530                  |
| LA4061  | SODIUM ARSENITE 0.15M (0.3N) Standardized Solution   |            | 8              | 500 ml                  | 38220090 | 12  | 531                  |
| LA4062  | SODIUM L (+) ASCORBATE 99%<br>(ascorbic acid sodium salt) C <sub>6</sub> H <sub>7</sub> NaO <sub>6</sub> M.W. 198.11                     | 134-03-2   | 10<br>45       | 100 gm<br>500 gm        | 29362700 | 18  | 657<br>3019          |
| LA4063  | SODIUM AZIDE 99%<br>NaN <sub>3</sub> M.W. 65.01  | 26628-22-8 | 11<br>45       | 100 gm<br>500 gm        | 28500030 | 18  | 751<br>3011          |
|         | <u>UN 1687 6.1/PG II</u>   |            |                |                         |          |     |                      |
| LA4064  | SODIUM AZIDE 99.5% AR<br>NaN <sub>3</sub> M.W. 65.01   | 26628-22-8 | 12<br>49       | 100 gm<br>500 gm        | 28500030 | 18  | 823<br>3241          |
|         | <u>UN 1687 6.1/PG II</u>   |            |                |                         |          |     |                      |
| LA4065  | SODIUM AZIDE 99.5% For Molecular Biology<br>NaN <sub>3</sub> M.W. 65.01  | 26628-22-8 | 17<br>68       | 100 gm<br>500 gm        | 28500030 | 18  | 1111<br>4554         |
|         | <u>UN 1687 6.1/PG II</u>   |            |                |                         |          |     |                      |
| LA4066  | SODIUM BENZOATE 99% Extra Pure<br>C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.10  | 532-32-1   | 8<br>68<br>308 | 500 gm<br>5 Kg<br>25 Kg | 29163140 | 18  | 531<br>4545<br>20461 |
| LA4067  | SODIUM BENZOATE 99.5% AR<br>C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.10  | 532-32-1   | 10             | 500 gm                  | 29163140 | 18  | 672                  |
| LA4068  | SODIUM BICARBONATE 99.5-101%<br>(sodium hydrogen carbonate)<br>NaHCO <sub>3</sub> M.W. 84.01   | 144-55-8   | 4<br>27<br>246 | 500 gm<br>5 Kg<br>50 Kg | 28363000 | 18  | 286<br>1815<br>16329 |
| LA4069  | SODIUM BICARBONATE 99.5% AR<br>(sodium hydrogen carbonate) NaHCO <sub>3</sub> M.W. 84.01   | 144-55-8   | 5<br>32        | 500 gm<br>5 Kg          | 28363000 | 18  | 324<br>2138          |
| LA4070  | SODIUM BICARBONATE 99.7% For Molecular Biology<br>NaHCO <sub>3</sub> M.W. 84.01  | 144-55-8   | 4<br>14        | 100 gm<br>500 gm        | 28363000 | 18  | 257<br>908           |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4071  | SODIUM BIFLUORIDE 98%<br>(sodium hydrogen fluoride) NaHF <sub>2</sub> M.W 61.99  | 1333-83-1  | 21     | 500 gm | 28261910 | 18  | 1423       |
|         | <u>UN 2439 8/PG II</u>   |            |        |        |          |     |            |
| LA4072  | SODIUM BISELENITE 98%<br>(sodium hydrogen selenite) NaHSeO <sub>3</sub> M.W. 150.96  | 7782-82-3  | 56     | 100 gm | 28419000 | 18  | 3693       |
|         | <u>UN 2630 6.1/PG I</u>  |            |        |        |          |     |            |
| LA4073  | SODIUM BISMUTHATE 85%<br>NaBiO <sub>3</sub> M.W. 279.97  | 12232-99-4 | 28     | 100 gm | 28419000 | 18  | 1893       |
|         |  |            | 114    | 500 gm |          |     | 7572       |
| LA4084  | SODIUM BISMUTHATE 85% AR<br>NaBiO <sub>3</sub> M.W. 279.97   | 12232-99-4 | 31     | 100 gm | 28419000 | 18  | 2033       |
|         |  |            | 125    | 500 gm |          |     | 8338       |
| LA4075  | SODIUM BISULPHATE 98% (monohydrate)<br>(sodium hydrogen sulphate) NaHSO <sub>4</sub> .H <sub>2</sub> O M.W. 138.07               | 10034-88-5 | 7      | 500 gm | 28331910 | 18  | 450        |
|         |  |            | 59     | 5 Kg   |          |     | 3917       |
| LA4076  | SODIUM BISULPHATE 99% AR (monohydrate)<br>(sodium hydrogen sulphate) NaHSO <sub>4</sub> .H <sub>2</sub> O M.W. 138.07            | 10034-88-5 | 8      | 500 gm | 28331910 | 18  | 543        |
|         |  |            |        |        |          |     |            |
| LA4077  | SODIUM BISULPHITE<br>(sodium acid sulphite) NaHSO <sub>3</sub> M.W. 104.06   | 7631-90-5  | 5      | 500 gm | 28321010 | 18  | 329        |
|         |  |            | 41     | 5 Kg   |          |     | 2724       |
| LA4078  | SODIUM BISULPHITE AR<br>(sodium acid sulphite) NaHSO <sub>3</sub> M.W. 104.06  | 7631-90-5  | 8      | 500 gm | 28321010 | 18  | 548        |
|         |  |            |        |        |          |     |            |
| LA4079  | SODIUM BITARTRATE 98% Extra Pure<br>C <sub>4</sub> H <sub>5</sub> NaO <sub>6</sub> .H <sub>2</sub> O M.W. 190.08                 | 526-94-3   | 25     | 500 gm | 29181390 | 18  | 1666       |
|         |  |            |        |        |          |     |            |
| LA4080  | SODIUM BOROHYDRIDE 98%<br>NaBH <sub>4</sub> M.W. 37.83   | 16940-66-2 | 29     | 100 gm | 28500010 | 18  | 1919       |
|         | <u>UN 1426 4.3 /PG I</u>   |            | 141    | 500 gm |          |     | 9398       |
| LA4081  | SODIUM BROMATE 99% Extra Pure<br>NaBrO <sub>3</sub> M.W. 150.89  | 7789-38-0  | 24     | 500 gm | 28299020 | 18  | 1590       |
|         | <u>UN 1494 5.1/PG II</u>   |            |        |        |          |     |            |
| LA4082  | SODIUM BROMIDE 99% Extra Pure<br>NaBr M.W. 102.90  | 7647-15-6  | 16     | 500 gm | 28275110 | 18  | 1090       |
|         |  |            | 148    | 5 Kg   |          |     | 9812       |
|         |  |            | 664    | 25 Kg  |          |     | 44162      |
| LA4083  | SODIUM BROMIDE 99.5% AR<br>NaBr M.W. 102.90  | 7647-15-6  | 20     | 500 gm | 28275110 | 18  | 1299       |
|         |  |            |        |        |          |     |            |
| LA4085  | SODIUM tert-BUTOXIDE 98%<br>(sodium tert-butylate) C <sub>5</sub> H <sub>9</sub> NaO M.W. 96.11                                  | 865-48-5   | 11     | 100 gm | 29051990 | 18  | 708        |
|         | <u>UN 3206 4.2 (8)/PG II</u>   |            | 45     | 500 gm |          |     | 3012       |
| LA4086  | SODIUM CACODYALTE 98% For Molecular Biology<br>(CH <sub>3</sub> ) <sub>2</sub> AsO <sub>2</sub> Na.3H <sub>2</sub> O M.W. 214.03 | 6131-99-3  | 137    | 25 gm  | 29319090 | 18  | 9112       |
|         | <u>UN 1688 6.1/PG II</u>   |            | 507    | 100 gm |          |     | 33715      |
| LA4087  | SODIUM CARBONATE 98% (anhydrous)<br>(practical) (powder)   | 497-19-8   | 5      | 500 gm | 28362010 | 18  | 325        |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W 105.99   |            | 37     | 5 Kg   |          |     | 2458       |
| LA4088  | SODIUM CARBONATE 99.5% Extra Pure (anhydrous)<br>(purified granulars)  | 497-19-8   | 6      | 500 gm | 28362010 | 18  | 409        |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W 105.99   |            | 51     | 5 Kg   |          |     | 3408       |
|         |  |            | 461    | 50 Kg  |          |     | 30667      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4089  | SODIUM CARBONATE 99.9% AR (anhydrous) (granulars)   | 497-19-8   | 7      | 500 gm | 28362010 | 18  | 469        |
|         | Na <sub>2</sub> CO <sub>3</sub> M.W 105.99  |            | 44     | 5 Kg   |          |     | 2956       |
| LA4090  | SODIUM CARBONATE 99.9% AR (monohydrate)   | 5968-11-6  | 7      | 500 gm | 28362000 | 18  | 449        |
|         | Na <sub>2</sub> CO <sub>3</sub> .H <sub>2</sub> O M.W. 124.00                               |            | 54     | 5 Kg   |          |     | 3597       |
| LA4091  | SODIUM CARBONATE 99% (decahydrate)  | 6132-02-1  | 14     | 500 gm | 28362090 | 18  | 907        |
|         | Na <sub>2</sub> CO <sub>3</sub> .10H <sub>2</sub> O M.W. 286.14                             |            |        |        |          |     |            |
| LA4092  | SODIUM CARBONATE 0.05 Mol/L (0.1N) Volumetric Solution                                      |            | 2      | 500 ml | 38220090 | 12  | 122        |
|         | Liquid, d. 1.1  |            |        |        |          |     |            |
| LA4093  | SODIUM CARBONATE 0.05M (0.1N) Standardized Solution   |            | 8      | 500 ml | 38220090 | 12  | 534        |
|         | Liquid, d. 1.1  |            |        |        |          |     |            |
| LA4094  | SODIUM CARBONATE 0.5M (1N) Standardized Solution  |            | 8      | 500 ml | 38220090 | 12  | 535        |
|         | Liquid, d. 1.03   |            |        |        |          |     |            |
| LA4095  | SODIUM CARBONATE 0.05 mol/L (0.1N) SOLUTION For 500 ml                                      |            | 12     | 4 Amp  | 38220090 | 12  | 788        |
|         | (2x2 amps. Of set in a box)   |            |        |        |          |     |            |
| LA4096  | SODIUM CHLORIDE 99.5% Extra Pure  | 7647-14-5  | 4      | 500 gm | 25010090 | NIL | 241        |
|         | NaCl M.W. 58.44   |            | 29     | 5 Kg   |          |     | 1919       |
|         |   |            | 245    | 50 Kg  |          |     | 16307      |
| LA4097  | SODIUM CHLORIDE 99.9% AR  | 7647-14-5  | 4      | 500 gm | 25010090 | NIL | 291        |
|         | NaCl M.W. 58.44   |            | 33     | 5 Kg   |          |     | 2207       |
|         |   |            | 149    | 25 Kg  |          |     | 9937       |
| LA4098  | SODIUM CHLORIDE 99.5% For Molecular Biology   | 7647-14-5  | 12     | 500 gm | 25010090 | NIL | 785        |
|         | NaCl M.W. 58.44   |            | 22     | 1 Kg   |          |     | 1447       |
| LA4099  | SODIUM CHLORIDE 0.85% (Physiological Saline), Liquid, d. 1.08                               |            | 3      | 1 Lt   | 30049099 | 18  | 172        |
| LA4000  | SODIUM CHLORIDE 0.05M (0.05N) Standardized Solution   |            | 6      | 500 ml | 38220090 | 12  | 401        |
|         |   |            |        |        |          |     |            |
| LA4101  | SODIUM CHLORIDE 0.1M (0.1N), Standardized Solution  |            | 6      | 500 ml | 38220090 | 12  | 403        |
|         | Liquid, d. 1.08   |            |        |        |          |     |            |
| LA4102  | SODIUM CHLORIDE 1M (1N) Standardized Solution   |            | 6      | 500 ml | 38220090 | 12  | 404        |
|         |   |            |        |        |          |     |            |
| LA4103  | SODIUM CHLORITE 80%   | 7758-19-2  | 9      | 250 gm | 28289030 | 18  | 587        |
|         | NaClO <sub>2</sub> M.W. 90.44   |            | 31     | 1 Kg   |          |     | 2036       |
|         | <u>UN 1496 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4104  | SODIUM CHAOLTE 98-101% For Biochemistry   | 361-09-1   | 34     | 25 gm  | 29181990 | 18  | 2276       |
|         | C <sub>24</sub> H <sub>39</sub> NaO <sub>5</sub> M.W. 430.56                                |            | 120    | 100 gm |          |     | 7968       |
| LA4105  | SODIUM CHROMATE 99% (tetrahydrate)  | 10034-82-9 | 12     | 500 gm | 28415010 | 18  | 789        |
|         | Na <sub>2</sub> CrO <sub>4</sub> .4H <sub>2</sub> O M.W. 234.07                             |            |        |        |          |     |            |
| LA4106  | SODIUM CHROMATE 99% AR (tetrahydrate)   | 10034-82-9 | 10     | 500 gm | 28415010 | 18  | 676        |
|         | Na <sub>2</sub> CrO <sub>4</sub> .4H <sub>2</sub> O M.W. 234.07                             |            |        |        |          |     |            |
| LA4107  | tri-SODIUM CITRATE 98% Extra Pure (dihydrate)   | 6132-04-3  |        | 500 gm | 29181520 | 18  |            |
|         | (tri-sodium citrate-2-hydrate)  |            | 86     | 5 Kg   |          |     | 5693       |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> .2H <sub>2</sub> O M.W. 294.10 |            | 385    | 25 Kg  |          |     | 25622      |
| LA4108  | tri-SODIUM CITRATE 99% AR (dihydrate)   | 6132-04-3  | 13     | 500 gm | 29181520 | 18  | 896        |
|         | (tri-sodium citrate-2-hydrate)  |            | 115    | 5 Kg   |          |     | 7623       |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> .2H <sub>2</sub> O M.W. 294.10 |            | 498    | 25 Kg  |          |     | 33149      |
| LA4109  | tri-SODIUM CITRATE 99% For Molecular Biology (dihydrate)                                    | 6132-04-3  | 21     | 500 gm | 29181520 | 18  | 1424       |
|         | C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> .2H <sub>2</sub> O M.W. 294.10 |            |        |        |          |     |            |
| LA4110  | SODIUM CITRATE 3.8% solution  |            |        | 500 ml | 29181520 | 18  | 144        |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4111  | SODIUM COBALTINITRITE   | 13600-98-1 | 37     | 100 gm | 28429090 | 18  | 2487       |
|         | Na <sub>3</sub> Co(NO <sub>2</sub> ) <sub>6</sub> M.W. 403.94   |            | 165    | 500 gm |          |     | 10948      |
|         | <u>UN 1479 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4112  | SODIUM COBALTINITRITE 95% AR  | 13600-98-1 | 41     | 100 gm | 28429090 | 18  | 2718       |
|         | Na <sub>3</sub> Co(NO <sub>2</sub> ) <sub>6</sub> M.W. 403.94   |            | 180    | 500 gm |          |     | 11953      |
|         | <u>UN 1479 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4113  | SODIUM COBALTINITRITE solution  |            | 17     | 500 ml | 38220090 | 12  | 1135       |
| LA4114  | SODIUM CYANATE pure 97%   | 917-61-3   | 15     | 500 gm | 28429090 | 18  | 1011       |
|         | NaOCN M.W. 65.01  |            |        |        |          |     |            |
| LA4115  | SODIUM CYANOBOROHYDRIDE 96% For Synthesis   | 25895-60-7 | 54     | 25 gm  | 28372090 | 18  | 3566       |
|         | (sodium cyanotrihydridoborate)  |            | 198    | 100 gm |          |     | 13155      |
|         | NaBH <sub>3</sub> CN M.W.62.84  |            |        |        |          |     |            |
|         | <u>UN 3179 4.1 (6.1)/PG II</u>  |            |        |        |          |     |            |
| LA4116  | SODIUM DEOXYCHOALTE 98% (culture media additive)  | 302-95-4   | 68     | 25 gm  | 29231000 | 18  | 4493       |
|         | C <sub>24</sub> H <sub>39</sub> O <sub>4</sub> Na M.W. 414.55   |            | 256    | 100 gm |          |     | 17056      |
| LA4117  | SODIUM DICHLOROISOCYANURATE 96%   | 2893-78-9  | 12     | 100 gm | 29336990 | 18  | 779        |
|         | (dichloroisocyanuric acid sodium salt) C <sub>3</sub> Cl <sub>2</sub> N <sub>3</sub> NaO <sub>3</sub> M.W. 219.95 |            | 38     | 500 gm |          |     | 2558       |
|         | <u>UN 2465 5.1/PG II</u>  |            |        |        |          |     | 0          |
| LA4118  | SODIUM DICHROMATE 98% (dihydrate)   | 7789-12-0  | 13     | 500 gm | 28413000 | 18  | 849        |
|         | (sodium bichromate) Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> .2H <sub>2</sub> O M.W. 298.00                 |            | 109    | 5 Kg   |          |     | 7223       |
|         | <u>UN 3086 6.1 (5.1)/PG I</u>   |            |        |        |          |     |            |
| LA4119  | SODIUM DICHROMATE 98.5% AR (dihydrate)  | 7789-12-0  | 17     | 500 gm | 28413000 | 18  | 1136       |
|         | (sodium bichromate) Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> .2H <sub>2</sub> O M.W. 298.00                 |            | 145    | 5 Kg   |          |     | 9665       |
|         | <u>UN 3086 6.1 (5.1)/PG I</u>   |            |        |        |          |     |            |
| LA4120  | SODIUM DIETHYL DITHiocarbamate 97% (trihydrate)   | 20624-25-3 | 9      | 100 gm | 29302000 | 18  | 569        |
|         | C <sub>5</sub> H <sub>10</sub> NNaS <sub>2</sub> .3H <sub>2</sub> O M.W. 225.30                                   |            | 36     | 500 gm |          |     | 2384       |
| LA4121  | SODIUM DIETHYL DITHiocarbamate 99% AR (trihydrate)  | 20624-25-3 | 9      | 100 gm | 29302000 | 18  | 606        |
|         | C <sub>5</sub> H <sub>10</sub> NNaS <sub>2</sub> .3H <sub>2</sub> O M.W. 225.30                                   |            | 37     | 500 gm |          |     | 2489       |
| LA4122  | SODIUM DIPHENYALMINE SULPHONATE AR  | 6152-67-6  | 20     | 25 gm  | 29214490 | 18  | 1316       |
|         | (diphenyALmine-4-sulphonic acid sodium salt)  |            | 69     | 100 gm |          |     | 4600       |
|         | C <sub>12</sub> H <sub>10</sub> NNaO <sub>3</sub> S M.W 271.26  |            |        |        |          |     |            |
| LA4123  | SODIUM DITHIONITE   | 7775-14-6  | 13     | 500 gm | 28311010 | 18  | 850        |
|         | (sodium hydrosulphite) (sodium hypodisulphite) (hydro)  |            |        |        |          |     |            |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub> M.W. 174.11   |            |        |        |          |     |            |
|         | <u>UN 1384 4.2/PG II</u>  |            |        |        |          |     |            |
| LA4124  | SODIUM DITHIONITE For Molecular Biology   | 7775-14-6  | 48     | 500 gm | 28311010 | 18  | 3177       |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub> M.W. 174.11   |            |        |        |          |     |            |
|         | <u>UN 1384 4.2/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4125  | SODIUM FERROCYANIDE 99% (dodecahydrate)<br>Na <sub>4</sub> Fe(CN) <sub>6</sub> ·10H <sub>2</sub> O M.W. 484.06  | 14434-22-1 | 21     | 500 gm | 28372040 | 18  | 1423       |
| LA4126  | SODIUM FLUORIDE 98% (Practical)<br>NaF M.W. 41.99   | 7681-49-4  | 10     | 500 gm | 28261990 | 18  | 662        |
|         | <u>UN 1690 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA4127  | SODIUM FLUORIDE 98.5% Extra Pure (purified)<br>NaF M.W. 41.99   | 7681-49-4  | 11     | 500 gm | 28261990 | 18  | 732        |
|         | <u>UN 1690 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA4128  | SODIUM FLUORIDE 99% AR<br>NaF M.W. 41.99  | 7681-49-4  | 17     | 500 gm | 28261990 | 18  | 1155       |
|         | <u>UN 1690 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA4129  | SODIUM FLUOROBORATE 97%<br>NaBF <sub>4</sub> M.W. 109.79  | 13755-29-8 | 14     | 500 gm | 28269000 | 18  | 951        |
|         | <u>UN 1759 8/PG II</u>  |            |        |        |          |     |            |
| LA4130  | SODIUM FORMALDEHYDE SULFOXYALTE<br>(dihydrate) CH <sub>3</sub> NaO <sub>3</sub> S·2H <sub>2</sub> O M.W. 154.12   | 6035-47-8  | 11     | 500 gm | 28311020 | 18  | 713        |
| LA4131  | SODIUM FORMATE 98% (Practical)<br>HCOONa M.W. 68.01   | 141-53-7   | 5      | 500 gm | 29151210 | 18  | 314        |
| LA4132  | SODIUM FORMATE 99% Extra Pure (purified)<br>HCOONa M.W. 68.01   | 141-53-7   | 5      | 500 gm | 29151210 | 18  | 350        |
| LA4133  | SODIUM FORMATE 99.5% AR<br>HCOONa M.W. 68.01  | 141-53-7   | 7      | 500 gm | 29151210 | 18  | 440        |
| LA4134  | SODIUM FORMATE 0.01N SOLUTION<br>3<br>6<br>8  |            | 3      | 500 ml | 38220090 | 12  | 201        |
|         |   |            | 6      | 1 Lt   |          |     | 374        |
|         |   |            | 8      | 2.5 Lt |          |     | 558        |
| LA4135  | SODIUM FORMATE 0.05N SOLUTION<br>3<br>6<br>8  |            | 3      | 500 ml | 38220090 | 12  | 206        |
|         |   |            | 6      | 1 Lt   |          |     | 378        |
|         |   |            | 8      | 2.5 Lt |          |     | 562        |
| LA41436 | SODIUM FORMATE 0.1N SOLUTION<br>3<br>5<br>8   |            | 3      | 500 ml | 38220090 | 12  | 187        |
|         |   |            | 5      | 1 Lt   |          |     | 336        |
|         |   |            | 8      | 2.5 Lt |          |     | 520        |
| LA4137  | SODIUM FUMARATE 99%<br>C <sub>4</sub> H <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W. 160.04   | 17013-01-3 | 25     | 500 gm | 29171980 | 18  | 1638       |
| LA4138  | SODIUM GLUCONATE 98% For Synthesis<br>C <sub>6</sub> H <sub>11</sub> NaO <sub>7</sub> M.W. 218.14   | 527-07-1   | 5      | 500 gm | 29181690 | 18  | 363        |
| LA4139  | SODIUM-L-GLUTAMATE 98% (monohydrate)<br>(L-glutamic acid mono sodium salt)<br>C <sub>5</sub> H <sub>8</sub> NNaO <sub>4</sub> ·H <sub>2</sub> O M.W. 187.14 | 6106-04-3  | 3      | 100 gm | 29224200 | 18  | 204        |
|         |   |            | 11     | 500 gm |          |     | 731        |
| LA4140  | SODIUM-B-GLYCEROPHOSPHATE 98.5% AR<br>C <sub>3</sub> H <sub>7</sub> Na <sub>2</sub> O <sub>2</sub> P·5H <sub>2</sub> O M.W. 306.11                          | 13408-09-8 | 6      | 25 gm  | 29199040 | 18  | 412        |
|         |   |            | 20     | 100 gm |          |     | 1349       |
| LA4141  | SODIUM HEXAMETAPHOSPHATE 66.5-68.5% (Practical)<br>(sodium polyphosphate) (graham's salt)<br>(NaPO <sub>3</sub> ) <sub>6</sub> M.W. 611.77                  | 10124-56-8 | 9      | 500 gm | 28352940 | 18  | 609        |
|         |   |            | 78     | 5 Kg   |          |     | 5170       |
| LA4142  | SODIUM HEXAMETAPHOSPHATE 66.5-68.5% Extra Pure<br>(sodium polyphosphate) (graham's salt)<br>(NaPO <sub>3</sub> ) <sub>6</sub> M.W. 611.77                   | 10124-56-8 | 10     | 500 gm | 28352940 | 18  | 679        |
|         |   |            | 88     | 5 Kg   |          |     | 5833       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)  |
|---------|---|-----------|--------|--------|----------|-----|-------------|
| LA4143  | SODIUM HYDRIDE SUSPENSION<br>(moistened with 60% in paraffin oil) NaH M.W. 24.00  | 7646-69-7 | 9      | 100 gm | 28500010 | 18  | 591<br>2370 |
|         | <u>UN 1427 4.3/PG I</u>   |           |        |        |          |     |             |
| LA4144  | di-SODIUM HYDROGEN CITRATE 99-101% Extra Pure<br>Na <sub>2</sub> H <sub>6</sub> C <sub>6</sub> O <sub>7</sub> M.W. 263.11 | 144-33-2  | 12     | 500 gm | 29181540 | 18  | 776         |
|         |   |           |        |        |          |     |             |
| LA4145  | SODIUM HYDROXIDE flakes 98-100.5%<br>(caustic soda flakes ) NaOH M.W. 40.00   | 1310-73-2 | 5      | 500 gm | 28151110 | 18  | 310<br>1919 |
|         | <u>UN 1823 8 /PG II</u>   |           |        |        |          |     | 16786       |
| LA4146  | SODIUM HYDROXIDE pellets 98% Extra Pure<br>NaOH M.W. 40.00  | 1310-73-2 | 6      | 500 gm | 28151190 | 18  | 393<br>2606 |
|         | <u>UN 1823 8 /PG II</u>   |           |        |        |          |     | 24107       |
| LA4147  | SODIUM HYDROXIDE pellets 98-100.5% AR<br>NaOH M.W. 40.00  | 1310-73-2 | 7      | 500 gm | 28151190 | 18  | 454<br>3636 |
|         | <u>UN 1823 8 /PG II</u>   |           |        |        |          |     | 31898       |
| LA4148  | SODIUM HYDROXIDE pellets 98% For Molecular Biology<br>NaOH M.W. 40.00   | 1310-73-2 | 3      | 100 gm | 28151190 | 18  | 219<br>562  |
|         | <u>UN 1823 8 /PG II</u>   |           |        |        |          |     |             |
| LA4149  | SODIUM HYDROXIDE N/10 (0.10N) SOLUTION, Liquid, d. 1.0<br>(for volumetric analysis)                                       |           | 2      | 500 ml | 38220090 | 12  | 164         |
| LA4150  | SODIUM HYDROXIDE 50% SOLUTION AR (In water for analysis)<br>Liquid, d. 1.53   |           | 4      | 500 ml | 38220090 | 12  | 291         |
| LA4151  | SODIUM HYDROXIDE 0.33 Mol/L (0.33N), Liquid, d. 1.01  |           | 4      | 500 ml | 38220090 | 12  | 246         |
| LA4152  | SODIUM HYDROXIDE 0.02M (0.02N), Standardized Solution<br>Liquid, d. 1.0   |           | 7      | 500 ml | 38220090 | 12  | 486         |
| LA4153  | SODIUM HYDROXIDE 0.25M (0.25N), Standardized Solution<br>Liquid, d. 1.01  |           | 7      | 500 ml | 38220090 | 12  | 488         |
| LA4154  | SODIUM HYDROXIDE 0.2M (0.2N), Standardized Solution<br>Liquid, d. 1.01  |           | 7      | 500 ml | 38220090 | 12  | 489         |
| LA4155  | SODIUM HYDROXIDE 0.5M (0.5N), Standardized Solution<br>Liquid, d. 1.02  |           | 7      | 500 ml | 38220090 | 12  | 491         |
| LA4156  | SODIUM HYDROXIDE 1M (1N), Standardized Solution<br>Liquid, d. 1.04  |           | 7      | 500 ml | 38220090 | 12  | 492         |
| LA4157  | SODIUM HYDROXIDE 2M (2N), Standardized Solution<br>Liquid, d. 1.09  |           | 7      | 500 ml | 38220090 | 12  | 494         |
| LA4158  | SODIUM HYDROXIDE 4M (4N), Standardized Solution<br>Liquid, d. 1.15  |           | 8      | 500 ml | 38220090 | 12  | 506         |
| LA4159  | SODIUM HYDROXIDE 0.01Mol/L (0.01N), Standardized Solution<br>Liquid, d. 1.01  |           | 6      | 500 ml | 38220090 | 12  | 416         |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4160  | <b>SODIUM HYDROXIDE 0.1mol/L (0.1N) SOLUTION</b> , Liquid, d. 1.09                |            | 12     | 4 Amp  | 38220090 | 12  | 793        |
|         | For 500 ml solution (2x2 amps. Of set in a box)                                   |            |        |        |          |     |            |
| LA4161  | <b>SODIUM HYDROXIDE 1mol/L (1N) SOLUTION</b> , Liquid, d. 1.030                   |            | 15     | 4 Amp  | 38220090 | 12  | 1011       |
|         | For 500 ml solution (2x2 amps. Of set in a box)                                   |            |        |        |          |     |            |
| LA4162  | <b>SODIUM HYPOBROMATE solution (hypobromate solution)</b>                         |            | 18     | 500 ml | 38220090 | 12  | 1184       |
| LA4163  | <b>SODIUM HYPOCHLORITE solution</b> Liquid, d. 1.12                               |            | 3      | 500 ml | 28289019 | 18  | 227        |
|         | (5 to 6% concentrated solution)   |            | 16     | 5 Lt   |          |     | 1073       |
|         | (available chlorine 4 to 5% w/v approx.)  |            | 64     | 25 Lt  |          |     | 4288       |
| LA4164  | <b>SODIUM HYPOPHOSPHITE 99% (hydrated)</b>  | 10039-56-2 | 30     | 500 gm | 28353900 | 18  | 1987       |
|         | (sodium phosphinate) $\text{NaH}_2\text{PO}_2\cdot\text{H}_2\text{O}$ M.W. 105.99 |            | 268    | 5 Kg   |          |     | 17834      |
| LA4165  | <b>SODIUM HYPOPHOSPHITE 99% AR (hydrated)</b>                                     | 10039-56-2 | 32     | 500 gm | 28353900 | 18  | 2149       |
|         | (sodium phosphinate) $\text{NaH}_2\text{PO}_2\cdot\text{H}_2\text{O}$ M.W. 105.99 |            | 291    | 5 Kg   |          |     | 19330      |
| LA4166  | <b>SODIUM IODATE 99-101% Extra Pure</b>   | 7681-55-2  | 39     | 100 gm | 28299030 | 18  | 2595       |
|         | $\text{NaIO}_3$ M.W. 197.89   |            | 180    | 500 gm |          |     | 11957      |
|         | <b>UN 1479 5.1/PG II</b>  |            |        |        |          |     |            |
| LA4167  | <b>SODIUM IODATE 99.5% AR</b>   | 7681-55-2  | 41     | 100 gm | 28299030 | 18  | 2758       |
|         | $\text{NaIO}_3$ M.W. 197.89   |            | 191    | 500 gm |          |     | 12678      |
|         | <b>UN 1479 5.1/PG II</b>  |            |        |        |          |     |            |
| LA4168  | <b>SODIUM IODIDE 99% Extra Pure</b>   | 7681-82-5  | 15     | 25 gm  | 28276020 | 18  | 1017       |
|         | $\text{NaI}$ M.W. 149.89  |            | 46     | 100 gm |          |     | 3059       |
|         | <b>UN 3077 9 /PG III</b>  |            | 110    | 250 gm |          |     | 7314       |
|         |   |            | 213    | 500 gm |          |     | 14142      |
| LA4169  | <b>SODIUM IODIDE 99.5% AR</b>   | 7681-82-5  | 16     | 25 gm  | 28276020 | 18  | 1078       |
|         | $\text{NaI}$ M.W. 149.89  |            | 49     | 100 gm |          |     | 3245       |
|         | <b>UN 3077 9 /PG III</b>  |            | 116    | 250 gm |          |     | 7682       |
| LA4170  | <b>SODIUM ALCTATE</b>   | 72-17-3    | 9      | 500 gm | 29181190 | 18  | 580        |
|         | $\text{C}_3\text{H}_5\text{NaO}_3$ M.W. 112.06                                    |            |        |        |          |     |            |
| LA4171  | <b>SODIUM ALURYL ETHER SULPHATE (SLES)</b>  | 9004-82-4  | 10     | 500 ml | 29209099 | 18  | 674        |
|         |   |            | 61     | 5 Lt   |          |     | 4038       |
| LA4172  | <b>SODIUM ALURYL SULPHATE Extra Pure (powder)</b>                                 | 151-21-3   | 15     | 500 gm | 29209099 | 18  | 973        |
|         | (SDS) (SLS) (sodium dodecyl sulphate)   |            | 64     | 2.5 Kg |          |     | 4280       |
|         | $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38                      |            | 120    | 5 Kg   |          |     | 7963       |
|         | <b>UN 1325 4.1/PG III</b>   |            |        |        |          |     |            |
| LA4173  | <b>SODIUM ALURYL SULPHATE 99% For Molecular Biology</b>                           | 151-21-3   | 11     | 25 gm  | 29209099 | 18  | 759        |
|         | (SDS, ALuryl Sulphate Sodium Salt, Dodecylsulphate Sodium Salt)                   |            | 38     | 100 gm |          |     | 2550       |
|         | $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38                      |            | 153    | 500 gm |          |     | 10201      |
|         | <b>UN 1325 4.1/PG III</b>   |            |        |        |          |     |            |
| LA4174  | <b>SODIUM MALONATE 99% For Microbiology</b>                                       | 141-95-7   | 7      | 25 gm  | 29171920 | 18  | 444        |
|         | $\text{C}_3\text{H}_2\text{Na}_2\text{O}_4$ M.W. 148.03                           |            | 24     | 100 gm |          |     | 1574       |
|         |   |            | 100    | 500 gm |          |     | 6648       |
| LA4175  | <b>SODIUM MALONATE 99% AR</b>   | 141-95-7   | 7      | 25 gm  | 29171920 | 18  | 483        |
|         | $\text{C}_3\text{H}_2\text{Na}_2\text{O}_4$ M.W. 148.03                           |            | 27     | 100 gm |          |     | 1806       |
| LA4176  | <b>SODIUM METABISULPHITE 97%</b>  | 7681-57-4  | 5      | 500 gm | 28321090 | 18  | 314        |
|         | (sodium disulphite) $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10                 |            | 34     | 5 Kg   |          |     | 2264       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4177  | SODIUM METABISULPHITE 98% AR<br>(sodium disulphite) Na <sub>2</sub> S <sub>2</sub> O <sub>5</sub> M.W. 190.10                      | 7681-57-4  | 5      | 500 gm | 28321090 | 18  | 361        |
| LA4178  | SODIUM METABORATE 98% (tetrahydrate)<br>NaBO <sub>2</sub> .4H <sub>2</sub> O M.W. 137.86   | 10555-76-7 | 7      | 500 gm | 28401900 | 18  | 454        |
| LA4179  | SODIUM METAPERIODATE 99%<br>(sodium periodate meta) INaO <sub>4</sub> M.W. 213.89  | 7790-28-5  | 36     | 100 gm | 28299030 | 18  | 2416       |
|         | <u>UN 3085 5.1 (8) /PG I</u>   |            | 163    | 500 gm |          |     | 10865      |
| LA4180  | SODIUM METAPERIODATE 99.8% AR<br>(sodium periodate meta) INaO <sub>4</sub> M.W. 213.89   | 7790-28-5  | 38     | 100 gm | 28299030 | 18  | 2533       |
|         | <u>UN 3085 5.1 (8) /PG I</u>   |            | 171    | 500 gm |          |     | 11392      |
| LA4180  | SODIUM METASILICATE powder 98% (Practical)<br>(nonahydrate) (sodium silicate meta)   | 13517-24-3 | 4      | 500 gm | 28391100 | 18  | 278        |
|         | Na <sub>2</sub> O <sub>3</sub> Si.9H <sub>2</sub> O M.W. 284.20  |            | 36     | 5 Kg   |          |     | 2366       |
|         | <u>UN 3253 8 /PG III</u>   |            | 302    | 50 Kg  |          |     | 20105      |
| LA4181  | SODIUM METASILICATE powder 98% Extra Pure<br>(nonahydrate) (sodium silicate meta)  | 13517-24-3 | 5      | 500 gm | 28391100 | 18  | 327        |
|         | Na <sub>2</sub> O <sub>3</sub> Si.9H <sub>2</sub> O M.W. 284.20  |            | 39     | 5 Kg   |          |     | 2609       |
|         | <u>UN 3253 8 /PG III</u>   |            |        |        |          |     |            |
| LA4182  | SODIUM METAVANADATE 98%<br>(sodium monovanadate) [sodium vanadate(meta)]   | 13718-26-8 | 38     | 100 gm | 28419000 | 18  | 2496       |
|         | NaVO <sub>3</sub> M.W. 121.93  |            | 169    | 500 gm |          |     | 11253      |
|         | <u>UN 3285 6.1/PG III</u>  |            |        |        |          |     |            |
| LA4183  | SODIUM METHOXIDE 98%<br>(sodium methylAlte) CH <sub>3</sub> NaO M.W. 54.02   | 124-41-4   | 12     | 500 gm | 29054900 | 18  | 789        |
|         | <u>UN 1289 3 (8)/PG II</u>   |            |        |        |          |     |            |
| LA4184  | SODIUM METHOXIDE 30% Solution (In Methanol), Liquid, d. 0.97   |            | 9      | 500 ml | 29051990 | 18  | 597        |
| LA4185  | SODIUM MOLYBDATE 98% Extra Pure (dihydrate)  | 10102-40-6 | 19     | 100 gm | 28417020 | 18  | 1247       |
|         | Na <sub>2</sub> MoO <sub>4</sub> .2H <sub>2</sub> O M.W. 241.95  |            | 42     | 250 gm |          |     | 2765       |
|         |  |            | 79     | 500 gm |          |     | 5251       |
| LA4186  | SODIUM MOLYBDATE 99% AR (dihydrate)  | 10102-40-6 | 21     | 100 gm | 28417020 | 18  | 1421       |
|         | Na <sub>2</sub> MoO <sub>4</sub> .2H <sub>2</sub> O M.W. 241.95  |            | 85     | 500 gm |          |     | 5630       |
| LA4187  | SODIUM MONOCHLOROACETATE 97.5% For Synthesis   | 3926-62-3  | 6      | 500 gm | 29154010 | 18  | 432        |
|         | C <sub>2</sub> H <sub>5</sub> ClNaO <sub>2</sub> M.W.116.48  |            |        |        |          |     |            |
|         | <u>UN 2659 6.1/PG III</u>  |            |        |        |          |     |            |
| LA4188  | SODIUM NAPHTHALENE-2-SULPHONATE 99%<br>C <sub>10</sub> H <sub>7</sub> NaO <sub>3</sub> S M.W. 230.22                               | 532-02-5   | 124    | 25 gm  | 38244010 | 18  | 8232       |
|         |  |            | 433    | 100 gm |          |     | 28810      |
| LA4189  | SODIUM NAPHTHIONATE  | 130-13-2   | 23     | 1 Kg   | 29214516 | 18  | 1543       |
|         | C <sub>10</sub> H <sub>8</sub> NNaO <sub>3</sub> S M.W. 245.23   |            |        |        |          |     |            |
| LA4190  | SODIUM 1-NAPHTHYL PHOSPHATE 99% AR<br>C <sub>10</sub> H <sub>8</sub> NaO <sub>4</sub> P.H <sub>2</sub> O M.W. 264 (Store at 2-8°C) | 81012-89-7 | 82     | 5 gm   | 29199090 | 18  | 5454       |
| LA4191  | SODIUM NITRATE 98% (Practical)<br>NaNO <sub>3</sub> M.W. 84.99   | 7631-99-4  | 6      | 500 gm | 31025000 | 18  | 371        |
|         | <u>UN 1498 5.1 /PG III</u>   |            | 50     | 5 Kg   |          |     | 3335       |
| LA4192  | SODIUM NITRATE 99% Extra Pure<br>(purified c ystals) NaNO <sub>3</sub> M.W. 84.99  | 7631-99-4  | 6      | 500 gm | 31025000 | 18  | 397        |
|         | <u>UN 1498 5.1 /PG III</u>   |            | 55     | 5 kg   |          |     | 3636       |
|         |  |            | 465    | 50 Kg  |          |     | 30929      |

| AT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|--------|---|------------|--------|--------|----------|-----|------------|
| LA4193 | SODIUM NITRATE 99.5% AR   | 7631-99-4  | 7      | 500 gm | 31025000 | 18  | 447        |
|        | NaNO <sub>3</sub> M.W. 84.99  |            | 57     | 5 Kg   |          |     | 3800       |
|        | <u>UN 1498 5.1 /PG III</u>  |            |        |        |          |     |            |
| LA4194 | SODIUM NITRITE 97% Extra Pure   | 7632-00-0  | 7      | 500 gm | 28341010 | 18  | 472        |
|        | NaNO <sub>2</sub> M.W. 69.00  |            | 62     | 5 Kg   |          |     | 4098       |
|        | <u>UN 1500 5.1 (6.1) /PG III</u>  |            | 555    | 50 Kg  |          |     | 36886      |
| LA4195 | SODIUM NITRITE 98% AR   | 7632-00-0  | 9      | 500 gm | 28341010 | 18  | 566        |
|        | NaNO <sub>2</sub> M.W. 69.00  |            |        |        |          |     |            |
|        | <u>UN 1500 5.1 (6.1) /PG III</u>  |            |        |        |          |     |            |
| LA4196 | SODIUM NITRITE 0.1M (0.2N), Standardized Solution                             |            | 6      | 500 ml | 38220090 | 12  | 386        |
|        | Liquid, d. 1.00   |            |        |        |          |     |            |
| LA4197 | SODIUM NITRITE 0.2M (0.4N), Standardized Solution                             |            | 6      | 500 ml | 38220090 | 12  | 387        |
|        | Liquid, d. 1.010  |            |        |        |          |     |            |
| LA4198 | SODIUM NITRITE 0.5M (1N) Standardized Solution                                |            | 6      | 500 ml | 38220090 | 12  | 377        |
| LA4199 | SODIUM NITRITE 1M (2N) Standardized Solution                                  |            | 6      | 500 ml | 38220090 | 12  | 378        |
| LA4200 | SODIUM NITRITE 4M (8N), Standardized Solution                                 |            | 6      | 500 ml | 38220090 | 12  | 380        |
|        | Liquid, d. 1.170  |            |        |        |          |     |            |
| LA4201 | SODIUM NITROPRUSSIDE 98%  | 13755-38-9 | 14     | 100 gm | 28372050 | 18  | 951        |
|        | [sodium nitroso pentacyno ferrate (III)]                                      |            | 64     | 500 gm |          |     | 4269       |
|        | Na <sub>2</sub> [Fe(CN) <sub>5</sub> NO].2H <sub>2</sub> O M.W. 297.95        |            |        |        |          |     |            |
|        | <u>UN 3288 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA4202 | SODIUM NITROPRUSSIDE 99% AR   | 13755-38-9 | 15     | 100 gm | 28372050 | 18  | 1021       |
|        | [sodium nitroso pentacyno ferrate (III)]                                      |            | 69     | 500 gm |          |     | 4556       |
|        | Na <sub>2</sub> [Fe(CN) <sub>5</sub> NO].2H <sub>2</sub> O M.W. 297.95        |            |        |        |          |     |            |
|        | <u>UN 3288 6.1 /PG III</u>  |            |        |        |          |     |            |
| LA4203 | SODIUM NITROPRUSSIDE solution   |            | 16     | 500 ml | 38220090 | 12  | 1058       |
| LA4204 | SODIUM OLEATE 99%   | 143-19-1   | 14     | 500 gm | 29161590 | 18  | 900        |
|        | C <sub>18</sub> H <sub>33</sub> NaO <sub>2</sub> M.W. 304.44                  |            |        |        |          |     |            |
| LA4205 | SODIUM OXALATE 99.5% Extra Pure   | 62-76-0    | 8      | 500 gm | 29171190 | 18  | 548        |
|        | (di-sodium oxalate) C <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W. 134.00 |            | 72     | 5 Kg   |          |     | 4790       |
| LA4206 | SODIUM OXALATE 99.9% AR   | 62-76-0    | 9      | 500 gm | 29171190 | 18  | 631        |
|        | (di-sodium oxalate) C <sub>2</sub> Na <sub>2</sub> O <sub>4</sub> M.W. 134.00 |            | 83     | 5 Kg   |          |     | 5511       |
| LA4207 | SODIUM OXALATE 0.05M (0.1N), Standardized Solution                            |            | 6      | 500 ml | 38220090 | 12  | 382        |
|        | Liquid, d. 1.1  |            |        |        |          |     |            |
| LA4208 | SODIUM PENTACHLOROPHENATE 99%   | 131-52-2   | 7      | 500 gm | 29071190 | 18  | 451        |
|        | (sentobrite) C <sub>6</sub> Cl <sub>5</sub> NaO M.W. 288.32                   |            |        |        |          |     |            |
|        | <u>UN 2567 6.1/ PG II</u>   |            |        |        |          |     |            |
| LA4209 | SODIUM PERBORATE 97% (tetrahydrate)   | 10486-00-7 | 6      | 500 gm | 28331990 | 18  | 395        |
|        | NaBO <sub>3</sub> .4H <sub>2</sub> O M.W. 153.86                              |            | 52     | 5 Kg   |          |     | 3452       |
|        | <u>UN 1479 5.1/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)    |
|---------|--|------------|--------|--------|----------|-----|---------------|
| LA4210  | SODIUM PERCHLORATE 98% AR (For Molecular Biology)<br>(monohydrate) NaClO <sub>4</sub> .H <sub>2</sub> O M.W. 140.46<br>(End Use Certificate required)<br><u>UN 1502 5.1/PG II</u>      | 7791-07-3  | 30     | 100 gm | 28291100 | 18  | 2017<br>8756  |
| LA4211  | SODIUM PEROXIDE (granular) 93% AR<br>Na <sub>2</sub> O <sub>2</sub> M.W. 77.98<br><u>UN 1504 5.1 /PG I</u>   | 1313-60-6  | 72     | 100 gm | 28153000 | 18  | 4779<br>22667 |
| LA4212  | SODIUM PERSULPHATE 99% AR<br>Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 238.10<br><u>UN 1505 5.1 /PG III</u>   | 7775-27-1  | 12     | 500 gm | 28331990 | 18  | 780<br>6618   |
| LA4213  | SODIUM PERSULPHATE 95% Extra Pure<br>Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> M.W. 238.10<br><u>UN 1505 5.1 /PG III</u>   | 7775-27-1  | 10     | 500 gm | 28331990 | 18  | 679<br>5765   |
| LA4214  | SODIUM PHOSPHATE dibasic 98-100.5% (anhydrous)<br>(di-sodium hydrogen orthophosphate anhydrous)<br>Na <sub>2</sub> HPO <sub>4</sub> M.W. 141.96  | 7558-79-4  | 12     | 500 gm | 28352990 | 18  | 819<br>7363   |
| LA4215  | SODIUM PHOSPHATE dibasic 99% AR (anhydrous)<br>(di-sodium hydrogen orthophosphate anhydrous)<br>Na <sub>2</sub> HPO <sub>4</sub> M.W. 141.96   | 7558-79-4  | 14     | 500 gm | 28352990 | 18  | 959<br>8370   |
| LA4216  | SODIUM PHOSPHATE dibasic 99% For Molecular Biology<br>(anhydrous) (di-sodium hydrogen orthophosphate anhydrous)<br>Na <sub>2</sub> HPO <sub>4</sub> M.W. 141.96                        | 7558-79-4  | 24     | 250 gm | 28352990 | 18  | 1577          |
| LA4217  | SODIUM PHOSPHATE dibasic 99%(dihydrate)<br>(di-sodium hydrogen orthophosphate dihydrate)<br>Na <sub>2</sub> HPO <sub>4</sub> .2H <sub>2</sub> O M.W. 177.99                            | 10028-24-7 | 11     | 500 gm | 28353900 | 18  | 746<br>6515   |
| LA4218  | SODIUM PHOSPHATE dibasic 99.5% AR (dihydrate)<br>(di-sodium hydrogen orthophosphate dihydrate)<br>Na <sub>2</sub> HPO <sub>4</sub> .2H <sub>2</sub> O M.W. 177.99                      | 10028-24-7 | 13     | 500 gm | 28353900 | 18  | 873<br>7646   |
| LA4219  | SODIUM PHOSPHATE dibasic 99% For Molecular Biology<br>(dihydrate) (di-sodium hydrogen orthophosphate dihydrate)<br>Na <sub>2</sub> HPO <sub>4</sub> .2H <sub>2</sub> O M.W. 177.99     | 10028-24-7 | 24     | 500 gm | 28353900 | 18  | 1606          |
| LA4220  | SODIUM PHOSPHATE dibasic 98.5-101% Extra Pure<br>(dodecahydrate) (di-sodium hydrogen orthophosphate<br>dodecahydrate) Na <sub>2</sub> HPO <sub>4</sub> .12H <sub>2</sub> O M.W. 358.14 | 10039-32-4 | 9      | 500 gm | 28353900 | 18  | 615           |
| LA4221  | SODIUM PHOSPHATE dibasic AR 99% (dodecahydrate)<br>(di-sodium hydrogen orthophosphate dodecahydrate)<br>Na <sub>2</sub> HPO <sub>4</sub> .12H <sub>2</sub> O M.W. 358.14               | 10039-32-4 | 10     | 500 gm | 28353900 | 18  | 674           |
| LA4222  | SODIUM PHOSPHATE monobasic 98% (anhydrous)<br>(sodium dihydrogen orthophosphate)<br>NaH <sub>2</sub> PO <sub>4</sub> M.W. 119.98   | 7558-80-7  | 13     | 500 gm | 28352200 | 18  | 891<br>7801   |
| LA4223  | SODIUM PHOSPHATE monobasic 99% AR (anhydrous)<br>(sodium dihydrogen orthophosphate)<br>NaH <sub>2</sub> PO <sub>4</sub> M.W. 119.98  | 7558-80-7  | 17     | 500 gm | 28352200 | 18  | 1133<br>9912  |
| LA4224  | SODIUM PHOSPHATE monobasic 98% (dihydrate)<br>(sodium acid phosphate) (sodium dihydrogen orthophosphate)<br>NaH <sub>2</sub> PO <sub>4</sub> .2H <sub>2</sub> O M.W. 156.01            | 13472-35-0 | 10     | 500 gm | 28352200 | 18  | 679<br>5947   |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4225  | SODIUM PHOSPHATE monobasic 99% AR (dihydrate)<br>(sodium acid phosphate) (sodium dihydrogen orthophosphate)<br>NaH <sub>2</sub> PO <sub>4</sub> .2H <sub>2</sub> O M.W. 156.01  | 13472-35-0 | 11     | 500 gm | 28352200 | 18  | 751        |
|         |   |            | 99     | 5 Kg   |          |     | 6565       |
| LA4226  | SODIUM PHOSPHATE tribasic 98% Extra Pure (12H <sub>2</sub> O)<br>(dodecahydrate) (tri-sodium orthophosphate)<br>Na <sub>3</sub> PO <sub>4</sub> .12H <sub>2</sub> O M.W. 380.12 | 10101-89-0 | 9      | 500 gm | 28352990 | 18  | 594        |
|         |   |            | 78     | 5 Kg   |          |     | 5189       |
| LA4227  | SODIUM PHOSPHATE tribasic 98-102.0% AR (12H <sub>2</sub> O)<br>(dodecahydrate) (tri-sodium orthophosphate)<br>Na <sub>3</sub> PO <sub>4</sub> .12H <sub>2</sub> O M.W. 380.12   | 10101-89-0 | 10     | 500 gm | 28352990 | 18  | 676        |
|         |   |            | 89     | 5 Kg   |          |     | 5921       |
| LA4228  | SODIUM PICRATE (monohydrate)<br>(picric acid sodium salt)   | 73771-13-8 | 26     | 25 gm  | 29089990 | 18  | 1750       |
|         |   |            | 71     | 100 gm |          |     | 4749       |
|         |   |            | 264    | 500 gm |          |     | 17552      |
| LA4229  | SODIUM PLUMBATE   | 52623-79-7 | 15     | 100 gm | 28419000 | 18  | 990        |
|         |   |            | 56     | 500 gm |          |     | 3704       |
| LA4230  | SODIUM POLYANETHOL SULPHONATE AR<br>(10,000 anticoagulAnt U/g)  | 55963-78-5 | 11     | 1 gm   | 39119090 | 18  | 708        |
|         |   |            | 42     | 5 gm   |          |     | 2806       |
| LA4231  | SODIUM PROPIONATE 98%<br>CH <sub>3</sub> .CH <sub>2</sub> .COONa M.W. 96.06   | 137-40-6   | 14     | 500 gm | 29155000 | 18  | 904        |
| LA4232  | tetra-SODIUM PYROPHOSPHATE 97.5% (anhydrous)<br>Na <sub>4</sub> P <sub>2</sub> O <sub>7</sub> M.W. 265.90   | 7722-88-5  | 11     | 500 gm | 28353900 | 18  | 734        |
| LA4233  | tetra-SODIUM PYROPHOSPHATE 99% (decahydrate)<br>Na <sub>4</sub> P <sub>2</sub> O <sub>7</sub> .10H <sub>2</sub> O M.W. 446.06   | 13472-36-1 | 39     | 500 gm | 28353900 | 18  | 2571       |
| LA424   | SODIUM PYROSULPHATE 98% AR<br>(disulphuric acid disodium salt) Na <sub>2</sub> S <sub>2</sub> O <sub>7</sub> M.W. 222.12  | 13870-29-6 | 181    | 250 gm | 28331920 | 18  | 12034      |
| LA4235  | SODIUM PYRUVATE 99% For Biochemistry<br>(pyruvic acid sodium salt)  | 113-24-6   | 9      | 25 gm  | 29183090 | 18  | 566        |
|         |   |            | 26     | 100 gm |          |     | 1708       |
|         |   |            | 77     | 500 gm |          |     | 5118       |
| LA4236  | SODIUM PYRUVATE N/10 solution   |            | 17     | 500 ml | 38220090 | 12  | 1118       |
| LA4237  | SODIUM RHODIZONATE 97% AR<br>(rhodizonic acid sodium salt) C <sub>6</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 214.04  | 523-21-7   | 9      | 1 gm   | 29143990 | 18  | 595        |
|         |   |            | 41     | 5 gm   |          |     | 2717       |
| LA4238  | SODIUM RHODIZONATE solution   |            | 8      | 100 ml | 38220090 | 12  | 563        |
|         |   |            | 32     | 500 ml |          |     | 2160       |
| LA4239  | SODIUM SALICYLATE 99% Extra Pure<br>C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub> M.W. 160.10  | 54-21-7    | 22     | 500 gm | 29182120 | 18  | 1466       |
| LA4240  | SODIUM SALICYLATE 99.5% AR<br>C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub> M.W. 160.10  | 54-21-7    | 41     | 250 gm | 29182120 | 18  | 2732       |
| LA4241  | SODIUM SELENATE 98% Extra Pure<br>Na <sub>2</sub> SeO <sub>4</sub> M.W. 189.94  | 13410-01-0 | 18     | 25 gm  | 28429090 | 18  | 1218       |
|         |   |            | 44     | 100 gm |          |     | 2940       |
|         | <u>UN 2630 6.1/PG I</u>   |            | 194    | 500 gm |          |     | 12906      |
| LA4242  | SODIUM SELENATE 99% AR<br>Na <sub>2</sub> SeO <sub>4</sub> M.W. 189.94*+-   | 13410-01-0 | 19     | 25 gm  | 28429090 | 18  | 1233       |
|         |   |            | 51     | 100 gm |          |     | 3401       |
|         | <u>UN 2630 6.1/PG I</u>   |            | 230    | 500 gm |          |     | 15304      |
| LA4243  | SODIUM SELENITE 98% Extra Pure (pentahydrate)<br>Na <sub>2</sub> SeO <sub>3</sub> .5H <sub>2</sub> O M.W 263.01   | 26970-82-1 | 44     | 100 gm | 28429090 | 18  | 2958       |
|         |   |            | 196    | 500 gm |          |     | 13048      |
|         | <u>UN 2630 6.1/PG I</u>   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4244  | SODIUM SELENITE 99% AR (pentahydrate)  | 26970-82-1 | 11     | 25 gm  | 28429090 | 18  | 714        |
|         | Na <sub>2</sub> SeO <sub>3</sub> .5H <sub>2</sub> O M.W 263.01   |            | 42     | 100 gm |          |     | 2780       |
|         | <u>UN 2630 6.1/PG I</u>  |            | 188    | 500 gm |          |     | 12505      |
| LA4245  | SODIUM SILICATE (paste) (practical)  | 1344-09-8  | 4      | 500 gm | 28399090 | 18  | 252        |
|         | (sodium orthosilicate) Na <sub>2</sub> O·3SiO <sub>2</sub> M.W 242.23  |            | 28     | 5 Kg   |          |     | 1883       |
|         | <u>UN 3266 8/PG III</u>  |            | 209    | 50 Kg  |          |     | 13923      |
| LA4246  | SODIUM SILICOFLUORIDE 99%  | 16893-85-9 | 5      | 500 gm | 28269000 | 18  | 335        |
|         | Na <sub>2</sub> SiF <sub>6</sub> M.W. 188.06   |            | 40     | 5 Kg   |          |     | 2685       |
|         | <u>UN 2674 6.1/PG III</u>  |            |        |        |          |     |            |
| LA4247  | SODIUM STANNATE (trihydrate)   | 12209-98-2 | 67     | 500 gm | 28419000 | 18  | 4441       |
|         | Na <sub>2</sub> SnO <sub>3</sub> .3H <sub>2</sub> O M.W. 266.73  |            |        |        |          |     |            |
| LA4248  | SODIUM STARCH GLYCOALTE Extra Pure   | 9063-38-1  | 13     | 500 gm | 29389090 | 18  | 884        |
| LA4249  | SODIUM STEARATE 99%  | 822-16-2   | 10     | 500 gm | 29157020 | 18  | 669        |
|         | C <sub>18</sub> H <sub>35</sub> NaO <sub>2</sub> M.W 306.46  |            |        |        |          |     |            |
| LA4250  | SODIUM SUCCINATE 99% (hexahydrate)   | 6106-21-4  | 17     | 500 gm | 29171990 | 18  | 1115       |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>4</sub> .6H <sub>2</sub> O M.W. 270.14                      |            |        |        |          |     |            |
| LA4251  | SODIUM SUCCINATE 99% AR (hexahydrate)  | 6106-21-4  | 9      | 100 gm | 29171990 | 18  | 603        |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>4</sub> .6H <sub>2</sub> O M.W. 270.14                      |            |        |        |          |     |            |
| LA4252  | SODIUM SULPHATE 99% (anhydrous)  | 7757-82-6  | 4      | 500 gm | 28331100 | 18  | 275        |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04  |            | 30     | 5 Kg   |          |     | 1997       |
|         |  |            | 255    | 50 Kg  |          |     | 16978      |
| LA4253  | SODIUM SULPHATE 99.5% AR (anhydrous)   | 7757-82-6  | 5      | 500 gm | 28331100 | 18  | 347        |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04  |            | 46     | 5 Kg   |          |     | 3038       |
| LA4254  | SODIUM SULPHATE 99% For Molecular Biology (anhydrous)  | 7757-82-6  | 10     | 1 Kg   | 28331100 | 18  | 645        |
|         | Na <sub>2</sub> SO <sub>4</sub> M.W. 142.04  |            |        |        |          |     |            |
| LA4255  | SODIUM SULPHIDE flakes   | 27610-45-3 | 6      | 500 gm | 28301000 | 18  | 384        |
|         | (Iron free) Na <sub>2</sub> S <sub>x</sub> H <sub>2</sub> O M.W. 78.04   |            | 51     | 5 Kg   |          |     | 3361       |
|         | <u>UN 1849 8/PG II</u>   |            | 227    | 25 Kg  |          |     | 15127      |
| LA4256  | SODIUM SULPHIDE AR   | 27610-45-3 | 9      | 500 gm | 28301000 | 18  | 617        |
|         | Na <sub>2</sub> S <sub>x</sub> H <sub>2</sub> O M.W. 78.04   |            |        |        |          |     |            |
|         | <u>UN 1849 8/PG II</u>   |            |        |        |          |     |            |
| LA4257  | SODIUM SULPHITE 95% (anhydrous) (purified)   | 7757-83-7  | 5      | 500 gm | 28321090 | 18  | 355        |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04  |            | 39     | 5 Kg   |          |     | 2603       |
|         |  |            | 349    | 50 Kg  |          |     | 23192      |
| LA4258  | SODIUM SULPHITE 98% AR (anhydrous)   | 7757-83-7  | 7      | 500 gm | 28321090 | 18  | 439        |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04  |            | 58     | 5 Kg   |          |     | 3837       |
| LA4259  | SODIUM SULPHITE 98% For Molecular Biology  | 7757-83-7  | 9      | 500 gm | 28321090 | 18  | 589        |
|         | Na <sub>2</sub> SO <sub>3</sub> M.W. 126.04  |            |        |        |          |     |            |
| LA4260  | SODIUM (+) TARTRATE 99% Extra Pure (dihydrate)   | 6106-24-7  | 20     | 500 gm | 29181390 | 18  | 1298       |
|         | (di-sodium tartrate) C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> .2H <sub>2</sub> O M.W. 230.08 |            |        |        |          |     |            |
| LA4261  | SODIUM (+) TARTRATE 99.5% AR (dihydrate)   | 6106-24-7  | 24     | 500 gm | 29181390 | 18  | 1584       |
|         | (di-sodium tartrate) C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> .2H <sub>2</sub> O M.W. 230.08 |            |        |        |          |     |            |
| LA4262  | SODIUM DL-TARTRATE 99% Extra Pure  | 868-18-8   | 17     | 500 gm | 29181390 | 18  | 1130       |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 194.05   |            |        |        |          |     |            |
| LA4263  | SODIUM DL-TARTRATE 99.5% AR  | 868-18-8   | 19     | 500 gm | 29181390 | 18  | 1290       |
|         | C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> M.W. 194.05   |            | 170    | 5 Kg   |          |     | 11290      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4264  | SODIUM TAUROCHALTE For Bacteriology   | 145-42-6   | 27     | 100 gm | 38210000 | 18  | 1817       |
|         | C <sub>26</sub> H <sub>44</sub> NNaO <sub>5</sub> M.W 537.68                      |            | 103    | 500 gm |          |     | 6823       |
| LA4265  | SODIUM TELLURITE 98% AR   | 10102-20-2 | 120    | 100 gm | 28429090 | 18  | 7975       |
|         | Na <sub>2</sub> TeO <sub>3</sub> M.W 221.58                                       |            |        |        |          | 0   |            |
|         | <u>UN 3284 6.1/PG III</u>   |            |        |        |          | 0   |            |
| LA4266  | SODIUM THIOCYANATE 98-102% Extra Pure   | 540-72-7   | 12     | 500 gm | 28419000 | 18  | 828        |
|         | (sodium sulphocyanide) NaSCN M.W. 81.07   |            |        |        |          | 0   |            |
| LA4267  | SODIUM THIOCYANATE 98% AR   | 540-72-7   | 15     | 500 gm | 28419000 | 18  | 1024       |
|         | (sodium sulphocyanide) NaSCN M.W. 81.07   |            |        |        |          | 0   |            |
| LA4268  | SODIUM THIOCYANATE 0.1M (0.1N) Standardized Solution                              |            | 6      | 500 ml | 38220090 | 12  | 432        |
|         |   |            |        |        |          | 0   |            |
| LA4269  | SODIUM THIOLYCOLALTE For Bacteriology   | 367-51-1   | 16     | 100 gm | 29309070 | 18  | 1073       |
|         | (thioglycollic acid sodium salt)  |            | 72     | 500 gm |          |     | 4767       |
|         | C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> S M.W. 114.10                      |            |        |        |          | 0   |            |
|         | <u>UN 2811 6.1/ PG III</u>  |            |        |        |          | 0   |            |
| LA4270  | SODIUM THIOSULPHATE 99% Extra Pure  | 10102-17-7 | 3      | 500 gm | 28323010 | 18  | 232        |
|         | (crystals) (pentahydrate) (hypo)  |            | 25     | 5 Kg   |          |     | 1669       |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> .5H <sub>2</sub> O M.W. 248.17      |            | 226    | 50 Kg  |          |     | 15020      |
| LA4271  | SODIUM THIOSULPHATE 99.5% AR (For Molecular Biology)                              | 10102-17-7 | 5      | 500 gm | 28323010 | 18  | 326        |
|         | (crystals) (pentahydrate) (hypo)  |            | 42     | 5 Kg   |          |     | 2823       |
|         | Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> .5H <sub>2</sub> O M.W. 248.17      |            |        |        |          | 0   |            |
| LA4272  | SODIUM THIOSULPHATE 97% AR (anhydrous)  | 7772-98-7  | 8      | 1 Kg   | 28323010 | 18  | 523        |
|         | (For Molecular Biology) Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> M.W. 158.18 |            |        |        |          | 0   |            |
| LA4273  | SODIUM THIOSULPHATE N/10 solution(0.1N) , Liquid, d. 1.22                         |            | 2      | 500 ml | 38220090 | 12  | 159        |
| LA4274  | SODIUM THIOSULPHATE 0.01M (0.01N) Standardized Solution                           |            | 6      | 500 ml | 38220090 | 12  | 377        |
|         | Liquid, d. 1.02   |            |        |        |          | 0   |            |
| LA4275  | SODIUM THIOSULPHATE 0.05M (0.05N) Standardized Solution                           |            | 6      | 500 ml | 38220090 | 12  | 378        |
|         | Liquid, d. 1.00   |            |        |        |          | 0   |            |
| LA4276  | SODIUM THIOSULPHATE 1M (1N) Standardized Solution                                 |            | 7      | 500 ml | 38220090 | 12  | 437        |
|         | Liquid, d. 1.120  |            |        |        |          | 0   |            |
| LA4277  | SODIUM THIOSULPHATE 0.1mol/L (0.1N) SOLUTION                                      |            | 6      | 4 Amp  | 38220090 | 12  | 381        |
|         | For 500 ml Solution (2x2 amps. Of set in a box)                                   |            |        |        |          | 0   |            |
| LA4278  | SODIUM TRIACETOXY BOROHYDRIDE 95% For Synthesis                                   | 56553-60-7 | 20     | 25 gm  | 29420090 | 18  | 1351       |
|         | C <sub>6</sub> H <sub>10</sub> BNaO <sub>6</sub> M.W. 211.94                      |            | 74     | 100 gm |          |     | 4897       |
|         | <u>UN 1409 4.3/PG II</u>  |            | 339    | 500 gm |          |     | 22523      |
| LA4279  | SODIUM TRIPOLYPHOSPHATE (anhydrous) (STPP)  | 7758-29-4  | 4      | 500 gm | 28353100 | 18  | 295        |
|         | Na <sub>5</sub> P <sub>3</sub> O <sub>10</sub> M.W. 367.86                        |            | 39     | 5 Kg   |          |     | 2575       |
| LA4280  | SODIUM TUNGSTATE 98% (dihydrate)  | 10213-10-2 | 20     | 100 gm | 28418010 | 18  | 1358       |
|         | Na <sub>2</sub> WO <sub>4</sub> .2H <sub>2</sub> O M.W. 329.85                    |            | 45     | 250 gm |          |     | 3012       |
|         |   |            | 85     | 500 gm |          |     | 5681       |
| LA4281  | SODIUM TUNGSTATE 99% AR (dihydrate)   | 10213-10-2 | 25     | 100 gm | 28418010 | 18  | 1635       |
|         | Na <sub>2</sub> WO <sub>4</sub> .2H <sub>2</sub> O M.W. 329.85                    |            | 50     | 250 gm |          |     | 3357       |
|         |   |            | 96     | 500 gm |          |     | 6379       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4282  | SODIUM TUNGSTATE solution 10% w/v (folin & wu)  |            | 4      | 100 ml | 38220090 | 12  | 247        |
|         | Liquid, d. 1.07   |            | 10     | 500 ml |          |     | 694        |
| LA4283  | SOFT SOAP (in paste form)   |            | 7      | 500 gm | 34013019 | 18  | 444        |
|         |   |            | 57     | 5 Kg   |          |     | 3809       |
| LA4284  | SORBIC ACID 99.8% (purified)  | 110-44-1   | 25     | 500 gm | 29161960 | 18  | 1689       |
|         | (trans-2, 4-hexadienoic acid) C <sub>6</sub> H <sub>8</sub> O <sub>2</sub> M.W. 112.13  |            | 211    | 5 Kg   |          |     | 14014      |
| LA4285  | SORBITOL (liquid) Extra Pure  | 50-70-4    | 6      | 500 ml | 29054400 | 18  | 381        |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17 Liquid, d. 1.49   |            | 25     | 2.5 Lt |          |     | 1636       |
| LA4286  | SORBITOL (powder) 99% Extra Pure (For Microbiology)   | 50-70-4    | 8      | 250 gm | 29054400 | 18  | 520        |
|         | (D-sorbitol) C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17  |            | 26     | 1 Kg   |          |     | 1706       |
| LA4287  | D (-)-SORBITOL 98% For Molecular Biology  | 50-70-4    | 44     | 500 gm | 29054400 | 18  | 2951       |
|         | (D-Glucitol) C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> M.W. 182.17  |            |        |        |          |     |            |
| LA4288  | L (-) SORBOSE 99% For Biochemistry  | 87-79-6    | 90     | 25 gm  | 29400000 | 18  | 5995       |
|         | C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W 80.16   |            | 347    | 100 gm |          |     | 23075      |
| LA4289  | SOYABEAN MEAL   | 68513-95-1 | 5      | 500 gm | 12081000 | 5   | 310        |
| LA4290  | SOYA PEPTONE  | 68513-95-1 | 16     | 500 gm | 35040010 | 18  | 1087       |
|         | (soyatone) (papaic digest of soyabean meal)   |            |        |        |          |     |            |
| LA4291  | SPADNS 80% AR   | 23647-14-5 | 5      | 1 gm   | 29270090 | 18  | 335        |
|         | [1,8-dihydroxy-2-(4-sulphophenylazo)naphthalene-3-6-  |            | 20     | 5 gm   |          |     | 1328       |
|         | disulphonic acid trisodium salt] C <sub>16</sub> H <sub>9</sub> N <sub>2</sub> O <sub>11</sub> S <sub>3</sub> Na <sub>3</sub> M.W. 570.41 |            | 60     | 25 gm  |          |     | 3985       |
| LA4292  | SPAN 20   | 1338-39-2  | 13     | 500 ml | 29321990 | 18  | 840        |
|         | (sorbitan monoAlurate) C <sub>18</sub> H <sub>34</sub> O <sub>6</sub> M.W. 346.47, Liquid, d. 1.032                                       |            |        |        |          |     |            |
| LA4293  | SPAN 40   | 26266-57-9 | 11     | 500 ml | 29400000 | 18  | 751        |
|         | (sorbitan monopalmitate) C <sub>22</sub> H <sub>42</sub> O <sub>6</sub> M.W.402.57, Liquid, d. 1.075                                      |            |        |        |          |     |            |
| LA4294  | SPAN 60   | 1338-41-6  | 11     | 500 ml | 29400000 | 18  | 751        |
|         | (sorbitan monostearate) C <sub>24</sub> H <sub>46</sub> O <sub>6</sub> M.W. 430.63, Liquid, d. 1.00                                       |            |        |        |          |     |            |
| LA4295  | SPAN 65   | 26658-19-5 | 17     | 500 gm | 29159090 | 18  | 1118       |
|         | (sorbitan tristearate) C <sub>60</sub> H <sub>114</sub> O <sub>8</sub> M.W. 963.55, Liquid, d. 1.096                                      |            |        |        |          |     |            |
| LA4296  | SPAN 80   | 1338-43-8  | 11     | 500 ml | 29159090 | 18  | 743        |
|         | (sorbitan monooleate) C <sub>24</sub> H <sub>44</sub> O <sub>6</sub> M.W. 428.60, Liquid, d. 0.986  |            |        |        |          |     |            |
| LA4297  | SPAN 85   | 26266-58-0 | 16     | 500 ml | 29159090 | 18  | 1075       |
|         | (sorbitan trioleate) C <sub>60</sub> H <sub>108</sub> O <sub>8</sub> M.W. 957.51, Liquid, d. 0.956  |            |        |        |          |     |            |
| LA4298  | SPEARMINT OIL Extra Pure Liquid, d. 0.941   | 8008-79-5  | 84     | 500 ml | 33012510 | 18  | 5568       |
| LA4299  | SPERMACETI WAX  | 8002-23-1  | 48     | 500 gm | 15211090 | 18  | 3164       |
| LA4300  | SPIRIT BLUE (C.I. No. 42760) NEW  | 2152-64-9  | 7      | 5 gm   | 32041929 | 18  | 440        |
|         | C <sub>37</sub> H <sub>30</sub> ClN <sub>3</sub> M.W. 552.11  |            | 26     | 25 gm  |          |     | 1752       |
|         |   |            | 96     | 100 gm |          |     | 6405       |
| LA4301  | STANNIC CHLORIDE 98% (pentahydrate)   | 10026-06-9 | 66     | 500 gm | 28273990 | 18  | 4399       |
|         | [tin (IV) chloride] SnCl <sub>4</sub> .5H <sub>2</sub> O M.W. 350.58  |            |        |        |          |     |            |
|         | <u>UN 2440 8/PG III</u>   |            |        |        |          |     |            |
| LA4302  | STANNIC OXIDE 99% Extra Pure  | 18282-10-5 | 149    | 500 gm | 28259010 | 18  | 9908       |
|         | [tin (IV) oxide] SnO <sub>2</sub> M.W. 150.71   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD                | UNIT                                 | HS CODE  | GST                       | PRICE(INR)                    |
|---------|---|------------|-----------------------|--------------------------------------|----------|---------------------------|-------------------------------|
| LA4303  | STANNIC OXIDE 99.9% AR<br>[tin (IV) oxide] SnO <sub>2</sub> M.W. 150.71   | 18282-10-5 | 82                    | 250 gm                               | 28259010 | 18                        | 5451                          |
| LA4304  | STANNOUS CHLORIDE 97% (dihydrate)<br>[tin (II) chloride]<br>SnCl <sub>2</sub> .2H <sub>2</sub> O M.W. 225.65<br><u>UN 3260 8 /PG III</u>          | 10025-69-1 | 21<br>50<br>96<br>431 | 100 gm<br>250 gm<br>500 gm<br>2.5 kg | 28273990 | 18<br>18<br>6378<br>28689 | 1429<br>3356<br>6378<br>28689 |
| LA4305  | STANNOUS CHLORIDE 98% AR (dihydrate)<br>[tin (II) chloride] SnCl <sub>2</sub> .2H <sub>2</sub> O M.W. 225.65<br><u>UN 3260 8 /PG III</u>          | 10025-69-1 | 26<br>115             | 100 gm<br>500 gm                     | 28273990 | 18                        | 1718<br>7659                  |
| LA4306  | STANNOUS OXALATE 98%<br>[tin (II) oxalate] SnC <sub>2</sub> O <sub>4</sub> M.W 206.73<br><u>UN 1759 8/ PG III</u>                                 | 814-94-8   | 137                   | 500 gm                               | 29171190 | 18                        | 9108                          |
| LA4307  | STANNOUS OXIDE 97%<br>[tin (II) oxide] SnO M.W. 134.71  | 21651-19-4 | 170                   | 500 gm                               | 28259010 | 18                        | 11276                         |
| LA4308  | STANNOUS PHOSPHATE 98%<br>[tin (II) phosphate] Sn <sub>2</sub> P <sub>2</sub> O <sub>7</sub> M.W. 411.36  | 15578-26-4 | 215                   | 500 gm                               | 28353900 | 18                        | 14309                         |
| LA4309  | STANNOUS SULPHATE 50% (Sn)<br>[tin (II) sulphate] SnSO <sub>4</sub> M.W. 214.75   | 7488-55-3  | 73                    | 500 gm                               | 28332990 | 18                        | 4883                          |
| LA4310  | STANNOUS SULPHATE 50% AR (Sn)<br>[tin (II) sulphate] SnSO <sub>4</sub> M.W. 214.75  | 7488-55-3  | 51                    | 250 gm                               | 28332990 | 18                        | 3402                          |
| LA4311  | STARCH IODIDE papers<br>(Pkt. contains 100 leaves)  |            | 2<br>46               | Pkt.<br>24 Pkt.                      | 38220090 | 12                        | 165<br>3028                   |
| LA4312  | STARCH Papers<br>(Pkt. contains 100 leaves)   |            | 2<br>33               | Pkt.<br>24 Pkt.                      | 38220090 | 12                        | 110<br>2210                   |
| LA4313  | STARCH MAIZE powder (corn starch)<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> )n  | 9005-25-8  | 5<br>21               | 500 gm<br>2.5 Kg                     | 11081200 | 12                        | 318<br>1426                   |
| LA4315  | STARCH SOLUBLE Extra Pure (starch potato)(xpotato)<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W 342.30                                  | 9005-84-9  | 16<br>143             | 500 gm<br>5 Kg                       | 35051090 | 18                        | 1085<br>9489                  |
| LA4316  | STARCH SOLUBLE AR (starch potato) (xpotato)<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W 342.30   | 9005-84-9  | 19<br>163             | 500 gm<br>5 Kg                       | 35051090 | 18                        | 1236<br>10813                 |
| LA4317  | STARCH REAGENT solution, Liquid, d. 1.005   |            | 5                     | 500 ml                               | 38220090 | 12                        | 325                           |
| LA4318  | STARCH WHEAT Extra Pure (wheat starch)<br>(C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> )n   |            | 15<br>65              | 500 gm<br>2.5 Kg                     | 11081100 | 12                        | 964<br>4340                   |
| LA4319  | STEARIC ACID 98% For Synthesis<br>(n-octadecanoic acid) C <sub>18</sub> H <sub>36</sub> O <sub>2</sub> M.W. 284.48                                | 57-11-4    | 8<br>70               | 500 gm<br>5 Kg                       | 29157020 | 18                        | 534<br>4662                   |
| LA4320  | STEARIC ACID 99% AR (For Biochemistry)<br>(n-octadecanoic acid) C <sub>18</sub> H <sub>36</sub> O <sub>2</sub> M.W. 284.48                        | 57-11-4    | 5<br>19               | 5 gm<br>25 gm                        | 29157020 | 18                        | 320<br>1245                   |
| LA4321  | STEARIC ANHYDRIDE 97% For Synthesis<br>C <sub>36</sub> H <sub>70</sub> O <sub>3</sub> M.W 550.94  | 638-08-4   | 48                    | 5 gm                                 | 29159090 | 18                        | 3173                          |
| LA4322  | STEARYL ALCOHOL 99%<br>(1-octadecanol) C <sub>18</sub> H <sub>38</sub> O M.W. 270.50  | 112-92-5   | 11                    | 500 gm                               | 29051700 | 18                        | 746                           |
| LA4323  | trans-STILBENE 98%<br>C <sub>14</sub> H <sub>12</sub> M.W. 180.25<br><u>UN 3077 9/PG III</u>  | 103-30-0   | 141<br>528            | 25 gm<br>100 gm                      | 29029090 | 18                        | 9365<br>35130                 |
| LA4324  | STREPTOMYCIN SULPHATE<br>For Lab Use C <sub>21</sub> H <sub>39</sub> N <sub>7</sub> O <sub>12</sub> .1.5H <sub>2</sub> SO <sub>4</sub> M.W 728.69 | 3810-74-0  | 21<br>54              | 5 gm<br>25 gm                        | 29412090 | 18                        | 1387<br>3589                  |

| CAT No. | PRODUCT NAME  | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-------------|--------|--------|----------|-----|------------|
| LA4325  | STRONTIUM AAS STANDARD SOLUTION, 1000mg/L in Nitric Acid                    |             | 20     | 125 ml | 38220090 | 12  | 1344       |
|         | Liquid, d. 1.02   |             | 51     | 500 ml |          |     | 3398       |
| LA4326  | STRONTIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid                     |             | 109    | 125 ml | 38220090 | 12  | 7241       |
|         | Liquid, d. 1.013  |             |        |        |          |     |            |
| LA4327  | STRONTIUM (Metal) POWDER 99.9%  | 7440-24-6   | 132    | 5 gm   | 28369200 | 18  | 8782       |
|         | Sr M.W. 87.62   |             | 541    | 25 gm  |          |     | 36006      |
|         | <u>UN 3208 4.3/PG I</u>   |             |        |        |          |     |            |
| LA4328  | STRONTIUM ACETATE 99.5%   | 543-94-2    | 34     | 500 gm | 29152990 | 18  | 2263       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> Sr M.W. 205.71                 |             |        |        |          |     |            |
| LA4329  | STRONTIUM BORATE  | 137803-86-1 | 38     | 500 gm | 28402090 | 18  | 2537       |
|         | B <sub>2</sub> O <sub>3</sub> Sr M.W. 173.24                                |             |        |        |          |     |            |
| LA4330  | STRONTIUM BROMIDE 99% (hexahydrate)   | 7789-53-9   | 58     | 500 gm | 28275990 | 18  | 3827       |
|         | SrBr <sub>2</sub> ·6H <sub>2</sub> O M.W. 355.52                            |             |        |        |          |     |            |
| LA4331  | STRONTIUM CARBONATE 99%   | 1633-05-2   | 17     | 500 gm | 28369200 | 18  | 1127       |
|         | SrCO <sub>3</sub> M.W. 147.63   |             |        |        |          |     |            |
| LA4332  | STRONTIUM CHLORIDE 98% (hexahydrate)  | 10025-70-4  | 8      | 500 gm | 28273930 | 18  | 558        |
|         | SrCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 266.62                            |             | 73     | 5 Kg   |          |     | 4880       |
| LA4333  | STRONTIUM CHLORIDE 99% AR (hexahydrate)                                     | 10025-70-4  | 13     | 500 gm | 28273930 | 18  | 891        |
|         | SrCl <sub>2</sub> ·6H <sub>2</sub> O M.W. 266.62                            |             |        |        |          |     |            |
| LA4334  | STRONTIUM CHROMATE 98%  | 7789-06-2   | 55     | 500 gm | 28415090 | 18  | 3652       |
|         | SrCrO <sub>4</sub> M.W. 203.61  |             |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |             |        |        |          |     |            |
| LA4335  | STRONTIUM FLUORIDE 99.99%   | 7783-48-4   | 60     | 500 gm | 28261990 | 18  | 4028       |
|         | SrF <sub>2</sub> M.W. 125.62  |             |        |        |          |     |            |
| LA4336  | STRONTIUM HYDROXIDE 97% (octahydrate)                                       | 1311-10-0   | 12     | 500 gm | 28164000 | 18  | 827        |
|         | H <sub>2</sub> O <sub>2</sub> Sr <sub>8</sub> ·H <sub>2</sub> O M.W. 265.76 |             |        |        |          |     |            |
|         | <u>UN 3262 8/PG II</u>  |             |        |        |          |     |            |
| LA4337  | STRONTIUM IODIDE (practical)  | 10476-86-5  | 171    | 25 gm  | 28276090 | 18  | 11384      |
|         | SrI <sub>2</sub> M.W. 341.43  |             | 633    | 100 gm |          |     | 42119      |
| LA4338  | STRONTIUM NITRATE 99% (anhydrous)   | 10042-76-9  | 10     | 500 gm | 28342910 | 18  | 682        |
|         | Sr(NO <sub>3</sub> ) <sub>2</sub> M.W. 211.63                               |             | 92     | 5 Kg   |          |     | 6144       |
|         | <u>UN 1507 5.1/PG III</u>   |             |        |        |          |     |            |
| LA4339  | STRONTIUM NITRATE 99% AR (anhydrous)  | 10042-76-9  | 17     | 500 gm | 28342910 | 18  | 1118       |
|         | Sr(NO <sub>3</sub> ) <sub>2</sub> M.W. 211.63                               |             |        |        |          |     |            |
|         | <u>UN 1507 5.1/PG III</u>   |             |        |        |          |     |            |
| LA4340  | STRONTIUM OXALATE 97%   | 814-95-9    | 20     | 500 gm | 29171130 | 18  | 1347       |
|         | SrC <sub>2</sub> O <sub>4</sub> M.W. 175.64                                 |             |        |        |          |     |            |
| LA4341  | STRONTIUM PHOSPHATE 99.9%   | 7446-28-8   | 48     | 500 gm | 28352990 | 18  | 3173       |
|         | Sr <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 452.80                 |             |        |        |          |     |            |
| LA4342  | STRONTIUM SULPHATE 99%  | 7759-02-6   | 9      | 500 gm | 28309010 | 18  | 598        |
|         | SrSO <sub>4</sub> M.W. 183.68   |             |        |        |          |     |            |
| LA4343  | STRONTIUM SULPHIDE 99.9%  | 1314-96-1   | 84     | 500 gm | 28309010 | 18  | 5592       |
|         | SrS M.W 119.69  |             |        |        |          |     |            |
|         | <u>UN 3262 8/PG II</u>  |             |        |        |          |     |            |
| LA4344  | STRONTIUM SULPHITE 98%  | 13451-02-0  | 55     | 500 gm | 28301000 | 18  | 3655       |
|         | SrO <sub>3</sub> S M.W. 167.68  |             |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA4345  | STRONTIUM TARTRATE 99% (dihydrate)<br>C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> ·2H <sub>2</sub> O M.W. 230.08               | 868-19-9  | 60     | 500 gm | 29181590 | 18  | 3998       |
| LA4346  | STYRENE 99% (monomer)<br>C <sub>8</sub> H <sub>8</sub> M.W 104.15, Liquid, d. 0.906   | 100-42-5  | 12     | 500 ml | 29025000 | 18  | 785        |
|         | <u>UN 2055 3/PG III</u>   |           | 50     | 2.5 Lt |          |     | 3294       |
| LA4347  | SUCCINAMIDE 99% For Synthesis<br>C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 116.12  | 110-14-5  | 37     | 100 gm | 29241900 | 18  | 2441       |
| LA4348  | SUCCINIC ACID 99% For Synthesis<br>C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> M.W. 118.09   | 110-15-6  | 14     | 500 gm | 29171930 | 18  | 961        |
|         |   |           | 130    | 5 Kg   |          |     | 8646       |
| LA4349  | SUCCINIC ACID 99.5% AR<br>C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> M.W. 118.09  | 110-15-6  | 8      | 100 gm | 29171930 | 18  | 564        |
|         |   |           | 34     | 500 gm |          |     | 2275       |
| LA4350  | SUCCINIC ANHYDRIDE 99% For Synthesis<br>C <sub>4</sub> H <sub>4</sub> O <sub>3</sub> M.W. 100.07  | 108-30-5  | 26     | 500 gm | 29171990 | 18  | 1706       |
|         | <u>UN 3261 8/PG II</u>  |           |        |        |          |     |            |
| LA4351  | SUCCINIMIDE 99.9% For Synthesis<br>C <sub>4</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 99.09   | 123-56-8  | 9      | 100 gm | 29251900 | 18  | 625        |
|         |   |           | 38     | 500 gm |          |     | 2496       |
| LA4352  | SUCROSE 99.5% Extra Pure<br>(saccharose)  | 57-50-1   | 4      | 500 gm | 17019990 | 18  | 297        |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30   |           | 32     | 5 Kg   |          |     | 2157       |
| LA4353  | SUCROSE 99% AR<br>(saccharose) C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30  | 57-50-1   | 7      | 500 gm | 17019990 | 18  | 449        |
| LA4354  | SUCROSE 99.5% For Molecular Biology<br>C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30  | 57-50-1   | 9      | 500 gm | 17019990 | 18  | 599        |
| LA4355  | SUDAN I (C.I.No. 20557) For Microbiology<br>Dye Content: Min. 95% C <sub>16</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 248.28                  | 842-07-9  | 3      | 10 gm  | 32049000 | 18  | 200        |
|         |   |           | 7      | 25 gm  |          |     | 486        |
|         |   |           | 23     | 100 gm |          |     | 1537       |
| LA4356  | SUDAN III<br>(M.S.) (C.I. No.26100)   | 85-86-9   | 4      | 25 gm  | 32049000 | 18  | 261        |
|         | Dye Content: Min. 85% C <sub>22</sub> H <sub>16</sub> N <sub>4</sub> O M.W. 352.39  |           | 8      | 100 gm |          |     | 560        |
| LA4357  | SUDAN III stain solution<br>Liquid, d. 0.917  |           | 38     | 500 gm |          |     | 2510       |
| LA4358  | SUDAN IV (M.S.) (C.I. No.26105)<br>(alcohol soluble) (biebrich scarlet R) (scarlet red)   | 85-83-6   | 3      | 25 gm  | 32049000 | 18  | 222        |
|         | Dye Content : Min. 80% C <sub>24</sub> H <sub>20</sub> N <sub>4</sub> O M.W. 380.44   |           | 9      | 100 gm |          |     | 622        |
| LA4359  | SUDAN IV stain solution<br>(scarlet red solution)   |           | 42     | 500 gm |          |     | 2801       |
| LA4360  | SUDAN BLACK B For Molecular Biology (M.S.) (C.I. No.26150)<br>Dye Content : Min. 60% C <sub>29</sub> H <sub>24</sub> N <sub>6</sub> M.W. 456.54 | 4197-25-5 | 29     | 25 gm  | 32049000 | 18  | 1916       |
|         |   |           | 104    | 100 gm |          |     | 6899       |
| LA4361  | SUDAN BLACK B staining solution   |           | 8      | 125 ml | 38220090 | 12  | 505        |
|         |   |           | 23     | 500 ml |          |     | 1510       |
| LA4362  | SULPHACETAMIDE SODIUM 99% Extra Pure<br>C <sub>8</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> Na M.W 236.22                               | 6209-17-2 | 36     | 100 gm | 29350090 | 18  | 2377       |
| LA4363  | SULPHADIAZINE 99% Extra Pure<br>For Lab Use   | 68-35-9   | 19     | 5 gm   | 29350013 | 18  | 1250       |
|         | C <sub>10</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> S M.W 250.28  |           | 47     | 25 gm  |          |     | 3110       |
| LA4364  | SULPHADIMIDINE 99% Extra Pure<br>For Lab Use (sulphamethazine)  | 57-68-1   | 44     | 25 gm  | 29350014 | 18  | 2919       |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> S M.W 278.33  |           | 83     | 100 gm |          |     | 5520       |
|         |   |           | 261    | 500 gm |          |     | 17332      |

| CAT No. | PRODUCT NAME   | CAS No.          | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------------|--------|--------|----------|-----|------------|
| LA4365  | <b>SULPHADOXINE 95% Extra Pure</b>   | <b>2447-57-6</b> | 61     | 5 gm   | 29350090 | 18  | 4063       |
|         | For Lab Use  |                  | 183    | 25 gm  |          |     | 12158      |
|         | C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> S M.W 310.33                               |                  | 426    | 100 gm |          |     | 28324      |
| LA4366  | <b>SULPHAMERAZINE 99%</b>  | <b>127-79-7</b>  | 43     | 5 gm   | 29350090 | 18  | 2880       |
|         | C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>2</sub> S M.W. 264.30                              |                  |        |        |          |     |            |
| LA4367  | <b>SULPHAMETHOXAZOLE 98% Extra Pure</b>  | <b>723-46-6</b>  | 57     | 25 gm  | 29355001 | 18  | 3772       |
|         | For Lab Use  |                  | 187    | 100 gm |          |     | 12414      |
|         | C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> S M.W 253.28                               |                  | 597    | 500 gm |          |     | 39696      |
| LA4368  | <b>SULPHAMIC ACID 99.5% (practical)</b>  | <b>5329-14-6</b> | 7      | 500 gm | 28111990 | 18  | 447        |
|         | (amido sulphonic acid) NH <sub>2</sub> .SO <sub>3</sub> H M.W. 97.09                                     |                  | 60     | 5 Kg   |          |     | 3971       |
|         | <u>UN 2967 8/PG III</u>  |                  | 507    | 50 Kg  |          |     | 33749      |
| LA4369  | <b>SULPHAMIC ACID 99% AR</b>   | <b>5329-14-6</b> | 11     | 100 gm | 28111990 | 18  | 747        |
|         | (amido sulphonic acid) NH <sub>2</sub> .SO <sub>3</sub> H M.W. 97.09                                     |                  | 44     | 500 gm |          |     | 2925       |
|         | <u>UN 2967 8/PG III</u>  |                  |        |        |          |     |            |
| LA4370  | <b>SULPHANIALMIDE 98% Extra Pure</b>   | <b>63-74-1</b>   | 13     | 100 gm | 29350090 | 18  | 885        |
|         | (p-amino benzene sulphonamide) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 172.20 |                  | 48     | 500 gm |          |     | 3179       |
| LA4380  | <b>SULPHANIALMIDE 99% AR</b>   | <b>63-74-1</b>   | 14     | 100 gm | 29350090 | 18  | 957        |
|         | (p-amino benzene sulphonamide) C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 172.20 |                  | 59     | 500 gm |          |     | 3900       |
| LA4381  | <b>SULPHANILIC ACID 98%</b>  | <b>121-57-3</b>  | 3      | 100 gm | 29214234 | 18  | 196        |
|         | (purified white)   |                  | 12     | 500 gm |          |     | 825        |
|         | NH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H M.W. 173.19                              |                  | 99     | 5 Kg   |          |     | 6605       |
| LA4382  | <b>SULPHANILIC ACID 99% AR</b>   | <b>121-57-3</b>  | 4      | 100 gm | 29214234 | 18  | 279        |
|         | NH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H M.W. 173.19                              |                  | 17     | 500 gm |          |     | 1158       |
| LA4383  | <b>SULPHOSALICYLIC ACID 99% Extra Pure</b>   | <b>5965-83-3</b> | 5      | 100 gm | 29182390 | 18  | 361        |
|         | (5-sulphosalicylic acid)   |                  | 20     | 500 gm |          |     | 1298       |
|         | C <sub>7</sub> H <sub>6</sub> O <sub>5</sub> S.2H <sub>2</sub> O M.W. 254.21                             |                  | 171    | 5 Kg   |          |     | 11388      |
|         | <u>UN 3261 8/PG II</u>   |                  |        |        |          |     |            |
| LA4384  | <b>SULPHOSALICYLIC ACID 99.5% AR</b>   | <b>5965-83-3</b> | 12     | 250 gm | 29182390 | 18  | 788        |
|         | (5-sulphosalicylic acid) C <sub>7</sub> H <sub>6</sub> O <sub>5</sub> S.2H <sub>2</sub> O M.W. 254.21    |                  | 22     | 500 gm |          |     | 1461       |
|         | <u>UN 3261 8/PG II</u>   |                  |        |        |          |     |            |
| LA4385  | <b>SULPHOSALICYLIC ACID 3% solution For Synthesis</b>  |                  | 2      | 125 ml | 38220090 | 12  | 163        |
|         | Liquid, d. 1.00  |                  | 7      | 500 ml |          |     | 484        |
| LA4386  | <b>SULPHOSALICYLIC ACID 20% solution For Synthesis</b>   |                  | 3      | 125 ml | 38220090 | 12  | 177        |
|         | Liquid, d. 1.00  |                  | 8      | 500 ml |          |     | 531        |
| LA4387  | <b>SULPHUR powder 98% Extra Pure</b>   | <b>7704-34-9</b> | 4      | 500 gm | 28020010 | 18  | 270        |
|         | (sulphur flower) S M.W. 32.06  |                  | 35     | 5 Kg   |          |     | 2301       |
|         | <u>UN 1350 4.1 /PG III</u>   |                  | 310    | 50 Kg  |          |     | 20644      |
| LA4388  | <b>SULPHUR powder 99.5-100.5% AR</b>   | <b>7704-34-9</b> | 7      | 500 gm | 28020010 | 18  | 491        |
|         | (sulphur flower) S M.W. 32.06  |                  |        |        |          |     |            |
|         | <u>UN 1350 4.1 /PG III</u>   |                  |        |        |          |     |            |
| LA4389  | <b>SULPHURIC ACID 98%</b>  | <b>7664-93-9</b> | 6      | 500 ml | 28070010 | 18  | 424        |
|         | H <sub>2</sub> SO <sub>4</sub> M.W. 98.08, Liquid, d. 1.84   |                  | 12     | 1 Lt   |          |     | 790        |
|         | <u>UN 1830 8/PG II</u>   |                  | 28     | 2.5 Lt |          |     | 1852       |
|         |  |                  | 50     | 5 Lt   |          |     | 3335       |
|         |  |                  | 171    | 20 Lt  |          |     | 11350      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)                 |
|---------|--|------------|--------|--------|----------|-----|----------------------------|
| LA4390  | <b>SULPHURIC ACID 98% AR</b><br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.84<br><br><u>UN 1830 8/PG II</u>   | 7664-93-9  | 7      | 500 ml | 28070010 | 18  | 475<br>899<br>2108<br>3592 |
| LA4391  | <b>SULPHURIC ACID 90-91% AR</b><br><br>For Gerber fat and nitrates determination in milk<br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.84<br><br><u>UN 1830 8/PG II</u>       | 7664-93-9  | 6      | 500 ml | 28070010 | 18  | 424<br>790<br>1863         |
| LA4392  | <b>SULPHURIC ACID 96% ACIPUR</b><br><br>For Trace Metal Analysis<br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.84<br><br><u>UN 1830 8/PG II</u>                               | 7664-93-9  | 26     | 500 ml | 28070010 | 18  | 1704<br>3233               |
| LA4393  | <b>SULPHURIC ACID 20%</b><br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.925<br><br><u>UN 1830 8/PG II</u>   | 7664-93-9  | 5      | 500 ml | 28070010 | 18  | 338                        |
| LA4394  | <b>SULPHURIC ACID 25% AR (for analysis)</b><br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.26<br><br><u>UN 1830 8/PG II</u>  | 7664-93-9  | 17     | 500 ml | 28070010 | 18  | 1138                       |
| LA4395  | <b>SULPHURIC ACID 40%</b><br><br>(for determination of gas metabolism) (according to knipping)<br><br><chem>H2SO4</chem> M.W. 98.08, Liquid, d. 1.30<br><br><u>UN 1830 8/PG II</u> | 7664-93-9  | 17     | 500 ml | 28070010 | 18  | 1128                       |
| LA4396  | <b>SULPHURIC ACID N/10 solution</b>  |            | 4      | 500 ml | 38220090 | 12  | 286                        |
| LA4397  | <b>SULPHURIC ACID N/50 (0.02N)</b> , Liquid, d. 1.83   |            | 4      | 500 ml | 38220090 | 12  | 241                        |
| LA4398  | <b>SULPHURIC ACID Solution 2N/3</b> , Liquid, d. 1.83  |            | 3      | 500 ml | 38220090 | 12  | 198                        |
| LA4399  | <b>SULPHURIC ACID 0.1M (0.2N), Standardized Solution</b><br><br>Liquid, d. 1.01  |            | 6      | 500 ml | 38220090 | 12  | 415                        |
| LA4400  | <b>SULPHURIC ACID 0.25M (0.5N), Standardized Solution</b><br><br>Liquid, d. 1.02   |            | 6      | 500 ml | 38220090 | 12  | 416                        |
| LA4401  | <b>SULPHURIC ACID 1M (2N), Standardized Solution</b><br><br>Liquid, d. 1.06  |            | 6      | 500 ml | 38220090 | 12  | 417                        |
| LA4402  | <b>SULPHURIC ACID 2.5M (5N), Standardized Solution</b><br><br>Liquid, d. 1.15  |            | 6      | 500 ml | 38220090 | 12  | 418                        |
| LA4403  | <b>SULPHURIC ACID 5M (10N), Standardized Solution</b><br><br>Liquid, d. 1.1-1.3  |            | 6      | 500 ml | 38220090 | 12  | 420                        |
| LA4404  | <b>SULPHURIC ACID 0.5Mol/L (1N), Standardized Solution</b><br><br>Liquid, d. 1.03  |            | 6      | 500 ml | 38220090 | 12  | 421                        |
| LA4405  | <b>SULPHURIC ACID 0.05mol/L (0.1N) for 500 ml Solution</b><br><br>(2x2 amps. Of set in a box)  |            | 6      | 4 Amp  | 38220090 | 12  | 423                        |
| LA4406  | <b>SULPHURIC ACID 0.5mol/L (1N) SOLUTION</b><br><br>when diluted to 500 ml with water (Concn. Of solution in<br>ampoule is 10N) (2x2 amps. Of set in a box)                        |            | 15     | 4 Amp  | 38220090 | 12  | 1005                       |
| LA4407  | <b>SULPHUR MONOCHLORIDE 99% For Synthesis</b><br><br><chem>S2Cl2</chem> M.W.135.0, Liquid, d. 1.668<br><br><u>UN 3390 6.1(8)/PG I</u>  | 10025-67-9 | 34     | 500 ml | 28129000 | 18  | 2250                       |
| LA4408  | <b>SULPHUROUS ACID 5-6% (as SO2) (aqueous solution)</b><br><br>(sulphur dioxide) M.W. 82.08 Liquid, d. 1.03 <chem>H2SO3</chem><br><br><u>UN 1833 8/PG II</u>                       | 7782-99-2  | 10     | 500 ml | 28070010 | 18  | 677                        |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4409  | SULPHURYL CHLORIDE 98% For Synthesis   | 7791-25-5  | 34     | 500 ml | 28121090 | 18  | 2263       |
|         | SO <sub>2</sub> Cl <sub>2</sub> M.W. 134.97, Liquid, d. 1.67   |            |        |        |          |     |            |
|         | <u>UN 1834 6.1(8)/PG I</u>   |            |        |        |          |     |            |
| LA4410  | SUNSET YELLOW (C.I. No.15985)  | 2783-94-0  | 17     | 25 gm  | 32041211 | 18  | 1135       |
|         | Dye Content: Min. 90% C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 452.37 |            | 60     | 100 gm |          |     | 3975       |
| LA4411  | SYRINGIC ALDEHYDE 99% For Synthesis  | 134-96-3   | 26     | 5 gm   | 29124990 | 18  | 1708       |
|         | (syringaldehyde) C <sub>9</sub> H <sub>10</sub> O <sub>4</sub> M.W. 182.17   |            | 99     | 25 gm  |          |     | 6588       |
| LA4412  | SYRINGALDAZINE 99%   | 14414-32-5 | 133    | 1 gm   | 29280090 | 18  | 8813       |
|         | C <sub>18</sub> H <sub>20</sub> N <sub>2</sub> O <sub>6</sub> M.W 360.36   |            |        |        |          |     |            |
|         | <u>UN 1325 4.1/ PG III</u>   |            |        |        |          |     |            |
| LA4413  | TANNIC ACID Extra Pure (light powder)  | 1401-55-4  | 20     | 100 gm | 32019090 | 18  | 1336       |
|         | (gallotannic acid)   |            | 44     | 250 gm |          |     | 2922       |
|         | C <sub>76</sub> H <sub>52</sub> O <sub>46</sub> M.W. 1701.22   |            | 75     | 500 gm |          |     | 4987       |
| LA4414  | TANNIC ACID AR   | 1401-55-4  | 22     | 100 gm | 32019090 | 18  | 1454       |
|         | (gallotannic acid)   |            | 47     | 250 gm |          |     | 3107       |
|         | C <sub>76</sub> H <sub>52</sub> O <sub>46</sub> M.W. 1701.22   |            | 78     | 500 gm |          |     | 5172       |
| LA4415  | TANNIC ACID solution   |            | 11     | 500 ml | 38220090 | 12  | 728        |
| LA4416  | TANTALUM (Metal) WIRE 99%  | 7440-25-7  | 266    | 25 gm  | 81039000 | 18  | 17715      |
|         | Ta M.W. 180.95   |            | 493    | 50 gm  |          |     | 32765      |
| LA4417  | TANTALUM PENTOXIDE 99% AR  | 1314-61-0  | 76     | 10 gm  | 28469090 | 18  | 5052       |
|         | (tantalum (V) oxide) Ta <sub>2</sub> O <sub>5</sub> M.W. 441.89  |            | 170    | 25 gm  |          |     | 11278      |
| LA4418  | TAPS BUFFER 99% For Biochemistry   | 29915-38-6 | 21     | 25 gm  | 29221990 | 18  | 1418       |
|         | [N-Tris (Hydroxy Methyl) Methyl-3-Amino Propane Sulfonic Acid]   |            | 75     | 100 gm |          |     | 4965       |
|         | C <sub>7</sub> H <sub>17</sub> NO <sub>6</sub> S M.W. 243.28   |            |        |        |          |     |            |
| LA4419  | L (+) TARTARIC ACID 99.5% Extra Pure   | 87-69-4    | 13     | 250 gm | 29181200 | 18  | 839        |
|         | [dextro-rotatory (+) tartaric acid]  |            | 23     | 500 gm |          |     | 1558       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09   |            | 199    | 5 Kg   |          |     | 13245      |
| LA4420  | L (+) TARTARIC ACID 99.7% AR   | 87-69-4    | 14     | 250 gm | 29181200 | 18  | 922        |
|         | [dextro-rotatory (+) tartaric acid]  |            | 26     | 500 gm |          |     | 1734       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09   |            | 222    | 5 Kg   |          |     | 14731      |
| LA4421  | DL-TARTARIC ACID 99% Synthetic   | 133-37-9   | 11     | 500 gm | 29181200 | 18  | 733        |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 150.09   |            | 94     | 5 Kg   |          |     | 6229       |
|         |  |            | 421    | 25 Kg  |          |     | 28027      |
| LA4422  | TARTRAZINE (M.S.) (C.I. No.19140)  | 1934-21-0  | 4      | 25 gm  | 32041982 | 18  | 257        |
|         | C <sub>16</sub> H <sub>9</sub> N <sub>4</sub> O <sub>9</sub> S <sub>2</sub> Na <sub>3</sub> M.W. 534.4                         |            | 10     | 100 gm |          |     | 657        |
|         |  |            | 42     | 500 gm |          |     | 2768       |
| LA4423  | TARTRAZINE solution  |            | 8      | 500 ml | 38220090 | 12  | 558        |
| LA4424  | TAURINE 99% For Synthesis  | 107-35-7   | 7      | 25 gm  | 29211990 | 18  | 468        |
|         | (2-aminoethanesulphonic acid)  |            | 21     | 100 gm |          |     | 1416       |
|         | C <sub>2</sub> H <sub>7</sub> NO <sub>3</sub> S M.W. 125.15  |            | 181    | 1 Kg   |          |     | 12031      |
| LA4425  | TELLURIUM AAS STANDARD SOLUTION 1000mg/L   |            | 34     | 125 ml | 38220090 | 12  | 2262       |
|         | in Hydrochloric Acid   |            | 57     | 500 ml |          |     | 3802       |
| LA4426  | TELLURIUM ICP STANDARD SOLUTION 1000mg/L   |            | 107    | 125 ml | 38220090 | 12  | 7109       |
|         | in Hydrochloric Acid   |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4427  | TELLURIUM (Metal) POWDER 99.9%  | 13494-80-9 | 135    | 100 gm | 28045020 | 18  | 8945       |
|         | Te M.W. 127.60  |            | 626    | 500 gm |          |     | 41597      |
| LA4428  | TERBIUM OXIDE 99.9% AR  | 12037-01-3 | 129    | 1 gm   | 28469010 | 18  | 8595       |
|         | [terbium (III, IV) oxide] Tb <sub>2</sub> O <sub>7</sub> M.W. 747.70                    |            | 517    | 5 gm   |          |     | 34372      |
| LA4429  | TEREPHTHAALLDEHYDE 98% For Synthesis  | 623-27-8   | 153    | 100 gm | 29122990 | 18  | 10171      |
|         | (benzene-1,4-dicarboxaldehyde) C <sub>8</sub> H <sub>6</sub> O <sub>2</sub> M.W. 134.13 |            | 510    | 500 gm |          |     | 33885      |
| LA4430  | TERPENTINE OIL Extra Pure Liquid, d. 0.86   | 8006-64-2  | 9      | 500 ml | 38051010 | 18  | 609        |
|         | <u>UN 1299 3/PG III</u>   |            | 76     | 5 Lt   |          |     | 5056       |
| LA4431  | TERPINEOL (mixture of isomers) Liquid, d. 0.934   | 8000-41-7  | 21     | 500 ml | 29061990 | 18  | 1409       |
| LA4432  | TES 99% For Molecular Biology (For Biochemistry)  | 7365-44-8  | 8      | 5 gm   | 29221990 | 18  | 555        |
|         | [N-tris(hydroxymethyl) methyl-2-aminoethane sulphonic acid]                             |            | 32     | 25 gm  |          |     | 2153       |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>6</sub> S M.W. 229.25                            |            | 116    | 100 gm |          |     | 7740       |
| LA4433  | TESTOSTERONE 99% Extra Pure   | 58-22-0    | 62     | 5 gm   | 29372900 | 18  | 4094       |
|         | (17b-Hydroxy-4-androsten-3-one)   |            | 291    | 25 gm  |          |     | 19371      |
|         | C <sub>19</sub> H <sub>28</sub> O <sub>2</sub> M.W. 288.42                              |            |        |        |          |     |            |
| LA4434  | TESTOSTERONE PROPIONATE   | 57-85-2    | 49     | 5 gm   | 32049000 | 18  | 3287       |
|         | C <sub>22</sub> H <sub>32</sub> O <sub>3</sub> M.W. 344.50                              |            | 231    | 25 gm  |          |     | 15349      |
| LA4435  | TETRA BUTYL AMMONIUM BROMIDE 98% For Synthesis  | 1643-19-2  | 13     | 250 gm | 29239000 | 18  | 895        |
|         | C <sub>16</sub> H <sub>36</sub> BrN M.W. 322.37   |            | 24     | 500 gm |          |     | 1568       |
| LA4436  | TETRA BUTYL AMMONIUM BROMIDE 99% AR   | 1643-19-2  | 4      | 25 gm  | 29239000 | 18  | 270        |
|         | (phase transfer catalyst) C <sub>16</sub> H <sub>36</sub> BrN M.W. 322.37               |            | 12     | 100 gm |          |     | 796        |
| LA4437  | TETRA BUTYL AMMONIUM HYDROGEN PHOSPHATE 98%   | 5574-97-0  | 49     | 5 gm   | 29239000 | 18  | 3237       |
|         | (For HPLC) C <sub>16</sub> H <sub>38</sub> NO <sub>4</sub> P M.W. 339.45                |            | 183    | 25 gm  |          |     | 12142      |
| LA4438  | TETRA BUTYL AMMONIUM HYDROGEN SULPHATE 99%  | 32503-27-8 | 11     | 100 gm | 29239000 | 18  | 732        |
|         | For Synthesis   |            | 43     | 500 gm |          |     | 2831       |
|         | C <sub>16</sub> H <sub>37</sub> NO <sub>4</sub> S M.W. 339.53                           |            |        |        |          |     |            |
| LA4439  | TETRA BUTYL AMMONIUM HYDROXIDE 10% Aqueous Solution                                     | 2052-49-5  | 28     | 100 ml | 29239000 | 18  | 1863       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | 129    | 500 ml |          |     | 8567       |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4440  | TETRA BUTYL AMMONIUM HYDROXIDE 20% Aqueous Solution                                     | 2052-49-5  | 38     | 100 ml | 29239000 | 18  | 2537       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | 146    | 500 ml |          |     | 9720       |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4441  | TETRA BUTYL AMMONIUM HYDROXIDE 40% Aqueous Solution                                     | 2052-49-5  | 60     | 100 ml | 29239000 | 18  | 4022       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.995                        |            | 263    | 500 ml |          |     | 17498      |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4442  | TETRA BUTYL AMMONIUM HYDROXIDE 10% Solution   | 2052-49-5  | 30     | 100 ml | 29239000 | 18  | 1996       |
|         | in Methanol   |            | 132    | 500 ml |          |     | 8780       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.830                        |            |        |        |          |     |            |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4443  | TETRA BUTYL AMMONIUM HYDROXIDE 25% solution   | 2052-49-5  | 42     | 100 ml | 29239000 | 18  | 2797       |
|         | in Methanol   |            | 185    | 500 ml |          |     | 12305      |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.830                        |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4444  | TETRA BUTYL AMMONIUM HYDROXIDE 40% solution   | 2052-49-5  | 85     | 100 ml | 29239000 | 18  | 5672       |
|         | in Methanol   |            | 335    | 500 ml |          |     | 22305      |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.830  |            |        |        |          |     |            |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4445  | TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N in isopropanol   | 2052-49-5  | 17     | 100 ml | 29239000 | 18  | 1136       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.762  |            | 55     | 500 ml |          |     | 3635       |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4446  | TETRA BUTYL AMMONIUM HYDROXIDE 0.1 N  | 2052-49-5  | 9      | 100 ml | 29239000 | 18  | 592        |
|         | in methanol/toluene   |            | 33     | 500 ml |          |     | 2224       |
|         | C <sub>16</sub> H <sub>37</sub> NO M.W. 259.47, Liquid, d. 0.853  |            |        |        |          |     |            |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4447  | TETRA BUTYL AMMONIUM IODIDE 98% AR  | 311-28-4   | 11     | 25 gm  | 29239000 | 18  | 720        |
|         | (phase transfer catalyst)   |            | 37     | 100 gm |          |     | 2443       |
|         | C <sub>16</sub> H <sub>36</sub> IN M.W. 367.37  |            |        |        |          |     |            |
| LA4448  | TETRA BUTYL AMMONIUM PERCHLORATE 99%  | 1923-70-2  | 143    | 5 gm   | 29239000 | 18  | 9512       |
|         | C <sub>16</sub> H <sub>36</sub> ClNO <sub>4</sub> M.W. 341.91   |            | 536    | 25 gm  |          |     | 35631      |
|         | <u>UN 1479 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4449  | 1,1,2,2-TETRA CHLOROETHANE 98% For Synthesis  | 79-34-5    | 40     | 500 ml | 29031910 | 18  | 2674       |
|         | C <sub>2</sub> H <sub>2</sub> Cl <sub>4</sub> M.W. 167.85, Liquid d. 1.586                                    |            | 76     | 1 Lt   |          |     | 5081       |
|         | <u>UN 1702 6.1/PG II</u>  |            | 179    | 2.5 Lt |          |     | 11934      |
| LA4450  | 1,1,2,2-TETRA CHLOROETHANE 98.5% AR   | 79-34-5    | 43     | 500 ml | 29031910 | 18  | 2872       |
|         | C <sub>2</sub> H <sub>2</sub> Cl <sub>4</sub> M.W. 167.85, Liquid d. 1.586                                    |            | 82     | 1 Lt   |          |     | 5450       |
|         | <u>UN 1702 6.1/PG II</u>  |            | 193    | 2.5 Lt |          |     | 12804      |
| LA4451  | n-TETRADECANE 99%   | 629-59-4   | 31     | 25 ml  | 29011000 | 18  | 2044       |
|         | C <sub>14</sub> H <sub>30</sub> M.W. 198.4  |            | 100    | 100 ml |          |     | 6640       |
| LA4452  | TETRACHLORO PHTHALIC ANHYDRIDE 98%  | 117-08-8   | 144    | 1 Kg   | 29173500 | 18  | 9548       |
|         | C <sub>8</sub> Cl <sub>4</sub> O <sub>3</sub> M.W. 285.90   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4453  | 7,7,8,8-TETRACYANOQUINODIMETHANE 98%  | 1518-16-7  | 60     | 1 gm   | 29269000 | 18  | 3985       |
|         | C <sub>12</sub> H <sub>4</sub> N <sub>4</sub> M.W. 204.19   |            |        |        |          |     |            |
|         | <u>UN 3439 6.1/PG I</u>   |            |        |        |          |     |            |
| LA4454  | TETRACYCLINE 98% (base)   | 60-54-8    | 40     | 5 gm   | 29413090 | 18  | 2652       |
|         | For Lab Use C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>8</sub> ·xH <sub>2</sub> O M.W. 444.43      |            | 139    | 25 gm  |          |     | 9221       |
|         |   |            | 362    | 100 gm |          |     | 24076      |
| LA4455  | TETRACYCLINE HYDROCHLORIDE 95% For Molecular Biology  | 64-75-5    | 21     | 5 gm   | 29181190 | 18  | 1426       |
|         | For Lab Use C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>8</sub> ·HCl M.W. 480.90 (Store at 2 - 8°C) |            | 71     | 25 gm  |          |     | 4733       |
|         | <u>UN 3077 9/PG III</u>   |            | 196    | 100 gm |          |     | 13011      |
| LA4456  | TETRAETHYL AMMONIUM BROMIDE 98% For Synthesis   | 71-91-0    | 7      | 100 gm | 29239000 | 18  | 449        |
|         | (phase transfer catalyst) C <sub>8</sub> H <sub>20</sub> BrN M.W. 210.17                                      |            | 15     | 250 gm |          |     | 1020       |
| LA4457  | TETRAETHYL AMMONIUM HYDROXIDE 25% (aqueous solution)  | 77-98-5    | 40     | 100 ml | 29239000 | 18  | 2674       |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> N(OH) M.W. 147.26, Liquid, d. 0.865                             |            | 169    | 500 ml |          |     | 11248      |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4458  | TETRAETHYL AMMONIUM HYDROGEN SULPHATE 99% (HPLC)  | 16873-13-5 | 25     | 25 gm  | 29239000 | 18  | 1640       |
|         | C <sub>8</sub> H <sub>21</sub> NO <sub>4</sub> S M.W. 227.32  |            | 89     | 100 gm |          |     | 5904       |
| LA4459  | TETRAETHYL AMMONIUM IODIDE 98% For Synthesis  | 68-05-3    | 63     | 100 gm | 29239000 | 18  | 4162       |
|         | C <sub>8</sub> H <sub>20</sub> IN M.W. 257.16   |            | 275    | 500 gm |          |     | 18310      |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4460  | TETRAETHYL ORTHOSILICATE 99%  | 78-10-4    | 73     | 500 ml | 29209099 | 18  | 4872       |
|         | Si(OC <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> M.W. 208.33, Liquid, d. 0.934            |            |        |        |          |     |            |
|         | <u>UN 1292 3/PG III</u>   |            |        |        |          |     |            |
| LA4461  | TETRAHEPTYL AMMONIUM BROMIDE 99% AR   | 4368-51-8  | 154    | 25 gm  | 29239000 | 18  | 10253      |
|         | C <sub>28</sub> H <sub>60</sub> BrN M.W. 490.69   |            | 593    | 100 gm |          |     | 39427      |
| LA4462  | TETRAETHYLENE GLYCOL 99%  | 112-60-7   | 92     | 500 ml | 29094900 | 18  | 6128       |
|         | (tetraglycol) C <sub>8</sub> H <sub>18</sub> O <sub>5</sub> M.W. 194.23, Liquid, d. 1.125 |            | 171    | 1 Lt   |          |     | 11385      |
| LA4463  | TETRAHYDROFURAN 99% (stabilized with 0.1% quinol)   | 109-99-9   | 22     | 500 ml | 29321100 | 18  | 1469       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |            | 42     | 1 Lt   |          |     | 2792       |
|         | <u>UN 2056 3/PG II</u>  |            | 95     | 2.5 Lt |          |     | 6294       |
| LA4464  | TETRAHYDROFURAN 99.5% AR (stabilized with 0.1% quinol)                                    | 109-99-9   | 23     | 500 ml | 29321100 | 18  | 1530       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |            | 44     | 1 Lt   |          |     | 2899       |
|         | <u>UN 2056 3/PG II</u>  |            | 102    | 2.5 Lt |          |     | 6811       |
| LA4465  | TETRAHYDROFURAN 99.8% HPLC & SPECTROSCOPY   | 109-99-9   | 24     | 500 ml | 29321100 | 18  | 1625       |
|         | C <sub>4</sub> H <sub>8</sub> O M.W. 72.11, Liquid, d. 0.889                              |            | 46     | 1 Lt   |          |     | 3085       |
|         | <u>UN 2056 3/PG II</u>  |            | 109    | 2.5 Lt |          |     | 7247       |
| LA4466  | 2,3,5,6-TETRAHYDROXY-1,4-BENZOQUINONE 99% AR  | 5676-48-2  | 28     | 1 gm   | 29146990 | 18  | 1856       |
|         | (dihydrate)   |            | 112    | 5 gm   |          |     | 7432       |
|         | (indicator for sulphate titration)  |            |        |        |          |     |            |
|         | C <sub>6</sub> H <sub>4</sub> O <sub>6</sub> M.W. 172.10                                  |            |        |        |          |     |            |
| LA4467  | TETRAKIS (DECYL) AMMONIUM BROMIDE 99%   | 14937-42-9 | 77     | 5 gm   | 29239000 | 18  | 5108       |
|         | C <sub>40</sub> H <sub>84</sub> N.Br M.W. 659.01  |            | 359    | 25 gm  |          |     | 23896      |
| LA4468  | TETRAKIS (TRIPHENYLPHOSPHINE) PALALDIUM 99%   | 14221-01-3 | 37     | 500 mg | 28439019 | 18  | 2489       |
|         | (o)(Metal basis)  |            | 68     | 1 gm   |          |     | 4531       |
|         | [palALdium (o) tetrakis (triphenylphosphine)  |            | 647    | 10 gm  |          |     | 43041      |
|         | C <sub>72</sub> H <sub>60</sub> P <sub>4</sub> Pd M.W. 1155.56                            |            |        |        |          |     |            |
| LA4469  | TETRALIN 98% For Synthesis  | 119-64-2   | 34     | 500 ml | 29029090 | 18  | 2264       |
|         | C <sub>10</sub> H <sub>12</sub> M.W. 132.21, Liquid, d. 0.97                              |            | 65     | 1 Lt   |          |     | 4305       |
|         | <u>UN 3082 9/PG III</u>   |            | 152    | 2.5 Lt |          |     | 10121      |
| LA4470  | b-TETRALONE 98%   | 530-93-8   | 387    | 25 gm  | 29145000 | 18  | 25752      |
|         | C <sub>10</sub> H <sub>10</sub> O M.W. 146.19, Liquid, d. 1.106                           |            |        |        |          |     |            |
| LA4471  | TETRA METHYL AMMONIUM BROMIDE 98% For Synthesis   | 64-20-0    | 25     | 100 gm | 29239000 | 18  | 1688       |
|         | (CH <sub>3</sub> ) <sub>4</sub> N(Br) M.W.154.05  |            | 105    | 500 gm |          |     | 6979       |
|         | <u>UN 2811 6.1 /PG II</u>   |            |        |        |          |     |            |
| LA4472  | TETRA METHYL AMMONIUM CHLORIDE 98% For Synthesis  | 75-57-0    | 8      | 100 gm | 29239000 | 18  | 551        |
|         | C <sub>4</sub> H <sub>12</sub> ClN M.W. 109.60  |            | 39     | 500 gm |          |     | 2604       |
|         | <u>UN 2811 6.1 /PG II</u>   |            |        |        |          |     |            |
| LA4473  | TETRA METHYL AMMONIUM HYDROGEN SULPHATE 98%   | 80526-82-5 | 92     | 100 gm | 29239000 | 18  | 6139       |
|         | For Synthesis   |            |        |        |          |     |            |
|         | C <sub>4</sub> H <sub>13</sub> NO <sub>4</sub> S M.W. 171.21                              |            |        |        |          |     |            |
| LA4474  | TETRA METHYL AMMONIUM HYDROGEN SULPHATE 99% (HPLC)  | 80526-82-5 | 24     | 5 gm   | 29239000 | 18  | 1591       |
|         | (for ion pair chromatography)   |            | 106    | 25 gm  |          |     | 7053       |
|         | C <sub>4</sub> H <sub>13</sub> NO <sub>4</sub> S M.W. 171.21                              |            |        |        |          |     |            |
| LA4475  | TETRAMETHYL AMMONIUM HYDROXIDE pentahydrate 97%   | 10424-65-4 | 21     | 25 gm  | 29239000 | 18  | 1389       |
|         | Extra Pure  |            | 74     | 100 gm |          |     | 4890       |
|         | (Store at 2-8°C)  |            | 171    | 250 gm |          |     | 11390      |
|         | (CH <sub>3</sub> ) <sub>4</sub> N(OH).5H <sub>2</sub> O M.W. 181.23                       |            |        |        |          |     |            |
|         | <u>UN 3423 8/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4476  | TETRAMETHYL AMMONIUM HYDROXIDE 1M   |            | 25     | 100 ml | 29239000 | 18  | 1655       |
|         | SOLUTION IN METHANOL  |            | 59     | 250 ml |          |     | 3891       |
| LA4476  | TETRAMETHYL AMMONIUM HYDROXIDE 0.1N   |            | 26     | 100 ml | 29239000 | 18  | 1726       |
|         | SOLUTION IN 2-PROPANOL  |            | 59     | 250 ml |          |     | 3939       |
| LA4477  | TETRAMETHYL AMMONIUM HYDROXIDE 0.1N   |            | 15     | 100 ml | 29239000 | 18  | 1010       |
|         | SOLUTION IN METHANOL  |            | 29     | 250 ml |          |     | 1923       |
| LA4478  | TETRAMETHYL AMMONIUM HYDROXIDE  |            | 17     | 100 ml | 29239000 | 18  | 1115       |
|         | 1M SOLUTION IN WATER  |            | 39     | 250 ml |          |     | 2610       |
| LA4479  | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION   |            | 13     | 50 ml  | 29239000 | 18  | 890        |
|         | 10% IN WATER  |            | 48     | 250 ml |          |     | 3171       |
| LA4480  | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION   |            | 42     | 100 ml | 29239000 | 18  | 2820       |
|         | 25% IN WATER  |            | 91     | 250 ml |          |     | 6035       |
| LA4481  | TETRAMETHYL AMMONIUM HYDROXIDE SOLUTION   |            | 46     | 100 ml | 29239000 | 18  | 3050       |
|         | 25% IN METHANOL   |            | 84     | 250 ml |          |     | 5570       |
| LA4482  | TETRAMETHYL AMMONIUM IODIDE 99% AR  | 75-58-1    | 47     | 100 gm | 29239000 | 18  | 3154       |
|         | C <sub>4</sub> H <sub>12</sub> IN M.W. 201.05   |            | 190    | 500 gm |          |     | 12618      |
| LA4483  | 3,3',3,5'-TETRAMETHYL BENZIDINE 99% For Molecular Biology   | 54827-17-7 | 29     | 1 gm   | 29215990 | 18  | 1948       |
|         | C <sub>16</sub> H <sub>20</sub> N <sub>2</sub> M.W. 240.34  |            | 129    | 5 gm   |          |     | 8574       |
| LA4484  | N,N,N,N-TETRA METHYL BENZIDINE 95%  | 366-29-0   | 119    | 1 gm   | 29215990 | 18  | 7891       |
|         | C <sub>16</sub> H <sub>20</sub> N <sub>2</sub> M.W. 240.34  |            | 434    | 5 gm   |          |     | 28880      |
| LA4485  | N,N,N,N-TETRAMETHYL DIAMINO DIPHENYL METHANE 98%  | 101-61-1   | 280    | 100 gm | 29215990 | 18  | 18610      |
|         | For Synthesis   |            |        |        |          |     |            |
|         | C <sub>17</sub> H <sub>22</sub> N <sub>2</sub> M.W. 254.37  |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4486  | N,N,N,N-TETRAMETHYL ETHYLENEDIAMINE AR 99% (TEMED)  | 110-18-9   | 26     | 100 ml | 29212990 | 18  | 1727       |
|         | (For Molecular Biology) C <sub>6</sub> H <sub>16</sub> N <sub>2</sub> M.W. 116.21, Liquid, d. 0.777 |            | 61     | 250 ml |          |     | 4065       |
|         | <u>UN 2372 3/PG II</u>  |            |        |        |          |     |            |
| LA4487  | N,N,N,N-TETRAMETHYL-P-PHENYLENE DIAMINE   | 637-01-4   | 27     | 5 gm   | 29215190 | 18  | 1809       |
|         | DIHYDROCHLORIDE 98%   |            | 118    | 25 gm  |          |     | 7864       |
|         | C <sub>10</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>2</sub> M.W. 237.17                          |            | 432    | 100 gm |          |     | 28704      |
|         |   |            |        |        |          |     |            |
| LA4488  | TETRANITRO B.T. 98% AR  | 1184-43-6  | 37     | 100 mg | 32049000 | 18  | 2441       |
|         | C <sub>40</sub> H <sub>28</sub> Cl <sub>2</sub> N <sub>12</sub> O <sub>10</sub> M.W. 907.63         |            | 74     | 250 mg |          |     | 4950       |
| LA4489  | TETRAPHENYL PHOSPHONIUM BROMIDE 98%   | 2751-90-8  | 31     | 25 gm  | 29319090 | 18  | 2033       |
|         | C <sub>24</sub> H <sub>20</sub> BrP M.W. 419.31   |            | 113    | 100 gm |          |     | 7495       |
| LA4490  | TETRA PROPYL AMMONIUM BROMIDE 99%   | 1941-30-6  | 21     | 100 gm | 29239000 | 18  | 1408       |
|         | C <sub>12</sub> H <sub>28</sub> BrN M.W. 266.26   |            | 92     | 500 gm |          |     | 6094       |
| LA4491  | TETRA PROPYL AMMONIUM HYDROXIDE   | 4499-86-9  | 40     | 100 ml | 29239000 | 18  | 2687       |
|         | (10% Aqueous Solution) C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid. d 1.012              |            | 152    | 500 ml |          |     | 10110      |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4492  | TETRA PROPYL AMMONIUM HYDROXIDE   | 4499-86-9  | 51     | 100 ml | 29239000 | 18  | 3408       |
|         | (20% Solution In Water) C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid. d 1.012             |            | 203    | 500 ml |          |     | 13476      |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |
| LA4493  | TETRAPROPYL AMMONIUM HYDROXIDE (40% Solution In Water)  | 4499-86-9  | 102    | 100 ml | 29239000 | 18  | 6796       |
|         | C <sub>12</sub> H <sub>29</sub> NO M.W. 203.36, Liquid. d 1.012                                     |            | 405    | 500 ml |          |     | 26953      |
|         | <u>UN 3267 8/PG II</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA4494  | 1H-TETRAZOLE 99% For DNA Synthesis (For Molecular Biology)                          | 288-94-8  | 38     | 5 gm   | 29339900 | 18  | 2536       |
|         | CH <sub>2</sub> N <sub>4</sub> M.W. 70.05   |           | 152    | 25 gm  |          |     | 10140      |
|         | <u>UN 1993 3/PG II</u>  |           |        |        |          |     |            |
| LA4495  | TETRAZOLIUM SALT 99% AR (For Molecular Biology) (TTC)                               | 298-96-4  | 32     | 10 gm  | 29339900 | 18  | 2127       |
|         | (2,3,5-triphenyl tetrazolium chloride)  |           | 78     | 25 gm  |          |     | 5206       |
|         | C <sub>19</sub> H <sub>15</sub> ClN <sub>4</sub> M.W. 334.80                        |           | 305    | 100 gm |          |     | 20313      |
|         | <u>UN 1325 4.1/ PG II</u>   |           |        |        |          |     |            |
| LA4496  | TETRAZOLIUM VIOLET 94% AR (For Molecular Biology)                                   | 1719-71-7 | 31     | 1 gm   | 32049000 | 18  | 2051       |
|         | [2,5-diphenyl-3-(1-naphthyl) tetrazolium chloride]                                  |           |        |        |          |     |            |
|         | C <sub>23</sub> H <sub>17</sub> N <sub>4</sub> Cl M.W. 384.87                       |           |        |        |          |     |            |
| LA4497  | 1-(2-THEONYL) 3,3,3-TRIFLUOROACETONE 99%  | 326-91-0  | 35     | 10 gm  | 29349900 | 18  | 2349       |
|         | C <sub>8</sub> H <sub>5</sub> F <sub>3</sub> O <sub>2</sub> S M.W. 222.19           |           | 271    | 100 gm |          |     | 18003      |
| LA4498  | THEOPHYLLINE 99% Extra Pure   | 58-55-9   | 13     | 25 gm  | 29395900 | 18  | 893        |
|         | For Lab Use C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub> M.W. 180.16 |           | 41     | 100 gm |          |     | 2741       |
|         | <u>UN 2811 6.1/PG III</u>   |           | 124    | 500 gm |          |     | 8214       |
| LA4499  | THIOACETAMIDE 97%   | 62-55-5   | 27     | 100 gm | 29309099 | 18  | 1808       |
|         | CH <sub>3</sub> CS.NH <sub>2</sub> M.W. 75.13                                       |           | 128    | 500 gm |          |     | 8501       |
| LA4500  | THIOACETAMIDE 99% AR  | 62-55-5   | 9      | 25 gm  | 29309099 | 18  | 614        |
|         | CH <sub>3</sub> CS.NH <sub>2</sub> M.W. 75.13                                       |           | 33     | 100 gm |          |     | 2165       |
| LA4501  | THIOACETIC ACID 98% For Synthesis   | 507-09-5  | 27     | 100 ml | 29309099 | 18  | 1802       |
|         | C <sub>2</sub> H <sub>4</sub> OS M.W. 76.12   |           | 111    | 500 ml |          |     | 7355       |
|         | <u>UN 2436 3/PG II</u>  |           |        |        |          |     |            |
| LA4502  | THIOBARBITURIC ACID 99% AR  | 504-17-6  | 19     | 25 gm  | 29335200 | 18  | 1246       |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 144.15           |           | 74     | 100 gm |          |     | 4952       |
|         | <u>UN 3335 9/PG III</u>   |           |        |        |          |     |            |
| LA4503  | THIOBENZAMIDE 98%   | 2227-79-4 | 283    | 100 gm | 29309098 | 18  | 18850      |
|         | C <sub>7</sub> H <sub>7</sub> NS M.W. 137.20  |           |        |        |          |     |            |
|         | <u>UN 2811 6.1 /PG III</u>  |           |        |        |          |     |            |
| LA4504  | THIOFALVINE T (C.I. 49005)  | 2390-54-7 | 17     | 5 gm   | 32041329 | 18  | 1135       |
|         | C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> S M.W. 318-87                      |           | 37     | 25 gm  |          |     | 2493       |
| LA4505  | THIOGLYCOLIC ACID 80% Extra Pure  | 68-11-1   | 29     | 500 ml | 29309099 | 18  | 1936       |
|         | HSCH <sub>2</sub> COOH M.W. 92.12, Liquid, d. 1.325                                 |           | 55     | 1 Lt   |          |     | 3681       |
|         | <u>UN 1940 8/PG II</u>  |           | 132    | 2.5 Lt |          |     | 8756       |
| LA4506  | THIOGLYCOLIC ACID 99% AR  | 68-11-1   | 60     | 100 ml | 29309099 | 18  | 3958       |
|         | HSCH <sub>2</sub> COOH M.W. 92.12, Liquid, d. 1.325                                 |           | 140    | 250 ml |          |     | 9295       |
|         | <u>UN 1940 8/PG II</u>  |           |        |        |          |     |            |
| LA4507  | THIOMALIC ACID 99% For Synthesis  | 70-49-5   | 31     | 100 gm | 29309099 | 18  | 2034       |
|         | Used In Cosmetic, Metallurgy, Printing ink and for ElectropALting                   |           | 291    | 1 Kg   |          |     | 19363      |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> S M.W. 150.2                           |           |        |        |          |     |            |
| LA4508  | THIOMERSAL 97%  | 54-64-8   | 116    | 10 gm  | 28521000 | 18  | 7724       |
|         | [2(ethylmercurio)thio)-benzoic acid sodium salt]                                    |           | 283    | 25 gm  |          |     | 18818      |
|         | C <sub>9</sub> H <sub>9</sub> HgNaO <sub>2</sub> S M.W. 404.81                      |           | 1104   | 100 gm |          |     | 73391      |
|         | <u>UN 2025 6.1/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4509  | THIONIN ACETATE SALT (M.S.) (C.I. No.52000)                          | 78338-22-4 | 28     | 5 gm   | 32049000 | 18  | 1880       |
|         | Dye Content: Min. 85% $C_{14}H_{13}N_3O_2S$ M.W. 287.34              |            | 120    | 25 gm  |          |     | 7958       |
| LA4510  | THIONYL CHLORIDE 99% For Synthesis                                   | 7719-09-7  | 14     | 500 ml | 28121700 | 18  | 903        |
|         | $SOCl_2$ M.W. 118.97, Liquid, d. 1.64                                |            | 26     | 1 Lt   |          |     | 1714       |
|         | <u>UN 1836 8/PG I</u>  |            |        |        |          |     |            |
| LA4511  | THIONYL CHLORIDE 99.50% AR   | 7719-09-7  | 15     | 500 ml | 28121700 | 18  | 974        |
|         | $SOCl_2$ M.W. 118.97, Liquid, d. 1.64                                |            | 28     | 1 Lt   |          |     | 1853       |
|         | <u>UN 1836 8/PG I</u>  |            |        |        |          |     |            |
| LA4512  | THIOPHENE 99% For Synthesis  | 110-02-1   | 25     | 100 ml | 28129000 | 18  | 1648       |
|         | $C_4H_6S$ M.W. 84.14, Liquid, d. 1.051                               |            | 109    | 500 ml |          |     | 7224       |
|         | <u>UN 2414 3/PG II</u>   |            |        |        |          |     |            |
| LA4513  | THIOPHENOL 99% For Synthesis   | 108-98-5   | 58     | 250 ml | 29309070 | 18  | 3829       |
|         | $C_6H_6S$ M.W. 110.18, Liquid, d. 1.073                              |            | 110    | 500 ml |          |     | 7283       |
|         | <u>UN 2337 6.1(3)/PG I</u>   |            | 208    | 1 Lt   |          |     | 13839      |
| LA4514  | 2-THIOPHENEETHANOL 98% For Synthesis                                 | 5402-55-1  | 133    | 100 ml | 29349900 | 18  | 8870       |
|         | (2-(2-Hydroxyethyl)thiophene)  |            | 512    | 500 ml |          |     | 34077      |
|         | $C_6H_8OS$ M.W. 128.19   |            |        |        |          |     |            |
| LA4515  | THIOSEMICARBAZIDE 98% For Synthesis                                  | 79-19-6    | 7      | 25 gm  | 29309099 | 18  | 437        |
|         | $CH_5N_3S$ M.W. 91.14  |            | 20     | 100 gm |          | 18  | 1361       |
|         | <u>UN 2811 6.1/PG II</u>   |            | 77     | 500 gm |          |     | 5136       |
| LA4516  | THIOSEMICARBAZIDE 99% AR   | 79-19-6    | 9      | 25 gm  | 29309099 | 18  | 611        |
|         | $CH_5N_3S$ M.W. 91.14  |            | 27     | 100 gm |          |     | 1797       |
|         | <u>UN 2811 6.1/PG II</u>   |            | 111    | 500 gm |          |     | 7374       |
| LA4517  | 2-THIOURACIL 98% For Synthesis                                       | 141-90-2   | 23     | 25 gm  | 29335990 | 18  | 1538       |
|         | (used in bioside & electroPlanting) (4-hydroxy-2-mercaptopurimidine) |            | 80     | 100 gm |          |     | 5302       |
|         | $C_4H_4N_2OS$ M.W. 128.15  |            |        |        |          |     |            |
| LA4518  | THIOUREA 99% AR  | 62-56-6    | 23     | 500 gm | 29309010 | 18  | 1507       |
|         | $NH_2.CS.NH_2$ M.W. 76.12  |            | 204    | 5 Kg   |          |     | 13558      |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA4519  | THIOUREA 98% Extra Pure  | 62-56-6    | 15     | 500 gm | 29309010 | 18  | 974        |
|         | $NH_2.CS.NH_2$ M.W. 76.12  |            | 132    | 5 Kg   |          |     | 8761       |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA4520  | THIOUREA SOLUTION  |            | 7      | 100 ml | 38220090 | 12  | 497        |
| LA4521  | THORIN indicator AR  | 3688-92-4  | 150    | 5 gm   | 29319090 | 18  | 9960       |
|         | (reagent for thorium, beryllium & other Metals)                      |            | 284    | 10 gm  |          |     | 18877      |
|         | $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ M.W. 576.30                         |            |        |        |          |     |            |
| LA4522  | THORIUM NITRATE AR 99% (pentahydrate)                                | 14767-04-5 | 27     | 25 gm  | 28443023 | 18  | 1766       |
|         | $Th(NO_3)_4 \cdot 5H_2O$ M.W. 570.13                                 |            | 97     | 100 gm |          |     | 6419       |
|         | (End Use Certificate required)                                       |            |        |        |          |     |            |
| LA4523  | THORIUM OXIDE 99% AR   | 1314-20-1  | 609    | 5 gm   | 28443021 | 18  | 40529      |
|         | $ThO_2$ M.W. 264.04  |            | 1158   | 10 gm  |          |     | 76999      |
| LA4524  | THORIUM SULPHATE AR  | 10381-37-0 | 418    | 5 gm   | 28332990 | 18  | 27821      |
|         | $Th(SO_4)_2$ M.W. 424.16   |            |        |        |          |     |            |
| LA4525  | DL-THREONINE 99% For Biochemistry                                    | 80-68-2    | 63     | 25 gm  | 29225090 | 18  | 4167       |
|         | $C_4H_9NO_3$ M.W. 119.12   |            | 238    | 100 gm |          |     | 15796      |
| LA4526  | L-THREONINE 99% For Biochemistry                                     | 72-19-5    | 2      | 5 gm   | 29225011 | 18  | 144        |
|         | $C_4H_9NO_3$ M.W. 119.12   |            | 6      | 25 gm  |          |     | 431        |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4527  | THYME OIL Extra Pure   | 8007-46-3  | 56     | 500 ml | 33012990 | 18  | 3738       |
|         | Liquid, d. 0.917   |            |        |        |          |     |            |
|         | <u>UN 1760 8/PG III</u>                                      |            |        |        |          |     |            |
| LA4528  | THYMIDINE 99% For Biochemistry                               | 50-89-5    | 6      | 1 gm   | 29214490 | 18  | 423        |
|         | <chem>C10H14N2O5</chem> M.W 242.23                           |            | 25     | 5 gm   |          |     | 1666       |
| LA4529  | THYMINE 99% For Biochemistry                                 | 65-71-4    | 14     | 10 gm  | 29335990 | 18  | 939        |
|         | <chem>C5H6N2O2</chem> M.W. 126.12                            |            | 26     | 25 gm  |          |     | 1760       |
| LA4530  | THYMOL BLUE indicator AR                                     | 76-61-9    | 20     | 25 gm  | 29349900 | 18  | 1362       |
|         | <chem>C27H30O5S</chem> M.W. 466.60                           |            | 82     | 100 gm |          |     | 5456       |
|         |  |            | 398    | 500 gm |          |     | 26467      |
| LA4531  | THYMOL BLUE indicator solution                               |            | 2      | 125 ml | 38220090 | 12  | 146        |
|         | Liquid, d. 0.979   |            | 7      | 500 ml |          |     | 444        |
| LA4532  | THYMOL BLUE SODIUM SALT (water soluble)                      | 62625-21-2 | 6      | 5 gm   | 29349900 | 18  | 389        |
|         | Dye Content: Min. 95% <chem>C27H29NaO5S</chem> M.W. 488.58   |            | 27     | 25 gm  |          |     | 1780       |
| LA4533  | THYMOL crystals 99% Extra Pure                               | 89-83-8    | 14     | 100 gm | 29071930 | 18  | 961        |
|         | <chem>C10H14O</chem> M.W. 150.22                             |            | 64     | 500 gm |          |     | 4280       |
|         | <u>UN 2430 8/PG III</u>                                      |            |        |        |          |     |            |
| LA4534  | THYMOL crystals 99.5% AR                                     | 89-83-8    | 17     | 100 gm | 29071930 | 18  | 1123       |
|         | <chem>C10H14O</chem> M.W. 150.22                             |            | 78     | 500 gm |          |     | 5171       |
|         | <u>UN 2430 8/PG III</u>                                      |            |        |        |          |     |            |
| LA4535  | THYMOLPHTHALEIN COMPLEXONE 97% AR                            | 1913-93-5  | 36     | 1 gm   | 32049000 | 18  | 2367       |
|         | (thymolphthaleone) (methylthymolphthalein)                   |            | 131    | 5 gm   |          |     | 8742       |
|         | <chem>C38H44N2O12</chem> M.W. 720.78                         |            | 624    | 25 gm  |          |     | 41529      |
| LA4536  | THYMOLPHTHALEIN Indicator AR                                 | 125-20-2   | 5      | 5 gm   | 29322090 | 18  | 309        |
|         | (pH 9.3-10.5 colourless to blue)                             |            | 16     | 25 gm  |          |     | 1074       |
|         | Dye Content : Min. 95% <chem>C28H30O4</chem> M.W. 430.54     |            | 62     | 100 gm |          |     | 4131       |
| LA4537  | THYMOLPHTHALEIN Indicator solution                           |            | 2      | 125 ml | 38220090 | 12  | 153        |
|         | Liquid, d. 0.79  |            | 7      | 500 ml |          |     | 450        |
| LA4538  | TIN AAS STANDARD SOLUTION 1000mg/L in water                  |            | 29     | 125 ml | 38220090 | 12  | 1910       |
|         | Liquid, d. 1.00  |            | 54     | 500 ml |          |     | 3564       |
| LA4539  | TIN ICP STANDARD SOLUTION 1000mg/L in water, Liquid, d. 1.00 |            | 109    | 125 ml | 38220090 | 12  | 7249       |
| LA4540  | TIN (Metal) FOIL 99.9%                                       | 7440-31-5  | 68     | 250 gm | 80070090 | 18  | 4548       |
|         | <chem>Sn</chem> M.W. 118.71                                  |            | 130    | 500 gm |          |     | 8631       |
| LA4541  | TIN (Metal) GRANULAR 99%                                     | 7440-31-5  | 32     | 100 gm | 80070090 | 18  | 2157       |
|         | <chem>Sn</chem> M.W. 118.71                                  |            | 145    | 500 gm |          |     | 9648       |
| LA4542  | TIN (Metal) GRANULAR 99% AR                                  | 7440-31-5  | 37     | 100 gm | 80070090 | 18  | 2479       |
|         | <chem>Sn</chem> M.W. 118.71                                  |            | 163    | 500 gm |          |     | 10813      |
| LA4543  | TIN (Metal) POWDER 99% Extra Pure                            | 7440-31-5  | 32     | 100 gm | 80070090 | 18  | 2138       |
|         | <chem>Sn</chem> M.W. 118.71                                  |            | 77     | 250 gm |          |     | 5092       |
|         |  |            | 146    | 500 gm |          |     | 9677       |
| LA4544  | TIN (Metal) POWDER 99.9% AR                                  | 7440-31-5  | 34     | 100 gm | 80070090 | 18  | 2268       |
|         | <chem>Sn(BF4)2</chem> M.W. 292.3, Liquid, d. 1.67            |            | 81     | 250 gm |          |     | 5405       |
|         |  |            | 154    | 500 gm |          |     | 10239      |
| LA4545  | TIN FLUOBORATE 50% solution                                  | 13814-97-6 | 55     | 500 gm | 28269000 | 18  | 3675       |
|         | <chem>Sn(BF4)2</chem> M.W. 292.3, Liquid, d. 1.67            |            |        |        |          |     |            |
|         | <u>UN 3264 8/PG II</u>                                       |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4546  | TINIDAZOLE Extra Pure   | 19387-91-8 | 62     | 25 gm  | 29332910 | 18  | 4132       |
|         | For Lab Use C <sub>8</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> S M.W 247.27                                     |            | 227    | 100 gm |          |     | 15077      |
| LA4547  | TIRON 95% AR (monohydrate)  | 149-45-1   | 12     | 10 gm  | 29089990 | 18  | 782        |
|         | (3,5-pyrocatechol disulphonic acid disodium salt)   |            | 28     | 25 gm  |          |     | 1843       |
|         | C <sub>6</sub> H <sub>4</sub> O <sub>8</sub> Na <sub>2</sub> S <sub>2</sub> .H <sub>2</sub> O M.W. 332.20                 |            |        |        |          |     |            |
| LA4548  | TITANIUM ICP STANDARD SOLUTION 10000mg/L in Nitric Acid   |            | 141    | 125 ml | 38220090 | 12  | 9392       |
|         | Liquid, d. 1.00   |            |        |        |          |     |            |
| LA4549  | TITANIUM (Metal) POWDER pure 98%  | 7440-32-6  | 55     | 25 gm  | 81082000 | 18  | 3681       |
|         | Ti M.W. 47.90   |            | 152    | 100 gm |          |     | 10101      |
| LA4550  | TITANIUM DIOXIDE 99% Extra Pure   | 13463-67-7 | 14     | 500 gm | 28332990 | 18  | 903        |
|         | [titanium (IV) oxide] TiO <sub>2</sub> M.W. 79.87   |            | 122    | 5 Kg   |          |     | 8121       |
| LA4551  | TITANIUM DIOXIDE 99.5% AR   | 13463-67-7 | 27     | 500 gm | 28332990 | 18  | 1772       |
|         | [titanium (IV) oxide] TiO <sub>2</sub> M.W. 79.87   |            | 240    | 5 Kg   |          |     | 15943      |
| LA4552  | TITANIUM OXY-SULPHATE 29% (as TiO <sub>2</sub> ) basis  | 13825-74-6 | 51     | 100 gm | 28332990 | 18  | 3415       |
|         | (titanyl sulphate) TiOSO <sub>4</sub> ·aq M.W 159.93  |            | 121    | 250 gm |          |     | 8033       |
|         | <u>UN 3260 8/PG II</u>  |            | 230    | 500 gm |          |     | 15263      |
| LA4553  | TITANIUM TETRACHLORIDE 99.5% (anhydrous) Fuming Liquid  | 7550-45-0  | 24     | 500 ml | 28273990 | 18  | 1584       |
|         | TiCl <sub>4</sub> M.W. 189.71, Liquid,d.1.73  |            |        |        |          |     |            |
|         | <u>UN 1838 6.1(8)/PG I</u>  |            |        |        |          |     |            |
| LA4554  | TITANIUM TRICHLORIDE 15% solution   | 7705-07-9  | 24     | 250 ml | 28273990 | 18  | 1586       |
|         | (titanous chloride solution) (titanium chloride solution)   |            | 46     | 500 ml |          |     | 3057       |
|         | TiCl <sub>3</sub> M.W 154.23 , Liquid, d. 1.192   |            |        |        |          |     |            |
|         | <u>UN 3264 8/PG II</u>  |            |        |        |          |     |            |
| LA4555  | TITAN YELLOW AR (C.I. No.19540)   | 1829-00-1  | 6      | 10 gm  | 32049000 | 18  | 380        |
|         | (clayton yellow) C <sub>28</sub> H <sub>19</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>4</sub> M.W. 695.73 |            | 11     | 25 gm  |          |     | 734        |
|         |   |            | 20     | 50 gm  |          |     | 1362       |
| LA4556  | TITAN YELLOW (indicator solution)   |            | 4      | 125 ml | 38220090 | 12  | 292        |
|         | (clayton yellow indicator solution) Liquid, d. 1.0  |            | 13     | 500 ml |          |     | 874        |
| LA4557  | TIZANIDINE HYDROCHLORIDE 98%  | 64461-82-1 | 47     | 5 gm   | 29349900 | 18  | 3099       |
|         | For Lab Use C <sub>9</sub> H <sub>9</sub> Cl <sub>2</sub> N <sub>5</sub> S M.W 290.17                                     |            | 170    | 25 gm  |          |     | 11308      |
| LA4558  | o-TOLIDINE 97% AR (powder)  | 119-93-7   | 11     | 25 gm  | 29214330 | 18  | 731        |
|         | (reagent for the halogens and gold)   |            | 40     | 100 gm |          |     | 2658       |
|         | C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> M.W 212.29   |            | 180    | 500 gm |          |     | 11962      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4559  | o-TOLIDINE HYDROCHLORIDE 99% AR   | 612-82-8   | 10     | 25 gm  | 29215990 | 18  | 666        |
|         | C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> .2HCl.xH <sub>2</sub> O M.W. 285.21  |            | 38     | 100 gm |          |     | 2525       |
|         | <u>UN 3077 9/PG III</u>   |            | 175    | 500 gm |          |     | 11612      |
| LA4560  | o-TOLIDINE solution   |            | 5      | 500 ml | 38220090 | 12  | 350        |
|         | (reagent for chlorine estimation) Liquid, d. 1.008  |            | 41     | 5 Lt   |          |     | 2746       |
| LA4561  | TOLLEN'S REAGENT solution Liquid, d. 1.01   |            | 45     | 125 ml | 38220090 | 12  | 2986       |
|         |   |            | 135    | 500 ml |          |     | 8961       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA4562  | <b>o-TOLUALDEHYDE 96.5%</b><br>(2-methylbenzaldehyde) C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid, d. 1.039   | 529-20-4  | 28     | 25 gm  | 29122960 | 18  | 1849       |
| LA4563  | <b>p-TOLUALDEHYDE 97%</b><br>(4-Methylbenzaldehyde) C <sub>8</sub> H <sub>8</sub> O M.W. 120.15, Liquid, d. 1.019   | 104-87-0  | 26     | 25 gm  | 29122930 | 18  | 1738       |
| LA4564  | <b>TOLUENE 99% (rectified) (sulphur free)</b><br>C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865   | 108-88-3  | 8      | 500 ml | 29023000 | 18  | 520        |
|         | <b>UN 1294 3 /PG II</b>   |           | 15     | 1 Lt   |          |     | 988        |
|         |   |           | 35     | 2.5 Lt |          |     | 2324       |
|         |   |           | 63     | 5 Lt   |          |     | 4183       |
| LA4565  | <b>TOLUENE 99.5% AR</b><br>C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865   | 108-88-3  | 9      | 500 ml | 29023000 | 18  | 594        |
|         | <b>UN 1294 3 /PG II</b>   |           | 17     | 1 Lt   |          |     | 1119       |
| LA4566  | <b>TOLUENE 99.8% HPLC &amp; SPECTROSCOPY</b><br>C <sub>7</sub> H <sub>8</sub> M.W. 92.14, Liquid, d. 0.865  | 108-88-3  | 11     | 500 ml | 29023000 | 18  | 712        |
|         | <b>UN 1294 3 /PG II</b>   |           | 20     | 1 Lt   |          |     | 1351       |
| LA46567 | <b>o-TOLUENE SULPHONAMIDE 99% For Synthesis</b><br>C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S M.W 171.22   | 88-19-7   | 142    | 500 gm | 29359090 | 18  | 9447       |
| LA4568  | <b>p-TOLUENE SULPHONAMIDE 98%</b><br>C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S M.W 171.22   | 70-55-3   | 27     | 500 gm | 29350090 | 18  | 1777       |
| LA4569  | <b>p-TOLUENE SULPHONIC ACID 98% (monohydrate)</b><br>(toluene-4-sulphonic acid) C <sub>7</sub> H <sub>8</sub> O <sub>3</sub> S.H <sub>2</sub> O M.W 190.22      | 6192-52-5 | 8      | 500 gm | 29041090 | 18  | 535        |
|         | <b>UN 2585 8/PG III</b>   |           | 71     | 5 Kg   |          |     | 4698       |
|         |   |           | 325    | 25 Kg  |          |     | 21605      |
| LA4570  | <b>p-TOLUENE SULPHONIC ACID 98.5% AR (monohydrate)</b><br>(toluene-4-sulphonic acid) C <sub>7</sub> H <sub>8</sub> O <sub>3</sub> S.H <sub>2</sub> O M.W 190.22 | 6192-52-5 | 3      | 100 gm | 29041090 | 18  | 220        |
|         | <b>UN 2585 8/PG III</b>   |           | 15     | 500 gm |          |     | 1019       |
| LA4571  | <b>p-TOLUENE SULPHONYL CHLORIDE 98%</b><br>(4-toluene sulphonyl chloride) C <sub>7</sub> H <sub>7</sub> ClO <sub>2</sub> S M.W 190.65                           | 98-59-9   | 27     | 500 gm | 29049090 | 18  | 1807       |
|         | <b>UN 3261 8/PG III</b>   |           |        |        |          |     |            |
| LA4572  | <b>p-TOLUENESULFONYL FLUORIDE 98%</b><br>(tosyl fluoride) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> F M.W. 174.19                           | 455-16-3  | 158    | 5 gm   | 29049990 | 18  | 10506      |
|         | <b>UN 3261 8/PG III</b>   |           | 727    | 25 gm  |          |     | 48321      |
| LA4573  | <b>m-TOLUIC ACID 98% For Synthesis</b><br>(3-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                                       | 99-04-7   | 14     | 250 gm | 29163990 | 18  | 910        |
| LA4574  | <b>o-TOLUIC ACID 98% For Synthesis</b><br>(2-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                                       | 118-90-1  | 12     | 250 gm | 29163990 | 18  | 822        |
| LA4575  | <b>p-TOLUIC ACID 99% For Synthesis</b><br>(4-methylbenzoic acid) C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> M.W. 136.15                                       | 99-94-5   | 12     | 250 gm | 29163990 | 18  | 825        |
| LA4576  | <b>TOLUIDINE BLUE (M.S.) (C.I. No.52040)</b><br>Dye Content : Min. 80% C <sub>15</sub> H <sub>16</sub> ClN <sub>3</sub> S M.W. 305.83                           | 92-31-9   | 12     | 25 gm  | 32049000 | 18  | 827        |
|         |   |           | 44     | 100 gm |          |     | 2948       |
|         |   |           | 193    | 500 gm |          |     | 12833      |
| LA4577  | <b>TOLUIDINE BLUE solution indicator solution</b>   |           | 6      | 125 ml | 38220090 | 12  | 397        |
|         |   |           | 14     | 500 ml |          |     | 900        |
| LA4578  | <b>m-TOLUIDINE 99%</b><br>(3-methyALniline) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 0.999   | 108-44-1  | 17     | 500 ml | 29214340 | 18  | 1118       |
|         | <b>UN 1708 6.1/PG II</b>  |           | 32     | 1 Lt   |          |     | 2122       |
| LA4579  | <b>o-TOLUIDINE 99%</b><br>C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 1.008   | 95-53-4   | 12     | 500 ml | 29214330 | 18  | 768        |
|         | <b>UN 1708 6.1/PG II</b>  |           | 22     | 1 Lt   |          |     | 1453       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT    | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|---------|----------|-----|------------|
| LA4580  | <b>o-TOLUIDINE 99% AR</b>   | 95-53-4   | 8      | 250 ml  | 29214330 | 18  | 508        |
|         | (for determination of blood glucose)  |           | 14     | 500 ml  |          |     | 931        |
|         | C <sub>7</sub> H <sub>9</sub> N M.W. 107.16, Liquid, d. 1.008   |           |        |         |          |     |            |
|         | <b><u>UN 1708 6.1/PG II</u></b>   |           |        |         |          |     |            |
| LA4581  | <b>p-TOLUIDINE 99% For Synthesis</b>  | 106-49-0  | 14     | 500 gm  | 29214350 | 18  | 956        |
|         | (p-aminotoluene) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16  |           |        |         |          |     |            |
|         | <b><u>UN 3451 6.1/PG II</u></b>   |           |        |         |          |     |            |
| LA4582  | <b>p-TOLUIDINE 99.7% AR</b>   | 106-49-0  | 16     | 100 gm  | 29214350 | 18  | 1048       |
|         | (p-aminotoluene) C <sub>7</sub> H <sub>9</sub> N M.W. 107.16  |           | 66     | 500 gm  |          |     | 4399       |
|         | <b><u>UN 3451 6.1/PG II</u></b>   |           |        |         |          |     |            |
| LA4583  | <b>p-TOLUIDINE HYDROCHLORIDE 99% For Synthesis</b>  | 540-23-8  | 14     | 100 gm  | 29214350 | 18  | 936        |
|         | C <sub>7</sub> H <sub>9</sub> N.HCl M.W. 143.62   |           | 30     | 250 gm  |          |     | 1986       |
|         | <b><u>UN 2811 6.1/PG III</u></b>  |           |        |         |          |     |            |
| LA4584  | <b>p-TOLUOYLCHLORIDE 98%</b>  | 874-60-2  | 62     | 100 gm  | 29163990 | 18  | 4153       |
|         | C <sub>8</sub> H <sub>7</sub> OCl M.W. 154.59, Liquid, d. 1.17  |           |        |         |          |     |            |
|         | <b><u>UN 3265 8/PG II</u></b>   |           |        |         |          |     |            |
| LA4585  | <b>TOMMER'S REAGENT solution</b>  |           | 3      | 125 ml  | 38220000 | 18  | 210        |
|         |   |           | 10     | 500 ml  |          |     | 633        |
| LA4586  | <b>TOPFER'S REAGENT solution</b>  |           | 3      | 125 ml  | 38220000 | 18  | 178        |
|         |   |           | 8      | 500 ml  |          |     | 532        |
| LA4587  | <b>TOTAL HARDNESS INDICATOR TABLETS (reagent D)</b>   |           | 6      | 100 tab | 38220000 | 18  | 374        |
| LA4588  | <b>TREHALOSE 99% For Biochemistry</b>   | 6138-23-4 | 7      | 5 gm    | 29400000 | 18  | 466        |
|         | C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .2H <sub>2</sub> O M.W. 378.34                          |           | 12     | 10 gm   |          |     | 822        |
|         |   |           | 29     | 25 gm   |          |     | 1929       |
| LA4589  | <b>1H-1,2,3-TRIAZOLE 97%</b>  | 288-36-8  | 44     | 1 gm    | 29420090 | 18  | 2911       |
|         | C <sub>2</sub> H <sub>3</sub> N <sub>3</sub> M.W 69.07, Liquid, d. 1.192                                |           | 186    | 5 gm    |          |     | 12374      |
| LA4590  | <b>TRIBUTYALMINE 97% For Synthesis</b>  | 102-82-9  | 15     | 500 ml  | 29211990 | 18  | 1020       |
|         | C <sub>12</sub> H <sub>27</sub> N M.W. 185.36, Liquid, d. 0.778   |           | 29     | 1 Lt    |          |     | 1933       |
|         | <b><u>UN 2542 6.1 /PG II</u></b>  |           | 68     | 2.5 Lt  |          |     | 4545       |
| LA4591  | <b>TRI-N-BUTYL PHOSPHATE 99%</b>  | 126-73-8  | 31     | 500 ml  | 29199090 | 18  | 2039       |
|         | (n-butyl phosphate) C <sub>12</sub> H <sub>27</sub> O <sub>4</sub> P M.W. 266.31, Liquid, d. 0.979      |           | 126    | 2.5 Lt  |          |     | 8401       |
| LA4592  | <b>TRIBUTYLTIN CHLORIDE 96% For Synthesis</b>   | 1461-22-9 | 83     | 250 ml  | 29312000 | 18  | 5496       |
|         | C <sub>12</sub> H <sub>27</sub> ClSn M.W. 325.51, Liquid.d 1.2  |           | 295    | 1 Lt    |          |     | 19633      |
|         | <b><u>UN 2788 6.1/PG III</u></b>  |           |        |         |          |     |            |
| LA4593  | <b>TRIBUTYLTIN OXIDE 98% For Synthesis</b>  | 56-35-9   | 51     | 100 ml  | 29319090 | 18  | 3401       |
|         | [Bis (tributyltin) oxide] C <sub>24</sub> H <sub>54</sub> OSn <sub>2</sub> M.W. 596.08, Liquid, d. 1.17 |           | 204    | 500 ml  |          |     | 13594      |
|         | <b><u>UN 2788 6.1/PG III</u></b>  |           |        |         |          |     |            |
| LA4594  | <b>TRIBUTYRIN 99% For Biochemistry</b>  | 60-01-5   | 24     | 100 ml  | 29156010 | 18  | 1590       |
|         | (glycerol tributyrate) (suitable for milk bacteriology)   |           | 101    | 500 ml  |          |     | 6710       |
|         | C <sub>15</sub> H <sub>26</sub> O <sub>6</sub> M.W. 302.36, Liquid, d. 1.032                            |           |        |         |          |     |            |
| LA4595  | <b>1,2,4-TRICHLOROBENZENE 98% For Synthesis</b>   | 120-82-1  | 25     | 1 Lt    | 29039229 | 18  | 1672       |
|         | C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> M.W. 181.45, Liquid, d. 1.45                              |           | 59     | 2.5 Lt  |          |     | 3931       |
|         | <b><u>UN 2321 6.1/PG III</u></b>  |           |        |         |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA4596  | TRICHLOROETHYLENE 99% (purified)  | 79-01-6   | 18     | 500 ml | 29032200 | 18  | 1196       |
|         | CHCl:CCl <sub>2</sub> M.W. 131.39, Liquid, d. 1.463   |           | 34     | 1 Lt   |          |     | 2270       |
|         | <u>UN 1710 6.1/PG III</u>   |           | 80     | 2.5 Lt |          |     | 5326       |
|         |   |           | 148    | 5 Lt   |          |     | 9853       |
| LA4597  | TRICHLOROETHYLENE 99.5% EL Grade  | 79-01-6   | 38     | 1 Lt   | 29032200 | 18  | 2547       |
|         | CHCl:CCl <sub>2</sub> M.W. 131.39, Liquid, d. 1.463   |           | 86     | 2.5 Lt |          |     | 5729       |
| LA4598  | 2,4,6-TRI CHLOROPHENOL 98% For Synthesis  | 88-06-2   | 38     | 100 gm | 29081900 | 18  | 2537       |
|         | C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> O M.W 197.45  |           | 109    | 500 gm |          |     | 7247       |
|         | <u>UN 2020 6.1/PG III</u>   |           |        |        |          |     |            |
| LA4599  | TRICINE 99% For Molecular Biology   | 5704-04-1 | 26     | 25 gm  | 29225090 | 18  | 1697       |
|         | [N-tris (hydroxymethyl) methyl glycine]   |           | 93     | 100 gm |          |     | 6201       |
|         | C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub> M.W. 179.17  |           |        |        |          |     |            |
| LA4600  | TRICLOSAN 97%   | 3380-34-5 | 42     | 100 gm | 29095090 | 18  | 2760       |
|         | C <sub>12</sub> H <sub>7</sub> Cl <sub>3</sub> O <sub>2</sub> M.W. 289.54                                 |           | 159    | 500 gm |          |     | 10558      |
|         | <u>UN 3077 9/PG III</u>   |           |        |        |          |     |            |
| LA4601  | TRICRESYL PHOSPHATE 90%   | 1330-78-5 | 27     | 500 ml | 29199050 | 18  | 1803       |
|         | (tritolyl phosphate) C <sub>21</sub> H <sub>21</sub> O <sub>4</sub> P M.W 368.37, Liquid, d. 1.143        |           | 51     | 1 Lt   |          |     | 3412       |
|         | <u>UN 2574 6.1/PG II</u>  |           | 120    | 2.5 Lt |          |     | 7973       |
| LA4602  | TRIETHANOALMINE 98% For Synthesis   | 102-71-6  | 13     | 500 ml | 29221990 | 18  | 861        |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> M.W. 149.19, Liquid d. 1.127                               |           | 25     | 1 Lt   |          |     | 3849       |
|         |   |           | 58     | 2.5 Lt |          |     | 1637       |
| LA4603  | TRIETHANOALMINE 99% AR  | 102-71-6  | 8      | 250 ml | 29221990 | 18  | 500        |
|         | C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> M.W. 149.19, Liquid d. 1.127                               |           | 14     | 500 ml |          |     | 957        |
| LA4604  | TRIETHANOALMINE HYDROCHLORIDE 99% AR  | 637-39-8  | 7      | 100 gm | 29221300 | 18  | 446        |
|         | (buffer componenet) C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub> .HCl M.W. 185.65                       |           | 26     | 500 gm |          |     | 1701       |
| LA4605  | TRIETHANOALMINE ALURYL SULPHATE   | 139-96-8  | 9      | 500 ml | 34021300 | 18  | 608        |
|         | C <sub>18</sub> H <sub>41</sub> NO <sub>3</sub> S M.W. 415.59   |           | 17     | 1 Lt   |          |     | 1122       |
| LA4606  | TRIETHYALMINE 99% For Synthesis   | 121-44-8  | 19     | 500 ml | 29215990 | 18  | 1283       |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | 37     | 1 Lt   |          |     | 2435       |
|         | <u>UN 1296 3 (8) /PG II</u>   |           | 83     | 2.5 Lt |          |     | 5514       |
| LA4607  | TRIETHYALMINE 99.5% AR  | 121-44-8  | 21     | 500 ml | 29215990 | 18  | 1412       |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | 40     | 1 Lt   |          |     | 2678       |
|         | <u>UN 1296 3 (8) /PG II</u>   |           | 95     | 2.5 Lt |          |     | 6294       |
| LA4608  | TRIETHYALMINE 99.5% HPLC & SPECTROSCOPY   | 121-44-8  | 36     | 500 ml | 29215990 | 18  | 2373       |
|         | (C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> N M.W. 101.19, Liquid d. 0.726                              |           | 68     | 1 Lt   |          |     | 4507       |
|         | <u>UN 1296 3 (8) /PG II</u>   |           | 159    | 2.5 Lt |          |     | 10584      |
| LA4609  | TRIETHYL CITRATE 99%  | 77-93-0   | 6      | 100 ml | 29181190 | 18  | 416        |
|         | (citric acid triethyl ester) C <sub>12</sub> H <sub>20</sub> O <sub>7</sub> M.W. 276.29, Liquid, d. 1.137 |           | 15     | 250 ml |          |     | 976        |
|         |   |           | 34     | 500 ml |          |     | 2231       |
| LA4610  | TRIETHYLENE GLYCOL 98% For Synthesis  | 112-27-6  | 9      | 500 ml | 29094900 | 18  | 614        |
|         | (triglycol, trigol)   |           | 17     | 1 Lt   |          |     | 1162       |
|         | C <sub>6</sub> H <sub>14</sub> O <sub>4</sub> M.W. 150.18, Liquid d. 1.124                                |           | 41     | 2.5 Lt |          |     | 2726       |
| LA4611  | TRIETHYLENE TETRAMINE 95%   | 112-24-3  | 18     | 500 ml | 29212990 | 18  | 1210       |
|         | C <sub>6</sub> H <sub>18</sub> N <sub>4</sub> M.W 146.23, Liquid, d. 982                                  |           | 34     | 1 Lt   |          |     | 2272       |
|         | <u>UN 2259 8/PG II</u>  |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4612  | TRIETHYL PHOSPHITE 98% For Synthesis<br>C <sub>6</sub> H <sub>15</sub> O <sub>3</sub> P M.W.166.16, Liquid, d. 0.969                           | 122-52-1   | 82     | 250 ml | 29209099 | 18  | 5454       |
|         |  |            | 246    | 1 Lt   |          |     | 16365      |
|         | <u>UN 2323 3 /PG III</u>   |            |        |        |          |     |            |
| LA4613  | TRIFLUOROACETIC ACID 98%<br>C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub> M.W. 114.02, Liquid, d. 1.489  | 76-05-1    | 22     | 100 ml | 29159090 | 18  | 1466       |
|         |  |            | 77     | 500 ml |          |     | 5103       |
|         |  |            | 146    | 1 Lt   |          |     | 9700       |
|         | <u>UN 2699 8/PG I</u>  |            |        | 343    | 2.5 Lt   |     | 22799      |
| LA4614  | TRIFLUOROACETIC ACID 99.8% AR<br>(For IR and NMR Spectroscopy)   | 76-05-1    | 48     | 100 ml | 29159090 | 18  | 3170       |
|         | C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub> M.W. 114.02, Liquid, d. 1.489  |            | 112    | 250 ml |          |     | 7446       |
|         | <u>UN 2699 8/PG I</u>  |            |        |        |          |     |            |
| LA4615  | TRIFLUORO ACETIC ANHYDRIDE 99% (TFAA)<br>(for sequential analysis) C <sub>4</sub> F <sub>6</sub> O <sub>3</sub> M.W. 210.03 , Liquid, d. 1.511 | 407-25-0   | 110    | 100 ml | 29159090 | 18  | 7345       |
|         |  |            | 457    | 500 ml |          |     | 30420      |
|         | <u>UN 3265 8/ PG I</u>   |            |        |        |          |     |            |
| LA4616  | 2,2,2-TRIFLUOROETHANOL 99% For Synthesis<br>(bbb-trifluo oethyl alcohol)   | 75-89-8    | 32     | 100 ml | 29055900 | 18  | 2115       |
|         | C <sub>2</sub> H <sub>3</sub> F <sub>3</sub> O M.W. 100.04, Liquid, d. 1.373   |            | 137    | 500 ml |          |     | 9104       |
|         | <u>UN 1986 3(6.1)/ PG III</u>  |            |        |        |          |     |            |
| LA4617  | 1-(3-TRIFLUOROMETHYLPHENYL)<br>PIPERAZINE HYDROCHLORIDE 98%  | 16015-69-3 | 201    | 25 gm  | 29335990 | 18  | 13391      |
|         | C <sub>11</sub> H <sub>13</sub> F <sub>3</sub> N <sub>2</sub> .HCl M.W 266.69  |            | 382    | 50 gm  |          |     | 25432      |
|         |  |            | 613    | 100 gm |          |     | 40743      |
| LA4618  | 2,3,5-TRIODOBENZOIC ACID 97% AR (TIBA)<br>C7H3I3O2 M.W. 499.81   | 88-82-4    | 16     | 5 gm   | 29163990 | 18  | 1084       |
|         | For Lab Use C <sub>14</sub> H <sub>18</sub> N <sub>4</sub> O <sub>3</sub> M.W 290.32   |            | 31     | 10 gm  |          |     | 2031       |
| LA4619  | TRIMETHOPRIM 95% Extra Pure (TMP)<br>UN 2811 6.1/ PG III   | 738-70-5   | 46     | 25 gm  | 29335920 | 18  | 3050       |
|         |  |            | 87     | 50 gm  |          |     | 5786       |
| LA4620  | 3,4,5-TRIMETHOXYBENZALDEHYDE 98%<br>C <sub>10</sub> H <sub>12</sub> O <sub>4</sub> M.W. 196.20   | 86-81-7    | 29     | 25 gm  | 29124925 | 18  | 1957       |
|         |  |            | 106    | 100 gm |          |     | 7043       |
| LA4621  | TRIMETHYLAMINE HYDROCHLORIDE 98% For Synthesis<br>C <sub>3</sub> H <sub>9</sub> N.HCl M.W.95.57  | 593-81-7   | 15     | 500 gm | 29211990 | 18  | 1014       |
|         |  |            | 137    | 5 Kg   |          |     | 9110       |
| LA4622  | TRIMETHYLOL PROPANE 98%<br>(2-ethyl 2-hydroxymethyl-1,3 propanediol) C <sub>6</sub> H <sub>14</sub> O <sub>3</sub> M.W. 134.17                 | 77-99-6    | 32     | 500 gm | 29054100 | 18  | 2145       |
| LA4623  | TRIMETHYL ORTHOFORMATE 98% For Synthesis<br>(methyl orthoformate)  | 149-73-5   | 32     | 500 ml | 29159090 | 18  | 2147       |
|         | C <sub>4</sub> H <sub>10</sub> O <sub>5</sub> M.W. 106.12, Liquid, d. 0.97   |            | 61     | 1 Lt   |          |     | 4075       |
|         | <u>UN 3272 3/PG II</u>   |            |        | 144    | 2.5 Lt   |     | 9570       |
| LA4624  | TRIMETHYL PHOSPHITE 98.5% For Synthesis<br>UN 2329 3/PG III  | 121-45-9   | 26     | 250 ml | 29209099 | 18  | 1705       |
|         | C <sub>3</sub> H <sub>9</sub> O <sub>3</sub> P M.W. 124.08, Liquid, d. 1.052   |            | 91     | 1 Lt   |          |     | 6061       |
| LA4625  | 2,4,6-TRIMETHYL PYRIDINE 98%<br>C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.917   | 108-75-8   | 38     | 100 ml | 29333919 | 18  | 2529       |
|         | <u>UN 1992 3 (6.1)/PG III</u>  |            | 165    | 500 ml |          |     | 10966      |
| LA4626  | TRIMETHYL SULPHOXONIUM IODIDE 98% For Synthesis<br>C <sub>3</sub> H <sub>9</sub> IOS M.W 220.07  | 1774-47-6  | 47     | 100 gm | 29309099 | 18  | 3102       |
|         |  |            | 164    | 500 gm |          |     | 10900      |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4627  | TRI-n-OCTYL PHOSPHINE OXIDE 99% AR (for extraction analysis)   | 78-50-2    | 41     | 10 gm  | 29319090 | 18  | 2717       |
|         | C <sub>24</sub> H <sub>51</sub> OP M.W 386.63  |            | 341    | 100 gm |          |     | 22645      |
| LA4628  | TRIPALMITIN 99% (pure)   | 555-44-2   | 59     | 5 gm   | 29157040 | 18  | 3939       |
|         | C <sub>51</sub> H <sub>98</sub> O <sub>6</sub> M.W 807.32  |            | 254    | 25 gm  |          |     | 16901      |
| LA4629  | TRIPHENYL ETHYL PHOSPHONIUM BROMIDE 98% For Synthesis  | 1530-32-1  | 10     | 25 gm  | 29319090 | 18  | 669        |
|         | C <sub>20</sub> H <sub>20</sub> BrP M.W. 371.27  |            | 35     | 100 gm |          |     | 2347       |
|         | <u>UN 2811 6.1/PG III</u>  |            |        |        |          |     |            |
| LA4630  | TRIPHENYL PHOSPHATE 99%  | 115-86-6   | 26     | 500 gm | 29199090 | 18  | 1743       |
|         | C <sub>18</sub> H <sub>15</sub> O <sub>4</sub> P M.W. 326.28   |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA4631  | TRIPHENYL PHOSPHINE 98%  | 603-35-0   | 13     | 100 gm | 29319090 | 18  | 890        |
|         | C <sub>18</sub> H <sub>15</sub> P M.W. 262.29  |            | 47     | 500 gm |          |     | 3148       |
| LA4632  | TRIPHENYL PHOSPHITE 97% For Synthesis  | 101-02-0   | 33     | 500 ml | 29202990 | 18  | 2215       |
|         | (phosphorous acid triphenyl ester)   |            | 63     | 1 Lt   |          |     | 4200       |
|         | C <sub>18</sub> H <sub>15</sub> O <sub>3</sub> P M.W 310.28, Liquid, d. 1.184  |            |        |        |          |     |            |
|         | <u>UN 3077 9/PG III</u>  |            |        |        |          |     |            |
| LA4633  | 2,3,5-TRIPHENYL TETRAZOLIUM BROMIDE 98% AR   | 1096-80-6  | 32     | 1 gm   | 29339900 | 18  | 2149       |
|         | C <sub>19</sub> H <sub>15</sub> BrN <sub>4</sub> M.W. 379.24   |            | 154    | 5 gm   |          |     | 10210      |
| LA4634  | TRIPHOSGENE 98%  | 32315-10-9 | 5      | 25 gm  | 29209099 | 18  | 315        |
|         | Cl <sub>3</sub> COCOOCl <sub>3</sub> M.W. 296.75   |            | 16     | 100 gm |          |     | 1081       |
|         | <u>UN 2928 6.1 (8)/PG II</u>   |            | 44     | 500 gm |          |     | 2952       |
| LA4635  | 2,4,6-TRI-(2-PYRIDYL)-1,3,5-TRIAZINE 99% AR  | 3682-35-7  | 35     | 1 gm   | 29333990 | 18  | 2304       |
|         | (for the determination of iron in water & serum)   |            | 162    | 5 gm   |          |     | 10741      |
|         | C <sub>18</sub> H <sub>12</sub> N <sub>6</sub> M.W 312.33  |            |        |        |          |     |            |
| LA4636  | TRIS BUFFER 99% Extra Pure (tris base)   | 77-86-1    | 15     | 100 gm | 29225090 | 18  | 1018       |
|         | [tris (hydroxymethyl) amino methane] C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> M.W. 121.14                                  |            | 73     | 500 gm |          |     | 4884       |
| LA4637  | TRIS BUFFER 99.5% AR (tris base)   | 77-86-1    | 17     | 100 gm | 29225090 | 18  | 1123       |
|         | [tris (hydroxymethyl) amino methane] C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> M.W. 121.14                                  |            | 81     | 500 gm |          |     | 5376       |
| LA4638  | TRIS-HYDROCHLORIDE 99% AR (For Molecular Biology)  | 1185-53-1  | 21     | 100 gm | 29221990 | 18  | 1410       |
|         | C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> .HCl M.W. 157.60  |            | 93     | 500 gm |          |     | 6211       |
| LA4639  | TRITON X 100 98% Liquid, d. 1.06   | 9002-93-1  | 4      | 100 ml | 34021300 | 18  | 250        |
|         | (iso-octyl phenoxy polyethoxy ethanol) C <sub>34</sub> H <sub>62</sub> O <sub>11</sub> M.W. 646.87                               |            | 13     | 500 ml |          |     | 833        |
|         | <u>UN 3082 9/PGIII</u>   |            | 52     | 2.5 Lt |          |     | 3468       |
| LA4640  | TRITON® X 100 98% For Molecular Biology  | 9002-93-1  | 7      | 50 ml  | 34021300 | 18  | 483        |
|         | C <sub>34</sub> H <sub>62</sub> O <sub>11</sub> M.W. 646.87, Liquid, d. 1.06   |            | 12     | 100 ml |          |     | 826        |
|         | <u>UN 3082 9/PGIII</u>   |            | 20     | 500 ml |          |     | 1362       |
| LA4641  | TROPAEOLIN O (C.I. No.14270)   | 547-57-9   | 10     | 25 gm  | 32129090 | 18  | 679        |
|         | (resorcin yellow) C <sub>12</sub> H <sub>9</sub> N <sub>2</sub> O <sub>5</sub> Na M.W. 316.27                                    |            | 36     | 100 gm |          |     | 2379       |
| LA4642  | TROPAEOLIN OO (C.I. No.13080)  | 554-73-4   | 13     | 25 gm  | 32129090 | 18  | 876        |
|         | (orange IV) C <sub>18</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S M.W 375.38   |            | 46     | 100 gm |          |     | 3031       |
| LA4643  | TROPAEOLIN OOO (C.I. No.15510)   | 633-96-5   | 4      | 25 gm  | 32129090 | 18  | 252        |
|         | (orange II) C <sub>16</sub> H <sub>11</sub> N <sub>2</sub> NaO <sub>4</sub> S M.W 350.32   |            | 11     | 100 gm |          |     | 709        |
| LA4644  | TRYPAN BLUE (M.S.) (C.I. No.23850)   | 72-57-1    | 15     | 25 gm  | 32049000 | 18  | 1018       |
|         | Dye Content : Min. 60% C <sub>34</sub> H <sub>24</sub> N <sub>6</sub> O <sub>14</sub> S <sub>4</sub> Na <sub>4</sub> M.W. 960.81 |            | 56     | 100 gm |          |     | 3755       |
| LA4645  | TRYPSIN 1:250 (from bovine pancreas)   | 9002-07-7  | 38     | 25 gm  | 35079099 | 18  | 2502       |
|         |  |            | 128    | 100 gm |          |     | 8534       |
| LA4646  | TRYPSIN 2000 u/g   | 9002-07-7  | 17     | 100 gm | 35079099 | 18  | 1136       |
|         | (0.2 Anson unit/g)   |            | 77     | 500 gm |          |     | 5128       |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT      | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|-----------|----------|-----|------------|
| LA4667  | TWEEN 80  | 9005-65-6  | 15     | 500 ml    | 34021300 | 18  | 964        |
|         | (polysorbate 80) [polyethylene (80) sorbitan mono oleate]                         |            | 28     | 1 Lt      |          |     | 1832       |
|         | Liquid, d. 1.064  |            |        |           |          |     |            |
| LA4668  | L-TYROSINE 99% For Biochemistry   | 60-18-4    | 5      | 25 gm     | 29225015 | 18  | 329        |
|         | C <sub>9</sub> H <sub>11</sub> NO <sub>3</sub> M.W. 181.19                        |            | 16     | 100 gm    |          |     | 1059       |
|         |   |            | 71     | 500 gm    |          |     | 4709       |
| LA4669  | UNIVERSAL INDICATOR papers 1-10   |            | 4      | Pkt.      | 38220090 | 12  | 253        |
|         | (with chart) (Pkt. contains 100 leaves)   |            | 75     | 24 Pkt.   |          |     | 4963       |
| LA4670  | UNIVERSAL INDICATOR paper pH 1-10   |            | 4      | Roll      | 38220090 | 12  | 267        |
|         | (including colour scale in pALstic dispenser)                                     |            | 32     | 10 x Roll |          |     | 2138       |
| LA4671  | UNIVERSAL INDICATOR Paper Refil pH 1-10   |            | 4      | 1 Refil   | 38220090 | 12  | 292        |
|         | (without colour scale)  |            | 22     | 6 Refil   |          |     | 1455       |
| LA4672  | UNIVERSAL INDICATOR solution pH 4-11  |            | 2      | 125 ml    | 38220090 | 12  | 156        |
|         | (with colour chart) Liquid, d. 0.89   |            | 7      | 500 ml    |          |     | 443        |
| LA4673  | URACIL 99% For Biochemistry   | 66-22-8    | 3      | 5 gm      | 29335990 | 18  | 193        |
|         | C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> M.W. 112.09           |            | 8      | 25 gm     |          |     | 548        |
|         |   |            | 31     | 100 gm    |          |     | 2077       |
| LA4674  | URACIL-5-CARBOXYLIC ACID 98%  | 23945-44-0 | 296    | 5 gm      | 29335990 | 18  | 19657      |
|         | C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub> M.W. 156.1            |            |        |           |          |     |            |
| LA4675  | URANYL ACETATE 98% AR (dihydrate) (reagent for sodium)                            | 6159-44-0  | 218    | 5 gm      | 28443010 | 18  | 14471      |
|         | UO <sub>2</sub> (OCOCH <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O M.W. 424.15 |            | 413    | 10 gm     |          |     | 27491      |
|         | (End Use Certificate Required)  |            | 1013   | 25 gm     |          |     | 67358      |
|         | <u>UN 3288 6.1/PG II</u>  |            |        |           |          |     |            |
| LA4676  | URANYL MAGNESIUM ACETATE solution   |            | 22     | 25 ml     | 38220090 | 12  | 1433       |
|         | (magnesium uranyl acetate solution)   |            | 81     | 100 ml    |          |     | 5379       |
|         | (End Use Certificate Required)  |            |        |           |          |     |            |
| LA4677  | URANYL MAGNESIUM ACETATE  | 20596-93-4 | 215    | 5 gm      | 28443029 | 18  | 14272      |
|         | (magnesium uranyl acetate)  |            | 408    | 10 gm     |          |     | 27110      |
|         | (End Use Certificate Required)  |            | 978    | 25 gm     |          |     | 65062      |
| LA4678  | URANYL NITRATE 98-102% AR (hexahydrate)   | 13520-83-7 | 236    | 5 gm      | 28443029 | 18  | 15713      |
|         | UO <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O M.W. 502.13    |            | 449    | 10 gm     |          |     | 29850      |
|         | (End Use Certificate Required)  |            | 1077   | 25 gm     |          |     | 71643      |
| LA4679  | URANYL ZINC ACETATE AR  | 10138-94-0 | 284    | 5 gm      | 28443029 | 18  | 18885      |
|         | (zinc uranyl acetate)   |            | 540    | 10 gm     |          |     | 35883      |
|         | (End Use Certificate Required)  |            | 1301   | 25 gm     |          |     | 86513      |
| LA4680  | UREA 98% (practical) (crystals)   | 57-13-6    | 4      | 500 gm    | 31021000 | 18  | 284        |
|         | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |            | 36     | 5 Kg      |          |     | 2406       |
|         |   |            | 289    | 50 Kg     |          |     | 19245      |
| LA4681  | UREA 99% Extra Pure (crystals) (purified)   | 57-13-6    | 6      | 500 gm    | 31021000 | 18  | 380        |
|         | [minimum assay (Kjeldahl) 99%]  |            | 43     | 5 Kg      |          |     | 2843       |
|         | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |            | 363    | 50 Kg     |          |     | 24162      |
| LA4682  | UREA 99.5% AR Special For Biochemical Purpose                                     | 57-13-6    | 7      | 500 gm    | 31021000 | 18  | 474        |
|         | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |            | 63     | 5 Kg      |          |     | 4157       |
| LA4683  | UREA 99.5% For Molecular Biology  | 57-13-6    | 14     | 500 gm    | 31021000 | 18  | 910        |
|         | CH <sub>4</sub> N <sub>2</sub> O M.W. 60.06                                       |            | 26     | 1 Kg      |          |     | 1732       |

| CAT No. | PRODUCT NAME  | CAS No.   | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|-----------|--------|--------|----------|-----|------------|
| LA4684  | UREA HYDROCHLORIDE For Synthesis                                    | 506-89-8  | 55     | 500 gm | 29214190 | 18  | 3683       |
| LA4685  | UREA SOLUTION 0.1M  |           | 3      | 500 ml | 31021000 | 18  | 207        |
| LA4686  | UREA PHOSPHATE 98% Extra Pure                                       | 4861-19-2 | 10     | 500 gm | 28352990 | 18  | 654        |
|         | <chem>CH4N2O.H3PO4</chem> M.W. 158.05                               |           | 84     | 5 Kg   |          |     | 5557       |
| LA4687  | URETHANE 99%  | 51-79-6   | 40     | 25 gm  | 29241900 | 18  | 2673       |
|         | (ethyl carbamate) <chem>NH2COOC2H5</chem> M.W. 89.09                |           | 85     | 100 gm |          |     | 5684       |
| LA4688  | URIC ACID 98% Extra Pure  | 69-93-2   | 47     | 25 gm  | 29335990 | 18  | 3131       |
|         | <chem>C5H4N4O3</chem> M.W. 168.11                                   |           | 185    | 100 gm |          |     | 12299      |
| LA4689  | URIC ACID 99% AR  | 69-93-2   | 49     | 25 gm  | 29335990 | 18  | 3248       |
|         | <chem>C5H4N4O3</chem> M.W. 168.11                                   |           | 188    | 100 gm |          |     | 12530      |
| LA4690  | URIC ACID REAGENT solution (folin/newton)                           |           | 3      | 100 ml | 38220090 | 12  | 184        |
|         |   |           | 10     | 500 ml |          |     | 676        |
| LA4691  | URIDINE 99% For Biochemistry  | 58-96-8   | 14     | 5 gm   | 29349900 | 18  | 940        |
|         | <chem>C9H12N2O6</chem> M.W. 244.20                                  |           | 56     | 25 gm  |          |     | 3756       |
| LA4692  | VALERIAN OIL  | 8008-88-6 | 291    | 250 ml | 33011990 | 18  | 19352      |
| LA4693  | n-VALERIC ACID 98% For Synthesis                                    | 109-52-4  | 40     | 500 ml | 29156020 | 18  | 2675       |
|         | (pentanoic acid) <chem>C5H10O2</chem> M.W. 102.13, Liquid, d. 0.939 |           | 76     | 1 Lt   |          |     | 5083       |
|         | <u>UN 3265 8/PG II</u>  |           | 171    | 2.5 Lt |          |     | 11388      |
| LA4694  | VALERONITRILE 98% For Synthesis                                     | 110-59-8  | 11     | 100 ml | 29269000 | 18  | 731        |
|         | (n-butyl cyanide) <chem>C5H9N</chem> M.W. 83.13, Liquid, d. 0.795   |           | 33     | 500 ml |          |     | 2225       |
|         | <u>UN 1993 3 /PG III</u>  |           |        |        |          |     |            |
| LA4695  | L-VALINE 99% For Biochemistry                                       | 72-18-4   | 2      | 5 gm   | 29224990 | 18  | 118        |
|         | <chem>C5H11NO2</chem> M.W. 117.15                                   |           | 3      | 25 gm  |          |     | 233        |
|         |   |           | 16     | 100 gm |          |     | 1089       |
|         |   |           | 53     | 500 gm |          |     | 3541       |
| LA4696  | DL-VALINE 99% For Biochemistry                                      | 516-06-3  | 3      | 5 gm   | 29224990 | 18  | 224        |
|         | <chem>C5H11NO2</chem> M.W. 117.15                                   |           | 14     | 25 gm  |          |     | 910        |
|         |   |           | 51     | 100 gm |          |     | 3408       |
|         |   |           | 233    | 500 gm |          |     | 15482      |
| LA4697  | VANADIUM AAS STANDARD SOLUTION 1000mg/L in Nitric Acid              |           | 28     | 125 ml | 38220090 | 12  | 1860       |
|         | Liquid, d. 1.013  |           | 50     | 500 ml |          |     | 3344       |
|         | <u>UN 3264 8/PG III</u>   |           |        |        |          |     |            |
| LA4698  | VANADIUM ICP STANDARD SOLUTION 1000mg/L in Nitric Acid              |           | 105    | 125 ml | 38220090 | 12  | 7016       |
|         | Liquid, d. 1.013  |           |        |        |          |     |            |
|         | <u>UN 3264 8/PG III</u>   |           |        |        |          |     |            |
| LA4699  | VANADIUM (Metal) POWDER 99%   | 7440-62-2 | 164    | 10 gm  | 81129200 | 18  | 10927      |
|         | <chem>V</chem> M.W. 50.94   |           | 386    | 25 gm  |          |     | 25679      |
| LA4700  | VANADIUM PENTOXIDE 98% Extra Pure                                   | 1314-62-1 | 22     | 100 gm | 28253010 | 18  | 1433       |
|         | [vanadium (V) oxide] <chem>V2O5</chem> M.W. 181.88                  |           | 99     | 500 gm |          |     | 6599       |
|         | <u>UN 2862 6.1/PG III</u>   |           |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|------------|--------|--------|----------|-----|------------|
| LA4701  | VANADIUM PENTOXIDE 99% AR  | 1314-62-1  | 24     | 100 gm | 28253010 | 18  | 1595       |
|         | [vanadium (V) oxide] V <sub>2</sub> O <sub>5</sub> M.W. 181.88                                 |            | 116    | 500 gm |          |     | 7742       |
|         | <u>UN 2862 6.1/PG III</u>  |            |        |        |          |     |            |
| LA4702  | VANADYL SULPHATE 96%C (pentahydrate)   | 27774-13-6 | 21     | 25 gm  | 28332990 | 18  | 1393       |
|         | (vanadium oxysulphate) [vanadium (IV) sulphate oxide]  |            | 79     | 100 gm |          |     | 5225       |
|         | VOSO <sub>4</sub> .5H <sub>2</sub> O M.W. 253.08   |            | 325    | 500 gm |          |     | 21619      |
| LA4703  | VANILINE 98% For Synthesis   | 121-33-5   | 27     | 100 gm | 29124100 | 18  | 1807       |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                       |            | 125    | 500 gm |          |     | 8294       |
| LA4704  | VANILINE 99% AR Liquid, d. 1.06  | 121-33-5   | 8      | 25 gm  | 29124100 | 18  | 521        |
|         | C <sub>8</sub> H <sub>8</sub> O <sub>3</sub> M.W. 152.15                                       |            | 30     | 100 gm |          |     | 1982       |
| LA4705  | VASELINE white (soft paraffin white)   | 8009-03-8  | 7      | 500 gm | 27121090 | 18  | 478        |
|         | (petroleum jelly white) (petroALctum white)  |            | 171    | 15 Kg  |          |     | 11378      |
| LA4706  | VASELINE yellow (soft paraffin yellow)   | 8009-03-8  | 6      | 500 gm | 27121090 | 18  | 424        |
|         | (petroleum jelly yellow)   |            | 153    | 15 Kg  |          |     | 10173      |
| LA4707  | VEEGUM (high viscosity)  | 1327-43-1  | 26     | 500 gm | 25081090 | 5   | 1738       |
|         | (aluminium magnesium silicate)   |            | 222    | 5 Kg   |          |     | 14769      |
| LA4708  | VERATROLE 98% For Synthesis  | 91-16-7    | 12     | 100 ml | 29093090 | 18  | 770        |
|         | C <sub>8</sub> H <sub>10</sub> O <sub>2</sub> M.W.138.2, Liquid, d. 1.086                      |            | 49     | 500 ml |          |     | 3279       |
| LA4709  | VETIVER OIL  | 8016-96-4  | 233    | 250 ml | 33012990 | 18  | 15479      |
| LA4710  | VICTORIA BLUE (M.S.) (C.I. No.44045)   | 2580-56-5  | 4      | 25 gm  | 32041352 | 18  | 273        |
|         | Dye Content: Min. 65% C <sub>33</sub> H <sub>32</sub> ClN <sub>3</sub> M.W. 506.10             |            | 15     | 100 gm |          |     | 993        |
|         | <u>UN 3077 9/ PG III</u>   |            | 69     | 500 gm |          |     | 4608       |
| LA4711  | VINYL ACETATE 99% For Synthesis (monomer)  | 108-05-4   | 8      | 500 ml | 29153200 | 18  | 562        |
|         | (acetoxylethylene) (stabilized with hydroqrunme)   |            | 16     | 1 Lt   |          |     | 1065       |
|         | C <sub>4</sub> H <sub>6</sub> O <sub>2</sub> M.W. 86.09, Liquid, d. 0.93                       |            | 38     | 2.5 Lt |          |     | 2502       |
|         | <u>UN 1301 3/PG II</u>   |            |        |        |          |     |            |
| LA4712  | VITAMIN A ACETATE For Biochemistry   | 127-47-9   | 35     | 25 gm  | 29362100 | 18  | 2355       |
|         | (retinyl acetate) C <sub>22</sub> H <sub>32</sub> O <sub>2</sub> M.W. 328.49                   |            | 135    | 100 gm |          |     | 8945       |
|         | <u>UN 3077 9/ PG III</u>   |            | 646    | 500 gm |          |     | 42942      |
| LA4713  | VITAMIN B1 99% For Biochemistry  | 67-03-8    | 6      | 10 gm  | 29362210 | 18  | 421        |
|         | (thiamine hydrochloride)   |            | 14     | 25 gm  |          |     | 902        |
|         | C <sub>12</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>4</sub> OS.H <sub>2</sub> O M.W. 337.27 |            | 51     | 100 gm |          |     | 3411       |
| LA4714  | VITAMIN B12 98% For Biochemistry   | 68-19-9    | 14     | 250 mg | 29362610 | 18  | 950        |
|         | (cyanocobaALmine)  |            | 50     | 1 gm   |          |     | 3299       |
|         | C <sub>63</sub> H <sub>88</sub> CON <sub>14</sub> O <sub>14</sub> P M.W. 1355.37               |            | 459    | 10 gm  |          |     | 30512      |
| LA4715  | VITAMIN E-ACETATE 99%  | 7695-91-2  | 13     | 50 gm  | 29362800 | 18  | 873        |
|         | (DL-alpha-tocopherol acetate)  |            | 168    | 1 Kg   |          |     | 11157      |
|         | C <sub>31</sub> H <sub>52</sub> O <sub>3</sub> M.W. 472.74 Solidified Liqui , d. 0.953         |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4716  | WAGNER'S REAGENT indicator solution   |            | 4      | 125 ml | 38220090 | 12  | 249        |
|         |   |            | 10     | 500 ml |          |     | 672        |
| LA4717  | WANKLYN SOLUTION  |            | 6      | 500 ml | 38220090 | 12  | 389        |
|         | Liquid, 0.935   |            | 25     | 2.5 Lt |          |     | 1644       |
|         | <u>UN 1170 3/PG II</u>  |            |        |        |          |     | 0          |
| LA4718  | WATER For HPLC  | 7732-18-5  | 7      | 1 Lt   | 28530010 | 18  | 437        |
|         | H <sub>2</sub> O M.W. 18.02, Liquid, d. 1.00  |            |        |        |          |     | 0          |
| LA4719  | W.B.C. DILUTING FLUID (solution)  |            | 3      | 500 ml | 38220090 | 12  | 210        |
| LA4720  | WHEAT GERM OIL , Liquid, d. 0.93  | 68917-73-7 | 55     | 500 ml | 33019090 | 18  | 3677       |
| LA4721  | WHEAT OIL   |            | 50     | 500 ml | 15159099 | 5   | 3347       |
| LA4722  | WIJ'S solution  |            | 9      | 125 ml | 38220090 | 12  | 566        |
|         | (wij's reagent), Liquid, d. 1.06  |            | 25     | 500 ml |          |     | 1663       |
|         | <u>UN 2789 8(3)/PG II</u>   |            |        |        |          |     | 0          |
| LA4723  | WINKLER'S SOLUTION 'A'  |            | 15     | 500 ml | 38220090 | 12  | 1014       |
| LA4724  | WINKLER'S SOLUTION 'B'  |            | 8      | 500 ml | 38220090 | 12  | 537        |
| LA4725  | WOOD'S Metal AR   | 8049-22-7  | 42     | 250 gm | 81060090 | 18  | 2795       |
| LA4726  | WOOL ALCOHOL Extra Pure   |            | 42     | 100 gm | 15050010 | 12  | 2774       |
|         |   |            | 127    | 500 gm |          |     | 8475       |
| LA4727  | WRIGHT'S stain  | 68988-92-1 | 12     | 25 gm  | 32049000 | 18  | 827        |
|         | (M.S.) (wright's eosin methylene blue)  |            | 45     | 100 gm |          |     | 3005       |
|         |   |            | 199    | 500 gm |          |     | 13220      |
| LA4728  | WRIGHT'S stain solution   |            | 2      | 125 ml | 38220090 | 12  | 158        |
|         | (staining solution for microscopy), Liquid, d. 0.80   |            | 6      | 500 ml |          |     | 432        |
| LA4729  | XANTHAN GUM Extra Pure (gum xanthan) (food grade)   | 11138-66-2 | 17     | 500 gm | 13019034 | 5   | 1107       |
| LA4730  | XANTHINE 99% For Biochemistry   | 69-89-6    | 14     | 5 gm   | 29335990 | 18  | 903        |
|         | C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub> M.W. 152.11                     |            | 55     | 25 gm  |          |     | 3640       |
| LA4731  | X-GAL 98% For Molecular Biology   | 7240-90-6  | 25     | 100 mg | 29329900 | 18  | 1692       |
|         | (5-Bromo-4-chloro-3-indolyl-β-D-galactopyranoside)  |            | 117    | 500 mg |          |     | 7781       |
|         | C <sub>14</sub> H <sub>15</sub> BrClNO <sub>6</sub> M.W. 408.63 ( <b>Store at 2 - 8°C</b> ) |            | 223    | 1 gm   |          |     | 14861      |
| LA4732  | XYLENE 98.5% (rectified)  | 1330-20-7  | 9      | 500 ml | 29024400 | 18  | 566        |
|         | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                         |            | 16     | 1 Lt   |          |     | 1081       |
|         | <u>UN 1307 3 /PG III</u>  |            | 38     | 2.5 Lt |          |     | 2541       |
|         |   |            | 68     | 5 Lt   |          |     | 4550       |
| LA4733  | XYLENE 98.5% (sulphur free)   | 1330-20-7  | 9      | 500 ml | 29024400 | 18  | 583        |
|         | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                         |            | 17     | 1 Lt   |          |     | 1110       |
|         | <u>UN 1307 3 /PG III</u>  |            | 39     | 2.5 Lt |          |     | 2604       |
|         |   |            | 70     | 5 Lt   |          |     | 4680       |
| LA4734  | XYLENE 99.5% AR   | 1330-20-7  | 9      | 500 ml | 29024400 | 18  | 622        |
|         | (xylol) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.86                         |            | 18     | 1 Lt   |          |     | 1182       |
|         | <u>UN 1307 3 /PG III</u>  |            | 42     | 2.5 Lt |          |     | 2780       |
| LA4735  | m-XYLENE 99% For Synthesis  | 108-38-3   | 15     | 500 ml | 29024200 | 18  | 968        |
|         | C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.868                                |            | 28     | 1 Lt   |          |     | 1848       |
|         | <u>UN 1307 3 /PG III</u>  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME   | CAS No.     | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|--|-------------|--------|--------|----------|-----|------------|
| LA4736  | <b>o-XYLENE 99% For Synthesis</b><br>(1,2-dimethylbenzene) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.881  | 95-47-6     | 8      | 500 ml | 29024100 | 18  | 526        |
|         | <u>UN 1307 3 /PG III</u>   |             | 15     | 1 Lt   |          |     | 996        |
| LA4737  | <b>p-XYLENE 99% For Synthesis</b><br>(1,4-dimethylbenzene) C <sub>8</sub> H <sub>10</sub> M.W. 106.17, Liquid, d. 0.861  | 106-42-3    | 12     | 500 ml | 29024300 | 18  | 826        |
|         | <u>UN 1307 3 /PG III</u>   |             | 23     | 1 Lt   |          |     | 1556       |
| LA4738  | <b>XYLENE CYANOL FF (C.I.No.42135)</b><br>Dye Content: Min. 75% C <sub>25</sub> H <sub>27</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub> M.W. 538.61     | 2650-17-1   | 21     | 5 gm   | 32041979 | 18  | 1363       |
|         |  |             | 84     | 25 gm  |          |     | 5571       |
| LA4739  | <b>p-XYLENOL BLUE INDICATOR AR</b><br>Dye Content: Min. 90% C <sub>23</sub> H <sub>22</sub> O <sub>5</sub> S M.W. 410.48                                       | 125-31-5    | 10     | 1 gm   | 32049000 | 18  | 682        |
|         |  |             | 43     | 5 gm   |          |     | 2838       |
| LA4740  | <b>XYLENOL ORANGE AR</b><br>(use in EDTA Zinc titration)   | 3618-43-7   | 10     | 5 gm   | 29349900 | 18  | 639        |
|         | Dye Content: Min. 90% C <sub>31</sub> H <sub>28</sub> N <sub>2</sub> O <sub>13</sub> Na <sub>4</sub> M.W. 760.58   |             | 40     | 25 gm  |          |     | 2681       |
| LA4741  | <b>XYLENOL ORANGE indicator solution</b>   |             | 152    | 100 gm |          |     | 10104      |
|         |  |             | 5      | 125 ml | 38220090 | 12  | 324        |
|         |  |             | 14     | 500 ml |          |     | 963        |
| LA4742  | <b>2,4-XYLIDINE 98% (purified)</b><br>(2,4-dimethylAlniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.98                                     | 95-68-1     | 15     | 250 ml | 29214910 | 18  | 1021       |
|         |  |             | 107    | 2.5 Lt |          |     | 7087       |
|         | <u>UN 1711 6.1/PG II</u>   |             |        |        |          |     |            |
| LA4743  | <b>2,6-XYLIDINE 99% (purified)</b><br>(2,6-dimethylAlniline) C <sub>8</sub> H <sub>11</sub> N M.W. 121.18, Liquid, d. 0.984                                    | 87-62-7     | 26     | 250 ml | 29214910 | 18  | 1731       |
|         |  |             | 208    | 2.5 Lt |          |     | 13850      |
|         | <u>UN 1711 6.1/PG II</u>   |             |        |        |          |     |            |
| LA4744  | <b>XYLIDINE PONCEAU</b><br>(M.S.) (C.I.No.16255)   | 3761-53-3   | 3      | 25 gm  | 32049000 | 18  | 183        |
|         | Dye Content : Min. 60% C <sub>18</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>2</sub> M.W. 480.43                                |             | 10     | 100 gm |          |     | 652        |
| LA4745  | <b>XYLITOL 99% For Biochemistry</b><br>C <sub>5</sub> H <sub>12</sub> O <sub>5</sub> M.W. 152.15   | 87-99-0     | 12     | 100 gm | 29054900 | 18  | 791        |
|         |  |             | 43     | 500 gm |          |     | 2865       |
| LA4746  | <b>D-XYLOSE 99% (purified)</b><br>(reactant for biochemical identification & culture media additive) C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13 | 58-86-6     | 4      | 25 gm  | 29400000 | 18  | 257        |
|         |  |             | 9      | 100 gm |          |     | 589        |
|         |  |             | 38     | 500 gm |          |     | 2495       |
| LA4747  | <b>YEAST EXTRACT paste For Bacteriology</b>  | 8013-01-2   | 20     | 500 gm | 21021010 | 18  | 1356       |
| LA4748  | <b>YEAST EXTRACT powder For Bacteriology</b>   | 8013-01-2   | 17     | 500 gm | 21021010 | 18  | 1130       |
|         | <b>YTTRIUM (III) ACETATE 99.9% (hydrate)</b><br>(CH <sub>3</sub> CO <sub>2</sub> ) <sub>3</sub> Y·xH <sub>2</sub> O M.W. 266.04 (anhydrous basis)              | 304675-69-2 | 51     | 25 gm  | 28469090 | 18  | 3399       |
|         |  |             | 154    | 100 gm |          |     | 10230      |
| LA4749  | <b>YTTRIUM (III) CHLORIDE 99.9% (hydrate)</b><br>YCl <sub>3</sub> ·xH <sub>2</sub> O M.W. 195.26 (anhy. Basis)   | 12741-05-8  | 51     | 25 gm  | 28469030 | 18  | 3402       |
|         |  |             | 160    | 100 gm |          |     | 10665      |
| LA4750  | <b>YTTRIUM (III) CHLORIDE 99.9% (hexahydrate)</b><br>YCl <sub>3</sub> ·6H <sub>2</sub> O M.W. 303.36   | 10025-94-2  | 112    | 25 gm  | 28469030 | 18  | 7474       |
|         |  |             | 395    | 100 gm |          |     | 26296      |
| LA4751  | <b>YTTRIUM (III) NITRATE 99.99% AR (tetrahydrate)</b><br>Y(NO <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O M.W. 346.98                                       | 13773-69-8  | 63     | 25 gm  | 28469090 | 18  | 4182       |
|         |  |             | 226    | 100 gm |          |     | 15058      |
|         | <u>UN 1477 5.1/PG II</u>   |             |        |        |          |     |            |
| LA4752  | <b>YTTRIUM (III) NITRATE 99.9% (hexahydrate)</b><br>Y(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O M.W. 383.01  | 13494-98-9  | 73     | 25 gm  | 28469090 | 18  | 4835       |
|         |  |             | 238    | 100 gm |          |     | 15837      |
|         | <u>UN 1477 5.1/PG II</u>   |             |        |        |          |     |            |
| LA4753  | <b>YTTRIUM (III) OXIDE 99.9% AR</b><br>Y <sub>2</sub> O <sub>3</sub> M.W. 225.81   | 1314-36-9   | 25     | 25 gm  | 28469010 | 18  | 1668       |
|         |  |             | 87     | 100 gm |          |     | 5819       |

| CAT No. | PRODUCT NAME   | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR)               |
|---------|--|------------|--------|--------|----------|-----|--------------------------|
| LA4754  | ZEATIN 95%<br>(mixed isomers) (Plant growth regulator)<br><chem>C15H21N5O5</chem> M.W 351.36   | 13114-27-7 | 38     | 5 mg   | 38089340 | 18  | 2502<br>4749<br>10689    |
| LA4755  | ZEROLITE 225 (Na) (14-52 mesh)   |            | 66     | 500 gm | 28421000 | 18  | 4376                     |
| LA4756  | ZINC AAS STANDARD SOLUTION 1000mg/L in Nitric Acid<br>Liquid, d. 1.02  |            | 28     | 125 ml | 38220090 | 12  | 1891<br>3717             |
| LA4757  | ZINC ICP STANDARD SOLUTION 1000mg/L in Nitric Acid   |            | 83     | 125 ml | 38220090 | 12  | 5531                     |
| LA4758  | ZINC ICP STANDARD SOLUTION 10000mg/L in Nitric Acid<br>Liquid, d. 1.034  |            | 171    | 125 ml | 38220090 | 12  | 11381                    |
| LA4759  | ZINC (Metal) DUST 95% Extra Pure (fine powder )<br>(250-300 mesh) Zn M.W. 65.39  | 7440-66-6  | 14     | 500 gm | 79031000 | 18  | 940<br>8225              |
| LA4760  | ZINC (Metal) DUST 98% AR<br>Zn M.W. 65.39  | 7440-66-6  | 16     | 500 gm | 79031000 | 18  | 1055<br>9242             |
| LA4761  | ZINC (Metal) FOIL 99.5%<br>Zn M.W. 65.39   | 7440-66-6  | 47     | 250 gm | 79050040 | 18  | 3156<br>5995             |
| LA4762  | ZINC (Metal) GRANUALTED 99.5% Extra Pure<br>Zn M.W. 65.39  | 7440-66-6  | 20     | 500 gm | 79050040 | 18  | 1358<br>12018            |
| LA4763  | ZINC (Metal) GRANUALTED 99.9% AR<br>Zn M.W. 65.39  | 7440-66-6  | 23     | 500 gm | 79050040 | 18  | 1520                     |
| LA4764  | ZINC ACETATE 98% Extra Pure (dihydrate)<br><chem>(CH3COO)2Zn.2H2O</chem> M.W. 219.50   | 5970-45-6  | 12     | 500 gm | 29152990 | 18  | 814<br>7199              |
| LA4765  | <u>UN 3077 9/PG III</u><br>ZINC ACETATE 99.5% AR (dihydrate)<br><chem>(CH3COO)2Zn.2H2O</chem> M.W. 219.50                            | 5970-45-6  | 14     | 500 gm | 29152990 | 18  | 907<br>7942              |
| LA4766  | <u>UN 3077 9/PG III</u><br>ZINC BORATE (practical)<br><chem>BH3O3.xZn</chem>   | 10361-94-1 | 29     | 500 gm | 28402090 | 18  | 1913                     |
| LA4767  | <u>UN 3260 8/PG III</u><br>ZINC BROMIDE 99% For Synthesis (anhydrous)<br>ZnBr <sub>2</sub> M.W. 225.19                               | 7699-45-8  | 50     | 500 gm | 28275990 | 18  | 3294                     |
| LA4768  | <u>UN 2331 8/PG III</u><br>ZINC CARBONATE basic<br>[ZnCO <sub>3</sub> ] <sub>2</sub> [Zn(OH) <sub>2</sub> ] <sub>3</sub> M.W. 549.01 | 5263-02-5  | 14     | 500 gm | 28369990 | 18  | 959<br>8381              |
| LA4769  | <u>UN 2331 8/PG III</u><br>ZINC CHLORIDE 97% (purified powder) (dry)<br>ZnCl <sub>2</sub> M.W. 136.30                                | 7646-85-7  | 10     | 500 gm | 28273990 | 18  | 676<br>6081              |
| LA4770  | <u>UN 2331 8/PG III</u><br>ZINC CHLORIDE 98% AR (dry)<br>ZnCl <sub>2</sub> M.W. 136.30   | 7646-85-7  | 13     | 500 gm | 28273990 | 18  | 839<br>53210             |
| LA4771  | <u>UN 2331 8/PG III</u><br>ZINC CHLORIDE 98% For Molecular Biology<br>ZnCl <sub>2</sub> M.W. 136.30                                  | 7646-85-7  | 13     | 100 gm | 28273990 | 18  | 840<br>3236              |
| LA4771  | ZINC CHLORIDE 0.1M Standardized Solution, Liquid, d. 1.01  |            | 8      | 500 ml | 38220090 | 12  | 523                      |
| LA4772  | ZINC CHLORIDE 0.5M Standardized Solution   |            | 8      | 500 ml | 38220090 | 12  | 525                      |
| LA4773  | ZINC CHROMATE 98%<br>ZnCrO <sub>4</sub> M.W 181.403  | 13530-65-9 | 38     | 500 gm | 28415090 | 18  | 2533<br>UN 3087 9/PG III |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4774  | ZINC FLUORIDE 99%   | 7783-49-5  | 68     | 500 gm | 28269000 | 18  | 4507       |
|         | ZnF <sub>2</sub> M.W. 103.39  |            |        |        |          |     |            |
| LA4775  | ZINC IODIDE 98%   | 10139-47-6 | 117    | 100 gm | 28276090 | 18  | 7814       |
|         | ZnI <sub>2</sub> M.W. 319.20  |            | 279    | 250 gm |          |     | 18531      |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4776  | ZINC NITRATE 96-103% (hexahydrate)  | 10196-18-6 | 10     | 500 gm | 28342990 | 18  | 691        |
|         | Zn(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O M.W. 297.49                  |            | 91     | 5 Kg   |          |     | 6084       |
|         | <u>UN 1514 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4777  | ZINC NITRATE 98% AR (hexahydrate)   | 10196-18-6 | 12     | 500 gm | 28342990 | 18  | 773        |
|         | Zn(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O M.W. 297.49                  |            | 102    | 5 Kg   |          |     | 6771       |
|         | <u>UN 1514 5.1/PG II</u>  |            |        |        |          |     |            |
| LA4778  | ZINC OXALATE 98% (dihydrate)  | 4255-07-6  | 29     | 500 gm | 29171990 | 18  | 1905       |
|         | ZnC <sub>2</sub> O <sub>4</sub> .2H <sub>2</sub> O M.W. 189.42                    |            |        |        |          |     |            |
| LA4779  | ZINC OXIDE 98% Extra Pure   | 1314-13-2  | 13     | 500 gm | 28170010 | 18  | 880        |
|         | ZnO M.W. 81.39  |            | 116    | 5 Kg   |          |     | 7699       |
|         | <u>UN 3077 9/PG III</u>   |            | 533    | 25 Kg  |          |     | 35413      |
| LA4780  | ZINC OXIDE 99% AR   | 1314-13-2  | 16     | 500 gm | 28170010 | 18  | 1077       |
|         | ZnO M.W. 81.39  |            | 146    | 5 Kg   |          |     | 9731       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4781  | ZINC PHOSPHATE Extra Pure   | 7779-90-0  | 16     | 500 gm | 28353900 | 18  | 1091       |
|         | Zn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> M.W. 386.11                       |            | 144    | 5 Kg   |          |     | 9551       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4782  | ZINC SILICO FLUORIDE 99%  | 16871-71-9 | 269    | 500 gm | 28269000 | 18  | 17874      |
|         | ZnSiF <sub>6</sub> .xH <sub>2</sub> O M.W. 207.47                                 |            |        |        |          |     |            |
|         | <u>UN 2855 6.1/PG III</u>   |            |        |        |          |     |            |
| LA4783  | ZINC STEARATE Extra Pure  | 557-05-1   | 10     | 500 gm | 29157090 | 18  | 662        |
|         | [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COO] <sub>2</sub> Z M.W. 632.33 |            | 87     | 5 Kg   |          |     | 5793       |
| LA4784  | ZINC SULPHATE 98% Practical (heptahydrate)  | 7446-20-0  | 7      | 500 gm | 28332690 | 18  | 448        |
|         | (iron free white crystals) ZnSO <sub>4</sub> .7H <sub>2</sub> O M.W. 287.56       |            | 57     | 5 Kg   |          |     | 3812       |
|         | <u>UN 3077 9/PG III</u>   |            | 502    | 50 Kg  |          |     | 33362      |
| LA4785  | ZINC SULPHATE 99% Extra Pure (purified) (heptahydrate)                            | 7446-20-0  | 7      | 500 gm | 28332690 | 18  | 497        |
|         | ZnSO <sub>4</sub> .7H <sub>2</sub> O M.W. 287.56                                  |            | 65     | 5 Kg   |          |     | 4351       |
|         | <u>UN 3077 9/PG III</u>   |            | 583    | 50 Kg  |          |     | 38747      |
| LA4786  | ZINC SULPHATE 99.5% AR (heptahydrate)   | 7446-20-0  | 8      | 500 gm | 28332690 | 18  | 546        |
|         | ZnSO <sub>4</sub> .7H <sub>2</sub> O M.W. 287.56                                  |            | 72     | 5 Kg   |          |     | 4778       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4787  | ZINC SULPHATE 99-100.5% (dried) (monohydrate)                                     | 7446-19-7  | 9      | 500 gm | 28332690 | 18  | 618        |
|         | ZnSO <sub>4</sub> .H <sub>2</sub> O M.W. 179.45                                   |            | 81     | 5 Kg   |          |     | 5407       |
|         | <u>UN 3077 9/PG III</u>   |            |        |        |          |     |            |
| LA4788  | ZINC SULPHATE 0.05M Standardized Solution, Liquid, d. 1.005                       |            | 6      | 500 ml | 38220090 | 12  | 415        |
| LA4789  | ZINC SULPHATE 0.1M Standardized Solution, Liquid, d. 1.16                         |            | 7      | 500 ml | 38220090 | 12  | 485        |
| LA4790  | ZINC SULPHIDE 98% Practical   | 1314-98-3  | 21     | 500 gm | 28309010 | 18  | 1397       |
|         | ZnS M.W. 97.44  |            |        |        |          |     |            |
| LA4791  | ZINC SULPHIDE 99.9% AR  | 1314-98-3  | 42     | 500 gm | 28309010 | 18  | 2789       |
|         | ZnS M.W. 97.44  |            |        |        |          |     |            |
| LA4792  | ZINC SULPHITE 98% (dihydrate)   | 7488-52-0  | 33     | 500 gm | 28302000 | 18  | 2221       |
|         | ZnSO <sub>3</sub> .2H <sub>2</sub> O M.W. 181.46                                  |            |        |        |          |     |            |

| CAT No. | PRODUCT NAME  | CAS No.    | \$ USD | UNIT   | HS CODE  | GST | PRICE(INR) |
|---------|---|------------|--------|--------|----------|-----|------------|
| LA4793  | ZINC TARTRATE 98%   | 551-64-4   | 51     | 500 gm | 29369000 | 18  | 3385       |
|         | C <sub>4</sub> H <sub>4</sub> O <sub>6</sub> Zn M.W. 213.46                                       |            |        |        |          |     |            |
| LA4794  | ZINCON AR (for photometric determination of copper & zinc)  | 135-52-4   | 16     | 1 gm   | 29280090 | 18  | 1050       |
|         | C <sub>20</sub> H <sub>16</sub> N <sub>4</sub> O <sub>6</sub> S M.W. 440.43                       |            | 77     | 5 gm   |          |     | 5109       |
| LA4795  | ZINCON MONOSODIUM SALT 98% AR   | 62625-22-3 | 21     | 1 gm   | 29270090 | 18  | 1406       |
|         | C <sub>20</sub> H <sub>15</sub> N <sub>4</sub> NaO <sub>6</sub> S M.W. 462.41                     |            | 84     | 5 gm   |          |     | 5557       |
| LA4796  | ZIRCONIUM ICP STANDARD SOLUTION 1000mg/L in water   |            | 83     | 125 ml | 38220090 | 12  | 5512       |
| LA4797  | ZIRCONIUM ACETATE 99.5% Extra Pure  | 7585-20-8  | 25     | 100 gm | 29159090 | 18  | 1637       |
|         | <u>UN 2790 8/PG II</u>  |            | 103    | 500 gm |          |     | 6882       |
| LA4798  | ZIRCONIUM (IV) CARBONATE basic (hydrate)  | 57219-64-4 | 17     | 100 gm | 28369990 | 18  | 1127       |
|         | (zirconium oxycarbonate) Zr(OH) <sub>2</sub> CO <sub>3</sub> .ZrO <sub>2</sub> M.W. 308.46        |            | 65     | 500 gm |          |     | 4308       |
| LA4799  | ZIRCONIUM DIOXIDE 97%   | 1314-23-4  | 40     | 500 gm | 28256020 | 18  | 2669       |
|         | (calcined) [zirconium (IV) oxide] ZrO <sub>2</sub> M.W 123.22                                     |            |        |        |          |     |            |
| LA4800  | ZIRCONIUM DIOXIDE 99.5% AR  | 1314-23-4  | 45     | 500 gm | 28256020 | 18  | 3023       |
|         | [zirconium (IV) oxide] ZrO <sub>2</sub> M.W 123.22  |            |        |        |          |     |            |
| LA4801  | ZIRCONIUM FLUORIDE 99.9%  | 7783-64-4  | 133    | 500 gm | 28261990 | 18  | 8827       |
|         | ZrF <sub>4</sub> M.W. 167.22  |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA4803  | ZIRCONIUM NITRATE 99%   | 14985-18-3 | 29     | 100 gm | 28342990 | 18  | 1897       |
|         | (zirconyl nitrate) ZrO(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O M.W. 231.23 (anhy. basis) |            | 135    | 500 gm |          |     | 9000       |
|         | <u>UN 3085 5.1 (8)/PG II</u>  |            |        |        |          |     |            |
| LA4804  | ZIRCONIUM OXYCHLORIDE 99% (octahydrate)   | 13520-92-8 | 7      | 100 gm | 28273990 | 18  | 497        |
|         | (zirconyl chloride) ZrOCl <sub>2</sub> .8H <sub>2</sub> O M.W. 322.25                             |            | 21     | 500 gm |          |     | 1421       |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA4805  | ZIRCONIUM OXYCHLORIDE 99.5% AR (octahydrate)  | 13520-92-8 | 33     | 100 gm | 28273990 | 18  | 2210       |
|         | (zirconyl chloride) ZrOCl <sub>2</sub> .8H <sub>2</sub> O M.W. 322.25                             |            | 78     | 250 gm |          |     | 5197       |
|         | <u>UN 3260 8/PG II</u>  |            |        |        |          |     |            |
| LA4806  | ZIRCONIUM PHOSPHATE   | 13765-95-2 | 108    | 500 gm | 28352990 | 18  | 7172       |
| LA4807  | ZIRCONIUM SILICATE 98.5% Extra Pure   | 10101-52-7 | 20     | 250 gm | 28399090 | 18  | 1336       |
|         | (zirconium orthosilicate) ZrSiO <sub>4</sub> M.W. 183.30  |            | 65     | 1 Kg   |          |     | 4313       |
| LA4808  | ZIRCONIUM (IV) SULPHATE 99.5% (hydrate)   | 34806-73-0 | 38     | 100 gm | 28332990 | 18  | 2513       |
|         | (zirconium orthosulphate) (water soluble)   |            | 117    | 500 gm |          |     | 7758       |
|         | Zr(SO <sub>4</sub> ) <sub>2</sub> .xH <sub>2</sub> O M.W. 283.35 (anhydrous basis)                |            |        |        |          |     |            |
|         | <u>UN 3260 8/PG III</u>   |            |        |        |          |     |            |
| LA4809  | ZIRCONIUM (V) SULPHATE basic 99.5% (tetrahydrate)   | 7446-31-3  | 44     | 100 gm | 28332990 | 18  | 2925       |
|         | ZrSiO <sub>4</sub> M.W. 183.30  |            | 154    | 500 gm |          |     | 10211      |

END

# LABPRO CHEM



## SILVER NITRATE 99%

- Chemical Formula  $\text{AgNO}_3$
- Color: Colorless to white crystalline solid.
- Solubility: Soluble in water and alcohol.



## AURIC CHLORIDE

- Chemical Formula  $\text{AuCl}_3$
- Color: Golden or yellow in colour
- Density: 3.78 g/cm<sup>3</sup>
- M.W: 169.87 g/mol
- Solubility: Soluble in water and alcohol.



## LIQUID MERCURY

- Chemical Formula Hg (Mercury)
- Color: silvery-white
- M.W: 200.59 g/mol
- Odor: Odorless.