
high_Egamma Tx_electron: max $C_{p\gamma}$ regions
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{p\gamma}$
region 3 (Tx_electron)
region 2 (Tx_electron)
region 0 (Tx_electron)
region 1 (Tx_electron)
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

Tx_electron characteristic max $C_{p\gamma}$ configuration

3D momenta



c_p_gamma_high_egamma_tx_electron_region_0 C_{p\gamma}=3.46889e-13
region: high_Egamma_Tx_electron_region_0 final-pair delta_xy=0.0654498 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.0958298
θ_{in}=1.57079, ϕ_ℓ=1.50535, ϕ_P=4.64694
E_γ=1.8, ϕ_γ=1.50535
Q^2=16.8667, x_B=0.846857, t=-3.21815, W^2=3.92997, y=0.965149
$\theta(\ell', \gamma)$=179.811 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.1455 p_y= 2.2197 p_z= -0.0000
P E= 2.4141 p_x= -0.1455 p_y= -2.2197 p_z= 0.0000
ℓ' E= 1.8956 p_x= -0.1177 p_y= -1.8920 p_z= 0.0000
P' E= 0.9429 p_x= 0.0000 p_y= 0.0958 p_z= 0.0000
q_γ E= 1.8000 p_x= 0.1177 p_y= 1.7961 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=96.4%)



Tx_electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_high_egamma_tx_electron_region_1 C_{p\gamma}=0
region: high_Egamma_Tx_electron_region_1 final-pair delta_xy=1.5708 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.356666
θ_{in}=1.57079, ϕ_ℓ=0, ϕ_P=3.14159
E_γ=1.8, ϕ_γ=0
Q^2=16.1715, x_B=0.817396, t=-3.08551, W^2=4.49252, y=0.958721
$\theta(\ell', \gamma)$=168.792 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= -2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 1.8350 p_x= -1.8000 p_y= -0.3567 p_z= 0.0000
P' E= 1.0035 p_x= 0.0000 p_y= 0.3567 p_z= 0.0000
q_γ E= 1.8000 p_x= 1.8000 p_y= 0.0000 p_z= 0.0000





Tx_electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_high_egamma_tx_electron_region_2 C_{p\gamma}=0
region: high_Egamma_Tx_electron_region_2 final-pair delta_xy=0.19635 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.0972622
$\theta_{\rm in}$=1.57079, ϕ_ℓ=0, ϕ_P=3.14159
E_γ=1.8, ϕ_γ=1.37445
Q^2=9.99498, x_B=0.766106, t=-2.79344, W^2=3.93133, y=0.632219
$\theta(\ell', \gamma)$=179.426 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= -2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 1.8955 p_x= -0.3512 p_y= -1.8627 p_z= 0.0000
P' E= 0.9430 p_x= 0.0000 p_y= 0.0973 p_z= 0.0000
q_γ E= 1.8000 p_x= 0.3512 p_y= 1.7654 p_z= 0.0000





Tx_electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_high_egamma_tx_electron_region_3 C_{p\gamma}=0
region: high_Egamma_Tx_electron_region_3 final-pair delta_xy=1.1781 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.190824
θ_{in}=1.57079, ϕ_ℓ=0, ϕ_P=3.14159
E_γ=1.8, ϕ_γ=2.74889
Q^2=0.971273, x_B=0.233797, t=-2.86193, W^2=4.06292, y=0.201316
$\theta(\ell',\gamma)$=174.623 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= -2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 1.8813 p_x= 1.6630 p_y= -0.8797 p_z= 0.0000
P' E= 0.9572 p_x= 0.0000 p_y= 0.1908 p_z= 0.0000
q_γ E= 1.8000 p_x= -1.6630 p_y= 0.6888 p_z= 0.0000