
low_Egamma Tx electron: max $C_{p\gamma}$ regions
region 1 (Tx electron)
region 0 (Tx electron)
region 3 (Tx electron)
region 2 (Tx electron)
$\phi_{P,\mathrm{in}}$ [rad]
ϕ_γ [rad]
$C_{p\gamma}$

Tx electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_low_egamma_tx_electron_region_0 C_{p\gamma}=9.0154e-07
region: low_Egamma_Tx_electron_region_0 final-pair delta_xy=0.0981748 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.96352
θ_{in}=1.57079, ϕ_ℓ=1.5708, ϕ_P=4.71239
E_γ=0.25, ϕ_γ=1.47262
Q^2=19.6851, x_B=0.994393, t=-17.4822, W^2=0.990843, y=0.959298
$\theta(\ell', \gamma)$=175.01 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
ℓ' E= 2.2125 p_x= -0.0245 p_y= -2.2123 p_z= 0.0000
P' E= 2.1761 p_x= 0.0000 p_y= 1.9635 p_z= 0.0000
q_γ E= 0.2500 p_x= 0.0245 p_y= 0.2488 p_z= 0.0000






Tx electron characteristic max $C_{p\gamma}$ configuration
3D momenta
P'
q_γ
ℓ'
p_x [GeV]
p_y [GeV]
p_z [GeV]
c_p_gamma_low_egamma_tx_electron_region_1 C_{p\gamma}=2.8914e-09
region: low_Egamma_Tx_electron_region_1 final-pair delta_xy=3.04342 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.22371
$\theta_{\rm in}$=1.57079, ϕ_ℓ=1.5708, ϕ_P=4.71239
E_γ=0.25, ϕ_γ=4.61421
Q^2=17.5728, x_B=0.883676, t=-19.7859, W^2=3.19307, y=0.963658
$\theta(\ell',\gamma)$=6.33588 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
ℓ' E= 1.9751 p_x= 0.0245 p_y= -1.9749 p_z= 0.0000
P' E= 2.4134 p_x= 0.0000 p_y= 2.2237 p_z= 0.0000
q_γ E= 0.2500 p_x= -0.0245 p_y= -0.2488 p_z= 0.0000
Transverse plane
P
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=4, retained=100.0%)
h_e=+1, h_p=+1, h_γ=+1
electron Tx, proton h=+1
phase=1.56, Re=1.23e-03, Im=1.99e-01
h_e=-1, h_p=-1, h_γ=-1
electron Tx, proton h=-1
phase=-1.56, Re=1.23e-03, Im=-1.99e-01
h_e=-1, h_p=-1, h_γ=+1
electron Tx, proton h=-1
phase=1.58, Re=-1.09e-03, Im=1.76e-01
h_e=+1, h_p=+1, h_γ=-1
electron Tx, proton h=+1
phase=-1.58, Re=-1.09e-03, Im=-1.76e-01
ensemble-weighted final-state |A|^2 fraction

Tx electron characteristic max $C_{p\gamma}$ configuration



Tx electron characteristic max $C_{p\gamma}$ configuration




```
c_p_gamma_low_egamma_tx_electron_region_3  C_{p\gamma}=0
region: low_Egamma_Tx_electron_region_3  final-pair delta_xy=0.19635 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_low_Egamma
```

incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.9652
$\theta_{\rm in}$=1.57079, ϕ_ℓ=0, ϕ_P=3.14159
E_γ=0.25, ϕ_γ=1.37445
Q^2=10.0531, x_B=0.987712, t=-8.75411, W^2=1.00491, y=0.493223
$\theta(\ell', \gamma)$=170.014 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= -2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 2.2109 p_x= -0.0488 p_y= -2.2104 p_z= 0.0000
P' E= 2.1776 p_x= 0.0000 p_y= 1.9652 p_z= 0.0000
q_γ E= 0.2500 p_x= 0.0488 p_y= 0.2452 p_z= 0.0000