

mid_Egamma L electron + Ty proton: max $C_{p\gamma}$ regions
region 1 (L electron + Ty proton)
region 0 (L electron + Ty proton)
region 2 (L electron + Ty proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{p\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

L electron + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta



c_p_gamma_mid_egamma_lty_region_0 C_{p\gamma}=0.999461
region: mid_Egamma_LTy_region_0 final-pair delta_xy=0 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.15253
θ_{in}=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=1.5708
Q^2=2.90272e-10, x_B=4.35241e-10, t=-0.287559, W^2=1.54677, y=0.0323184
$\theta(\ell', \gamma)$=180 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 2.1525 p_x= -0.0000 p_y= -2.1525 p_z= 0.0000
P' E= 1.4860 p_x= 0.0000 p_y= 1.1525 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.0000 p_y= 1.0000 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=100.0%)





L electron + Ty proton characteristic max $C_{p\gamma}$ configuration
3D momenta
p_x [GeV]
p_y [GeV]
p_z [GeV]
c_p_gamma_mid_egamma_lty_region_1 C_{p\gamma}=0.971166
region: mid_Egamma_LTy_region_1 final-pair delta_xy=1.37445 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.44782
θ_{in}=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=2.94524
Q^2=1.20336, x_B=0.294314, t=-0.128405, W^2=3.76517, y=0.198133
$\theta(\ell', \gamma)$=132.086 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 1.9134 p_x= 0.9808 p_y= -1.6429 p_z= 0.0000
P' E= 1.7251 p_x= 0.0000 p_y= 1.4478 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.9808 p_y= 0.1951 p_z= 0.0000
Transverse plane
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=2, retained=99.4%)
h_e=+1, h_p=-1, h_γ=+1
electron L, proton Ty
phase=-1.84, Re=-3.28e+00, Im=-1.19e+01
h_e=+1, h_p=+1, h_γ=-1
electron L, proton Ty
phase=-0.39, Re=9.18e+00, Im=-3.81e+00
ensemble-weighted final-state |A|^2 fraction

L electron + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




```
c_p_gamma_mid_egamma_lty_region_2  C_{p\gamma}=0.971166
region: mid_Egamma_LTy_region_2  final-pair delta_xy=1.37445 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
```

incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.44782
θ_{in}=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=0.19635
Q^2=1.20336, x_B=0.294314, t=-0.128405, W^2=3.76517, y=0.198133
$\theta(\ell', \gamma)$=132.086 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 1.9134 p_x= -0.9808 p_y= -1.6429 p_z= 0.0000
P' E= 1.7251 p_x= 0.0000 p_y= 1.4478 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.9808 p_y= 0.1951 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=99.4%)