

mid_Egamma Tx proton: max $C_{\ell p}$ regions
region 0 (Tx proton)
region 1 (Tx proton)
region 2 (Tx proton)
region 3 (Tx proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{\ell p}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0



Tx proton characteristic max $C_{\ell p}$ configuration
3D momenta
p_x [GeV]
p_y [GeV]
p_z [GeV]
c_aux_p_mid_egamma_tx_proton_region_0 C_{l_auxp}=0.0793454
region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=2.65073 rad
outgoing-state purity: 0.52245
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, T_{x,p})$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.10694, $|\vec{P}'|$=1.87089
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=5.30144
Q^2=0.829595, x_B=0.102085, t=-0.0101624, W^2=8.17674, y=0.413857
$\theta(\ell', \gamma)$=61.8745 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.3322 p_x= -0.0000 p_y= -2.1069 p_z= -0.0000
P E= 2.3063 p_x= 0.0000 p_y= 2.1069 p_z= 0.0000
ℓ' E= 1.5457 p_x= -0.5556 p_y= -1.0394 p_z= 0.0000
P' E= 2.0929 p_x= 0.0000 p_y= 1.8709 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.5556 p_y= -0.8315 p_z= 0.0000
Transverse plane
P
P'
ℓ'
q_γ
ℓ
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=7, retained=98.4%)
h_e=+1, h_p=-1, h_γ=+1 electron h=+1, proton Tx
phase=-1.33, Re=1.65e+01, Im=-6.60e+01
h_e=-1, h_p=-1, h_γ=+1 electron h=-1, proton Tx
phase=-1.82, Re=-1.28e+01, Im=-5.12e+01
h_e=+1, h_p=+1, h_γ=+1 electron h=+1, proton Tx
phase=-1.33, Re=1.10e+01, Im=-4.38e+01
h_e=-1, h_p=+1, h_γ=+1 electron h=-1, proton Tx
phase=-1.82, Re=-9.93e+00, Im=-3.96e+01
h_e=-1, h_p=+1, h_γ=+1 electron h=+1, proton Tx
phase=-1.82, Re=-7.49e+00, Im=-2.99e+01
h_e=-1, h_p=+1, h_γ=-1 electron h=-1, proton Tx
phase=-1.82, Re=-6.08e+00, Im=-2.42e+01
h_e=+1, h_p=+1, h_γ=-1 electron h=-1, proton Tx
phase=-1.33, Re=6.03e+00, Im=-2.41e+01
ensemble-weighted final-state |A|^2 fraction

Tx proton characteristic max $C_{\ell p}$ configuration

3D momenta




```
c_aux_p_mid_egamma_tx_proton_region_1  C_{l_auxp}=0.03874
region: mid_Egamma_Tx_proton_region_1  final-pair delta_xy=2.55839 rad
outgoing-state purity: 0.509928
kinematic point: high_s_high_theta_in_mid_Egamma
```

incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.10694, $|\vec{P}'|$=1.77888
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=3.92699
Q^2=1.07493, x_B=0.141202, t=-0.020439, W^2=7.41763, y=0.387692
$\theta(\ell', \gamma)$=78.415 deg

four-momenta [E, p_x, p_y, p_z] GeV:

ℓ	E= 2.3322	p_x= -0.0000	p_y= -2.1069	p_z= -0.0000
P	E= 2.3063	p_x= 0.0000	p_y= 2.1069	p_z= 0.0000
ℓ'	E= 1.6275	p_x= 0.7071	p_y= -1.0718	p_z= 0.0000
P'	E= 2.0110	p_x= 0.0000	p_y= 1.7789	p_z= 0.0000
q_γ	E= 1.0000	p_x= -0.7071	p_y= -0.7071	p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=7, retained=97.2%)



Tx proton characteristic max $C_{\ell p}$ configuration



c_aux_p_mid_egamma_tx_proton_region_2 C_{l_auxp}=0.0160467
region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=2.90261 rad
outgoing-state purity: 0.501728
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.10694, $|\vec{P}'|$=1.0529
θ_{in}=1.57079, ϕ_ℓ=2.45437, ϕ_P=5.59596
E_γ=1, ϕ_γ=2.06167
Q^2=15.102, x_B=0.94005, t=-7.55933, W^2=1.84294, y=0.818144
$\theta(\ell', \gamma)$=165.568 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.3322 p_x= -1.6287 p_y= 1.3366 p_z= -0.0000
P E= 2.3063 p_x= 1.6287 p_y= -1.3366 p_z= 0.0000
ℓ' E= 2.2284 p_x= 0.4714 p_y= -1.9348 p_z= 0.0000
P' E= 1.4101 p_x= 0.0000 p_y= 1.0529 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.4714 p_y= 0.8819 p_z= 0.0000





Tx proton characteristic max $C_{\ell p}$ configuration



c_aux_p_mid_egamma_tx_proton_region_3 C_{l_auxp}=0.0160467
region: mid_Egamma_Tx_proton_region_3 final-pair delta_xy=2.90261 rad
outgoing-state purity: 0.501728
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.10694, $|\vec{P}'|$=1.0529
$\theta_{\rm in}$=1.57079, ϕ_ℓ=0.687223, ϕ_P=3.82882
E_γ=1, ϕ_γ=1.07992
Q^2=15.102, x_B=0.94005, t=-7.55933, W^2=1.84294, y=0.818144
$\theta(\ell', \gamma)$=165.568 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.3322 p_x= 1.6287 p_y= 1.3366 p_z= -0.0000
P E= 2.3063 p_x= -1.6287 p_y= -1.3366 p_z= 0.0000
ℓ' E= 2.2284 p_x= -0.4714 p_y= -1.9348 p_z= 0.0000
P' E= 1.4101 p_x= 0.0000 p_y= 1.0529 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.4714 p_y= 0.8819 p_z= 0.0000