

high_Egamma L_proton: max $C_{p\gamma}$ regions
region 1 (L_proton)
region 0 (L_proton)
region 2 (L_proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{p\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

L_proton characteristic max $C_{p\gamma}$ configuration

3D momenta




```
c_p_gamma_high_egamma_l_proton_region_0  C_{p\gamma}=0.678524
region: high_Egamma_L_proton_region_0  final-pair delta_xy=3.07614 rad
kinematic point: high_s_high_theta_in_high_Egamma
```
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.21394
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1.8, ϕ_γ=4.77784
Q^2=0.07238, x_B=0.00433893, t=-1.66317e-05, W^2=17.489, y=0.808371
$\theta(\ell', \gamma)$=19.4866 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 0.4341 p_x= -0.1177 p_y= -0.4178 p_z= 0.0000
P' E= 2.4045 p_x= 0.0000 p_y= 2.2139 p_z= 0.0000
q_γ E= 1.8000 p_x= 0.1177 p_y= -1.7961 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=98.3%)



L_proton characteristic max $C_{p\gamma}$ configuration

3D momenta



c_p_gamma_high_egamma_l_proton_region_1 C_{p\gamma}=0.206819
region: high_Egamma_L_proton_region_1 final-pair delta_xy=2.35619 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.25347
θ_{in}=1.57079, ϕ_ℓ=3.53429, ϕ_P=0.392699
E_γ=1.8, ϕ_γ=5.49779
Q^2=0.464572, x_B=0.0499999, t=-3.66521, W^2=9.70675, y=0.450256
$\theta(\ell',\gamma)$=135.87 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -2.0551 p_y= -0.8512 p_z= -0.0000
P E= 2.4141 p_x= 2.0551 p_y= 0.8512 p_z= 0.0000
ℓ' E= 1.2729 p_x= -1.2728 p_y= 0.0193 p_z= 0.0000
P' E= 1.5656 p_x= 0.0000 p_y= 1.2535 p_z= 0.0000
q_γ E= 1.8000 p_x= 1.2728 p_y= -1.2728 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=98.7%)





L_proton characteristic max $C_{p\gamma}$ configuration
3D momenta
p_x [GeV]
p_y [GeV]
p_z [GeV]
c_p_gamma_high_egamma_l_proton_region_2 C_{p\gamma}=0.206819
region: high_Egamma_L_proton_region_2 final-pair delta_xy=2.35619 rad
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.25347
θ_{in}=1.57079, ϕ_ℓ=5.89049, ϕ_P=2.74889
E_γ=1.8, ϕ_γ=3.92699
Q^2=0.464572, x_B=0.0499999, t=-3.66521, W^2=9.70675, y=0.450256
$\theta(\ell',\gamma)$=135.87 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.0551 p_y= -0.8512 p_z= -0.0000
P E= 2.4141 p_x= -2.0551 p_y= 0.8512 p_z= 0.0000
ℓ' E= 1.2729 p_x= 1.2728 p_y= 0.0193 p_z= 0.0000
P' E= 1.5656 p_x= 0.0000 p_y= 1.2535 p_z= 0.0000
q_γ E= 1.8000 p_x= -1.2728 p_y= -1.2728 p_z= 0.0000
Transverse plane
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=6, retained=98.7%)
h_e=+1, h_p=+1, h_γ=+1 electron h=+1, proton L phase=-1.19, Re=7.15e-02, Im=-1.76e-01
h_e=-1, h_p=+1, h_γ=+1 electron h=-1, proton L phase=-0.78, Re=7.56e-02, Im=-7.44e-02
h_e=+1, h_p=-1, h_γ=+1 electron h=+1, proton L phase=-1.19, Re=2.90e-02, Im=-7.15e-02
h_e=-1, h_p=+1, h_γ=-1 electron h=-1, proton L phase=2.36, Re=-3.48e-02, Im=3.43e-02
h_e=-1, h_p=-1, h_γ=-1 electron h=-1, proton L phase=2.36, Re=-3.38e-02, Im=3.33e-02
h_e=-1, h_p=-1, h_γ=+1 electron h=-1, proton L phase=-0.78, Re=3.04e-02, Im=-2.99e-02
ensemble-weighted final-state |A|^2 fraction