

high_Egamma Tx_electron: max $C_{p\gamma}$ regions
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{p\gamma}$
region 0 (Tx_electron)
region 1 (Tx_electron)
region 2 (Tx_electron)
region 3 (Tx_electron)
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

Tx_electron characteristic max $C_{p\gamma}$ configuration

3D momenta




```
c_p_gamma_high_egamma_tx_electron_region_0  C_{p\gamma}=2.01986e-05
region: high_Egamma_Tx_electron_region_0  final-pair delta_xy=0.0981748 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_high_Egamma
```

incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.0960515
$\theta_{\rm in}$=1.57079, ϕ_ℓ=1.5708, ϕ_P=4.71239
E_γ=1.8, ϕ_γ=1.47262
Q^2=16.8299, x_B=0.846565, t=-3.22016, W^2=3.93018, y=0.963378
$\theta(\ell',\gamma)$=179.715 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
ℓ' E= 1.8956 p_x= -0.1764 p_y= -1.8874 p_z= 0.0000
P' E= 0.9429 p_x= 0.0000 p_y= 0.0961 p_z= 0.0000
q_γ E= 1.8000 p_x= 0.1764 p_y= 1.7913 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=96.5%)



Tx_electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_high_egamma_tx_electron_region_1 C_{p\gamma}=1.11227e-05
region: high_Egamma_Tx_electron_region_1 final-pair delta_xy=0.883573 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.137832
$\theta_{\rm in}$=1.57079, ϕ_ℓ=2.55254, ϕ_P=5.69414
E_γ=1.8, ϕ_γ=2.45437
Q^2=16.7203, x_B=0.843668, t=-3.15847, W^2=3.97812, y=0.960388
$\theta(\ell',\gamma)$=176.769 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -1.8495 p_y= 1.2358 p_z= -0.0000
P E= 2.4141 p_x= 1.8495 p_y= -1.2358 p_z= 0.0000
ℓ' E= 1.8904 p_x= 1.3914 p_y= -1.2797 p_z= 0.0000
P' E= 0.9481 p_x= 0.0000 p_y= 0.1378 p_z= 0.0000
q_γ E= 1.8000 p_x= -1.3914 p_y= 1.1419 p_z= 0.0000





Tx_electron characteristic max $C_{p\gamma}$ configuration




```
c_p_gamma_high_egamma_tx_electron_region_2  C_{p\gamma}=4.88405e-06
region: high_Egamma_Tx_electron_region_2  final-pair delta_xy=0.981748 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_high_Egamma
```

incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.151482
θ_{in}=1.57079, ϕ_ℓ=0.490874, ϕ_P=3.63247
E_γ=1.8, ϕ_γ=0.589049
Q^2=16.688, x_B=0.842591, t=-3.14552, W^2=3.99742, y=0.959761
$\theta(\ell', \gamma)$=176.176 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.9618 p_y= 1.0486 p_z= -0.0000
P E= 2.4141 p_x= -1.9618 p_y= -1.0486 p_z= 0.0000
ℓ' E= 1.8884 p_x= -1.4966 p_y= -1.1515 p_z= 0.0000
P' E= 0.9502 p_x= 0.0000 p_y= 0.1515 p_z= 0.0000
q_γ E= 1.8000 p_x= 1.4966 p_y= 1.0000 p_z= 0.0000





Tx_electron characteristic max $C_{p\gamma}$ configuration



c_p_gamma_high_egamma_tx_electron_region_3 C_{p\gamma}=0
region: high_Egamma_Tx_electron_region_3 final-pair delta_xy=0.294524 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,e}, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.0993305
$\theta_{\rm in}$=1.57079, ϕ_ℓ=0, ϕ_P=3.14159
E_γ=1.8, ϕ_γ=1.86532
Q^2=6.10718, x_B=0.666674, t=-2.79449, W^2=3.93333, y=0.443917
$\theta(\ell',\gamma)$=179.128 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= -2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 1.8953 p_x= 0.5225 p_y= -1.8218 p_z= 0.0000
P' E= 0.9432 p_x= 0.0000 p_y= 0.0993 p_z= 0.0000
q_γ E= 1.8000 p_x= -0.5225 p_y= 1.7225 p_z= 0.0000