

low_Egamma Unpolarized: max $C_{e\gamma}$ regions
region 0 (Unpolarized)
region 1 (Unpolarized)
region 2 (Unpolarized)
region 3 (Unpolarized)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{e\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

Unpolarized characteristic max $C_{e\gamma}$ configuration




```
c_e_gamma_low_egamma_unpolarized_region_0  C_{e\gamma}=4.90719e-13
region: low_Egamma_unpolarized_region_0  final-pair delta_xy=0 rad
outgoing-state purity: 0.373704
kinematic point: high_s_high_theta_in_low_Egamma
```

incoming state: $\frac{1}{4}\sum_{h_e,h_p}\rho(h_e,h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.22442
$\theta_{\rm in}$=1.57079, ϕ_ℓ=3.04342, ϕ_P=6.18501
E_γ=0.25, ϕ_γ=4.71239
Q^2=9.64483, x_B=0.806148, t=-10.8661, W^2=3.1991, y=0.579768
$\theta(\ell',\gamma)$=0 deg

four-momenta [E, p_x, p_y, p_z] GeV:

ℓ	E= 2.2244	p_x= -2.2137	p_y= 0.2180	p_z= -0.0000
P	E= 2.4141	p_x= 2.2137	p_y= -0.2180	p_z= 0.0000
ℓ'	E= 1.9744	p_x= 0.0000	p_y= -1.9744	p_z= 0.0000
P'	E= 2.4141	p_x= 0.0000	p_y= 2.2244	p_z= 0.0000
q_γ	E= 0.2500	p_x= -0.0000	p_y= -0.2500	p_z= 0.0000





Unpolarized characteristic max $C_{e\gamma}$ configuration




```
c_e_gamma_low_egamma_unpolarized_region_1  C_{e\gamma}=4.81504e-13
region: low_Egamma_unpolarized_region_1  final-pair delta_xy=0 rad
outgoing-state purity: 0.393132
kinematic point: high_s_high_theta_in_low_Egamma
```

incoming state: $\frac{1}{4}\sum_{h_e,h_p}\rho(h_e,h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.22442
θ_{in}=1.57079, ϕ_ℓ=0.19635, ϕ_P=3.33794
E_γ=0.25, ϕ_γ=4.71239
Q^2=10.4975, x_B=0.819045, t=-11.8267, W^2=3.1991, y=0.621088
$\theta(\ell',\gamma)$=0 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.1817 p_y= 0.4340 p_z= -0.0000
P E= 2.4141 p_x= -2.1817 p_y= -0.4340 p_z= 0.0000
ℓ' E= 1.9744 p_x= 0.0000 p_y= -1.9744 p_z= 0.0000
P' E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
q_γ E= 0.2500 p_x= -0.0000 p_y= -0.2500 p_z= 0.0000






Unpolarized characteristic max $C_{e\gamma}$ configuration
3D momenta
p_x [GeV]
p_y [GeV]
p_z [GeV]
P'
P
q_γ
ℓ
ℓ'
c_e_gamma_low_egamma_unpolarized_region_2 C_{e\gamma}=1.11688e-13
region: low_Egamma_unpolarized_region_2 final-pair delta_xy=0 rad
outgoing-state purity: 0.250516
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{4}\sum_{h_e,h_p}\rho(h_e,h_p)$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.22442
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.41786, ϕ_P=1.27627
E_γ=0.25, ϕ_γ=4.71239
Q^2=0.37823, x_B=0.140216, t=-0.426121, W^2=3.1991, y=0.130718
$\theta(\ell',\gamma)$=0 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.6457 p_y= -2.1286 p_z= -0.0000
P E= 2.4141 p_x= 0.6457 p_y= 2.1286 p_z= 0.0000
ℓ' E= 1.9744 p_x= 0.0000 p_y= -1.9744 p_z= 0.0000
P' E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
q_γ E= 0.2500 p_x= -0.0000 p_y= -0.2500 p_z= 0.0000
Transverse plane
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=8, retained=100.0%)
h_e=-1, h_p=+1, h_γ=+1 electron h=+1, proton h=+1 — phase=-1.87, Re=-3.42e+04, Im=-1.13e+05
h_e=+1, h_p=-1, h_γ=-1 electron h=-1, proton h=-1 — phase=-1.28, Re=3.42e+04, Im=-1.13e+05
h_e=-1, h_p=-1, h_γ=+1 electron h=+1, proton h=-1 — phase=-1.57, Re=-2.21e-02, Im=-1.12e+05
h_e=+1, h_p=+1, h_γ=-1 electron h=-1, proton h=+1 — phase=-1.57, Re=2.21e-02, Im=-1.12e+05
h_e=-1, h_p=-1, h_γ=+1 electron h=+1, proton h=+1 — phase=1.28, Re=1.55e+04, Im=5.10e+04
h_e=+1, h_p=+1, h_γ=-1 electron h=-1, proton h=-1 — phase=-1.28, Re=1.55e+04, Im=-5.10e+04
h_e=-1, h_p=+1, h_γ=+1 electron h=+1, proton h=-1 — phase=-1.57, Re=2.33e-01, Im=-5.33e+04
h_e=+1, h_p=-1, h_γ=-1 electron h=-1, proton h=+1 — phase=1.57, Re=2.33e-01, Im=5.33e+04
ensemble-weighted final-state |A|^2 fraction

Unpolarized characteristic max $C_{e\gamma}$ configuration