

mid_Egamma LTx: max $C_{e\gamma}$ regions
region 0 (LTx)
region 1 (LTx)
region 2 (LTx)
region 3 (LTx)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{e\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

LTx characteristic max $C_{e\gamma}$ configuration

3D momenta




```
c_e_gamma_mid_egamma_ltx_region_0  C_{e\gamma}=0.0152847
region: mid_Egamma_LTx_region_0  final-pair delta_xy=0.178039 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
```
incoming state: $|L_e T_{x,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.21987
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.61421, ϕ_P=1.47262
E_γ=1, ϕ_γ=4.61421
Q^2=0.0863995, x_B=0.00926577, t=-0.047558, W^2=10.118, y=0.45186
$\theta(\ell',\gamma)$=10.2009 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.2180 p_y= -2.2137 p_z= -0.0000
P E= 2.4141 p_x= 0.2180 p_y= 2.2137 p_z= 0.0000
ℓ' E= 1.2286 p_x= 0.0980 p_y= -1.2247 p_z= 0.0000
P' E= 2.4099 p_x= 0.0000 p_y= 2.2199 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.0980 p_y= -0.9952 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=100.0%)



LTx characteristic max $C_{e\gamma}$ configuration



c_e_gamma_mid_egamma_ltx_region_1 C_{e\gamma}=0.0129888
region: mid_Egamma_LTx_region_1 final-pair delta_xy=1.6631 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e T_{x,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.8082
θ_{in}=1.57079, ϕ_ℓ=3.63247, ϕ_P=0.490874
E_γ=1, ϕ_γ=3.63247
Q^2=7.78158, x_B=0.573848, t=-4.28332, W^2=6.65862, y=0.657121
$\theta(\ell', \gamma)$=95.2889 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -1.9618 p_y= -1.0486 p_z= -0.0000
P E= 2.4141 p_x= 1.9618 p_y= 1.0486 p_z= 0.0000
ℓ' E= 1.6015 p_x= 0.8819 p_y= -1.3368 p_z= 0.0000
P' E= 2.0370 p_x= 0.0000 p_y= 1.8082 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.8819 p_y= -0.4714 p_z= 0.0000





LTx characteristic max $C_{e\gamma}$ configuration

3D momenta



c_e_gamma_mid_egamma_ltx_region_2 C_{e\gamma}=0.0114415
region: mid_Egamma_LTx_region_2 final-pair delta_xy=1.42463 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e T_{x,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.92087
$\theta_{\rm in}$=1.57079, ϕ_ℓ=5.59596, ϕ_P=2.45437
E_γ=1, ϕ_γ=5.59596
Q^2=5.7046, x_B=0.459415, t=-3.14007, W^2=7.59234, y=0.60172
$\theta(\ell',\gamma)$=81.6255 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.7195 p_y= -1.4112 p_z= -0.0000
P E= 2.4141 p_x= -1.7195 p_y= 1.4112 p_z= 0.0000
ℓ' E= 1.5009 p_x= -0.7730 p_y= -1.2865 p_z= 0.0000
P' E= 2.1377 p_x= 0.0000 p_y= 1.9209 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.7730 p_y= -0.6344 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=100.0%)



LTx characteristic max $C_{e\gamma}$ configuration



c_e_gamma_mid_egamma_ltx_region_3 C_{e\gamma}=0.00559197
region: mid_Egamma_LTx_region_3 final-pair delta_xy=2.37884 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e T_{x,p}\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.40644
$\theta_{\rm in}$=1.57079, ϕ_ℓ=0.294524, ϕ_P=3.43612
E_γ=1, ϕ_γ=0.294524
Q^2=14.9314, x_B=0.853421, t=-8.21889, W^2=3.44439, y=0.847835
$\theta(\ell',\gamma)$=136.298 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 2.1286 p_y= 0.6457 p_z= -0.0000
P E= 2.4141 p_x= -2.1286 p_y= -0.6457 p_z= 0.0000
ℓ' E= 1.9480 p_x= -0.9569 p_y= -1.6967 p_z= 0.0000
P' E= 1.6905 p_x= 0.0000 p_y= 1.4064 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.9569 p_y= 0.2903 p_z= 0.0000