
high_Egamma Unpolarized: max $C_{\ell_0\gamma}$ regions
region 0 (Unpolarized)
region 1 (Unpolarized)
region 2 (Unpolarized)
region 3 (Unpolarized)
$\phi_{P,\mathrm{in}}$ [rad]
$\phi_\gamma$ [rad]
$C_{\ell_0\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0



Unpolarized characteristic max $C_{\ell_0\gamma}$ configuration
3D momenta
$p_x$ [GeV]
$p_y$ [GeV]
$p_z$ [GeV]
c_e_gamma_high_egamma_unpolarized_region_0  C_{l_0\gamma}=9.63762e-12
region: high_Egamma_unpolarized_region_0  final-pair delta_xy=3.11511 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{4}\sum_{h_{\ell_0},h_p}\rho(h_{\ell_0},h_p)$
$s$=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.106402
$\theta_{\mathrm{in}}$=1.57079, $\phi_\ell$=1.07992, $\phi_P$=4.22152
$E_\gamma$=1.8, $\phi_\gamma$=1.07992
$Q^2$=16.8537, $x_B$=0.84631, $t$=-3.21568, $W^2$=3.94048, $y$=0.965029
$\theta(\ell',\gamma)$=178.483 deg
four-momenta [$E$, $p_x$, $p_y$, $p_z$] GeV:
$\ell$ $E$= 2.2244 $p_x$= 1.0486 $p_y$= 1.9618 $p_z$= -0.0000
$P$ $E$= 2.4141 $p_x$= -1.0486 $p_y$= -1.9618 $p_z$= 0.0000
$\ell'$ $E$= 1.8945 $p_x$= -0.8485 $p_y$= -1.6939 $p_z$= 0.0000
$P'$ $E$= 0.9440 $p_x$= 0.0000 $p_y$= 0.1064 $p_z$= 0.0000
$q_\gamma$ $E$= 1.8000 $p_x$= 0.8485 $p_y$= 1.5875 $p_z$= 0.0000
Transverse plane
$p_x$ [GeV]
$p_y$ [GeV]
Leading initial-ensemble/final-state components (N=4, retained=96.5%)
$h_e$=-1, $h_p$=-1, $h_\gamma$=-1
massless lepton h=-1, proton h=-1
phase=0.26, Re=2.54e+05, Im=6.72e+04
$h_e$=+1, $h_p$=+1, $h_\gamma$=+1
massless lepton h=+1, proton h=+1
phase=-0.26, Re=2.54e+05, Im=-6.72e+04
$h_e$=-1, $h_p$=+1, $h_\gamma$=-1
massless lepton h=-1, proton h=-1
phase=-2.88, Re=-5.49e+04, Im=-1.45e+04
$h_e$=+1, $h_p$=-1, $h_\gamma$=+1
massless lepton h=+1, proton h=+1
phase=-0.26, Re=5.49e+04, Im=-1.45e+04
ensemble-weighted final-state |A|^2 fraction

# Unpolarized characteristic max $C_{\ell_0\gamma}$ configuration




c_e_gamma_high_egamma_unpolarized_region_1  C_{l_0\gamma}=8.84853e-12
region: high_Egamma_unpolarized_region_1  final-pair delta_xy=2.5801 rad
outgoing-state purity: 0.459897
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{4}\sum_{h_{\ell_0},h_p}\rho(h_{\ell_0},h_p)$

$s$=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.958776
$\theta_{\text{in}}$=1.57079, $\phi_\ell$=5.69414, $\phi_P$=2.55254
$E_\gamma$=1.8, $\phi_\gamma$=5.69414
$Q^2$=12.299, $x_B$=0.645776, $t$=-2.34664, $W^2$=7.62614, $y$=0.922917
$\theta(\ell',\gamma)$=147.829 deg

four-momenta [$E$, $p_x$, $p_y$, $p_z$] GeV:
$\ell$ $E$= 2.2244 $p_x$= 1.8495 $p_y$= -1.2358 $p_z$= -0.0000
$P$ $E$= 2.4141 $p_x$= -1.8495 $p_y$= 1.2358 $p_z$= 0.0000
$\ell'$ $E$= 1.4972 $p_x$= -1.4966 $p_y$= 0.0413 $p_z$= 0.0000
$P'$ $E$= 1.3413 $p_x$= 0.0000 $p_y$= 0.9588 $p_z$= 0.0000
$q_\gamma$ $E$= 1.8000 $p_x$= 1.4966 $p_y$= -1.0000 $p_z$= 0.0000






# Unpolarized characteristic max $C_{\ell_0\gamma}$ configuration




c_e_gamma_high_egamma_unpolarized_region_2  C_{l_0\gamma}=7.22433e-12
region: high_Egamma_unpolarized_region_2  final-pair delta_xy=3.10188 rad
outgoing-state purity: 0.499998
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{4}\sum_{h_{\ell_0},h_p}\rho(h_{\ell_0},h_p)$

$s$=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.118464
$\theta_{\rm in}$=1.57079, $\phi_\ell$=2.25802, $\phi_P$=5.39961
$E_\gamma$=1.8, $\phi_\gamma$=2.25802
$Q^2$=16.8372, $x_B$=0.845617, $t$=-3.21254, $W^2$=3.9538, $y$=0.964877
$\theta(\ell',\gamma)$=177.725 deg

four-momenta [$E$, $p_x$, $p_y$, $p_z$] GeV:
$\ell$ $E$= 2.2244 $p_x$= -1.4112 $p_y$= 1.7195 $p_z$= -0.0000
$P$ $E$= 2.4141 $p_x$= 1.4112 $p_y$= -1.7195 $p_z$= 0.0000
$\ell'$ $E$= 1.8931 $p_x$= 1.1419 $p_y$= -1.5099 $p_z$= 0.0000
$P'$ $E$= 0.9455 $p_x$= 0.0000 $p_y$= 0.1185 $p_z$= 0.0000
$q_\gamma$ $E$= 1.8000 $p_x$= -1.1419 $p_y$= 1.3914 $p_z$= 0.0000






# Unpolarized characteristic max $C_{\ell_0\gamma}$ configuration




c_e_gamma_high_egamma_unpolarized_region_3  C_{l_0\gamma}=6.33915e-12
region: high_Egamma_unpolarized_region_3  final-pair delta_xy=2.37137 rad
outgoing-state purity: 0.409982
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{4}\sum_{h_{\ell_0},h_p}\rho(h_{\ell_0},h_p)$

$s$=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.25347
$\theta_{\mathrm{in}}$=1.57079, $\phi_\ell$=3.92699, $\phi_P$=0.785398
$E_\gamma$=1.8, $\phi_\gamma$=3.92699
$Q^2$=9.72782, $x_B$=0.524277, $t$=-1.85606, $W^2$=9.70675, $y$=0.899144
$\theta(\ell',\gamma)$=135.87 deg

four-momenta [$E$, $p_x$, $p_y$, $p_z$] GeV:
$\ell$ $E$= 2.2244 $p_x$= -1.5729 $p_y$= -1.5729 $p_z$= -0.0000
$P$ $E$= 2.4141 $p_x$= 1.5729 $p_y$= 1.5729 $p_z$= 0.0000
$\ell'$ $E$= 1.2729 $p_x$= 1.2728 $p_y$= 0.0193 $p_z$= 0.0000
$P'$ $E$= 1.5656 $p_x$= 0.0000 $p_y$= 1.2535 $p_z$= 0.0000
$q_\gamma$ $E$= 1.8000 $p_x$= -1.2728 $p_y$= -1.2728 $p_z$= 0.0000