
low_Egamma L_proton: max C_{ep} regions
region 0 (L_proton)
region 1 (L_proton)
region 2 (L_proton)
region 3 (L_proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
C_{ep}
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

L_proton characteristic max C_{ep} configuration



c_ep_low_egamma_l_proton_region_0 C_{ep}=1.38013e-12
region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.88803 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.92943
θ_{in}=1.57079, ϕ_ℓ=3.14159, ϕ_P=0
E_γ=0.5, ϕ_γ=3.14159
Q^2=11.0917, x_B=0.837928, t=-8.59851, W^2=3.0252, y=0.641453
$\theta(\ell', \gamma)$=104.528 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -2.2244 p_y= -0.0000 p_z= -0.0000
P E= 2.4141 p_x= 2.2244 p_y= 0.0000 p_z= 0.0000
ℓ' E= 1.9932 p_x= 0.5000 p_y= -1.9294 p_z= 0.0000
P' E= 2.1454 p_x= 0.0000 p_y= 1.9294 p_z= 0.0000
q_γ E= 0.5000 p_x= -0.5000 p_y= 0.0000 p_z= 0.0000





L_proton characteristic max C_{ep} configuration

3D momenta



c_ep_low_egamma_l_proton_region_1 C_{ep}=1.19744e-12
region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.92898 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.10758
θ_{in}=1.57079, ϕ_ℓ=5.59596, ϕ_P=2.45437
E_γ=0.5, ϕ_γ=5.59596
Q^2=4.42478, x_B=0.548388, t=-3.43019, W^2=4.52377, y=0.391001
$\theta(\ell', \gamma)$=62.807 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.7195 p_y= -1.4112 p_z= -0.0000
P E= 2.4141 p_x= -1.7195 p_y= 1.4112 p_z= 0.0000
ℓ' E= 1.8316 p_x= -0.3865 p_y= -1.7904 p_z= 0.0000
P' E= 2.3069 p_x= 0.0000 p_y= 2.1076 p_z= 0.0000
q_γ E= 0.5000 p_x= 0.3865 p_y= -0.3172 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta



c_ep_low_egamma_l_proton_region_2 C_{ep}=5.25649e-13
region: low_Egamma_L_proton_region_2 final-pair delta_xy=3.01307 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.73371
$\theta_{\rm in}$=1.57079, ϕ_ℓ=2.15984, ϕ_P=5.30144
E_γ=0.5, ϕ_γ=2.15984
Q^2=18.2796, x_B=0.97184, t=-14.1708, W^2=1.40951, y=0.911479
$\theta(\ell', \gamma)$=153.614 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -1.2358 p_y= 1.8495 p_z= -0.0000
P E= 2.4141 p_x= 1.2358 p_y= -1.8495 p_z= 0.0000
ℓ' E= 2.1673 p_x= 0.2778 p_y= -2.1494 p_z= 0.0000
P' E= 1.9712 p_x= 0.0000 p_y= 1.7337 p_z= 0.0000
q_γ E= 0.5000 p_x= -0.2778 p_y= 0.4157 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=98.6%)



L_proton characteristic max C_{ep} configuration

3D momenta




```
c_ep_low_egamma_l_proton_region_3  C_{ep}=4.45352e-13
region: low_Egamma_L_proton_region_3  final-pair delta_xy=2.9759 rad
kinematic point: high_s_high_theta_in_low_Egamma
```

incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.76067
θ_{in}=1.57079, ϕ_ℓ=0.785398, ϕ_P=3.92699
E_γ=0.5, ϕ_γ=0.785398
Q^2=17.2995, x_B=0.95845, t=-13.411, W^2=1.62981, y=0.874661
$\theta(\ell', \gamma)$=144.494 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.5729 p_y= 1.5729 p_z= -0.0000
P E= 2.4141 p_x= -1.5729 p_y= -1.5729 p_z= 0.0000
ℓ' E= 2.1436 p_x= -0.3536 p_y= -2.1142 p_z= 0.0000
P' E= 1.9949 p_x= 0.0000 p_y= 1.7607 p_z= 0.0000
q_γ E= 0.5000 p_x= 0.3536 p_y= 0.3536 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=97.0%)