
mid_Egamma L electron + L proton: max $C_{p\gamma}$ regions
region 0 (L electron + L proton)
region 1 (L electron + L proton)
region 2 (L electron + L proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
$C_{p\gamma}$
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

L electron + L proton characteristic max $C_{p\gamma}$ configuration



c_p_gamma_mid_egamma_ll_region_0 C_{p\gamma}=0.986758
region: mid_Egamma_LL_region_0 final-pair delta_xy=2.94524 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |L_p\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.20638
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=4.90874
Q^2=0.0686461, x_B=0.00746835, t=-4.94517e-05, W^2=10.0028, y=0.445416
$\theta(\ell', \gamma)$=20.2945 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 1.2410 p_x= -0.1951 p_y= -1.2256 p_z= 0.0000
P' E= 2.3975 p_x= 0.0000 p_y= 2.2064 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.1951 p_y= -0.9808 p_z= 0.0000






L electron + L proton characteristic max $C_{p\gamma}$ configuration
3D momenta
P
P'
q_γ
ℓ
ℓ'
p_x [GeV]
p_y [GeV]
p_z [GeV]
c_p_gamma_mid_egamma_ll_region_1 C_{p\gamma}=0.32714
region: mid_Egamma_LL_region_1 final-pair delta_xy=1.47262 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |L_p\rangle$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.49222
θ_{in}=1.57079, ϕ_ℓ=4.61421, ϕ_P=1.47262
E_γ=1, ϕ_γ=3.04342
Q^2=1.73918, x_B=0.349813, t=-0.143555, W^2=4.11241, y=0.240926
$\theta(\ell', \gamma)$=127.664 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.2180 p_y= -2.2137 p_z= -0.0000
P E= 2.4141 p_x= 0.2180 p_y= 2.2137 p_z= 0.0000
ℓ' E= 1.8760 p_x= 0.9952 p_y= -1.5902 p_z= 0.0000
P' E= 1.7625 p_x= 0.0000 p_y= 1.4922 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.9952 p_y= 0.0980 p_z= 0.0000
Transverse plane
p_x [GeV]
p_y [GeV]
Leading initial-ensemble/final-state components (N=3, retained=99.6%)
h_e=+1, h_p=-1, h_γ=+1
electron L, proton L
phase=-1.95, Re=-5.96e+00, Im=-1.50e+01
h_e=+1, h_p=+1, h_γ=+1
electron L, proton L
phase=1.19, Re=4.64e+00, Im=1.17e+01
h_e=+1, h_p=+1, h_γ=-1
electron L, proton L
phase=-1.95, Re=-2.06e+00, Im=-5.19e+00
ensemble-weighted final-state |A|^2 fraction

L electron + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




```
c_p_gamma_mid_egamma_ll_region_2  C_{p\gamma}=0.32714
region: mid_Egamma_LL_region_2  final-pair delta_xy=1.47262 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
```
incoming state: $|L_e\rangle \otimes |L_p\rangle$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.49222
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.81056, ϕ_P=1.66897
E_γ=1, ϕ_γ=0.0981748
Q^2=1.73918, x_B=0.349813, t=-0.143555, W^2=4.11241, y=0.240926
$\theta(\ell',\gamma)$=127.664 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.2180 p_y= -2.2137 p_z= -0.0000
P E= 2.4141 p_x= -0.2180 p_y= 2.2137 p_z= 0.0000
ℓ' E= 1.8760 p_x= -0.9952 p_y= -1.5902 p_z= 0.0000
P' E= 1.7625 p_x= 0.0000 p_y= 1.4922 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.9952 p_y= 0.0980 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=99.6%)