

mid_Egamma Tx proton: max C_{ep} regions
region 3 (Tx proton)
region 2 (Tx proton)
region 0 (Tx proton)
region 1 (Tx proton)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
C_{ep}
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

Tx proton characteristic max C_{ep} configuration

3D momenta



c_ep_mid_egamma_tx_proton_region_0 C_{ep}=7.26178e-06
region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=3.06173 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.21987
θ_{in}=1.57079, ϕ_ℓ=1.5708, ϕ_P=4.71239
E_γ=1, ϕ_γ=4.61421
Q^2=10.9143, x_B=0.541585, t=-19.7517, W^2=10.118, y=0.97657
$\theta(\ell', \gamma)$=10.2009 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
ℓ' E= 1.2286 p_x= 0.0980 p_y= -1.2247 p_z= 0.0000
P' E= 2.4099 p_x= 0.0000 p_y= 2.2199 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.0980 p_y= -0.9952 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max C_{ep} configuration



c_ep_mid_egamma_tx_proton_region_1 C_{ep}=2.53173e-06
region: mid_Egamma_Tx_proton_region_1 final-pair delta_xy=3.09602 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.15398
θ_{in}=1.57079, ϕ_ℓ=1.5708, ϕ_P=4.71239
E_γ=1, ϕ_γ=1.66897
Q^2=19.1325, x_B=0.965806, t=-10.5543, W^2=1.55723, y=0.959968
$\theta(\ell', \gamma)$=176.986 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
ℓ' E= 2.1514 p_x= 0.0980 p_y= -2.1492 p_z= 0.0000
P' E= 1.4871 p_x= 0.0000 p_y= 1.1540 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.0980 p_y= 0.9952 p_z= 0.0000





Tx proton characteristic max C_{ep} configuration

3D momenta



c_ep_mid_egamma_tx_proton_region_2 C_{ep}=1.86282e-07
region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=3.14159 rad
outgoing-state purity: 0.5
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.22442
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1, ϕ_γ=4.71239
Q^2=9.58773e-08, x_B=1.03349e-08, t=-8.71054e-12, W^2=10.1569, y=0.449556
$\theta(\ell', \gamma)$=0 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 1.2244 p_x= 0.0000 p_y= -1.2244 p_z= 0.0000
P' E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
q_γ E= 1.0000 p_x= -0.0000 p_y= -1.0000 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)




Tx proton characteristic max C_{ep} configuration
3D momenta
P
P'
ℓ'
q_γ
ℓ
p_z [GeV]
p_x [GeV]
p_y [GeV]
c_ep_mid_egamma_tx_proton_region_3 C_{ep}=1.42539e-09
region: mid_Egamma_Tx_proton_region_3 final-pair delta_xy=2.57581 rad
outgoing-state purity: 0.506182
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=1.86489
$\theta_{\rm in}$=1.57079, ϕ_ℓ=5.69414, ϕ_P=2.55254
E_γ=1, ϕ_γ=5.69414
Q^2=6.73972, x_B=0.518964, t=-3.70984, W^2=7.127, y=0.629331
$\theta(\ell', \gamma)$=88.6672 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.8495 p_y= -1.2358 p_z= -0.0000
P E= 2.4141 p_x= -1.8495 p_y= 1.2358 p_z= 0.0000
ℓ' E= 1.5510 p_x= -0.8315 p_y= -1.3093 p_z= 0.0000
P' E= 2.0875 p_x= 0.0000 p_y= 1.8649 p_z= 0.0000
q_γ E= 1.0000 p_x= 0.8315 p_y= -0.5556 p_z= 0.0000
Transverse plane
p_y [GeV]
p_x [GeV]
Leading initial-ensemble/final-state components (N=4, retained=100.0%)
h_e=-1, h_p=-1, h_γ=+1
electron h=+1, proton Tx
phase=1.55, Re=2.77e+01, Im=1.11e+03
h_e=+1, h_p=+1, h_γ=-1
electron h=-1, proton Tx
phase=2.24, Re=-4.64e+02, Im=5.86e+02
h_e=+1, h_p=-1, h_γ=-1
electron h=-1, proton Tx
phase=1.30, Re=2.02e+02, Im=7.15e+02
h_e=-1, h_p=+1, h_γ=+1
electron h=+1, proton Tx
phase=3.12, Re=-4.07e+02, Im=9.28e+00
ensemble-weighted final-state |A|^2 fraction