

high_Egamma L_electron: max C_{ep} regions
region 2 (L_electron)
region 0 (L_electron)
region 1 (L_electron)
ϕ_γ [rad]
$\phi_{P,\mathrm{in}}$ [rad]
C_{ep}
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0

L_electron characteristic max C_{ep} configuration

3D momenta



c_ep_high_egamma_l_electron_region_0 C_{ep}=0.000938517
region: high_Egamma_L_electron_region_0 final-pair delta_xy=2.7349 rad
outgoing-state purity: 0.662373
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=2.20096
θ_{in}=1.57079, ϕ_ℓ=4.71239, ϕ_P=1.5708
E_γ=1.8, ϕ_γ=4.81056
Q^2=0.161847, x_B=0.00971461, t=-8.37957e-05, W^2=17.3782, y=0.807336
$\theta(\ell', \gamma)$=28.9269 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
ℓ' E= 0.4460 p_x= -0.1764 p_y= -0.4096 p_z= 0.0000
P' E= 2.3925 p_x= 0.0000 p_y= 2.2010 p_z= 0.0000
q_γ E= 1.8000 p_x= 0.1764 p_y= -1.7913 p_z= 0.0000

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)




L_electron characteristic max C_{ep} configuration
3D momenta
P'
P
q_γ
ℓ
ℓ'
p_z [GeV]
p_x [GeV]
p_y [GeV]
c_ep_high_egamma_l_electron_region_1 C_{ep}=5.03558e-05
region: high_Egamma_L_electron_region_1 final-pair delta_xy=1.58254 rad
outgoing-state purity: 0.949032
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$
s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.708355
$\theta_{\rm in}$=1.57079, ϕ_ℓ=4.02517, ϕ_P=0.883573
E_γ=1.8, ϕ_γ=3.53429
Q^2=12.0252, x_B=0.697817, t=-1.47944, W^2=6.08723, y=0.835072
$\theta(\ell', \gamma)$=156.827 deg
four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= -1.4112 p_y= -1.7195 p_z= -0.0000
P E= 2.4141 p_x= 1.4112 p_y= 1.7195 p_z= 0.0000
ℓ' E= 1.6631 p_x= 1.6630 p_y= -0.0195 p_z= 0.0000
P' E= 1.1754 p_x= 0.0000 p_y= 0.7084 p_z= 0.0000
q_γ E= 1.8000 p_x= -1.6630 p_y= -0.6888 p_z= 0.0000
Transverse plane
p_y [GeV]
p_x [GeV]
Leading initial-ensemble/final-state components (N=2, retained=94.5%)
h_e=+1, h_p=-1, h_γ=+1
electron L, proton h=+1
phase=-3.04, Re=-2.28e+00, Im=-2.38e-01
h_e=+1, h_p=+1, h_γ=+1
electron L, proton h=+1
phase=0.10, Re=2.27e+00, Im=2.37e-01
ensemble-weighted final-state |A|^2 fraction

L_electron characteristic max C_{ep} configuration



c_ep_high_egamma_l_electron_region_2 C_{ep}=5.01558e-05
region: high_Egamma_L_electron_region_2 final-pair delta_xy=1.61654 rad
outgoing-state purity: 0.970954
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

s=21.5158, $\sqrt{s}$=4.63852, $|\vec{P}|$=2.22442, $|\vec{P}'|$=0.601368
$\theta_{\rm in}$=1.57079, ϕ_ℓ=5.59596, ϕ_P=2.45437
E_γ=1.8, ϕ_γ=5.98866
Q^2=13.3722, x_B=0.742412, t=-1.92274, W^2=5.51948, y=0.872836
$\theta(\ell', \gamma)$=160.504 deg

four-momenta [E, p_x, p_y, p_z] GeV:
ℓ E= 2.2244 p_x= 1.7195 p_y= -1.4112 p_z= -0.0000
P E= 2.4141 p_x= -1.7195 p_y= 1.4112 p_z= 0.0000
ℓ' E= 1.7243 p_x= -1.7225 p_y= -0.0789 p_z= 0.0000
P' E= 1.1142 p_x= 0.0000 p_y= 0.6014 p_z= 0.0000
q_γ E= 1.8000 p_x= 1.7225 p_y= -0.5225 p_z= 0.0000