



low_Egamma L_electron: max C_{ep} regions



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_0 $C_{ep}=3.02575e-05$
region: low_Egamma_L_electron_region_0 final-pair delta_xy=3.00729 rad
outgoing-state purity: 0.581998
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.18542$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.22152$
 $Q^2=0.0705182$, $x_B=0.0161144$, $t=-0.000233114$, $W^2=5.18542$, $y=0.212061$
 $\theta(\ell', \gamma)=35.8198$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7603$ $p_x= 0.2357$ $p_y= -1.7445$ $p_z= 0.0000$
 P' $E= 2.3782$ $p_x= 0.0000$ $p_y= 2.1854$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.2357$ $p_y= -0.4410$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_1 C_{ep} =1.32985e-05
 region: low_Egamma L_electron_region_1 final-pair delta_xy=2.92898 rad
 outgoing-state purity: 0.545331
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.10758$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=5.59596$
 $Q^2=0.183488$, $x_B=0.0479404$, $t=-0.00215689$, $W^2=4.52377$, $y=0.185473$
 $\theta(l', \gamma)=62.807$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.8316$ $p_x= -0.3865$ $p_y= -1.7904$ $p_z= 0.0000$
 P' $E= 2.3069$ $p_x= 0.0000$ $p_y= 2.1076$ $p_z= 0.0000$
 q_Y $E= 0.5000$ $p_x= 0.3865$ $p_y= -0.3172$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_2 C_{ep} =9.79613e-06
 region: low_Egamma_L_electron_region_2 final-pair delta_xy=3.11319 rad
 outgoing-state purity: 0.999983
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.2228$
 $\theta_{in}=1.57079$, $\phi_l=1.66897$, $\phi_P=4.81056$
 $E_\gamma=0.5$, $\phi_\gamma=4.81056$
 $Q^2=15.2951$, $x_B=0.767834$, $t=-19.7301$, $W^2=5.50455$, $y=0.965295$
 $\theta(l', \gamma)=7.25218$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.7259$ $p_x= -0.0490$ $p_y= -1.7252$ $p_z= 0.0000$
 P' $E= 2.4126$ $p_x= 0.0000$ $p_y= 2.2228$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.0490$ $p_y= -0.4976$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

