



high_Egamma L_proton: max C_{ey} regions



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_l_proton_region_0 $C_{\{e\gamma\}}=0.00071286$
region: high_Egamma_L_proton_region_0 final-pair delta_xy=0.504869 rad
outgoing-state purity: 0.9969
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=1.27627$, $\phi_p=4.41786$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=3.95599$, $x_B=0.193406$, $t=-19.1619$, $W^2=17.3782$, $y=0.991196$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 l' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.7%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_l_proton_region_1 $C_{e\gamma}=0.000591275$
 region: high_Egamma_L_proton_region_1 final-pair delta_xy=0.504869 rad
 outgoing-state purity: 0.875078
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=2.65072$, $\phi_P=5.79231$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=3.53553$, $x_B=0.176477$, $t=-14.4076$, $W^2=17.3782$, $y=0.970821$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= 0.0000$
 l' $E= 0.4460$ $p_x= 0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=99.9%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_l_proton_region_2 $C_{e\gamma}=0.000339466$
 region: high_Egamma_L_proton_region_2 final-pair delta_xy=0.504869 rad
 outgoing-state purity: 0.658008
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=6.18501$, $\phi_p=3.04342$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=2.58674$, $x_B=0.135537$, $t=-8.83205$, $W^2=17.3782$, $y=0.924844$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=99.4%)

