



low_Egamma L_proton: max $C_{e\gamma}$ regions



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_0 $C_{e\gamma}=0.000620348$
region: low_Egamma L_proton_region_0 final-pair delta_xy=0 rad
outgoing-state purity: 0.684222
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=3.14159$, $\phi_p=0$
 $E_\gamma=0.5$, $\phi_\gamma=4.71239$
 $Q^2=7.67165$, $x_B=0.623196$, $t=-9.89607$, $W^2=5.51836$, $y=0.596538$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.7244$ $p_x= 0.0000$ $p_y= -1.7244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0000$ $p_y= -0.5000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_1 $C_{\{e\gamma\}}=0.000620348$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.684222
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_V=0.5$, $\phi_V=4.71239$
 $Q^2=7.67165$, $x_B=0.623196$, $t=-9.89607$, $W^2=5.51836$, $y=0.596538$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.7244$ $p_x= 0.0000$ $p_y= -1.7244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0000$ $p_y= -0.5000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_2 $C_{e\gamma}=0.000509084$
region: low_Egamma_L_proton_region_2 final-pair delta_xy=0.126574 rad
outgoing-state purity: 0.999733
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.2228$
 $\theta_{in}=1.57079$, $\phi_\ell=1.66897$, $\phi_P=4.81056$
 $E_\gamma=0.5$, $\phi_\gamma=4.61421$
 $Q^2=15.3379$, $x_B=0.768331$, $t=-19.7301$, $W^2=5.50455$, $y=0.967366$
 $\theta(\ell', \gamma)=7.25218$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.7259$ $p_x= 0.0490$ $p_y= -1.7252$ $p_z= 0.0000$
 P' $E= 2.4126$ $p_x= 0.0000$ $p_y= 2.2228$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0490$ $p_y= -0.4976$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

