



low_Egamma L_proton: max C_{ep} regions



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_0 C_{ep} =9.56079e-06
region: low_Egamma_L_proton_region_0 final-pair delta_xy=3.11319 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.2228$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.5$, $\phi_\gamma=4.81056$
 $Q^2=15.3534$, $x_B=0.768512$, $t=-19.7778$, $W^2=5.50455$, $y=0.968122$
 $\theta(l', \gamma)=7.25218$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7259$ $p_x= -0.0490$ $p_y= -1.7252$ $p_z= 0.0000$
 P' $E= 2.4126$ $p_x= 0.0000$ $p_y= 2.2228$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.0490$ $p_y= -0.4976$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_1 C_{ep} =8.7262e-06
region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.8901 rad
outgoing-state purity: 0.99975
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.00742$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.5$, $\phi_\gamma=3.43612$
 $Q^2=16.839$, $x_B=0.857493$, $t=-17.8691$, $W^2=3.67832$, $y=0.951613$
 $\theta(l', \gamma)=87.5342$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 1.9228$ $p_x= 0.4785$ $p_y= -1.8623$ $p_z= 0.0000$
 P' $E= 2.2158$ $p_x= 0.0000$ $p_y= 2.0074$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4785$ $p_y= -0.1451$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_2 $C_{\{ep\}}=8.46216e-06$
region: low_Egamma_L_proton_region_2 final-pair delta_xy=2.88624 rad
outgoing-state purity: 0.999724
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.95514$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_P=4.71239$
 $E_Y=0.5$, $\phi_Y=6.18501$
 $Q^2=17.2443$, $x_B=0.879612$, $t=-17.4084$, $W^2=3.23999$, $y=0.950013$
 $\theta(\ell', \gamma)=99.0055$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.9700$ $p_x= -0.4976$ $p_y= -1.9061$ $p_z= 0.0000$
 P' $E= 2.1685$ $p_x= 0.0000$ $p_y= 1.9551$ $p_z= 0.0000$
 q_Y $E= 0.5000$ $p_x= 0.4976$ $p_y= -0.0490$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_Y=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_Y=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

