



low_Egamma L_proton: max $C_{p\gamma}$ regions



L_proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_0 $C_{\{p\gamma\}}=0.553931$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.509311
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21005$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=5.00691$
 $Q^2=0.0270148$, $x_B=0.00594677$, $t=-3.1342e-05$, $W^2=5.3956$, $y=0.220138$
 $\theta(l', \gamma)=21.6664$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.7377$ $p_x= -0.1451$ $p_y= -1.7316$ $p_z= 0.0000$
 P' $E= 2.4009$ $p_x= 0.0000$ $p_y= 2.2100$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.1451$ $p_y= -0.4785$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



L_proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_1 $C_{p\gamma}=0.270802$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.500052
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.69835$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=0.5$, $\phi_\gamma=1.5708$
 $Q^2=0.0470939$, $x_B=0.163007$, $t=-0.0885144$, $W^2=1.12166$, $y=0.0140002$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 2.1984$ $p_x= -0.0000$ $p_y= -2.1984$ $p_z= 0.0000$
 P' $E= 1.9402$ $p_x= 0.0000$ $p_y= 1.6984$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.0000$ $p_y= 0.5000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.2%)



L_proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_2 C_{p\gamma}=0.235949
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=2.06167 rad
 outgoing-state purity: 0.515036
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.05903$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=3.63247$
 $Q^2=0.233849$, $x_B=0.0674481$, $t=-0.00440684$, $W^2=4.11309$, $y=0.168012$
 $\theta(\ell', \gamma)=75.4705$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8759$ $p_x= 0.4410$ $p_y= -1.8233$ $p_z= 0.0000$
 P' $E= 2.2626$ $p_x= 0.0000$ $p_y= 2.0590$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4410$ $p_y= -0.2357$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

