



low_Egamma LTx: max $C_{e\gamma}$ regions



LTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_0 $C_{e\gamma}=0.0429885$
 region: low_Egamma_LTx_region_0 final-pair delta_xy=0.126574 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.2228$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=0.5$, $\phi_\gamma=4.61421$
 $Q^2=0.0614251$, $x_B=0.0131078$, $t=-0.0476181$, $W^2=5.50455$, $y=0.227085$
 $\theta(l', \gamma)=7.25218$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 ℓ' $E= 1.7259$ $p_x= 0.0490$ $p_y= -1.7252$ $p_z= 0.0000$
 P' $E= 2.4126$ $p_x= 0.0000$ $p_y= 2.2228$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0490$ $p_y= -0.4976$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)



LTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_1 $C_{e\gamma}=0.039144$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=1.31721 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.05903$
 $\theta_{in}=1.57079$, $\phi_l=3.63247$, $\phi_p=0.490874$
 $E_\gamma=0.5$, $\phi_\gamma=3.63247$
 $Q^2=6.25184$, $x_B=0.659124$, $t=-4.84657$, $W^2=4.11309$, $y=0.459638$
 $\theta(l', \gamma)=75.4705$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 1.8759$ $p_x= 0.4410$ $p_y= -1.8233$ $p_z= 0.0000$
 P' $E= 2.2626$ $p_x= 0.0000$ $p_y= 2.0590$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4410$ $p_y= -0.2357$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)



LTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_2 $C_{\{e\gamma\}}=0.0344448$
 region: low_Egamma_LTx_region_2 final-pair delta_xy=1.09619 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.10758$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_p=2.45437$
 $E_\gamma=0.5$, $\phi_\gamma=5.59596$
 $Q^2=4.42478$, $x_B=0.548388$, $t=-3.43019$, $W^2=4.52377$, $y=0.391001$
 $\theta(l', \gamma)=62.807$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.8316$ $p_x= -0.3865$ $p_y= -1.7904$ $p_z= 0.0000$
 P' $E= 2.3069$ $p_x= 0.0000$ $p_y= 2.1076$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3865$ $p_y= -0.3172$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)



LTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ltx_region_3 $C_{e\gamma}=0.0212826$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=2.09993 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.85675$
 $\theta_{in}=1.57079$, $\phi_l=0.294524$, $\phi_p=3.43612$
 $E_\gamma=0.5$, $\phi_\gamma=0.294524$
 $Q^2=13.7792$, $x_B=0.8994$, $t=-10.682$, $W^2=2.42109$, $y=0.742416$
 $\theta(l', \gamma)=120.317$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 2.0583$ $p_x= -0.4785$ $p_y= -2.0019$ $p_z= 0.0000$
 P' $E= 2.0802$ $p_x= 0.0000$ $p_y= 1.8568$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4785$ $p_y= 0.1451$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)

