



low_Egamma LTx: max $C_{p\gamma}$ regions



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_0 C_{p\gamma}=0.999961
 region: low_Egamma LTx_region_0 final-pair delta_xy=0.0981748 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.69934$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=1.66897$
 $Q^2=0.00243158$, $x_B=0.00963748$, $t=-0.0519113$, $W^2=1.12972$, $y=0.0122264$
 $\theta(l', \gamma)=175.653$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1975$ $p_x= 0.0490$ $p_y= -2.1969$ $p_z= 0.0000$
 P' $E= 1.9410$ $p_x= 0.0000$ $p_y= 1.6993$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0490$ $p_y= 0.4976$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_1 $C_{\{p\gamma\}}=0.992626$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=1.47262 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.90432$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=3.04342$
 $Q^2=0.277528$, $x_B=0.12537$, $t=-0.0176063$, $W^2=2.81599$, $y=0.107272$
 $\theta(l', \gamma)=109.917$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.0157$ $p_x= 0.4976$ $p_y= -1.9533$ $p_z= 0.0000$
 P' $E= 2.1228$ $p_x= 0.0000$ $p_y= 1.9043$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4976$ $p_y= 0.0490$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 electron L, proton Tx


$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_2 C_{p\gamma}=0.97194
 region: low_Egamma LTx_region_2 final-pair delta_xy=1.27627 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.85675$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=0.294524$
 $Q^2=0.250848$, $x_B=0.139975$, $t=-0.0237111$, $W^2=2.42109$, $y=0.0868432$
 $\theta(l', \gamma)=120.317$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.0583$ $p_x= -0.4785$ $p_y= -2.0019$ $p_z= 0.0000$
 P' $E= 2.0802$ $p_x= 0.0000$ $p_y= 1.8568$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4785$ $p_y= 0.1451$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Tx


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.4%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_3 $C_{p\gamma}=0.766161$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21005$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.41786$
 $Q^2=0.0270148$, $x_B=0.00594677$, $t=-3.1342e-05$, $W^2=5.3956$, $y=0.220138$
 $\theta(l', \gamma)=21.6664$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.7377$ $p_x= 0.1451$ $p_y= -1.7316$ $p_z= 0.0000$
 P' $E= 2.4009$ $p_x= 0.0000$ $p_y= 2.2100$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.1451$ $p_y= -0.4785$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=100.0%)

