



high_Egamma Tx_proton: max $C_{e\gamma}$ regions



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_0 $C_{e\gamma}=5.31583e-05$
 region: high_Egamma_Tx_proton_region_0 final-pair delta_xy=8.88178e-16 rad
 outgoing-state purity: 0.501613
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=5.30144$, $\phi_p=2.15984$
 $E_\gamma=1.8$, $\phi_\gamma=4.71239$
 $Q^2=0.318214$, $x_B=0.0186999$, $t=-1.66779$, $W^2=17.5785$, $y=0.824621$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	1.2358	$p_y=$	-1.8495	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	-1.2358	$p_y=$	1.8495	$p_z=$	0.0000
l'	$E=$	0.4244	$p_x=$	0.0000	$p_y=$	-0.4244	$p_z=$	0.0000
P'	$E=$	2.4141	$p_x=$	0.0000	$p_y=$	2.2244	$p_z=$	0.0000
q_γ	$E=$	1.8000	$p_x=$	-0.0000	$p_y=$	-1.8000	$p_z=$	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_1 $C_{e\gamma}=5.06835e-05$
 region: high_Egamma Tx_proton_region_1 final-pair delta_xy=8.88178e-16 rad
 outgoing-state purity: 0.502734
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=3.92699$, $\phi_P=0.785398$
 $E_\gamma=1.8$, $\phi_\gamma=4.71239$
 $Q^2=0.553031$, $x_B=0.0320566$, $t=-2.89849$, $W^2=17.5785$, $y=0.836$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 l' $E= 0.4244$ $p_x= 0.0000$ $p_y= -0.4244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.0000$ $p_y= -1.8000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_2 $C_{e\gamma}=4.41518e-05$
 region: high_Egamma_Tx_proton_region_2 final-pair delta_xy=0.504869 rad
 outgoing-state purity: 0.502149
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_i=1.27627$, $\phi_P=4.41786$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=3.95599$, $x_B=0.193406$, $t=-19.1619$, $W^2=17.3782$, $y=0.991196$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 l' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton Tx


$h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=96.3%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_3 $C_{e\gamma}=0$
 region: high_Egamma Tx_proton_region_3 final-pair delta_xy=2.94598 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.356666$
 $\theta_{in}=1.57079$, $\phi_t=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=0$
 $Q^2=16.1715$, $x_B=0.817396$, $t=-3.08551$, $W^2=4.49252$, $y=0.958721$
 $\theta(\ell', \gamma)=168.792$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8350$ $p_x= -1.8000$ $p_y= -0.3567$ $p_z= 0.0000$
 P' $E= 1.0035$ $p_x= 0.0000$ $p_y= 0.3567$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.8000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

