



mid_Egamma Tx_proton: max $C_{e\gamma}$ regions



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_0 $C_{e\gamma}=9.56848e-05$
 region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.501613
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=4.12334$, $\phi_P=0.981748$
 $E_\gamma=1$, $\phi_\gamma=4.71239$
 $Q^2=0.918024$, $x_B=0.090046$, $t=-1.66779$, $W^2=10.1569$, $y=0.494042$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	-1.2358	$p_y=$	-1.8495	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	1.2358	$p_y=$	1.8495	$p_z=$	0.0000
l'	$E=$	1.2244	$p_x=$	0.0000	$p_y=$	-1.2244	$p_z=$	0.0000
P'	$E=$	2.4141	$p_x=$	0.0000	$p_y=$	2.2244	$p_z=$	0.0000
q_γ	$E=$	1.0000	$p_x=$	-0.0000	$p_y=$	-1.0000	$p_z=$	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx_proton characteristic max C_{ey} configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_1 $C_{e\gamma}=9.12303e-05$
 region: mid_Egamma_Tx_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.502734
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=5.49779$, $\phi_P=2.35619$
 $E_\gamma=1$, $\phi_\gamma=4.71239$
 $Q^2=1.59546$, $x_B=0.146743$, $t=-2.89849$, $W^2=10.1569$, $y=0.52687$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 l' $E= 1.2244$ $p_x= 0.0000$ $p_y= -1.2244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0000$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_2 $C_{\{e\gamma\}}=3.40169e-05$
 region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=0.178039 rad
 outgoing-state purity: 0.502154
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=1.86532$, $\phi_P=5.00691$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=10.8063$, $x_B=0.539115$, $t=-19.3265$, $W^2=10.118$, $y=0.971335$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= 0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.8%)

