



low_Egamma TxTx: max $C_{e\gamma}$ regions



TxTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_0 C_{e\gamma}=0.999833
 region: low_Egamma TxTx_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{X,e}T_{X,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=0.5$, $\phi_\gamma=4.71239$
 $Q^2=0.0369411$, $x_B=0.00790107$, $t=-0.0476523$, $W^2=5.51836$, $y=0.226568$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 1.7244$ $p_x= 0.0000$ $p_y= -1.7244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0000$ $p_y= -0.5000$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Tx


$h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



TxTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_1 $C_{e\gamma}=0.942251$
 region: low_Egamma_TxTx_region_1 final-pair delta_xy=1.09619 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.10758$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_p=2.45437$
 $E_\gamma=0.5$, $\phi_\gamma=5.59596$
 $Q^2=4.42478$, $x_B=0.548388$, $t=-3.43019$, $W^2=4.52377$, $y=0.391001$
 $\theta(l', \gamma)=62.807$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.8316$ $p_x= -0.3865$ $p_y= -1.7904$ $p_z= 0.0000$
 P' $E= 2.3069$ $p_x= 0.0000$ $p_y= 2.1076$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3865$ $p_y= -0.3172$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



TxTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_2 C_{e\gamma}=0.920622
 region: low_Egamma_TxTx_region_2 final-pair delta_xy=1.208 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08385$
 $\theta_{in}=1.57079$, $\phi_l=3.73064$, $\phi_p=0.589049$
 $E_\gamma=0.5$, $\phi_\gamma=3.73064$
 $Q^2=5.31889$, $x_B=0.607052$, $t=-4.12332$, $W^2=4.32279$, $y=0.42459$
 $\theta(l', \gamma)=69.213$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.8533$ $p_x= 0.4157$ $p_y= -1.8061$ $p_z= 0.0000$
 P' $E= 2.2852$ $p_x= 0.0000$ $p_y= 2.0838$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4157$ $p_y= -0.2778$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



TxTx characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_3 $C_{e\gamma}=0.592378$
 region: low_Egamma_TxTx_region_3 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=2.84707$, $\phi_P=5.98866$
 $E_\gamma=0.5$, $\phi_\gamma=4.71239$
 $Q^2=9.89861$, $x_B=0.680919$, $t=-12.7687$, $W^2=5.51836$, $y=0.704455$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 1.7244$ $p_x= 0.0000$ $p_y= -1.7244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.0000$ $p_y= -0.5000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

