



mid_Egamma Ty_electron: max C_{ey} regions



Ty_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_ty_electron_region_0 $C_{\{e\gamma\}}=0.999981$
 region: mid_Egamma_Ty_electron_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{Y,e},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=4.81056$, $\phi_P=1.66897$
 $E_Y=1$, $\phi_Y=4.71239$
 $Q^2=0.02623$, $x_B=0.00281944$, $t=-0.0476523$, $W^2=10.1569$, $y=0.450827$
 $\theta(l',\gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 1.2244$ $p_x= 0.0000$ $p_y= -1.2244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0000$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.4%)



Ty_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_ty_electron_region_1 $C_{e\gamma}=0.901316$
 region: mid_Egamma_Ty_electron_region_1 final-pair delta_xy=1.42463 rad
 outgoing-state purity: 0.500007
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.92087$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_P=0.687223$
 $E_\gamma=1$, $\phi_\gamma=3.82882$
 $Q^2=5.7046$, $x_B=0.459415$, $t=-3.14007$, $W^2=7.59234$, $y=0.60172$
 $\theta(l', \gamma)=81.6255$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.5009$ $p_x= 0.7730$ $p_y= -1.2865$ $p_z= 0.0000$
 P' $E= 2.1377$ $p_x= 0.0000$ $p_y= 1.9209$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7730$ $p_y= -0.6344$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Ty, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=+1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty_electron characteristicmax C_{ey} configuration

3D momenta




c_e_gamma_mid_egamma_ty_electron_region_2 $C_{\{e\}\gamma}=0.866108$
 region: mid_Egamma_Ty_electron_region_2 final-pair delta_xy=1.54753 rad
 outgoing-state purity: 0.500007
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{Y,e},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.86489$
 $\theta_{in}=1.57079$, $\phi_l=5.69414$, $\phi_P=2.55254$
 $E_Y=1$, $\phi_Y=5.69414$
 $Q^2=6.73972$, $x_B=0.518964$, $t=-3.70984$, $W^2=7.127$, $y=0.629331$
 $\theta(l',\gamma)=88.6672$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.5510$ $p_x= -0.8315$ $p_y= -1.3093$ $p_z= 0.0000$
 P' $E= 2.0875$ $p_x= 0.0000$ $p_y= 1.8649$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.8315$ $p_y= -0.5556$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)





Ty_electron characteristicmax $C_{e\gamma}$ configuration

c_e_gamma_mid_egamma_ty_electron_region_3 $C_{\{e\gamma\}}=0.592391$
 region: mid_Egamma_Ty_electron_region_3 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=0.294524$, $\phi_p=3.43612$
 $E_\gamma=1$, $\phi_\gamma=4.71239$
 $Q^2=7.02848$, $x_B=0.431049$, $t=-12.7687$, $W^2=10.1569$, $y=0.790149$
 $\theta(l',\gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 1.2244$ $p_x= 0.0000$ $p_y= -1.2244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0000$ $p_y= -1.0000$ $p_z= 0.0000$



Leading initial-ensemble/final-state components (N=4, retained=93.5%)

