



high\_Egamma unpolarized: max  $C_{ep}$  regions



# unpolarized characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_unpolarized\_region\_0  $C_{ep}$ =2.91714e-05  
 region: high\_Egamma\_unpolarized\_region\_0 final-pair delta\_xy=2.58532 rad  
 outgoing-state purity: 0.499979  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_e, h_p} \rho(h_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.111698$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.06167$ ,  $\phi_p=5.20326$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=2.15984$   
 $Q^2=16.8332$ ,  $x_B=0.84591$ ,  $t=-3.23941$ ,  $W^2=3.94616$ ,  $y=0.96431$   
 $\theta(l', \gamma)=178.122$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -1.0486$   $p_y= 1.9618$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.0486$   $p_y= -1.9618$   $p_z= 0.0000$   
 $l'$   $E= 1.8939$   $p_x= 1.0000$   $p_y= -1.6083$   $p_z= 0.0000$   
 $P'$   $E= 0.9446$   $p_x= 0.0000$   $p_y= 0.1117$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.0000$   $p_y= 1.4966$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



# unpolarized characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_unpolarized\_region\_1  $C_{ep}$ =2.91714e-05  
 region: high\_Egamma\_unpolarized\_region\_1 final-pair delta\_xy=2.58532 rad  
 outgoing-state purity: 0.499979  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_e, h_p} \rho(h_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.111698$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.07992$ ,  $\phi_p=4.22152$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=0.981748$   
 $Q^2=16.8332$ ,  $x_B=0.84591$ ,  $t=-3.23941$ ,  $W^2=3.94616$ ,  $y=0.96431$   
 $\theta(l', \gamma)=178.122$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.0486$   $p_y= 1.9618$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.0486$   $p_y= -1.9618$   $p_z= 0.0000$   
 $l'$   $E= 1.8939$   $p_x= -1.0000$   $p_y= -1.6083$   $p_z= 0.0000$   
 $P'$   $E= 0.9446$   $p_x= 0.0000$   $p_y= 0.1117$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= 1.0000$   $p_y= 1.4966$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



# unpolarized characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_unpolarized\_region\_2  $C_{ep}=0$   
 region: high\_Egamma\_unpolarized\_region\_2 final-pair delta\_xy=1.76641 rad  
 outgoing-state purity: 0.498984  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_e, h_p} \rho(h_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.356666$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=0$   
 $Q^2=16.1715$ ,  $x_B=0.817396$ ,  $t=-3.08551$ ,  $W^2=4.49252$ ,  $y=0.958721$   
 $\theta(l', \gamma)=168.792$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8350$   $p_x= -1.8000$   $p_y= -0.3567$   $p_z= 0.0000$   
 $P'$   $E= 1.0035$   $p_x= 0.0000$   $p_y= 0.3567$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= 1.8000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



# unpolarized characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_unpolarized\_region\_3 C\_{ep}=0  
 region: high\_Egamma\_unpolarized\_region\_3 final-pair delta\_xy=2.95525 rad  
 outgoing-state purity: 0.339399  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_e, h_p} \rho(h_e, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.0972621$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_Y=1.8$ ,  $\phi_Y=1.76715$   
 $Q^2=6.87045$ ,  $x_B=0.69245$ ,  $t=-2.79344$ ,  $W^2=3.93133$ ,  $y=0.480807$   
 $\theta(l', \gamma)=179.426$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8955$   $p_x= 0.3512$   $p_y= -1.8627$   $p_z= 0.0000$   
 $P'$   $E= 0.9430$   $p_x= 0.0000$   $p_y= 0.0973$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -0.3512$   $p_y= 1.7654$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=99.2%)

