




Tx massless lepton + Tx proton: $C_{\ell_0 p}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: $C_{\ell_0\gamma}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: $C_{p\gamma}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: $C_{\ell_0|p\gamma}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: $C_{p|\ell_0\gamma}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: $C_{\gamma|\ell_0 p}$ two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: M_{ℓ_0} two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: M_p two-angle scans at characteristic kinematics




Tx massless lepton + Tx proton: M_γ two-angle scans at characteristic kinematics



Tx massless lepton + Tx proton: F_3 two-angle scans at characteristic kinematics



Tx massless lepton + Tx proton: $P_{\text{GHZ}+}$ + two-angle scans at characteristic kinematics



Tx massless lepton + Tx proton: P_W two-angle scans at characteristic kinematics

