



low_Egamma L auxiliary lepton: max $C_{p\gamma}$ regions



L auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_0 C_{p\gamma}=0.120212
region: low_Egamma_L_electron_region_0 final-pair delta_xy=1.66897 rad
outgoing-state purity: 0.505902
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\ell, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.97282$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=6.18501$
 $Q^2=0.0706362$, $x_B=0.0560804$, $t=-0.00314184$, $W^2=2.06876$, $y=0.0641451$
 $\theta(\ell', \gamma)=91.6522$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.2041$ $p_x= -0.2488$ $p_y= -1.9483$ $p_z= 0.0000$
 P' $E= 2.1845$ $p_x= 0.0000$ $p_y= 1.9728$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2488$ $p_y= -0.0245$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.2%)



L auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_1 $C_{\{p\}\gamma}=0.120212$
 region: low_Egamma_L_electron_region_1 final-pair delta_xy=1.66897 rad
 outgoing-state purity: 0.505902
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_l, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.97282$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.23977$
 $Q^2=0.0706362$, $x_B=0.0560804$, $t=-0.00314184$, $W^2=2.06876$, $y=0.0641451$
 $\theta(l', \gamma)=91.6522$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.2041$ $p_x= 0.2488$ $p_y= -1.9483$ $p_z= 0.0000$
 P' $E= 2.1845$ $p_x= 0.0000$ $p_y= 1.9728$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2488$ $p_y= -0.0245$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.2%)



L auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_2 C_{p\gamma}=0.0225655
region: low_Egamma_L_electron_region_2 final-pair delta_xy=0.294524 rad
outgoing-state purity: 0.500277
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\ell, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.8483$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.27627$
 $Q^2=0.00537493$, $x_B=0.0341558$, $t=-0.012321$, $W^2=1.03183$, $y=0.00801412$
 $\theta(\ell', \gamma)=165.116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.3158$ $p_x= -0.0726$ $p_y= -2.0875$ $p_z= 0.0000$
 P' $E= 2.0727$ $p_x= 0.0000$ $p_y= 1.8483$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0726$ $p_y= 0.2392$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
auxiliary lepton L, proton $h=+1$


$h_e=+1, h_p=+1, h_\gamma=-1$
auxiliary lepton L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=99.8%)



L auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_electron_region_3 $C_{\{p\gamma\}}=0.0119042$
 region: low_Egamma_L_electron_region_3 final-pair delta_xy=3.04342 rad
 outgoing-state purity: 0.500722
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\ell, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09128$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.81056$
 $Q^2=0.0149831$, $x_B=0.00680558$, $t=-4.08254e-05$, $W^2=3.06645$, $y=0.11212$
 $\theta(\ell', \gamma)=6.38697$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.0965$ $p_x= -0.0245$ $p_y= -1.8425$ $p_z= 0.0000$
 P' $E= 2.2920$ $p_x= 0.0000$ $p_y= 2.0913$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=99.9%)

