



low_Egamma L auxiliary lepton + L proton: max $P_{\text{GHZ}+}$ regions



L auxiliary lepton + L proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ll_region_0 $P_{\{\text{rm GHZ}\}}=0.307268$
region: low_Egamma_LL_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_l\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.88483$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_Y=0.25$, $\phi_Y=0.687223$
 $Q^2=0.000620925$, $x_B=0.0013634$, $t=-0.0471889$, $W^2=1.33465$, $y=0.0231934$
 $\theta(l', \gamma)=134.778$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 l' $E= 2.2832$ $p_x= -0.1933$ $p_y= -2.0434$ $p_z= 0.0000$
 P' $E= 2.1053$ $p_x= 0.0000$ $p_y= 1.8848$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.1933$ $p_y= 0.1586$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.7%)



L auxiliary lepton + L proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ll_region_1 $P_{\text{GHZ}}=0.307268$
 region: low_Egamma_LL_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_l\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.88483$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.81056$, $\phi_p=1.66897$
 $E_\gamma=0.25$, $\phi_\gamma=2.45437$
 $Q^2=0.000620925$, $x_B=0.0013634$, $t=-0.0471889$, $W^2=1.33465$, $y=0.0231934$
 $\theta(l', \gamma)=134.778$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 l' $E= 2.2832$ $p_x= 0.1933$ $p_y= -2.0434$ $p_z= 0.0000$
 P' $E= 2.1053$ $p_x= 0.0000$ $p_y= 1.8848$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= 0.1586$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.7%)



L auxiliary lepton + L proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ll_region_2 $P_{\text{GHZ}}=0.293682$
 region: low_Egamma_LL_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_l\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.04213$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.81056$, $\phi_p=1.66897$
 $E_\gamma=0.25$, $\phi_\gamma=3.82882$
 $Q^2=0.00919998$, $x_B=0.00516684$, $t=-0.04215$, $W^2=2.65122$, $y=0.0906794$
 $\theta(l', \gamma)=56.4831$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 l' $E= 2.1413$ $p_x= 0.1933$ $p_y= -1.8835$ $p_z= 0.0000$
 P' $E= 2.2472$ $p_x= 0.0000$ $p_y= 2.0421$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= -0.1586$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=+1$, $h_\gamma=+1$
 auxiliary lepton L, proton L


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 auxiliary lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=96.0%)



L auxiliary lepton + L proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ll_region_3 $P_{\{\text{rm GHZ}\}}=0.293682$
 region: low_Egamma_LL_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_l\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.04213$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_Y=0.25$, $\phi_Y=5.59596$
 $Q^2=0.00919998$, $x_B=0.00516684$, $t=-0.04215$, $W^2=2.65122$, $y=0.0906794$
 $\theta(l', \gamma)=56.4831$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 l' $E= 2.1413$ $p_x= -0.1933$ $p_y= -1.8835$ $p_z= 0.0000$
 P' $E= 2.2472$ $p_x= 0.0000$ $p_y= 2.0421$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_Y=+1$
 auxiliary lepton L, proton L

$h_e=+1, h_p=+1, h_Y=-1$
 auxiliary lepton L, proton L

Leading initial-ensemble/final-state components (N=2, retained=96.0%)

