



# Egamma L auxiliary lepton + Ty proton: max $F_3$ regions



# L auxiliary lepton + Ty proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_lty\_region\_0 F\_3=0.727981  
 region: low\_Egamma\_LTy\_region\_0  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.88483$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=0.589049$ ,  $\phi_p=3.73064$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=0.687223$   
 $Q^2=14.1107$ ,  $x_B=0.968775$ ,  $t=-12.364$ ,  $W^2=1.33465$ ,  $y=0.741777$   
 $\theta(\ell', \gamma)=134.778$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.3322$   $p_x= 1.7519$   $p_y= 1.1706$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -1.7519$   $p_y= -1.1706$   $p_z= 0.0000$   
 $\ell'$   $E= 2.2832$   $p_x= -0.1933$   $p_y= -2.0434$   $p_z= 0.0000$   
 $P'$   $E= 2.1053$   $p_x= 0.0000$   $p_y= 1.8848$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.1933$   $p_y= 0.1586$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.0%)



# L auxiliary lepton + Ty proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_lty\_region\_1 F\_3=0.727981  
 region: low\_Egamma\_LTy\_region\_1  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.88483$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=2.55254$ ,  $\phi_P=5.69414$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=2.45437$   
 $Q^2=14.1107$ ,  $x_B=0.968775$ ,  $t=-12.364$ ,  $W^2=1.33465$ ,  $y=0.741777$   
 $\theta(\ell', \gamma)=134.778$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$\ell$   $E= 2.3322$   $p_x= -1.7519$   $p_y= 1.1706$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= 1.7519$   $p_y= -1.1706$   $p_z= 0.0000$   
 $\ell'$   $E= 2.2832$   $p_x= 0.1933$   $p_y= -2.0434$   $p_z= 0.0000$   
 $P'$   $E= 2.1053$   $p_x= 0.0000$   $p_y= 1.8848$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.1933$   $p_y= 0.1586$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.0%)



# L auxiliary lepton + Ty proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_lty\_region\_2 F\_3=0.44821  
 region: low\_Egamma\_LTy\_region\_2  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.99717$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=5.79231$ ,  $\phi_p=2.65072$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=5.98866$   
 $Q^2=5.244$ ,  $x_B=0.790103$ ,  $t=-4.45073$ ,  $W^2=2.27296$ ,  $y=0.338007$   
 $\theta(\ell', \gamma)=80.2107$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.3322$   $p_x= 1.8582$   $p_y= -0.9932$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -1.8582$   $p_y= 0.9932$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1820$   $p_x= -0.2392$   $p_y= -1.9246$   $p_z= 0.0000$   
 $P'$   $E= 2.2065$   $p_x= 0.0000$   $p_y= 1.9972$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2392$   $p_y= -0.0726$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=98.5%)



# L auxiliary lepton + Ty proton characteristic max $F_3$ configuration

3D momenta




f3\_low\_egamma\_lty\_region\_3  $F_3=0.44821$   
 region: low\_Egamma\_LTy\_region\_3  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.99717$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=3.63247$ ,  $\phi_P=0.490874$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=3.43612$   
 $Q^2=5.244$ ,  $x_B=0.790103$ ,  $t=-4.45073$ ,  $W^2=2.27296$ ,  $y=0.338007$   
 $\theta(\ell', \gamma)=80.2107$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.3322$   $p_x= -1.8582$   $p_y= -0.9932$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= 1.8582$   $p_y= 0.9932$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1820$   $p_x= 0.2392$   $p_y= -1.9246$   $p_z= 0.0000$   
 $P'$   $E= 2.2065$   $p_x= 0.0000$   $p_y= 1.9972$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.2392$   $p_y= -0.0726$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=98.5%)

