



Egamma L auxiliary lepton + Ty proton: max P_{GHZ} + regions



L auxiliary lepton + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_lty_region_0 $P_{\{\text{rm GHZ}\}}=0.384502$
 region: mid_Egamma_LTy_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00946$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.71239$
 $Q^2=0.374018$, $x_B=0.0423666$, $t=-0.00163504$, $W^2=9.33396$, $y=0.449589$
 $\theta(\ell', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.3322$	$p_x= -0.0000$	$p_y= -2.1069$	$p_z= -0.0000$
P	$E= 2.3063$	$p_x= 0.0000$	$p_y= 2.1069$	$p_z= 0.0000$
ℓ'	$E= 1.4209$	$p_x= 0.0000$	$p_y= -1.0095$	$p_z= 0.0000$
P'	$E= 2.2176$	$p_x= 0.0000$	$p_y= 2.0095$	$p_z= 0.0000$
q_γ	$E= 1.0000$	$p_x= -0.0000$	$p_y= -1.0000$	$p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 auxiliary lepton L, proton Ty


$h_e=+1, h_p=-1, h_\gamma=-1$
 auxiliary lepton L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L auxiliary lepton + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_lty_region_1 $P_{\{\text{rm GHZ}\}}=0.376907$
 region: mid_Egamma_LTy_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.42216$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.9635$, $\phi_P=5.10509$
 $E_\gamma=1$, $\phi_\gamma=3.23977$
 $Q^2=13.785$, $x_B=0.789018$, $t=-11.6352$, $W^2=4.56592$, $y=0.889745$
 $\theta(\ell', \gamma)=121.302$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.3322$	$p_x= -0.8063$	$p_y= 1.9466$	$p_z= -0.0000$
P	$E= 2.3063$	$p_x= 0.8063$	$p_y= -1.9466$	$p_z= 0.0000$
ℓ'	$E= 1.9349$	$p_x= 0.9952$	$p_y= -1.3241$	$p_z= 0.0000$
P'	$E= 1.7036$	$p_x= 0.0000$	$p_y= 1.4222$	$p_z= 0.0000$
q_γ	$E= 1.0000$	$p_x= -0.9952$	$p_y= -0.0980$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=97.8%)



L auxiliary lepton + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_lty_region_2 $P_{\text{GHZ}}=0.376907$
 region: mid_Egamma_LTy_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\ell\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.42216$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.1781$, $\phi_P=4.31969$
 $E_\gamma=1$, $\phi_\gamma=6.18501$
 $Q^2=13.785$, $x_B=0.789018$, $t=-11.6352$, $W^2=4.56592$, $y=0.889745$
 $\theta(\ell', \gamma)=121.302$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 0.8063$ $p_y= 1.9466$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.8063$ $p_y= -1.9466$ $p_z= 0.0000$
 ℓ' $E= 1.9349$ $p_x= -0.9952$ $p_y= -1.3241$ $p_z= 0.0000$
 P' $E= 1.7036$ $p_x= 0.0000$ $p_y= 1.4222$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9952$ $p_y= -0.0980$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=97.8%)

