



low_Egamma Tx auxiliary lepton: max $C_{p\gamma}$ regions



Tx auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_0 $C_{\{p\gamma\}}=0.0756411$
 region: low_Egamma_Tx_electron_region_0 final-pair delta_xy=1.9635 rad
 outgoing-state purity: 0.502766
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,l},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00906$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.89049$
 $Q^2=0.0649071$, $x_B=0.0416619$, $t=-0.0016485$, $W^2=2.37288$, $y=0.0793414$
 $\theta(l',\gamma)=74.383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.1713$ $p_x= -0.2310$ $p_y= -1.9134$ $p_z= 0.0000$
 P' $E= 2.2172$ $p_x= 0.0000$ $p_y= 2.0091$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2310$ $p_y= -0.0957$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=82.4%)



Tx auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_1 $C_{\{p\gamma\}}=0.0756411$
 region: low_Egamma_Tx_electron_region_1 final-pair delta_xy=1.9635 rad
 outgoing-state purity: 0.502766
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,l},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00906$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.53429$
 $Q^2=0.0649071$, $x_B=0.0416619$, $t=-0.0016485$, $W^2=2.37288$, $y=0.0793414$
 $\theta(l',\gamma)=74.383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.1713$ $p_x= 0.2310$ $p_y= -1.9134$ $p_z= 0.0000$
 P' $E= 2.2172$ $p_x= 0.0000$ $p_y= 2.0091$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2310$ $p_y= -0.0957$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=82.4%)




Tx auxiliary lepton characteristic max $C_{p\gamma}$ configuration

c_p_gamma_low_egamma_tx_electron_region_2 $C_{\{p\}\gamma}=0.00576298$
 region: low_Egamma_Tx_electron_region_2 final-pair delta_xy=0.589049 rad
 outgoing-state purity: 0.50002
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,l},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.86235$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.981748$
 $Q^2=0.0198027$, $x_B=0.0687177$, $t=-0.010951$, $W^2=1.14822$, $y=0.0146759$
 $\theta(l',\gamma)=150.088$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.3033$ $p_x= -0.1389$ $p_y= -2.0702$ $p_z= 0.0000$
 P' $E= 2.0852$ $p_x= 0.0000$ $p_y= 1.8624$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= 0.2079$ $p_z= 0.0000$

3D momenta



Transverse plane




$h_e=-1, h_p=+1, h_\gamma=-1$
 auxiliary lepton Tx, proton h=-1

$h_e=+1, h_p=-1, h_\gamma=+1$
 auxiliary lepton Tx, proton h=+1

$h_e=-1, h_p=-1, h_\gamma=+1$
 auxiliary lepton Tx, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 auxiliary lepton Tx, proton h=-1

Leading initial-ensemble/final-state components (N=4, retained=99.0%)



Tx auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_electron_region_3 C_{p\gamma}=0.00241167
 region: low_Egamma_Tx_electron_region_3 final-pair delta_xy=0.294524 rad
 outgoing-state purity: 0.593894
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,l},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.8483$
 $\theta_{in}=1.57079$, $\phi_l=1.9635$, $\phi_P=5.10509$
 $E_\gamma=0.25$, $\phi_\gamma=1.86532$
 $Q^2=17.046$, $x_B=0.991162$, $t=-14.9965$, $W^2=1.03183$, $y=0.875842$
 $\theta(l',\gamma)=165.116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.8063$ $p_y= 1.9466$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.8063$ $p_y= -1.9466$ $p_z= 0.0000$
 l' $E= 2.3158$ $p_x= 0.0726$ $p_y= -2.0875$ $p_z= 0.0000$
 P' $E= 2.0727$ $p_x= 0.0000$ $p_y= 1.8483$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0726$ $p_y= 0.2392$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.5%)

