


mid_Egamma Tx proton: max $C_{\ell\gamma}$ regions




Tx proton characteristic max $C_{\ell\gamma}$ configuration

c_e_gamma_mid_egamma_tx_proton_region_0 C_{l_aux\gamma}=0.139574
 region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=0.920575 rad
 outgoing-state purity: 0.532101
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_i}\rho(h_i, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.91059$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.22152$
 $Q^2=0.709008$, $x_B=0.0850553$, $t=-0.00691281$, $W^2=8.50668$, $y=0.424518$
 $\theta(\ell', \gamma)=52.745$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 1.5101$ $p_x= 0.4714$ $p_y= -1.0287$ $p_z= 0.0000$
 P' $E= 2.1284$ $p_x= 0.0000$ $p_y= 1.9106$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.4714$ $p_y= -0.8819$ $p_z= 0.0000$


3D momenta



Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=97.2%)



Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_1 C_{\ell aux\gamma}=0.0728291
 region: mid_Egamma_Tx_proton_region_1 final-pair delta_xy=0.194912 rad
 outgoing-state purity: 0.507557
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_i}\rho(h_i, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00525$
 $\theta_{in}=1.57079$, $\phi_\ell=0.687223$, $\phi_P=3.82882$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=7.66497$, $x_B=0.476566$, $t=-13.8122$, $W^2=9.29862$, $y=0.819095$
 $\theta(\ell', \gamma)=11.1676$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 1.6287$ $p_y= 1.3366$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.6287$ $p_y= -1.3366$ $p_z= 0.0000$
 ℓ' $E= 1.4247$ $p_x= -0.0980$ $p_y= -1.0101$ $p_z= 0.0000$
 P' $E= 2.2138$ $p_x= 0.0000$ $p_y= 2.0053$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=97.1%)



Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_tx_proton_region_2 C_{\ell aux \gamma}=0.0728291
 region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=0.194912 rad
 outgoing-state purity: 0.507557
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_i}\rho(h_i, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00525$
 $\theta_{in}=1.57079$, $\phi_\ell=2.45437$, $\phi_P=5.59596$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=7.66497$, $x_B=0.476566$, $t=-13.8122$, $W^2=9.29862$, $y=0.819095$
 $\theta(\ell', \gamma)=11.1676$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -1.6287$ $p_y= 1.3366$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 1.6287$ $p_y= -1.3366$ $p_z= 0.0000$
 ℓ' $E= 1.4247$ $p_x= 0.0980$ $p_y= -1.0101$ $p_z= 0.0000$
 P' $E= 2.2138$ $p_x= 0.0000$ $p_y= 2.0053$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=97.1%)

