



low\_Egamma Unpolarized: max  $C_{\ell\gamma}$  regions



# Unpolarized characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c\_e gamma\_low\_egamma unpolarized\_region\_0  $C_{\{l\_aux\}\gamma}=0$   
 region: low\_Egamma\_unpolarized\_region\_0 final-pair delta\_xy=1.69762 rad  
 outgoing-state purity: 0.31724  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_l, h_p} \rho(h_l, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{p}|=2.10694$ ,  $|\vec{p}'|=1.96062$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=0$   
 $Q^2=9.38549$ ,  $x_B=0.896228$ ,  $t=-8.26559$ ,  $W^2=1.96657$ ,  $y=0.533317$   
 $\theta(l', \gamma)=97.2666$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.3322$   $p_x= 2.1069$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -2.1069$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.2151$   $p_x= -0.2500$   $p_y= -1.9606$   $p_z= 0.0000$   
 $P'$   $E= 2.1734$   $p_x= 0.0000$   $p_y= 1.9606$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2500$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=80.4%)



# Unpolarized characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c\_e\_gamma\_low\_egamma\_unpolarized\_region\_1  $C_{\ell\text{aux}\gamma}=0$   
 region: low\_Egamma\_unpolarized\_region\_1 final-pair delta\_xy=2.96857 rad  
 outgoing-state purity: 0.354351  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_l, h_p} \rho(h_l, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.84565$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=1.37445$   
 $Q^2=9.01854$ ,  $x_B=0.985782$ ,  $t=-7.78993$ ,  $W^2=1.00992$ ,  $y=0.46591$   
 $\theta(l', \gamma)=170.086$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.3322$   $p_x= 2.1069$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -2.1069$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.3182$   $p_x= -0.0488$   $p_y= -2.0908$   $p_z= 0.0000$   
 $P'$   $E= 2.0703$   $p_x= 0.0000$   $p_y= 1.8456$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.0488$   $p_y= 0.2452$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=87.8%)



# Unpolarized characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c\_e\_gamma\_low\_egamma\_unpolarized\_region\_2  $C_{\ell\text{aux}\gamma}=0$   
 region: low\_Egamma\_unpolarized\_region\_2 final-pair delta\_xy=2.07791 rad  
 outgoing-state purity: 0.338095  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\ell, h_p} \rho(h_\ell, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=1.91426$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_\ell=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=2.74889$   
 $Q^2=7.55339$ ,  $x_B=0.915233$ ,  $t=-8.0731$ ,  $W^2=1.57943$ ,  $y=0.420298$   
 $\theta(\ell', \gamma)=119.055$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.3322$   $p_x= 2.1069$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -2.1069$   $p_y= 0.0000$   $p_z= 0.0000$   
 $\ell'$   $E= 2.2568$   $p_x= 0.2310$   $p_y= -2.0099$   $p_z= 0.0000$   
 $P'$   $E= 2.1317$   $p_x= 0.0000$   $p_y= 1.9143$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.2310$   $p_y= 0.0957$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=87.6%)



# Unpolarized characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c\_e\_gamma\_low\_egamma\_unpolarized\_region\_3  $C_{\ell\text{aux}\gamma}=0$   
 region: low\_Egamma\_unpolarized\_region\_3 final-pair delta\_xy=0.66355 rad  
 outgoing-state purity: 0.33847  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\ell, h_p} \rho(h_\ell, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.10694$ ,  $|\vec{P}'|=2.06871$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_\ell=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.12334$   
 $Q^2=7.28969$ ,  $x_B=0.785066$ ,  $t=-8.71756$ ,  $W^2=2.8756$ ,  $y=0.472878$   
 $\theta(\ell', \gamma)=38.0186$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.3322$   $p_x= 2.1069$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.3063$   $p_x= -2.1069$   $p_y= 0.0000$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1171$   $p_x= 0.1389$   $p_y= -1.8608$   $p_z= 0.0000$   
 $P'$   $E= 2.2714$   $p_x= 0.0000$   $p_y= 2.0687$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.1389$   $p_y= -0.2079$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=86.1%)

