



mid_Egamma L electron: max $C_{p\gamma}$ regions



L electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_0 C_{p\gamma}=0.616892
 region: mid_Egamma_L_electron_region_0 final-pair delta_xy=2.94524 rad
 outgoing-state purity: 0.590225
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20638$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.90874$
 $Q^2=0.0686461$, $x_B=0.00746835$, $t=-4.94517e-05$, $W^2=10.0028$, $y=0.445416$
 $\theta(l', \gamma)=20.2945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.2410$ $p_x= -0.1951$ $p_y= -1.2256$ $p_z= 0.0000$
 P' $E= 2.3975$ $p_x= 0.0000$ $p_y= 2.2064$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.1951$ $p_y= -0.9808$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_1 C_{p\gamma}=0.204657
region: mid_Egamma_L_electron_region_1 final-pair delta_xy=1.9635 rad
outgoing-state purity: 0.573397
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.75164$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=3.53429$
 $Q^2=1.25718$, $x_B=0.1913$, $t=-0.0410874$, $W^2=6.19444$, $y=0.318462$
 $\theta(\ell', \gamma)=101.515$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.6515$ $p_x= 0.9239$ $p_y= -1.3690$ $p_z= 0.0000$
 P' $E= 1.9870$ $p_x= 0.0000$ $p_y= 1.7516$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9239$ $p_y= -0.3827$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=96.8%)



L electron characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_l_electron_region_2 C_{p\gamma}=0.144535
region: mid_Egamma_L_electron_region_2 final-pair delta_xy=1.5708 rad
outgoing-state purity: 0.541026
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=0$
 $Q^2=1.31807$, $x_B=0.267706$, $t=-0.0953633$, $W^2=4.48534$, $y=0.238591$
 $\theta(l', \gamma)=123.006$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.8358$ $p_x= -1.0000$ $p_y= -1.5395$ $p_z= 0.0000$
 P' $E= 1.8027$ $p_x= 0.0000$ $p_y= 1.5395$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton $h=+1$

$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
electron L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=98.3%)

