



high_Egamma L proton: max C_{ep} regions



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_proton_region_0 C_{ep} =0.000766976
 region: high_Egamma_L_proton_region_0 final-pair delta_xy=2.37905 rad
 outgoing-state purity: 0.809623
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13301$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.90874$
 $Q^2=0.626289$, $x_B=0.0378511$, $t=-0.00130695$, $W^2=16.7997$, $y=0.801808$
 $\theta(l', \gamma)=54.9402$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 0.5084$ $p_x= -0.3512$ $p_y= -0.3676$ $p_z= 0.0000$
 P' $E= 2.3301$ $p_x= 0.0000$ $p_y= 2.1330$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.3512$ $p_y= -1.7654$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_proton_region_1 $C_{ep}=4.74803e-05$
 region: high_Egamma_L_proton_region_1 final-pair delta_xy=3.04838 rad
 outgoing-state purity: 0.999952
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0960515$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_\gamma=1.8$, $\phi_\gamma=1.66897$
 $Q^2=16.8299$, $x_B=0.846565$, $t=-3.22016$, $W^2=3.93018$, $y=0.963378$
 $\theta(l', \gamma)=179.715$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8956$ $p_x= 0.1764$ $p_y= -1.8874$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0961$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= 1.7913$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_proton_region_2 C_{ep}=4.41924e-05
 region: high_Egamma_L_proton_region_2 final-pair delta_xy=2.1407 rad
 outgoing-state purity: 0.999439
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.168789$
 $\theta_{in}=1.57079$, $\phi_l=2.45437$, $\phi_p=5.59596$
 $E_V=1.8$, $\phi_V=2.65072$
 $Q^2=16.7185$, $x_B=0.841686$, $t=-3.31828$, $W^2=4.02444$, $y=0.962545$
 $\theta(l', \gamma)=175.472$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 1.8855$ $p_x= 1.5875$ $p_y= -1.0173$ $p_z= 0.0000$
 P' $E= 0.9531$ $p_x= 0.0000$ $p_y= 0.1688$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.5875$ $p_y= 0.8485$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=3, retained=99.4%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_l_proton_region_3 $C_{ep}=4.41924e-05$
 region: high_Egamma_L_proton_region_3 final-pair delta_xy=2.1407 rad
 outgoing-state purity: 0.999439
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.168789$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_\gamma=1.8$, $\phi_\gamma=0.490874$
 $Q^2=16.7185$, $x_B=0.841686$, $t=-3.31828$, $W^2=4.02444$, $y=0.962545$
 $\theta(l', \gamma)=175.472$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E= 2.2244$	$p_x= 1.7195$	$p_y= 1.4112$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -1.7195$	$p_y= -1.4112$	$p_z= 0.0000$
l'	$E= 1.8855$	$p_x= -1.5875$	$p_y= -1.0173$	$p_z= 0.0000$
P'	$E= 0.9531$	$p_x= 0.0000$	$p_y= 0.1688$	$p_z= 0.0000$
q_γ	$E= 1.8000$	$p_x= 1.5875$	$p_y= 0.8485$	$p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=3, retained=99.4%)

