



low_Egamma L proton: max C_{ep} regions



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_0 $C_{ep}=1.00534e-05$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=3.12919 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=4.81056$
 $Q^2=17.5728$, $x_B=0.883676$, $t=-19.7859$, $W^2=3.19307$, $y=0.963658$
 $\theta(l', \gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.9751$ $p_x= -0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0245$ $p_y= -0.2488$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_1 $C_{ep}=9.68626e-06$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=3.02554 rad
 outgoing-state purity: 0.999984
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.12467$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=3.43612$
 $Q^2=18.3208$, $x_B=0.92574$, $t=-18.9062$, $W^2=2.34948$, $y=0.959023$
 $\theta(l', \gamma)=79.7746$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 2.0660$ $p_x= 0.2392$ $p_y= -2.0521$ $p_z= 0.0000$
 P' $E= 2.3225$ $p_x= 0.0000$ $p_y= 2.1247$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2392$ $p_y= -0.0726$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_2 C_{ep} =9.57679e-06
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=3.02223 rad
 outgoing-state purity: 0.999982
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.09905$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=6.18501$
 $Q^2=18.5248$, $x_B=0.936673$, $t=-18.6792$, $W^2=2.13227$, $y=0.958384$
 $\theta(l', \gamma)=91.2137$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 2.0894$ $p_x= -0.2488$ $p_y= -2.0745$ $p_z= 0.0000$
 P' $E= 2.2991$ $p_x= 0.0000$ $p_y= 2.0991$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2488$ $p_y= -0.0245$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_3 $C_{ep}=8.97334e-06$
region: low_Egamma_L_proton_region_3 final-pair delta_xy=3.08801 rad
outgoing-state purity: 0.999998
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97681$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=2.06167$
 $Q^2=19.5648$, $x_B=0.988764$, $t=-17.5992$, $W^2=1.10218$, $y=0.958867$
 $\theta(l', \gamma)=154.945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 2.2005$ $p_x= 0.1178$ $p_y= -2.1973$ $p_z= 0.0000$
 P' $E= 2.1881$ $p_x= 0.0000$ $p_y= 1.9768$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1178$ $p_y= 0.2205$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

