



high_Egamma L electron + Tx proton: max C_{ep} regions



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_ltx_region_0 C_{ep} =0.0146083
 region: high_Egamma_LTx_region_0 final-pair delta_xy=1.58254 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.708355$
 $\theta_{in}=1.57079$, $\phi_l=3.53429$, $\phi_p=0.392699$
 $E_\gamma=1.8$, $\phi_\gamma=3.53429$
 $Q^2=14.2008$, $x_B=0.731691$, $t=-2.7095$, $W^2=6.08723$, $y=0.9405$
 $\theta(l', \gamma)=156.827$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$ 2.2244	$p_x=$ -2.0551	$p_y=$ -0.8512	$p_z=$ -0.0000
P	$E=$ 2.4141	$p_x=$ 2.0551	$p_y=$ 0.8512	$p_z=$ 0.0000
l'	$E=$ 1.6631	$p_x=$ 1.6630	$p_y=$ -0.0195	$p_z=$ 0.0000
P'	$E=$ 1.1754	$p_x=$ 0.0000	$p_y=$ 0.7084	$p_z=$ 0.0000
q_γ	$E=$ 1.8000	$p_x=$ -1.6630	$p_y=$ -0.6888	$p_z=$ 0.0000


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_ltx_region_1 C_{ep}=0.0144645
region: high_Egamma_LTx_region_1 final-pair delta_xy=2.1407 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.168789$
 $\theta_{in}=1.57079$, $\phi_l=0.490874$, $\phi_p=3.63247$
 $E_Y=1.8$, $\phi_Y=0.490874$
 $Q^2=16.7499$, $x_B=0.841937$, $t=-3.19588$, $W^2=4.02444$, $y=0.96407$
 $\theta(l', \gamma)=175.472$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.9618$ $p_y= 1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= -1.0486$ $p_z= 0.0000$
 l' $E= 1.8855$ $p_x= -1.5875$ $p_y= -1.0173$ $p_z= 0.0000$
 P' $E= 0.9531$ $p_x= 0.0000$ $p_y= 0.1688$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 1.5875$ $p_y= 0.8485$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_Y=+1$
electron L, proton Tx


$h_e=-1, h_p=+1, h_Y=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_ltx_region_2 C_{ep} =0.0142994
region: high_Egamma_LTx_region_2 final-pair delta_xy=3.04838 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0960515$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_p=4.61421$
 $E_\gamma=1.8$, $\phi_\gamma=1.47262$
 $Q^2=16.8664$, $x_B=0.846846$, $t=-3.21811$, $W^2=3.93018$, $y=0.965147$
 $\theta(l', \gamma)=179.715$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 l' $E= 1.8956$ $p_x= -0.1764$ $p_y= -1.8874$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0961$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= 1.7913$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=99.8%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_high_egamma_ltx_region_3 C_{ep}=0.0140927
 region: high_Egamma_LTx_region_3 final-pair delta_xy=2.31441 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.137832$
 $\theta_{in}=1.57079$, $\phi_l=2.45437$, $\phi_p=5.59596$
 $E_\gamma=1.8$, $\phi_\gamma=2.45437$
 $Q^2=16.8072$, $x_B=0.84435$, $t=-3.2068$, $W^2=3.97812$, $y=0.964599$
 $\theta(l', \gamma)=176.769$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 1.8904$ $p_x= 1.3914$ $p_y= -1.2797$ $p_z= 0.0000$
 P' $E= 0.9481$ $p_x= 0.0000$ $p_y= 0.1378$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.3914$ $p_y= 1.1419$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

