



high\_Egamma L electron + Tx proton: max  $C_{p\gamma}$  regions



# L electron + Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_high\_egamma\_ltx\_region\_0 C\_{p\gamma}=0.989107  
 region: high\_Egamma\_LTx\_region\_0 final-pair delta\_xy=0.981748 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.151482$   
 $\theta_{in}=1.57079$ ,  $\phi_t=5.49779$ ,  $\phi_p=2.35619$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=2.55254$   
 $Q^2=0.0704543$ ,  $x_B=0.0220996$ ,  $t=-2.35131$ ,  $W^2=3.99742$ ,  $y=0.154489$   
 $\theta(l', \gamma)=176.176$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.5729$   $p_y= -1.5729$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.5729$   $p_y= 1.5729$   $p_z= 0.0000$   
 $l'$   $E= 1.8884$   $p_x= 1.4966$   $p_y= -1.1515$   $p_z= 0.0000$   
 $P'$   $E= 0.9502$   $p_x= 0.0000$   $p_y= 0.1515$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.4966$   $p_y= 1.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# L electron + Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_high\_egamma\_ltx\_region\_1 C\_{p\gamma}=0.987689  
 region: high\_Egamma\_LTx\_region\_1 final-pair delta\_xy=0 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.0956529$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.61421$ ,  $\phi_p=1.47262$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=1.5708$   
 $Q^2=0.0406094$ ,  $x_B=0.0131398$ ,  $t=-2.36916$ ,  $W^2=3.92981$ ,  $y=0.149766$   
 $\theta(l', \gamma)=180$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $l'$   $E= 1.8957$   $p_x= -0.0000$   $p_y= -1.8957$   $p_z= 0.0000$   
 $P'$   $E= 0.9429$   $p_x= 0.0000$   $p_y= 0.0957$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= 0.0000$   $p_y= 1.8000$   $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$   
 electron L, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$   
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.7%)

