



high_Egamma L electron + Ty proton: max P_W regions



L electron + Ty proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_lty_region_0 P_W=0.333316
region: high_Egamma_LTy_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_e\rangle \otimes |T_{Y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_Y=1.8$, $\phi_Y=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(l', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_Y=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



L electron + Ty proton characteristic max P_W configuration

3D momenta




w_purity_high egamma_lty_region_1 P_W=0.303126
 region: high_Egamma_LTy_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=3.92699$, $\phi_p=0.785398$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_lty_region_2 P_W=0.302148
 region: high_Egamma_LTy_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.49779$, $\phi_p=2.35619$
 $E_\gamma=1.8$, $\phi_\gamma=5.49779$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(l', \gamma)=135.87$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	1.5729	$p_y=$	-1.5729	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	-1.5729	$p_y=$	1.5729	$p_z=$	0.0000
l'	$E=$	1.2729	$p_x=$	-1.2728	$p_y=$	0.0193	$p_z=$	0.0000
P'	$E=$	1.5656	$p_x=$	0.0000	$p_y=$	1.2535	$p_z=$	0.0000
q_γ	$E=$	1.8000	$p_x=$	1.2728	$p_y=$	-1.2728	$p_z=$	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max P_W configuration

3D momenta




w_purity_high egamma_lty_region_3 P_W=0.281692
 region: high_Egamma_LTy_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1.8$, $\phi_\gamma=2.55254$
 $Q^2=16.7833$, $x_B=0.843345$, $t=-3.20225$, $W^2=3.99742$, $y=0.964378$
 $\theta(l', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
l	2.2244	-1.8495	1.2358	-0.0000
P	2.4141	1.8495	-1.2358	0.0000
l'	1.8884	1.4966	-1.1515	0.0000
P'	0.9502	0.0000	0.1515	0.0000
q_γ	1.8000	-1.4966	1.0000	0.0000

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

