



mid_Egamma L electron + Ty proton: max C_{ey} regions



L electron + Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_lty_region_0 $C_{\{e\gamma\}}=0.0152507$
 region: mid_Egamma_LTy_region_0 final-pair delta_xy=0.178039 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=4.81056$, $\phi_p=1.66897$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=0.0863995$, $x_B=0.00926577$, $t=-0.047558$, $W^2=10.118$, $y=0.45186$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= -0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_lty_region_1 C_{e\gamma}=0.0111894
region: mid_Egamma_LTy_region_1 final-pair delta_xy=1.42463 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.92087$
 $\theta_{in}=1.57079$, $\phi_t=3.82882$, $\phi_p=0.687223$
 $E_\gamma=1$, $\phi_\gamma=3.82882$
 $Q^2=5.7046$, $x_B=0.459415$, $t=-3.14007$, $W^2=7.59234$, $y=0.60172$
 $\theta(\ell', \gamma)=81.6255$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.5009$ $p_x= 0.7730$ $p_y= -1.2865$ $p_z= 0.0000$
 P' $E= 2.1377$ $p_x= 0.0000$ $p_y= 1.9209$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7730$ $p_y= -0.6344$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_lty_region_2 $C_{\{e\gamma\}}=0.00980256$
 region: mid_Egamma_LTy_region_2 final-pair delta_xy=1.6631 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.8082$
 $\theta_{in}=1.57079$, $\phi_l=5.79231$, $\phi_p=2.65072$
 $E_\gamma=1$, $\phi_\gamma=5.79231$
 $Q^2=7.78158$, $x_B=0.573848$, $t=-4.28332$, $W^2=6.65862$, $y=0.657121$
 $\theta(l', \gamma)=95.2889$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 1.6015$ $p_x= -0.8819$ $p_y= -1.3368$ $p_z= 0.0000$
 P' $E= 2.0370$ $p_x= 0.0000$ $p_y= 1.8082$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8819$ $p_y= -0.4714$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Ty proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_mid_egamma_lty_region_3 $C_{e\gamma}=0.00437232$
 region: mid_Egamma_LTy_region_3 final-pair delta_xy=2.37884 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |\bar{T}_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.40644$
 $\theta_{in}=1.57079$, $\phi_l=2.84707$, $\phi_p=5.98866$
 $E_\gamma=1$, $\phi_\gamma=2.84707$
 $Q^2=14.9314$, $x_B=0.853421$, $t=-8.21889$, $W^2=3.44439$, $y=0.847835$
 $\theta(l', \gamma)=136.298$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 1.9480$ $p_x= 0.9569$ $p_y= -1.6967$ $p_z= 0.0000$
 P' $E= 1.6905$ $p_x= 0.0000$ $p_y= 1.4064$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9569$ $p_y= 0.2903$ $p_z= 0.0000$

Transverse plane



$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=99.6%)

