



mid\_Egamma Ty electron: max  $C_{ep}$  regions



# Ty electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ty\_electron\_region\_0  $C_{ep}=7.03539e-06$   
 region: mid\_Egamma\_Ty\_electron\_region\_0 final-pair delta\_xy=3.06173 rad  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{y,e},h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.21987$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.47262$ ,  $\phi_P=4.61421$   
 $E_Y=1$ ,  $\phi_Y=4.61421$   
 $Q^2=10.8453$ ,  $x_B=0.540011$ ,  $t=-19.7041$ ,  $W^2=10.118$ ,  $y=0.973227$   
 $\theta(l',\gamma)=10.2009$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $l'$   $E= 1.2286$   $p_x= 0.0980$   $p_y= -1.2247$   $p_z= 0.0000$   
 $P'$   $E= 2.4099$   $p_x= 0.0000$   $p_y= 2.2199$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= -0.0980$   $p_y= -0.9952$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# Ty electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ty\_electron\_region\_1  $C_{ep}$ =2.72723e-06  
 region: mid\_Egamma\_Ty\_electron\_region\_1 final-pair delta\_xy=3.14159 rad  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{y,e},h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15253$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.66897$ ,  $\phi_P=4.81056$   
 $E_Y=1$ ,  $\phi_Y=1.5708$   
 $Q^2=19.1064$ ,  $x_B=0.966272$ ,  $t=-10.5177$ ,  $W^2=1.54677$ ,  $y=0.958194$   
 $\theta(l',\gamma)=180$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $l'$   $E= 2.1525$   $p_x= -0.0000$   $p_y= -2.1525$   $p_z= 0.0000$   
 $P'$   $E= 1.4860$   $p_x= 0.0000$   $p_y= 1.1525$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 0.0000$   $p_y= 1.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



# Ty electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ty\_electron\_region\_2  $C_{ep}=0$   
 region: mid\_Egamma\_Ty\_electron\_region\_2 final-pair delta\_xy=2.56553 rad  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{y,e}, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.5395$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_Y=1$ ,  $\phi_Y=0$   
 $Q^2=12.6159$ ,  $x_B=0.777732$ ,  $t=-6.94433$ ,  $W^2=4.48534$ ,  $y=0.786071$   
 $\theta(l', \gamma)=123.006$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8358$   $p_x= -1.0000$   $p_y= -1.5395$   $p_z= 0.0000$   
 $P'$   $E= 1.8027$   $p_x= 0.0000$   $p_y= 1.5395$   $p_z= 0.0000$   
 $q_Y$   $E= 1.0000$   $p_x= 1.0000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=96.1%)



# Ty electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_ty\_electron\_region\_3 C\_{ep}=0  
 region: mid\_Egamma\_Ty\_electron\_region\_3 final-pair delta\_xy=3.05064 rad  
 outgoing-state purity: 0.5  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(T_{y,e}, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15835$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_Y=1$ ,  $\phi_Y=1.37445$   
 $Q^2=10.4241$ ,  $x_B=0.93633$ ,  $t=-5.43678$ ,  $W^2=1.58868$ ,  $y=0.539489$   
 $\theta(l', \gamma)=173.961$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E=2.2244$   $p_x=2.2244$   $p_y=-0.0000$   $p_z=-0.0000$   
 $P$   $E=2.4141$   $p_x=-2.2244$   $p_y=0.0000$   $p_z=0.0000$   
 $l'$   $E=2.1480$   $p_x=-0.1951$   $p_y=-2.1391$   $p_z=0.0000$   
 $P'$   $E=1.4905$   $p_x=0.0000$   $p_y=1.1583$   $p_z=0.0000$   
 $q_Y$   $E=1.0000$   $p_x=0.1951$   $p_y=0.9808$   $p_z=0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=92.5%)

