



mid_Egamma Ty electron: max P_W regions



Ty electron characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ty_electron_region_0 P_W=0.30721
 region: mid_Egamma_Ty_electron_region_0
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{Y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=5.98866$, $\phi_P=2.84707$
 $E_Y=1$, $\phi_Y=4.71239$
 $Q^2=3.86598$, $x_B=0.294147$, $t=-7.02339$, $W^2=10.1569$, $y=0.636898$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= 0.0000$
 l' $E= 1.2244$ $p_x= 0.0000$ $p_y= -1.2244$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.0000$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_Y=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=+1, h_Y=+1$
 electron Ty, proton h=+1
 $h_e=+1, h_p=+1, h_Y=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_Y=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_Y=-1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=-1, h_Y=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_Y=+1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=+1, h_Y=+1$
 electron Ty, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity_mid_egamma ty_electron_region_1 P_W=0.245166
 region: mid_Egamma_Ty_electron_region_1
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{Y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.58942$
 $\theta_{in}=1.57079$, $\phi_l=6.18501$, $\phi_P=3.04342$
 $E_Y=1$, $\phi_Y=6.18501$
 $Q^2=11.7323$, $x_B=0.745618$, $t=-6.45798$, $W^2=4.88255$, $y=0.762503$
 $\theta(l', \gamma)=118.089$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 1.7930$ $p_x= -0.9952$ $p_y= -1.4914$ $p_z= 0.0000$
 P' $E= 1.8456$ $p_x= 0.0000$ $p_y= 1.5894$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.9952$ $p_y= -0.0980$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_Y=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_Y=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=-1, h_Y=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=+1, h_Y=+1$
 electron Ty, proton h=+1
 $h_e=+1, h_p=-1, h_Y=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=+1, h_Y=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_Y=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=-1, h_Y=+1$
 electron Ty, proton h=+1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ty_electron_region_2 P_W=0.215249
 region: mid_Egamma_Ty_electron_region_2
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{Y,e}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15447$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_Y=1$, $\phi_Y=5.10509$
 $Q^2=0.25861$, $x_B=0.0289301$, $t=-0.000758985$, $W^2=9.56038$, $y=0.433182$
 $\theta(l', \gamma)=39.7745$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.2887$ $p_x= -0.3827$ $p_y= -1.2306$ $p_z= 0.0000$
 P' $E= 2.3498$ $p_x= 0.0000$ $p_y= 2.1545$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.3827$ $p_y= -0.9239$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ty_electron_region_3 P_W=0.182849
 region: mid_Egamma_Ty_electron_region_3
 outgoing-state purity: 0.50006
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.22462$
 $\theta_{in}=1.57079$, $\phi_l=0.883573$, $\phi_p=4.02517$
 $E_\gamma=1$, $\phi_\gamma=0.883573$
 $Q^2=17.9848$, $x_B=0.937848$, $t=-9.89963$, $W^2=2.07171$, $y=0.929282$
 $\theta(l', \gamma)=158.243$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= 0.0000$
 l' $E= 2.0959$ $p_x= -0.6344$ $p_y= -1.9976$ $p_z= 0.0000$
 P' $E= 1.5426$ $p_x= 0.0000$ $p_y= 1.2246$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.6344$ $p_y= 0.7730$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=98.0%)

